LED7 abort RT: exponential, uniform, Gaussian and Gamma lapses
Gamma clock: fitted shape and scale; location fixed at fixation start

LED OFF | LED ON | Data (10 ms bins) | Proactive + lapse

Session type 8: exponential lapse

OFF: observed 0.140, model 0.145
ON: observed 0.208, model 0.200

Session type 9: exponential lapse

OFF: observed 0.172, model 0.175
ON: observed 0.252, model 0.248

Session type 8: uniform lapse

OFF: observed 0.140, model 0.146
ON: observed 0.208, model 0.202

Session type 9: uniform lapse

OFF: observed 0.172, model 0.174
ON: observed 0.252, model 0.245

Session type 8: gaussian lapse

OFF: observed 0.140, model 0.145
ON: observed 0.208, model 0.198

Session type 9: gaussian lapse

OFF: observed 0.172, model 0.175
ON: observed 0.252, model 0.247

Session type 8: gamma lapse

OFF: observed 0.140, model 0.145
ON: observed 0.208, model 0.198

Session type 9: gamma lapse

OFF: observed 0.172, model 0.175
ON: observed 0.252, model 0.247

Abort rate (s^{-1})

Time from scheduled LED onset (s)

Trial-pooled rates; denominator includes abort and censored trials. OFF zero is scheduled; ON zero is actual onset.