Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 1/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%




























ASD0040: new row uses 14,197 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0042: new row uses 17,052 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0044: new row uses 9,296 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0047: new row uses 18,771 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s























ASD0049: new row uses 8,868 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 2/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%






















ASD0038: new row uses 17,362 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0039: new row uses 14,411 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0041: new row uses 16,950 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0023: new row uses 2,257 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

















ASD0024: new row uses 17,890 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 3/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%






















ASD0043: new row uses 16,726 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0045: new row uses 10,446 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s





















ASD0046: new row uses 11,201 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0048: new row uses 9,195 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

















ASD0077: new row uses 4,113 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 4/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%




























ASD0073: new row uses 6,443 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0074: new row uses 2,060 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0075: new row uses 4,608 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0076: new row uses 3,061 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s























ASD0072: new row uses 4,163 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 5/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%






















ASD0026: new row uses 7,995 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0027: new row uses 5,432 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0028: new row uses 9,554 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0032: new row uses 6,945 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

















ASD0033: new row uses 6,771 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors

|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%










ASD0050: new row uses 8,268 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s











ASD0051: new row uses 7,315 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0025: new row uses 7,406 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s



























ASD0035: new row uses 8,154 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s









ASD0022: new row uses 7,740 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 7/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%






















ASD0029: new row uses 8,306 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0030: new row uses 3,784 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0031: new row uses 11,090 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0034: new row uses 14,141 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

















ASD0036: new row uses 11,519 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 8/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%




























ASD0037: new row uses 17,643 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0053: new row uses 12,097 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0055: new row uses 8,684 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0062: new row uses 568 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s























ASD0056: new row uses 8,589 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 9/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%




























ASD0057: new row uses 9,696 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0058: new row uses 5,828 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0059: new row uses 9,370 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0061: new row uses 6,908 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

















ASD0063: new row uses 5,260 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB ABL 40 dB ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 |ILD| 2 |ILD| 4 |ILD| 8 |ILD| 16


10% 30% 50% 70% 90%






















ASD0066: new row uses 2,483 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0068: new row uses 5,365 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0071: new row uses 2,873 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s






















ASD0052: new row uses 15,808 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

















ASD0054: new row uses 6,049 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s

Session type 1 | Psychometric, RTD, chronometric, CDF, and quantile scaling | Page 11/11


Upper row: original valid-choice / all-finite-RT analyses | Lower row: measured RT in [0,1] s; fresh per-animal cutoffs


ABL 20 dB | ABL 40 dB | ABL 60 dB


CDF: use these line styles | ΔCDF: use these colors


|ILD| 1 | |ILD| 2 | |ILD| 4 | |ILD| 8 | |ILD| 16


10% | 30% | 50% | 70% | 90%




























ASD0060: new row uses 8,996 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s




























ASD0064: new row uses 2,535 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s























ASD0065: new row uses 4,736 RTs in [0,1] s | cutoff = first 10-bin forward-minus-backward ΔCDF rise ≥ 0.005 | scaling fitted up to 0.3 s

Session 1, training 16, success in {1,−1}; prepared repeat rule already applied | Upper RTD: 20 ms bins, all finite RTs, 0–0.6 s display | Lower CDF/quantiles: [0,1] s