

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0040 | SHANK3_cohort1 | WT
Psychometric | 14,281 correct/error choices





ASD0040 | RTDs: all selected ILDs pooled
14,281 finite RTs; 0 missing





ASD0042 | SHANK3_cohort1 | WT
Psychometric | 17,143 correct/error choices





ASD0042 | RTDs: all selected ILDs pooled
17,143 finite RTs; 0 missing





ASD0044 | SHANK3_cohort1 | WT
Psychometric | 9,321 correct/error choices





ASD0044 | RTDs: all selected ILDs pooled
9,321 finite RTs; 0 missing





ASD0047 | SHANK3_cohort1 | WT
Psychometric | 18,932 correct/error choices





ASD0047 | RTDs: all selected ILDs pooled
18,932 finite RTs; 0 missing




ASD0049 | SHANK3_cohort1 | WT
Psychometric | 8,880 correct/error choices




ASD0049 | RTDs: all selected ILDs pooled
8,880 finite RTs; 0 missing





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0038 | SHANK3_cohort1 | Heterozygous
Psychometric | 17,446 correct/error choices





ASD0038 | RTDs: all selected ILDs pooled
17,446 finite RTs; 0 missing





ASD0039 | SHANK3_cohort1 | Heterozygous
Psychometric | 14,531 correct/error choices





ASD0039 | RTDs: all selected ILDs pooled
14,531 finite RTs; 0 missing





ASD0041 | SHANK3_cohort1 | Heterozygous
Psychometric | 17,034 correct/error choices





ASD0041 | RTDs: all selected ILDs pooled
17,034 finite RTs; 0 missing





ASD0023 | SHANK3_cohort1 | Homozygous
Psychometric | 2,260 correct/error choices





ASD0023 | RTDs: all selected ILDs pooled
2,260 finite RTs; 0 missing




ASD0024 | SHANK3_cohort1 | Homozygous
Psychometric | 17,906 correct/error choices




ASD0024 | RTDs: all selected ILDs pooled
17,906 finite RTs; 0 missing





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0043 | SHANK3_cohort1 | Homozygous
Psychometric | 16,883 correct/error choices





ASD0043 | RTDs: all selected ILDs pooled
16,883 finite RTs; 0 missing





ASD0045 | SHANK3_cohort1 | Homozygous
Psychometric | 10,573 correct/error choices





ASD0045 | RTDs: all selected ILDs pooled
10,573 finite RTs; 0 missing





ASD0046 | SHANK3_cohort1 | Homozygous
Psychometric | 11,241 correct/error choices





ASD0046 | RTDs: all selected ILDs pooled
11,241 finite RTs; 0 missing





ASD0048 | SHANK3_cohort1 | Homozygous
Psychometric | 9,209 correct/error choices





ASD0048 | RTDs: all selected ILDs pooled
9,209 finite RTs; 0 missing




ASD0077 | SHANK3_cohort2 | WT
Psychometric | 4,179 correct/error choices




ASD0077 | RTDs: all selected ILDs pooled
4,179 finite RTs; 0 missing





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0073 | SHANK3_cohort2 | Heterozygous
Psychometric | 6,452 correct/error choices





ASD0073 | RTDs: all selected ILDs pooled
6,452 finite RTs; 0 missing





ASD0074 | SHANK3_cohort2 | Heterozygous
Psychometric | 2,076 correct/error choices





ASD0074 | RTDs: all selected ILDs pooled
2,076 finite RTs; 0 missing





ASD0075 | SHANK3_cohort2 | Heterozygous
Psychometric | 4,624 correct/error choices





ASD0075 | RTDs: all selected ILDs pooled
4,624 finite RTs; 0 missing





ASD0076 | SHANK3_cohort2 | Heterozygous
Psychometric | 3,089 correct/error choices





ASD0076 | RTDs: all selected ILDs pooled
3,089 finite RTs; 0 missing




ASD0072 | SHANK3_cohort2 | Homozygous
Psychometric | 4,184 correct/error choices





ASD0072 | RTDs: all selected ILDs pooled
4,184 finite RTs; 0 missing






Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only


ABL 20 dB  ABL 40 dB  ABL 60 dB

























Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0050 | CNTNAP2_cohort3 | WT
Psychometric | 8,337 correct/error choices





ASD0050 | RTDs: all selected ILDs pooled
8,337 finite RTs; 0 missing





ASD0051 | CNTNAP2_cohort3 | WT
Psychometric | 7,364 correct/error choices





ASD0051 | RTDs: all selected ILDs pooled
7,364 finite RTs; 0 missing





ASD0025 | CNTNAP2_cohort3 | Heterozygous
Psychometric | 7,484 correct/error choices





ASD0025 | RTDs: all selected ILDs pooled
7,484 finite RTs; 0 missing





ASD0035 | CNTNAP2_cohort3 | Heterozygous
Psychometric | 8,168 correct/error choices





ASD0035 | RTDs: all selected ILDs pooled
8,168 finite RTs; 0 missing




ASD0022 | CNTNAP2_cohort3 | Homozygous
Psychometric | 7,787 correct/error choices




ASD0022 | RTDs: all selected ILDs pooled
7,787 finite RTs; 0 missing





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0029 | CNTNAP2_cohort3 | Homozygous
Psychometric | 8,404 correct/error choices





ASD0029 | RTDs: all selected ILDs pooled
8,404 finite RTs; 0 missing





ASD0030 | CNTNAP2_cohort3 | Homozygous
Psychometric | 3,814 correct/error choices





ASD0030 | RTDs: all selected ILDs pooled
3,814 finite RTs; 0 missing





ASD0031 | CNTNAP2_cohort3 | Homozygous
Psychometric | 11,167 correct/error choices





ASD0031 | RTDs: all selected ILDs pooled
11,167 finite RTs; 0 missing





ASD0034 | CNTNAP2_cohort3 | Homozygous
Psychometric | 14,169 correct/error choices





ASD0034 | RTDs: all selected ILDs pooled
14,169 finite RTs; 0 missing




ASD0036 | CNTNAP2_cohort3 | Homozygous
Psychometric | 11,592 correct/error choices




ASD0036 | RTDs: all selected ILDs pooled
11,592 finite RTs; 0 missing





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0037 | CNTNAP2_cohort3 | Homozygous
Psychometric | 17,754 correct/error choices





ASD0037 | RTDs: all selected ILDs pooled
17,754 finite RTs; 0 missing





ASD0053 | CNTNAP2_cohort4 | WT
Psychometric | 14,307 correct/error choices





ASD0053 | RTDs: all selected ILDs pooled
12,119 finite RTs; 2,188 missing





ASD0055 | CNTNAP2_cohort4 | WT
Psychometric | 8,695 correct/error choices





ASD0055 | RTDs: all selected ILDs pooled
8,695 finite RTs; 0 missing





ASD0062 | CNTNAP2_cohort4 | WT
Psychometric | 568 correct/error choices





ASD0062 | RTDs: all selected ILDs pooled
568 finite RTs; 0 missing




ASD0056 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 8,608 correct/error choices




ASD0056 | RTDs: all selected ILDs pooled
8,608 finite RTs; 0 missing





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0057 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 9,697 correct/error choices





ASD0057 | RTDs: all selected ILDs pooled
9,697 finite RTs; 0 missing





ASD0058 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 5,849 correct/error choices





ASD0058 | RTDs: all selected ILDs pooled
5,849 finite RTs; 0 missing





ASD0059 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 9,374 correct/error choices





ASD0059 | RTDs: all selected ILDs pooled
9,374 finite RTs; 0 missing





ASD0061 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 6,920 correct/error choices





ASD0061 | RTDs: all selected ILDs pooled
6,920 finite RTs; 0 missing




ASD0063 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 5,285 correct/error choices




ASD0063 | RTDs: all selected ILDs pooled
5,285 finite RTs; 0 missing





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only

ABL 20 dB  ABL 40 dB  ABL 60 dB


ASD0066 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 2,490 correct/error choices





ASD0066 | RTDs: all selected ILDs pooled
2,490 finite RTs; 0 missing





ASD0068 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 5,389 correct/error choices





ASD0068 | RTDs: all selected ILDs pooled
5,389 finite RTs; 0 missing





ASD0071 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 2,897 correct/error choices





ASD0071 | RTDs: all selected ILDs pooled
2,897 finite RTs; 0 missing





ASD0052 | CNTNAP2_cohort4 | Homozygous
Psychometric | 15,860 correct/error choices





ASD0052 | RTDs: all selected ILDs pooled
15,860 finite RTs; 0 missing




ASD0054 | CNTNAP2_cohort4 | Homozygous
Psychometric | 6,099 correct/error choices





ASD0054 | RTDs: all selected ILDs pooled
6,099 finite RTs; 0 missing






Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only


ABL 20 dB  ABL 40 dB  ABL 60 dB





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB

Psychometric: no RT restriction | RTD: all finite RTs; 20 ms bins; full-range area = 1 per ABL; 0-0.6 s is a display zoom only