




ABL 20 dB ABL 40 dB ABL 60 dB












































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB












































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB












































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB












































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB












































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB












































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB












































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB










































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals

ABL 20 dB ABL 40 dB ABL 60 dB


ASD0057 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 9,697 correct/error choices




ASD0057 | RTDs: all selected ILDs pooled
9,697 finite RTs; 0 missing




ASD0057 | Chronometric
Pooled ±ILD




ASD0058 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 5,849 correct/error choices




ASD0058 | RTDs: all selected ILDs pooled
5,849 finite RTs; 0 missing




ASD0058 | Chronometric
Pooled ±ILD




ASD0059 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 9,374 correct/error choices




ASD0059 | RTDs: all selected ILDs pooled
9,374 finite RTs; 0 missing




ASD0059 | Chronometric
Pooled ±ILD




ASD0061 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 6,920 correct/error choices




ASD0061 | RTDs: all selected ILDs pooled
6,920 finite RTs; 0 missing




ASD0061 | Chronometric
Pooled ±ILD




ASD0063 | CNTNAP2_cohort4 | Heterozygous
Psychometric | 5,285 correct/error choices



ASD0063 | RTDs: all selected ILDs pooled
5,285 finite RTs; 0 missing




ASD0063 | Chronometric
Pooled ±ILD





Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals


ABL 20 dB ABL 40 dB ABL 60 dB










































Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB


All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals

ABL 20 dB ABL 40 dB ABL 60 dB


ASD0060 | CNTNAP2_cohort4 | Homozygous
Psychometric | 9,006 correct/error choices




ASD0060 | RTDs: all selected ILDs pooled
9,006 finite RTs; 0 missing




ASD0060 | Chronometric
Pooled ±ILD




ASD0064 | CNTNAP2_cohort4 | Homozygous
Psychometric | 2,547 correct/error choices




ASD0064 | RTDs: all selected ILDs pooled
2,547 finite RTs; 0 missing




ASD0064 | Chronometric
Pooled ±ILD




ASD0065 | CNTNAP2_cohort4 | Homozygous
Psychometric | 4,747 correct/error choices



ASD0065 | RTDs: all selected ILDs pooled
4,747 finite RTs; 0 missing



ASD0065 | Chronometric
Pooled ±ILD



Training level 16 | success in {1, -1} | repeat rule already applied | ABL 59 mapped to 60 | signed ILDs: ±1/2/4/8/16 dB
All finite RTs used | RTD: 20 ms bins; full-range area = 1; 0-0.6 s display zoom | Chronometric: pool +/-ILD raw trials; SEM = sample SD / sqrt(n); legends show ABL totals