Session type 1 | RTD, all signed ILDs pooled | Filename + genotype

SHANK3_cohort1 | WT
5 animals | n=68,184



SHANK3_cohort1 | Heterozygous
3 animals | n=48,723



SHANK3_cohort1 | Homozygous
6 animals | n=67,715



SHANK3_cohort2 | WT
1 animal | n=4,113



SHANK3_cohort2 | Heterozygous
4 animals | n=16,172



SHANK3_cohort2 | Homozygous
1 animal | n=4,163



CNTNAP2_cohort3 | WT
7 animals | n=52,280



CNTNAP2_cohort3 | Heterozygous
2 animals | n=15,560



CNTNAP2_cohort3 | Homozygous
7 animals | n=74,223



CNTNAP2_cohort4 | WT
3 animals | n=21,349



CNTNAP2_cohort4 | Heterozygous
9 animals | n=56,372



CNTNAP2_cohort4 | Homozygous
5 animals | n=38,124



Correct/error trials; finite timed_rt in [0, 1] s. Training 16; confirmed repeat rule; short-sound rows removed from prepared CSV.
ABL 59 → 60; signed ILDs ±1/2/4/8/16 pooled within each ABL. Solid 20 ms steps; density = count / (curve n × 0.020 s); area 1. Raw trials pooled.
Display 0–0.6 s only; normalization and printed n still use 0–1 s.