Session type 1 | Filename + genotype | SHANK3 cohorts | Page 1/2

ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation

|ILD| = 1 dB | |ILD| = 2 dB | |ILD| = 4 dB | |ILD| = 8 dB | |ILD| = 16 dB | All displayed stimuli Correct/error + fixation

SHANK3_cohort1 WT (wt) 5 animals

n=4,425 n=4,508 n=4,488 | n=4,475 n=4,716 n=4,550 | n=4,418 n=4,658 n=4,556 | n=4,534 n=4,589 n=4,629 | n=4,475 n=4,590 n=4,573 | n=83,089

SHANK3_cohort1 Heterozygous (het) 3 animals

n=3,203 n=3,225 n=3,238 | n=3,157 n=3,213 n=3,198 | n=3,266 n=3,199 n=3,246 | n=3,295 n=3,301 n=3,270 | n=3,250 n=3,399 n=3,263 | n=58,987

SHANK3_cohort1 Homozygous (hom) 6 animals

n=4,410 n=4,508 n=4,582 | n=4,434 n=4,572 n=4,474 | n=4,402 n=4,333 n=4,531 | n=4,450 n=4,593 n=4,543 | n=4,544 n=4,781 n=4,558 | n=81,058

SHANK3_cohort2 WT (wt) 1 animal

n=261 n=268 n=285 | n=266 n=302 n=306 | n=257 n=268 n=279 | n=276 n=254 n=254 | n=268 n=289 n=280 | n=5,254

SHANK3_cohort2 Heterozygous (het) 4 animals

n=1,019 n=1,108 n=1,092 | n=999 n=1,075 n=1,084 | n=1,144 n=1,037 n=1,081 | n=1,113 n=1,136 n=1,071 | n=1,084 n=1,056 n=1,073 | n=21,337

SHANK3_cohort2 Homozygous (hom) 1 animal

n=264 n=281 n=296 | n=273 n=278 n=283 | n=251 n=264 n=268 | n=284 n=269 n=299 | n=287 n=293 n=273 | n=6,183

Density (s⁻¹) | timed_rt (s)

Trials pooled directly across animals and sessions; animals with more trials contribute more weight. ABL 59 → 60. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.
20 ms bins. Display: 0–0.6 s / −0.6–0.6 s; printed n and unit-area normalization use 0–1 s / −1–1 s. Panels 1–5: correct/error; panel 6 adds fixation, using displayed stimuli only.

Session type 1 | Filename + genotype | CNTNAP2 cohorts | Page 2/2

ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation

	|ILD| = 1 dB	|ILD| = 2 dB	|ILD| = 4 dB	|ILD| = 8 dB	|ILD| = 16 dB	All displayed stimuli Correct/error + fixation
CNTNAP2_cohort3 WT (wt) 7 animals	n=3,467 n=3,430 n=3,428	n=3,367 n=3,464 n=3,560	n=3,408 n=3,542 n=3,539	n=3,389 n=3,493 n=3,474	n=3,659 n=3,443 n=3,617	n=72,790
CNTNAP2_cohort3 Heterozygous (het) 2 animals	n=1,014 n=1,011 n=1,067	n=1,049 n=1,092 n=1,004	n=1,021 n=1,074 n=1,047	n=1,059 n=1,030 n=1,016	n=1,068 n=1,014 n=994	n=19,801
CNTNAP2_cohort3 Homozygous (hom) 7 animals	n=4,781 n=4,850 n=5,099	n=4,874 n=4,971 n=4,985	n=4,850 n=5,033 n=5,011	n=4,860 n=4,919 n=5,048	n=4,871 n=5,067 n=5,004	n=90,734
CNTNAP2_cohort4 WT (wt) 3 animals	n=1,432 n=1,406 n=1,417	n=1,453 n=1,427 n=1,374	n=1,379 n=1,375 n=1,421	n=1,458 n=1,392 n=1,463	n=1,466 n=1,490 n=1,396	n=31,013
CNTNAP2_cohort4 Heterozygous (het) 9 animals	n=3,845 n=3,770 n=3,761	n=3,649 n=3,759 n=3,746	n=3,801 n=3,768 n=3,825	n=3,763 n=3,798 n=3,706	n=3,782 n=3,625 n=3,774	n=78,454
CNTNAP2_cohort4 Homozygous (hom) 5 animals	n=2,546 n=2,567 n=2,470	n=2,528 n=2,617 n=2,529	n=2,400 n=2,560 n=2,605	n=2,437 n=2,606 n=2,511	n=2,586 n=2,559 n=2,603	n=50,164

Density (s^{-1})

timed_rt (s)

Trials pooled directly across animals and sessions; animals with more trials contribute more weight. ABL 59 → 60. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.
20 ms bins. Display: 0–0.6 s / −0.6–0.6 s; printed n and unit-area normalization use 0–1 s / −1–1 s. Panels 1–5: correct/error; panel 6 adds fixation, using displayed stimuli only.