ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation

|ILD| = 1 dB | |ILD| = 2 dB | |ILD| = 4 dB | |ILD| = 8 dB | |ILD| = 16 dB | All displayed stimuli Correct/error + fixation

ASD0023 Homozygous (hom)
n=151 n=155 n=169 | n=155 n=142 n=140 | n=153 n=132 n=147 | n=177 n=148 n=151 | n=157 n=151 n=129 | n=3,076

ASD0024 Homozygous (hom)
n=1,172 n=1,220 n=1,168 | n=1,185 n=1,208 n=1,148 | n=1,164 n=1,106 n=1,168 | n=1,170 n=1,195 n=1,178 | n=1,214 n=1,406 n=1,188 | n=21,098

ASD0038 Heterozygous (het)
n=1,157 n=1,141 n=1,132 | n=1,138 n=1,138 n=1,127 | n=1,211 n=1,124 n=1,160 | n=1,142 n=1,182 n=1,172 | n=1,190 n=1,195 n=1,153 | n=21,543

ASD0039 Heterozygous (het)
n=941 n=961 n=984 | n=896 n=966 n=963 | n=955 n=965 n=956 | n=1,002 n=963 n=951 | n=909 n=990 n=1,009 | n=16,809

ASD0040 WT (wt)
n=954 n=929 n=931 | n=899 n=950 n=959 | n=914 n=1,033 n=930 | n=926 n=949 n=966 | n=879 n=987 n=991 | n=17,806

ASD0041 Heterozygous (het)
n=1,105 n=1,123 n=1,122 | n=1,123 n=1,109 n=1,108 | n=1,100 n=1,110 n=1,130 | n=1,151 n=1,156 n=1,147 | n=1,151 n=1,214 n=1,101 | n=20,635

ASD0042 WT (wt)
n=1,071 n=1,179 n=1,088 | n=1,174 n=1,235 n=1,150 | n=1,100 n=1,129 n=1,163 | n=1,136 n=1,089 n=1,135 | n=1,124 n=1,102 n=1,177 | n=20,632


ASD0043 Homozygous (hom)
n=1,071 n=1,135 n=1,154 | n=1,078 n=1,155 n=1,142 | n=1,034 n=1,080 n=1,138 | n=1,088 n=1,128 n=1,095 | n=1,114 n=1,155 n=1,159 | n=19,711

Density (s^{-1}) | timed_rt (s)


20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.

ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation


ASD0044 WT (wt)




ASD0045 Homozygous (hom)




ASD0046 Homozygous (hom)




ASD0047 WT (wt)



ASD0048 Homozygous (hom)




ASD0049 WT (wt)




20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.

ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation


ASD0072 Homozygous (hom)




ASD0073 Heterozygous (het)




ASD0074 Heterozygous (het)




ASD0075 Heterozygous (het)



ASD0076 Heterozygous (het)



ASD0077 WT (wt)




20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.


ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation

|ILD| = 1 dB | |ILD| = 2 dB | |ILD| = 4 dB | |ILD| = 8 dB | |ILD| = 16 dB | All displayed stimuli Correct/error + fixation


ASD0022 Homozygous (hom)




ASD0025 Heterozygous (het)




ASD0026 WT (wt)




ASD0027 WT (wt)




ASD0028 WT (wt)




ASD0029 Homozygous (hom)



ASD0030 Homozygous (hom)



ASD0031 Homozygous (hom)




20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.

ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation

	|ILD| = 1 dB	|ILD| = 2 dB	|ILD| = 4 dB	|ILD| = 8 dB	|ILD| = 16 dB	All displayed stimuli Correct/error + fixation
ASD0032 WT (wt)	n=452 n=459 n=426	n=491 n=458 n=461	n=447 n=483 n=484	n=434 n=434 n=472	n=484 n=478 n=482	n=9,758
ASD0033 WT (wt)	n=483 n=479 n=436	n=448 n=468 n=426	n=409 n=473 n=458	n=470 n=431 n=427	n=483 n=427 n=453	n=8,631
ASD0034 Homozygous (hom)	n=909 n=917 n=950	n=919 n=979 n=997	n=919 n=968 n=916	n=915 n=888 n=987	n=943 n=968 n=966	n=16,790
ASD0035 Heterozygous (het)	n=556 n=517 n=559	n=593 n=559 n=493	n=507 n=562 n=563	n=547 n=559 n=525	n=571 n=518 n=525	n=10,819
ASD0036 Homozygous (hom)	n=760 n=733 n=799	n=762 n=751 n=787	n=775 n=786 n=757	n=723 n=771 n=774	n=735 n=775 n=831	n=13,782
ASD0037 Homozygous (hom)	n=1,099 n=1,158 n=1,207	n=1,149 n=1,229 n=1,159	n=1,213 n=1,175 n=1,202	n=1,187 n=1,171 n=1,184	n=1,152 n=1,223 n=1,135	n=20,856
ASD0050 WT (wt)	n=513 n=532 n=552	n=529 n=544 n=554	n=558 n=537 n=544	n=523 n=589 n=558	n=596 n=571 n=568	n=10,484
ASD0051 WT (wt)	n=457 n=487 n=497	n=439 n=484 n=501	n=509 n=503 n=526	n=486 n=479 n=464	n=496 n=493 n=494	n=9,303

Density (s^{-1}) | timed_rt (s)

20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.




20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.


ABL 20 dB | ABL 40 dB | ABL 60 dB | Pooled + fixation

|ILD| = 1 dB | |ILD| = 2 dB | |ILD| = 4 dB | |ILD| = 8 dB | |ILD| = 16 dB | All displayed stimuli Correct/error + fixation


ASD0060 Homozygous (hom)




ASD0061 Heterozygous (het)




ASD0062 WT (wt)




ASD0063 Heterozygous (het)




ASD0064 Homozygous (hom)




ASD0065 Homozygous (hom)



ASD0066 Heterozygous (het)




ASD0068 Heterozygous (het)



20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.

ASD0071
Heterozygous (het)



20 ms bins; stimulus-relative timed_rt. Display: panels 1–5, 0–0.6 s; panel 6, −0.6–0.6 s. Printed n and unit-area normalization still use 0–1 s / −1–1 s.
Panels 1–5: correct/error; panel 6: correct/error + fixation. ABL 20/40/60 × |ILD| 1/2/4/8/16; ABL 59 → 60. Signed ILDs and sessions pooled by trial. Exclude session_type=1 & is_short_sound=1 rows; all 53 animals included.