SLIIT UNI
KNOWLEDGE UNIVERSITY

NetExam
ONLINE EXAMINATION PLATFORM

What happens if you try to reassign a const variable?

- a. It changes the original value
- b. It throws a runtime error
- c. It gets overridden silently
- d. It logs a warning
- e. It creates a copy instead

age

SLIIT UNI NetExam

THE KNOWLEDGE UNIVERSITY

ONLINE EXAMINATION PLATFORM

Question 3

Not yet answered

Marked out of 1

Flag question

What is the purpose of useReducer?

- a. Delay rendering
- b. Fetch API data
- c. Apply advanced state logic
- d. Avoid prop drilling
- e. Style components

Previous page

Moodle

SLIIT UNI
THE KNOWLEDGE UNIVERSITY

NetExam
ONLINE EXAMINATION PLATFORM

tion 4
vet
ered
ed out of
ag
tion

Parcel is known for:

- a. Zero-configuration setup
- b. Requiring complex configuration
- c. Being slower than Webpack
- d. Replacing CSS with JavaScript
- e. Supporting only HTML files

evious page

SLIIT UNI NetExam

ONLINE EXAMINATION PLATFORM

n 5

ed

out of

What does [] as second argument in useEffect mean?

- a. Effect runs on every update
- b. Effect runs only once
- c. It cancels the effect
- d. Effect never runs
- e. Effect runs before render

us page

SLIIT UNI NetExam

ONLINE EXAMINATION PLATFORM

Question 6

Not yet answered

Marked out of 1

Flag question

How can a subclass call a method from its superclass in JavaScript?

- a. callParent()
- b. use method()
- c. superclass.method()
- d. super.methodName()
- e. parent.method()

Previous page

odle

SLIIT UNI NetExam

ONLINE EXAMINATION PLATFORM

of

What does the following syntax represent: const {name, email} = user;

- a. Arrow function
- b. Object expansion
- c. Object immutability
- d. Optional chaining
- e. Object destructuring

page

Question **8**

Not yet answered

Marked out of 1

Flag question

What is the Document Object Model (DOM)?

- a. A CSS library
- b. A web server
- c. A programming language
- d. A database schema
- e. An object-oriented representation of the HTML structure

Previous page

SLIIT UNI NetExam

ONLINE EXAMINATION PLATFORM

How do you declare a constant variable that cannot be reassigned?

- a. static
- b. let
- c. const
- d. immutable
- e. var

s page

SLIIT UNI NetExam

THE KNOWLEDGE UNIVERSITY

ONLINE EXAMINATION PLATFORM

Question **10**

Not yet answered

Marked out of 1

Flag question

Which destructuring syntax extracts name and age from an object?

- a. let [name, age] = obj
- b. extract(obj.name, obj.age)
- c. var name = obj->name, age = obj->age
- d. const { name, age } = obj
- e. const name = obj.name, age = obj.age

Previous page

oodle

SLIIT UNI NetExam

ONLINE EXAMINATION PLATFORM

on 11

t

red

d out of

g

on

What function from Redux Toolkit creates a slice of state?

- a. bindSlice
- b. createSlice
- c. combineReducers
- d. createAction
- e. useSlice

vious page

oodle

SLIIT UNI NetExam

ONLINE EXAMINATION PLATFORM

12

d

out of

Which object is returned when you use fetchData().then(...)?

- a. Callback
- b. Object
- c. String
- d. JSON
- e. Promise

ous page

In JavaScript, what is a closure?

- a. A component's lifecycle method
- b. A sealed object
- c. A class with methods
- d. A nested function that remembers its outer scope
- e. A function with no return

SLIIT UNI NetExam

ONLINE EXAMINATION PLATFORM

What is the output of [1, 2, 3].map(x => x * 2)?

- a. undefined
- b. [1, 2, 3, 6]
- c. [2, 4, 6]
- d. 6
- e. null

page

What is JSON Placeholder API used for in JS practice?

- a. DOM manipulation
- b. CSS styling
- c. Mock testing and fake API data
- d. Client-side storage
- e. Data validation

e

Which keyword defines a function that always returns a Promise?

- a. yield
- b. return
- c. async
- d. await
- e. function

Which hook is used in React to manage state in functional components?

- a. useFetch
- b. useState
- c. useEffect
- d. useReducer
- e. useContext

Which method allows you to handle asynchronous code without nesting?

- a. callback()
- b. setInterval()
- c. XMLHttpRequest
- d. async/await
- e. intervalHandler()

LIIT UNI

NetExam

ONLINE EXAMINATION PLATFORM

What will happen if an error occurs in a try...catch block inside an async function?

- a. It's ignored
- b. It triggers a retry
- c. It crashes the program
- d. It goes to the catch block
- e. It logs to a warning file

SLIIT UNI
THE KNOWLEDGE UNIVERSITY

NetExam
ONLINE EXAMINATION PLATFORM

Question 1
Not yet answered
Marked out of 1
Flag question

Which keyword is used to wait for a Promise inside an async function?

- a. await
- b. then
- c. defer
- d. fetch
- e. hold

SLIIT UNI NetExam

A KNOWLEDGE UNIVERSITY

ONLINE EXAMINATION PLATFORM

15

d

out of

What is the correct syntax to define a class in JavaScript (ES6)?

- a. class MyClass {}
- b. define MyClass()
- c. class = MyClass {}
- d. function MyClass() {}
- e. var MyClass = new class()

ous page