


Ultimate monitoring using Prometheus: Ensuring optimal performance & Reliability



Components:

- **Prometheus:** It's an open-source tool for monitoring and alerting applications. It uses the concept of scrapping when target systems metric points are contacted to fetch data at regular intervals.
- **Node exporter:** It is a monitoring agent that is installed on all target machines so that Prometheus can fetch the data from all the metrics endpoints.
- **Blackbox exporter:** It is used to get information from the website like traffic is coming from the website or not
- **Alert manager:** The Alert manager handles alerts sent by client applications such as the Prometheus server. Used to set alert based on conditions so we will be notified ex if the website is down for continuous 1- 5 minutes, service unavailability

Pre-requisites to start:

Created a security group with the following ports open:

- 22 for SSH
- 80 for HTTP
- 443 for HTTPS
- 25 for SMTP
- 465 for SMTPS
- 587 for SMTP
- 9090 for Prometheus
- 9093 for Alert manager
- 9115 for Blackbox Exporter
- 9100 for Node Exporter

IP version	Type	Protocol	Port range	Source	Description
IPv4	SMTPS	TCP	465	0.0.0.0/0	smtp ssl
IPv4	Custom TCP	TCP	587	0.0.0.0/0	smtp tls
IPv4	HTTPS	TCP	443	0.0.0.0/0	-
IPv4	SSH	TCP	22	0.0.0.0/0	-
IPv4	Custom TCP	TCP	3000 - 10000	0.0.0.0/0	prometheus, alertman...
IPv4	SMTP	TCP	25	0.0.0.0/0	gmail
IPv4	HTTP	TCP	80	0.0.0.0/0	-

Project steps:

Step 1: Launched a 2 Ec2 Instance with ubuntu AMI, instance type=t2.medium, storage=20GB and name them as **Virtual machine 1** and **Virtual machine 2**

Prometheus components exporter tar files: <https://prometheus.io/download/>

Step 2: In Virtual machine 1:

Downloaded **Node Exporter** and start

→ sudo apt update

Download Node Exporter

→ wget

https://github.com/prometheus/node_exporter/releases/download/v1.8.1/node_exporter-1.8.1.linux-amd64.tar.gz

##Extract Node Exporter

→ tar xvfz node_exporter-1.8.1.linux-amd64.tar.gz

→ mv node_exporter-1.8.1.linux-amd64 node_exporter

##Start Node Exporter

→ cd node_exporter

→ ./node_exporter &

```
ubuntu@ip-172-31-26-75:~$ ls
Boardgame  node_exporter
ubuntu@ip-172-31-26-75:~$ cd node_exporter/
ubuntu@ip-172-31-26-75:~/node_exporter$ ls
LICENSE  NOTICE  node_exporter
ubuntu@ip-172-31-26-75:~/node_exporter$ ./no
```

Step 3:

In Virtual machine 2 install Prometheus, Alert manager, Blackbox Exporter

Install Prometheus

→ sudo apt update

```
→ wget
https://github.com/prometheus/prometheus/releases/download/v2.52.0/prometheus-2.52.0.linux-amd64.tar.gz
→ tar xvfz prometheus-2.52.0.linux-amd64.tar.gz
→ mv prometheus-2.52.0.linux-amd64 prometheus
→ cd prometheus
→ ./prometheus --config.file=prometheus.yml &
```

Alert Manager

```
→ wget
https://github.com/prometheus/alertmanager/releases/download/v0.27.0/alertmanager-0.27.0.linux-amd64.tar.gz
→ tar xvfz alertmanager-0.27.0.linux-amd64.tar.gz
→ mv alertmanager-0.27.0.linux-amd64 alertmanager
→ cd alertmanager
→ ./alertmanager --config.file=alertmanager.yml &
```

Blackbox Exporter

```
→ wget
https://github.com/prometheus/blackbox_exporter/releases/download/v0.25.0/blackbox_exporter-0.25.0.linux-amd64.tar.gz
→ tar xvfz blackbox_exporter-0.25.0.linux-amd64.tar.gz
→ mv blackbox_exporter-0.25.0.linux-amd64 blackbox_exporter
→ cd blackbox_exporter
→ ./blackbox_exporter &
```

Once completing the above steps, we will be able to see all folders like this

```
ubuntu@ip-172-31-21-29:~$ ls
alertmanager  blackbox_exporter  prometheus
ubuntu@ip-172-31-21-29:~$
```

Once the VM-1 node exporter is up and running we can see the below webpage



Step 4:

Now let's run a simple game application to monitor

```
ubuntu@ip-172-31-26-75:~$ ls
Boardgame  node_exporter
```

To run the boardgame application on the website page we need to have **java** and **maven** to build, so will install them using the below commands

```
→ cd Boardgame
→ sudo apt install openjdk-11-jre-headless
→ sudo apt install maven -y
→ mvn package // to build the project
```


```
Downloaded from central: https://repo.maven.apache.org/maven2/org/apache/commons/commons-lang3/3.7/commons-lang3-3.7.jar (500 KB at 788 KB/s)
Downloaded from central: https://repo.maven.apache.org/maven2/com/google/guava/guava/28.2-android/guava-28.2-android.jar (2.6 MB at 2.1 MB/s)
[INFO] Replacing main artifact with repackaged archive
[INFO] --- jacoco-maven-plugin:0.8.7:report (jacoco-site) @ database_service_project ---
[INFO] Loading execution data file /home/ubuntu/Boardgame/target/jacoco.exec
[INFO] Analyzed bundle 'database_service_project' with 9 classes
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 31.299 s
[INFO] Finished at: 2024-09-28T12:01:31Z
[INFO] -----
ubuntu@ip-172-31-26-75:~/Boardgame$
```

We can execute the **jar** file to run the application on browser

```
→ cd target
→ ls // can see .jar file
→ java -jar database_service_project-0.0.4.jar
```

```
ubuntu@ip-172-31-26-75:~/Boardgame$ ls
Dockerfile Jenkinsfile Jenkinsfile123 README.md deployment-service.yaml mvnw mvnw.cmd pom.xml sonar-project.properties src target
ubuntu@ip-172-31-26-75:~/Boardgame$ cd target/
ubuntu@ip-172-31-26-75:~/Boardgame/target$ ls
classes generated-sources maven-archiver surefire-reports
database_service_project-0.0.4.jar generated-test-sources maven-status test-classes
database_service_project-0.0.4.jar.original jacoco.exec site
ubuntu@ip-172-31-26-75:~/Boardgame/target$ java -jar database_service_project-0.0.4.jar
```

Now will access the **game** application at: <http://3.135.20.106:8080/>



Boardgame Lists

Splendor

Clue

Linkee

For more services, login [Here](#)



To join to the service, [Click](#) here

Step 5:

Next, go to **VM-2 to configure the Prometheus server** by defining alert-rules for the different scenarios. and based on these rules we will get the alerts

```
→ cd Prometheus  
→ ./Prometheus &
```

Can access the Prometheus server at: <http://3.145.128.69:9090/graph>



For now, we can't see any alert rules so let's create a new **alert_rules.yaml** file to configure alert rules in Prometheus server

```
vi alert_rules.yaml
```

```
groups:  
- name: alert_rules          # Name of the alert rules group  
  rules:  
  - alert: InstanceDown  
    expr: up == 0             # Expression to detect instance down  
    for: 1m  
    labels:  
      severity: "critical"
```

```
annotations:
  summary: "Endpoint {{ $labels.instance }} down"
  description: "{{ $labels.instance }} of job {{ $labels.job }} has been down for more than 1 minute."
```

- alert: WebsiteDown

```
expr: probe_success == 0      # Expression to detect website down
```

```
for: 1m
```

```
labels:
```

```
  severity: critical
```

```
annotations:
```

```
  description: The website at {{ $labels.instance }} is down.
```

```
  summary: Website down
```

- alert: HostOutOfMemory

```
expr: node_memory_MemAvailable / node_memory_MemTotal * 100 < 25 # Expression to detect
```

low memory

```
for: 5m
```

```
labels:
```

```
  severity: warning
```

```
annotations:
```

```
  summary: "Host out of memory (instance {{ $labels.instance }})"
```

```
  description: "Node memory is filling up (< 25% left)\n VALUE = {{ $value }}\n LABELS: {{ $labels }}"
```

- alert: HostOutOfDiskSpace

```
expr: (node_filesystem_avail{mountpoint="/" } * 100) / node_filesystem_size{mountpoint="/" } < 50 # Expression to detect low disk space
```

```
for: 1s
```

```
labels:
```

```
  severity: warning
```

```
annotations:
```

```
  summary: "Host out of disk space (instance {{ $labels.instance }})"
```

```
  description: "Disk is almost full (< 50% left)\n VALUE = {{ $value }}\n LABELS: {{ $labels }}"
```

- alert: HostHighCpuLoad

```
expr: (sum by (instance) (irate(node_cpu{job="node_exporter_metrics",mode="idle"}[5m]))) > 80 # Expression to detect high CPU load
```

```
for: 5m
```

```
labels:
```

```
  severity: warning
```

```
annotations:
```

```
  summary: "Host high CPU load (instance {{ $labels.instance }})"
```

```
  description: "CPU load is > 80%\n VALUE = {{ $value }}\n LABELS: {{ $labels }}"
```

- alert: ServiceUnavailable

```
expr: up{job="node_exporter"} == 0 # Expression to detect service unavailability
```

```
for: 2m
```

```
labels:
```

```
  severity: critical
```

```
annotations:
```

```

summary: "Service Unavailable (instance {{ $labels.instance }})"
description: "The service {{ $labels.job }} is not available\n VALUE = {{ $value }}\n LABELS: {{ $labels }}"

- alert: HighMemoryUsage
  expr: (node_memory_Active / node_memory_MemTotal) * 100 > 90 # Expression to detect high
memory usage
  for: 10m
  labels:
    severity: critical
  annotations:
    summary: "High Memory Usage (instance {{ $labels.instance }})"
    description: "Memory usage is > 90%\n VALUE = {{ $value }}\n LABELS: {{ $labels }}"

- alert: FileSystemFull
  expr: (node_filesystem_avail / node_filesystem_size) * 100 < 10 # Expression to detect file system
almost full
  for: 5m
  labels:
    severity: critical
  annotations:
    summary: "File System Almost Full (instance {{ $labels.instance }})"
    description: "File system has < 10% free space\n VALUE = {{ $value }}\n LABELS: {{ $labels }}"

```

Now we need to input the above rules file to **Prometheus server** by updating **prometheus.yml** file

```

# Load rules once and periodically evaluate them according to the global 'evaluation_interval'.
rule_files:
  - "alert_rules.yml"
  # - "second_rules.yml"


```

Now to view these alert rules on our Prometheus website page, you need to **restart** the **Prometheus** server

```

→ pgrep prometheus //to get process id
→ kill id
→ ./prometheus &

```



Prometheus Alerts Graph Status Help				
Rules				
alert_rules		Interval: 15.0s	11.106s ago	0.839ms
Rule		State	Error	Last Evaluation
alert: InstanceDown expr: up == 0 for: 1m labels: severity: critical annotations: description: {{ \$labels.instance }} of job {{ \$labels.job }} has been down for more than 1 minute. summary: Endpoint {{ \$labels.instance }} down	OK		11.110s ago	0.313ms
alert: WebsiteDown expr: probe_success == 0 for: 1m labels: severity: critical annotations: description: The website at {{ \$labels.instance }} is down. summary: Website down	OK		11.109s ago	0.051ms
alert: HostOutOfMemory expr: node_memory_MemAvailable / node_memory_MemTotal * 100 < 25 for: 5m labels: severity: warning annotations: description: Node memory is filling up (< 25% left) VALUE = {{ \$value }} LABELS: {{ \$labels }}	OK		11.109s ago	0.087ms

Step 6:

Now we need to connect both **Alert manager** and **VM-1 node exporter** to prometheus server by updating **prometheus.yml** file

```
# Alertmanager configuration
alerting:
  alertmanagers:
    - static_configs:
        - targets:
            - 3.145.128.69:9093

# Load rules once and periodically evaluate them according to the global 'evaluation_interval'.
rule_files:
  - "alert_rules.yml"
  # - "second_rules.yml"

# A scrape configuration containing exactly one endpoint to scrape:
# Here it's Prometheus itself.
scrape_configs:
  # The job name is added as a label 'job=<job_name>' to any timeseries scraped from this config.
  - job_name: "prometheus"

    # metrics_path defaults to '/metrics'
    # scheme defaults to 'http'.

    static_configs:
      - targets: ["localhost:9090"]

  - job_name: "node_exporter"      # Job name for node exporter
    # metrics_path defaults to '/metrics'
    # scheme defaults to 'http'.

    static_configs:
      - targets: ["3.135.20.106:9100"] # Target node exporter endpoint
```

After **restarting** the Prometheus server and we should be able to see the **node exporter** on Prometheus **target** section

← → ↻ Not secure 3.145.128.69:9090/targets?search= ☆ 📦 🗨️ 🔔 ⋮

Prometheus Alerts Graph Status ▾ Help ⚙️ 🌙 ⓘ

Targets

All scrape pools ▾ All Unhealthy Collapse All 🔍 Filter by endpoint or labels 📌 Unknown 📌 Unhealthy 📌 Healthy

node_exporter (1/1 up) [show less](#)

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://3.135.20.106:9100/metrics	UP	instance="3.135.20.106:9100" job="node_exporter" ▾	7.815s ago	13.936ms	

prometheus (1/1 up) [show less](#)

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://localhost:9090/metrics	UP	instance="localhost:9090" job="prometheus" ▾	13.339s ago	4.135ms	

Next, need to configure the **Blackbox exporter** to scrape the data from the website application, so let's update scrapping configs on **prometheus.yml** file

vi prometheus.yml file

```
static_configs:
  - targets: ["3.135.20.106:9100"] # Target node exporter endpoint

- job_name: blackbox
  metrics_path: /probe
  params:
    module:
      - http_2xx
  static_configs:
    - targets:
        - http://prometheus.io
        - https://prometheus.io
        - http://3.135.20.106:8080
  relabel_configs:
    - source_labels:
        - __address__
      target_label: __param_target
    - source_labels:
        - __param_target
      target_label: instance
    - target_label: __address__
      replacement: 3.145.128.69:9115
```

Restart the **Prometheus** server to reflect the changes

← → ↻ ⚠ Not secure 3.145.128.69:9090/targets?search= 🔍 ☆ 🗂 📄 📌

Prometheus Alerts Graph Status ▾ Help

Targets

All scrape pools ▾ All Unhealthy Collapse All 🔍 Filter by endpoint or labels 📌 Unknown 📌 Unhealthy 📌 0

blackbox (3/3 up) [show less](#)

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://3.145.128.69:9115/probe module="http_2xx" target="https://prometheus.io"	UP	instance="https://prometheus.io" job="blackbox" ▾	13.671s ago	152.582ms	
http://3.145.128.69:9115/probe module="http_2xx" target="https://prometheus.io"	UP	instance="https://prometheus.io" job="blackbox" ▾	12.210s ago	107.561ms	
http://3.145.128.69:9115/probe module="http_2xx" target="http://3.135.20.106:8080"	UP	instance="http://3.135-20.106:8080" job="blackbox" ▾	14.310s ago	4.654ms	

node_exporter (1/1 up) [show less](#)

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://3.135.20.106:9100/metrics	UP	instance="3.135.20.106:9100" job="node_exporter" ▾	9.486s ago	9.406ms	

prometheus (1/1 up) [show less](#)

Endpoint	State	Labels	Last Scrape	Scrape Duration	Error
http://localhost:9090/metrics	UP	instance="localhost:9090" job="prometheus" ▾	9.000ms ago	3.965ms	

Need to start the **Blackbox** exporter

← → ↻ ⚠ Not secure 3.145.128.69:9115

Blackbox Exporter

[Probe prometheus.io for http_2xx](#)
[Debug probe prometheus.io for http_2xx](#)
[Metrics](#)
[Configuration](#)

Recent Probes

Module	Target	Result	Debug
http_2xx	https://prometheus.io	Success	Logs
http_2xx	http://prometheus.io	Success	Logs
http_2xx	http://3.135.20.106:8080	Failure	Logs

When we start **Alert manager**, and we won't be able see any alerts as of now since we haven't configured alert manager

← ⚠ Not secure 3.145.128.69:9093/#/alerts ☆ 🗂 📄 📌

Alertmanager Alerts Silences Status Settings Help [New Silence](#)

Filter Group Receiver: All ☐ Silenced ☐ Inhibited

+ [Silence](#)

Custom matcher, e.g. `env="production"`


⊕ Expand all groups

No alert groups found

So, let's configure it

Now we need to configure email notification to get emails when the defined conditions are met

To receive email notification, we need to enable **2 step verifications on the Gmail account**



Step 7:

Next, go to <https://myaccount.google.com/apppasswords>

And enter name and get a app password which can be used for routing configuration

```
cd alertmanager
vi alertmanager.yml
```

```
---
route:
  group_by:
    - alertname
  group_wait: 30s
  group_interval: 5m
  repeat_interval: 1h
  receiver: email-notifications
receivers:
  - name: email-notifications
    email_configs:
      - to: jayasample1234@gmail.com
        from: monitor@example.com
        smarthost: smtp.gmail.com:587
        auth_username: jayasample1234@gmail.com
        auth_identity: jayasample1234@gmail.com
        auth_password: luwg yvge wwvez fjtj
        send_resolved: true
inhibit_rules:
  - source_match:
      severity: critical
    target_match:
      severity: warning
    equal:
      - alertname
      - dev
      - instance
```

Now, **Restart** the **alert manager** and check

Hurray, the monitoring setup complete!!!!

Everything seems fine now

Not secure 3.145.128.69:9090/alerts?search=

Prometheus Alerts Graph Status Help

Inactive (0) Pending (0) Firing (0) Filter by name or labels Show annotations

alert_rules.yml > alert_rules inactive

- > InstanceDown (0 active)
- > WebsiteDown (0 active)
- > HostOutOfMemory (0 active)
- > HostOutOfDiskSpace (0 active)
- > HostHighCpuLoad (0 active)
- > ServiceUnavailable (0 active)
- > HighMemoryUsage (0 active)
- > FileSystemFull (0 active)

Step 8:

Next, will try check the entire functionality by shutting down the game application.

```
tence unit 'default'
2024-09-28 14:25:04.016 INFO 4673 --- [ionShutdownHook] .SchemaDropperImpl$DelayedDropActionImpl : HHH000477: Starting delayed evictDa
ma as part of SessionFactory shut-down'
2024-09-28 14:25:04.021 INFO 4673 --- [ionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown initiated..
2024-09-28 14:25:04.026 INFO 4673 --- [ionShutdownHook] com.zaxxer.hikari.HikariDataSource : HikariPool-1 - Shutdown completed.
ubuntu@ip-172-31-26-75:~/Boardgame/target$
```

The status is in pending state

Not secure 3.145.128.69:9090/alerts?search=

Prometheus Alerts Graph Status Help

Inactive (7) Pending (1) Firing (0) Filter by name or labels Show annotations

alert_rules.yml > alert_rules

- > InstanceDown (0 active)
- WebsiteDown (1 active)

name: WebsiteDown
expr: probe_success == 0
for: 1m
labels:
 severity: critical
annotations:
 description: The website at {{ \$labels.instance }} is down.
 summary: Website down

Labels	State	Active Since
alertname=WebsiteDown instance=https://3.135.20.106:8080 job=blackbox severity=critical	PENDING	2024-09-28T14:25:11.661690604Z

← → ↻ Not secure 3.145.128.69:9090/alerts?search=

Prometheus Alerts Graph Status ▾ Help

☒ Inactive (7)
 ☒ Pending (0)
 ☒ Firing (1)

🔍 Filter by name or labels

alert_rules.yml > alert_rules

> InstanceDown (0 active)

▼ WebsiteDown (1 active)

```

name: WebsiteDown
expr: probe_success == 0
for: 1m
labels:
  severity: critical
annotations:
  description: The website at {{ $labels.instance }} is down.
  summary: Website down
  
```

Labels	State
alertname=WebsiteDown instance=http://3.135.20.106:8080 job=blackbox severity=critical	FIRING

After **1 minute** the status will change to firing state and soon will receive an **email notification**

[FIRING:1] WebsiteDown (http://3.135.20.106:8080 blackbox critical) Inbox x

to me ▾

Sat, Sep 28, 7:56 PM (20 hours ago) ☆

1 alert for alertname=WebsiteDown

[View In Alertmanager](#)

[1] Firing

Labels
 alertname = WebsiteDown
 instance = <http://3.135.20.106:8080>
 job = blackbox
 severity = critical

Annotations
 description = The website at <http://3.135.20.106:8080> is down.
 summary = Website down
[Source](#)

Can view the notification on **alert manager**

Not secure 3.145.128.69:9093/#/alerts ☆ 🗑️

Alertmanager Alerts Silences Status Settings Help [New Silence](#)

Filter Group Receiver: All ☐ Silenced ☐ Inhibited

Custom matcher, e.g. `env="production"`

⊕ Expand all groups

email-notifications alertname="WebsiteDown" + 1 alert

2024-09-28T14:26:11.661Z [+ Info](#) [📄 Source](#) [🔕 Silence](#) [🔗 Link](#)

[instance="http://3.135.20.106:8080"](#)
[+](#)
[job="blackbox"](#)
[+](#)
[severity="critical"](#)
[+](#)

Next will try terminating the node exporter

← → ↺ ⚠ Not secure 3.145.128.69:9090/alerts?search= 🔍 ☆

Prometheus Alerts Graph Status ▾ Help

🟢 Inactive (5)

🟡 Pending (2)

🔴 Firing (1)

🔍 Filter by name or labels

alert_rules.yml > alert_rules 🟢 Sync

▼ InstanceDown (1 active)

name: InstanceDown

expr: up == 0

for: 1m

labels:

severity: critical

annotations:

description: {{ \$labels.instance }} of job {{ \$labels.job }} has been down for more than 1 minute.

summary: Endpoint {{ \$labels.instance }} down

Labels	State	Active Since
alertname=InstanceDown instance=3.135.20.106:9100 job=node_exporter severity=critical	PENDING	2024-09-28T15:13:56.661690604Z

> WebsiteDown (1 active)

> HostOutOfMemory (0 active)

> HostOutOfDiskSpace (0 active)

> HostHighCpuLoad (0 active)

> ServiceUnavailable (1 active)

> HighMemoryUsage (0 active)

← → ↺ ⚠ Not secure 3.145.128.69:9090/alerts?search= 🔍 ☆

Prometheus Alerts Graph Status ▾ Help

> InstanceDown (1 active)

▼ WebsiteDown (1 active)

name: WebsiteDown

expr: probe_success == 0

for: 1m

labels:

severity: critical

annotations:

description: The website at {{ \$labels.instance }} is down.

summary: Website down

Labels	State	Active Since
alertname=WebsiteDown instance=http://3.135.20.106:8080 job=blackbox severity=critical	FIRING	2024-09-28T14:25:11.661690604Z

> HostOutOfMemory (0 active)

> HostOutOfDiskSpace (0 active)

> HostHighCpuLoad (0 active)

▼ ServiceUnavailable (1 active)

name: ServiceUnavailable

expr: up{job="node_exporter"} == 0

for: 2m

labels:

severity: critical

annotations:

description: The service {{ \$labels.job }} is not available

VALUE = {{ \$value }}

Terminating node exporter will send the notification for both ec2 instance as well the service

☐	☆	me	[FIRING:1] ServiceUnavailable (3.135.20.106:9100 node_exporter critical) - 1 alert for alertname=ServiceUnavailable View in A...	8:46 PM
☐	☆	me	[FIRING:1] InstanceDown (3.135.20.106:9100 node_exporter critical) - 1 alert for alertname=InstanceDown View in Alertmanag...	8:45 PM

[FIRING:1] ServiceUnavailable (3.135.20.106:9100 node_exporter critical) Inbox x

to me ▼ @gmail.com

Sat, Sep 28, 8:46 PM (19 hours ago) ☆ ☺

1 alert for alertname=ServiceUnavailable

View In Alertmanager

[1] Firing

Labels

alertname = ServiceUnavailable
instance = [3.135.20.106:9100](#)
job = node_exporter
severity = critical

Annotations

description = The service node_exporter is not available VALUE = 0 LABELS: map[**__name__** instance=[3.135.20.106:9100](#) job=node_exporter]
summary = Service Unavailable (instance [3.135.20.106:9100](#))

[Source](#)

⚠ Not secure 3.145.128.69:9093/#/alerts?silenced=false&inhibited=false&active=true

Alertmanager Alerts Silences Status Settings Help New Silence

Filter Group

Receiver: All ☐ Silenced ☐ Inhibited

+

Silence

Custom matcher: e.g. `env="production"`

Expand all groups

email-notifications alertname="InstanceDown" + 1 alert

2024-09-28T15:14:56.661Z + Info Source Silence Link

instance="3.135.20.106:9100" job="node_exporter" severity="critical"

email-notifications alertname="ServiceUnavailable" + 1 alert

2024-09-28T15:15:56.661Z + Info Source Silence Link

instance="3.135.20.106:9100" job="node_exporter" severity="critical"

email-notifications alertname="WebsiteDown" + 1 alert