# Home Practice Problems:

1. Write a program in C++ to find the first 10 natural numbers.  Sample output:
The natural numbers are:
1 2 3 4 5 6 7 8 9 10
2. Write a program in C++ to find the sum of the first 10 natural numbers.
Sample Output:
Find the first 10 natural numbers:
The natural numbers are:
1 2 3 4 5 6 7 8 9 10
The sum of the first 10 natural numbers: 55
<b>3.</b> Write a program in C++ to display n terms of natural number and their sum.
Sample Output:
Input a number of terms: 7
The natural numbers upto 7th term are:
1 2 3 4 5 6 7
The sum of the natural numbers is: 28
Write a program in C++ to find the perfect numbers between 1 and 500.
The perfect numbers between 1 to 500 are:
6
28
496
<b>5.</b> Write a program in C++ to check whether a number is prime or not.
Sample Output:
Input a number to check prime or not: 13

The entered number is a prime number.

6 Write a program in C++ to find prime number within a range.

Input number for starting range: 1

Input number for ending range: 100

The prime numbers between 1 and 100 are:

2 3 5 7 11 13 17 19 23 29 31 37 41 43 47 53 59 61 67 71 73 79 83 89 97

The total number of prime numbers between 1 to 100 is: 25

**7.** Write a program in C++ to find the factorial of a number.

Sample output:

Input a number to find the factorial: 5

The factorial of the given number is: 120

8. Write a program in C++ to find the last prime number occur before the entered number.

Sample Output:

Input a number to find the last prime number that occurs before the number: 50

47 is the last prime number before 50

**9.** Write a program in C++ to find the Greatest Common Divisor (GCD) of two numbers.

Sample Output:

Input the first number: 25

Input the second number: 15

The Greatest Common Divisor is: 5

**10.** Write a program in C++ to find the sum of digits of a given number.

Sample Output:

Input a number: 1234

The sum of digits of 1234 is: 10

**11.** Write a program in C++ to find the sum of the series  $1 + \frac{1}{2^2} + \frac{1}{3^3} + ..+ \frac{1}{n^n}$ .

Sample Output:

Input the value for nth term: 5  $1/1^1 = 1$  $1/2^2 = 0.25$  $1/3^3 = 0.037037$  $1/4^4 = 0.00390625$  $1/5^5 = 0.00032$ The sum of the above series is: 1.29126 **12.** Write a program in C++ to calculate the sum of the series (1\*1) + (2\*2) + (3\*3) + (4\*4) + (2\*4(5\*5) + ... + (n\*n). Sample Output: Input the value for nth term: 5 1\*1 = 12\*2 = 43\*3 = 94\*4 = 165\*5 = 25The sum of the above series is: 55 **13.** Write a program in C++ to calculate the series (1) + (1+2) + (1+2+3) + (1+2+3+4) + ... + (1+2+3+4+...+n). Sample Output: Input the value for nth term: 5 1 = 1 1+2 = 3

The sum of the above series is: 35

1+2+3=6

1+2+3+4=10

1+2+3+4+5 = 15

<b>14.</b> Write a program in C++ to find the sum of series 1 - X^2/2! + X^4/4! upto nth term.
Sample Output:
Input the value of X: 3
Input the value for nth term: 4
term 1 value is: 1
term 2 value is: -4.5
term 3 value is: 3.375
term 4 value is: -1.0125
The sum of the above series is: -1.1375
<b>15.</b> Write a program in C++ to asked the user to input positive integers to process count, maximum, minimum, and average or terminate the process with -1.
Sample Output:
Your input is for termination. Here is the result below:
The number of positive integers is: 4
The maximum value is: 9
The minimum value is: 3
The average is 6.00
<b>16.</b> Write a program in C++ to list non-prime numbers from 1 to an upperbound.
Sample Output:
Input the upperlimit: 25
The non-prime numbers are:
4 6 8 9 10 12 14 15 16 18 20 21 22 24 25
17. Write a program in C++ to print a square pattern with the # character.
Sample Output:
Print a pattern like square with # character:
Input the number of characters for a side: 4

####

####

####

####

**18.** Write a program in C++ to display the cube of the number upto given an integer.

Sample Output:

Input the number of terms: 5

Number is: 1 and the cube of 1 is: 1

Number is: 2 and the cube of 2 is: 8

Number is: 3 and the cube of 3 is: 27

Number is: 4 and the cube of 4 is: 64

Number is: 5 and the cube of 5 is: 125

**19.** Write a program in C++ to display the multiplication table vertically from 1 to n.

Sample Output:

Input the number upto: 5

Multiplication table from 1 to 5

1x1=1 2x1=2 3x1=3 4x1=4 5x1=5

1x2=2 2x2=4 3x2=6 4x2=8 5x2=10

1x3=3 2x3=6 3x3=9 4x3=12 5x3=15

1x4=4 2x4=8 3x4=12 4x4=16 5x4=20

1x5=5 2x5=10 3x5=15 4x5=20 5x5=25

1x6=6 2x6=12 3x6=18 4x6=24 5x6=30

1x7=7 2x7=14 3x7=21 4x7=28 5x7=35

1x8=8 2x8=16 3x8=24 4x8=32 5x8=40

1x9=9 2x9=18 3x9=27 4x9=36 5x9=45

1x10=10 2x10=20 3x10=30 4x10=40 5x10=50

**20.** Write a program in C++ to display the n terms of odd natural number and their sum.

Sample Output:

Input number of terms: 5

The odd numbers are: 13579

The Sum of odd Natural Numbers upto 5 terms: 25

21. Write a program in C++ to display the n terms of even natural number and their sum.

Sample Output:

Input number of terms: 5

The even numbers are: 2 4 6 8 10

The Sum of even Natural Numbers upto 5 terms: 30

**22.** Write a program in C++ to display the n terms of harmonic series and their sum.

 $1 + 1/2 + 1/3 + 1/4 + 1/5 \dots 1/n$  terms

Sample Output:

Input number of terms: 5

1/1 + 1/2 + 1/3 + 1/4 + 1/5

The sum of the series upto 5 terms: 2.28333

23. Write a program in C++ to display the sum of the series [9 + 99 + 999 + 9999 ...].

Sample Output:

Input number of terms: 5

9 99 999 9999 99999


The sum of the sarise = 111105

**24.** Write a program in C++ to display the sum of the series [1+x+x^2/2!+x^3/3!+...].

Sample Output:

Input the value of x: 3

Input number of terms: 5



The sum: 1683

29. Write a program in C++ to find LCM of any two numbers using HCF.

Sample Output:

Input 1st number for LCM: 15

Input 2nd number for LCM: 25

The LCM of 15 and 25 is: 75

**30.** Write a program in C++ to display the number in reverse order.

Sample Output:

Input a number: 12345

The number in reverse order is: 54321

**31.** Write a program in C++ to find out the sum of an A.P. series.

Sample Output:

Input the starting number of the A.P. series: 1

Input the number of items for the A.P. series: 8

Input the common difference of A.P. series: 5

The Sum of the A.P. series are:

1 + 6 + 11 + 16 + 21 + 26 + 31 + 36 = 148

**32.** Write a program in C++ to find the Sum of GP series.

Sample Output:

Input the starting number of the G.P. series: 3

Input the number of items for the G.P. series: 5

Input the common ratio of G.P. series: 2

The numbers for the G.P. series:

3 6 12 24 48

The Sum of the G.P. series: 93

<b>33.</b> Write a program in C++ to Check Whether a Number can be Express as Sum of Two Prime Numbers.
Sample Output:
Input a positive integer: 20
20 = 3 + 17
20 = 7 + 13
<b>34.</b> Write a program in C++ to find the length of a string without using the library function.
Sample Output:
Input a string: w3resource.com
The string contains 14 number of characters.
So, the length of the string w3resource.com is:14
<b>35.</b> Write a program in C++ to display the pattern like right angle triangle using an asterisk.
Sample Output:
Input number of rows: 5
*
**
***
***
****
<b>36.</b> Write a program in C++ to display the pattern like right angle triangle with number.
Sample Output:
Input number of rows: 5
1
12
123
1234

37.	Write a progra	am in C++	to make s	such a	pattern	like r	right a	ngle t	triangle	using	number	which
will	repeat the nur	mber for th	at row.									

## Sample Output:

```
Input number of rows: 5
1
22
333
4444
55555
```

**38.** Write a program in C++ to make such a pattern like right angle triangle with number increased by 1.

## Sample Output:

Input number of rows: 4 1 2 3 4 5 6

39. Write a program in C++ to make such a pattern like a pyramid with numbers increased by 1.

## Sample Output:

78910

Input number of rows: 4 1 23 456 78910

**40.** Write a program in C++ to make such a pattern like a pyramid with an asterisk.

## Sample Output:

Input number of rows: 5

\*

* *
* * *
* * *
* * * *
1. Write a program in C++ to make such a pattern like a pyramid using number and a number vill repeat for a row.
Sample Output:
nput number of rows: 5  1 22 333 4444 55555
2. Write a program in C++ to display the pattern like a pyramid using asterisk and each row ontain an odd number of asterisks.
Sample Output:
nput number of rows: 5
* *** ****  *****
3. Write a program in C++ to print the Floyd's Triangle.
Sample Output:
nput number of rows: 5  1 01 101 0101

**44.** Write a program in C++ to display the pattern like a diamond.

Sample Output:

Input number of rows (half of the diamond): 5

```
*
***

****

*****

*****

*****

****
```

**45.** Write a program in C++ to display Pascal's triangle like pyramid.

Sample Output:

Input number of rows: 5

```
1
1 1
1 2 1
1 3 3 1
1 4 6 4 1
```

**46.** Write a program in C++ to display Pascal's triangle like right angle traingle.

Sample Output:

```
1
1 1
1 2 1
1 3 3 1
1 4 6 4 1
```

Input number of rows: 7

```
1 5 10 10 5 1
1 6 15 20 15 6 1
```

**47.** Write a program in C++ to display such a pattern for n number of rows using number. Each row will contain odd numbers of number. The first and last number of each row will be 1 and middle column will be the row number.

#### Sample Output:

Input number of rows: 5

**48.** Write a program in C++ to display the pattern like pyramid using the alphabet.

#### Sample Output:


Input the number of Letters (less than 26) in the Pyramid: 5

A ABA ABCBA ABCDCBA ABCDEDCBA

**49.** Write a program in C++ to print a pyramid of digits as shown below for n number of lines.

#### Sample Output:

Input the number of rows: 5



```
1
21
321
4321
54321
```

**54.** Write a program in C++ to display the pattern power of 2, triangle.

Sample Output:

Display the pattern like a pyramid with power of 2:

-----

Input the number of rows:

```
1
121
12421
1248421
1248168421
```

**55.** Write a program in C++ to display such a pattern for n number of rows using number. Each row will contain odd numbers of number. The first and last number of each row will be 1 and middle column will be the row number. n numbers of columns will appear in 1st row.

Sample Output:

```
Input number of rows: 7
1234567654321
12345654321
123454321
1234321
12321
121
```

**56.** Write a program in C++ to find the first and last digit of a number.

Sample Output:

Input any number: 5679

The first digit of 5679 is: 5

The last digit of 5679 is: 9

**57.** Write a program in C++ to find the sum of first and last digit of a number.

Sample Output:

Input any number: 12345

The first digit of 12345 is: 1

The last digit of 12345 is: 5

The sum of first and last digit of 12345 is: 6

**58.** Write a program in C++ to calculate product of digits of any number.

Sample Output:

Input a number: 3456

The product of digits of 3456 is: 360

**59.** Write a program in C++ to find the frequency of each digit in a given integer.

Sample Output:

Input any number: 122345

The frequency of 0 = 0

The frequency of 1 = 1

The frequency of 2 = 2

The frequency of 3 = 1

The frequency of 4 = 1

The frequency of 5 = 1

The frequency of 6 = 0

The frequency of 7 = 0

The frequency of 8 = 0

The frequency of 9 = 0

Sample Output:

<b>60.</b> Write a program in C++ to input any number and print it in words.
Sample Output:
Input any number: 8309
Eight Three Zero Nine
<b>61.</b> Write a program in C++ to print all ASCII character with their values.
Sample Output:
Input the starting value for ASCII characters: 65
Input the ending value for ASCII characters: 75
The ASCII characters:
65> A
66> B
67> C
68> D
69> E
70> F
71> G
72> H
73> I
74> J
75> K
62 Write a program in C++ to find power of any number using for loop

Input the base: 2

Input the exponent: 5

2 ^ 5 = 32

**63.** Write a program in C++ to enter any number and print all factors of the number.

Sample Output:

Input a number: 63

The factors are: 1 3 7 9 21 63

**64.** Write a program in C++ to find one's complement of a binary number.

Sample Output:

Input a 8 bit binary value: 10100101

The original binary = 10100101

After ones complement the number = 01011010

**65.** Write a program in C++ to find two's complement of a binary number.

Sample Output:

Input a 8 bit binary value: 01101110

The original binary = 01101110

After ones complement the value = 10010001

After twos complement the value = 10010010

66. Write code to create a checkerboard pattern with the words "black" and "white".

Sample Output:

Input number of rows: 5

black-white-black

white-black-white-black-white

black-white-black

white-black-white-black-white

black-white-black-white-black

**67.** Write a program in C++ to calculate the sum of the series 1.2+2.3+3.4+4.5+5.6+......

Sample Output:

Input the last integer between 1 to 98 without fraction you want to add:  $10\ 1.2 + 2.3 + 3.4 + 4.5 + 5.6 + 6.7 + 7.8 + 8.9 + 9.1 + 10.11$  The sum of the series =59.61

**68.** Write a program that will print the first N numbers for a specific base.

Sample Output:

Print the first N numbers for a specific base:

The number 11 in base  $10 = 1*(10^1)+1*(10^0)=11$ 

Similarly the number 11 in base  $7 = 1*(7^1)+1*(7^0)=8$ 

-----

Input the number of term: 15

Input the base: 9

The numbers in base 9 are:

1 2 3 4 5 6 7 8 10 11 12 13 14 15 16

**69.** Write a program in C++ to produce a square matrix with 0's down the main diagonal, 1's in the entries just above and below the main diagonal, 2's above and below that, etc.

01234

10123

21012

32101

43210

Sample Output:

Input number or rows: 8

0 1 2 3 4 5 6 7

10123456

2 1 0 1 2 3 4 5

3 2 1 0 1 2 3 4

4 3 2 1 0 1 2 3

5 4 3 2 1 0 1 2 6 5 4 3 2 1 0 1 7 6 5 4 3 2 1 0

**70.** Write a program in C++ to convert a decimal number to binary number.

Sample Output:

Input a decimal number: 35

The binary number is: 100011

**71.** Write a program in C++ to convert a decimal number to hexadecimal number.

Sample Output:

Input a decimal number: 43

The hexadecimal number is: 2B

**72.** Write a program in C++ to convert a decimal number to octal number.

Sample Output:

Input a decimal number: 15

The octal number is: 17

**73.** Write a program in C++ to convert a binary number to decimal number.

Sample Output:

Input a binary number: 1011

The decimal number: 11

**74.** Write a program in C++ to convert a binary number to hexadecimal number.

Sample Output:

Input a binary number: 1011

The hexadecimal value: B

**75.** Write a program in C++ to convert a binary number to octal number.

Sample Output:

Input a binary number: 1011

The equivalent octal value of 1011 is: 13

**76.** Write a program in C++ to convert a octal number to decimal number. Sample Output: Input any octal number: 17 The equivalent decimal number: 15 77. Write a program in C++ to convert a octal number to binary number. Sample Output: Input any octal number: 17 The equivalent binary number: 1111 **78.** Write a program in C++ to convert a octal number to a hexadecimal number. Sample Output: Input any octal number: 77 The hexadecimal value of 77 is: 3F **79.** Write a program in C++ to convert a hexadecimal number to decimal number. Sample Output: Input any 32-bit Hexadecimal Number: 25 The value in decimal number is: 37 **80.** Write a program in C++ to convert hexadecimal number to binary number. Sample Output: Input any 32-bit Hexadecimal Number: 5f The equivalant binary number is: 1011111 **81.** Write a program in C++ to convert a hexadecimal number to an octal number. Sample Output: Input any 32-bit Hexadecimal Number: 5f The equivalent octal number is: 137

**82.** Write a program in C++ to compare two numbers.

Sample Output:

Input the first integer: 25

Input the second integer: 15

25 != 15

25 > 15

25 >= 15

**83.** Write a program in C++ to compute the sum of the digits of an integer.

Sample Output:

Input any number: 25

The sum of the digits of the number 25 is: 7

**84.** Write a program in C++ to compute the sum of the digits of an integer using function.

Sample Output:

Input any number: 255 The sum of the digits of the number 255 is: 12

**85.** Write a program in C++ to reverse a string.

Sample Output:

Enter a string: w3resource The string in reverse are: ecruoser3w

**86.** Write a program in C++ to count the letters, spaces, numbers and other characters of an input string.

Sample Output:

Enter a string: This is w3resource.com

The number of characters in the string is: 22

The number of alphabets are: 18

The number of digits are: 1

The number of spaces are: 2

The number of other characters are: 1

**87.** Write a program in C++ to create and display unique three-digit number using 1, 2, 3, 4. Also count how many three-digit numbers are there.

Sample Output:

The three-digit numbers are:

123 124 132 134 142 143 213 214 231 234 241 243 312 314 321 324 341 342 412 413 421 423 431 432

Total number of the three-digit-number is: 24