1. Question

MARKS

Java Program Documentation

Write a java program which reads marks of five subjects through command line and print the total and average.

2. Execution Steps


1. Open Eclipse IDE or a terminal.
2. Create a Java project/package named Excersice.
3. Create a Java class named Marks
4. Copy the complete program into Marksjava.
5. Make sure the public class name is Marks and the file name is Marksjava.
6. Save the program.
7. Compile the program.
8. Run the Marks class containing the main()method.
9. Observe the total and average operations.
10. Verify the output in the console/terminal.

3. Algorithm

1. Start.
2. Define the Marks class with the main()method.
3. Read marks of five subjects through command line arguments.
4. Convert args[0]to args[4]from String to int using IntegerparseInt().
5. Store the five marks in m1,m2,m3,m4,and m5.
6. Calculate total =m1+m2+m3+m4+m5.
7. Calculate average =total/5.0.
8. Print the total and average.
9. Stop

4. UML Class Diagram

The Marks class contains the main()method,which receives command line input and performs the total and average calculations.



5. Java Source Code

```
package
Excersice;
public class
Marks{
  public static void main(String[]args){

    int
    m1=IntegerparseInt(
    args[0]);          int
    m2=IntegerparseInt(
    args[1]);          int
    m3=IntegerparseInt(
    args[2]);          int
    m4=Integer.parseInt(
    args[3]);          int
    m5=IntegerparseInt(arg
    s[4]);

    int total
    =m1+m2+m3+m4+
    m5; double
        avg=total/5.
    0;
    System.out.println
    ("total:"+to tal);
    System.out.println(
    "avg:"+avg);
```

6. Output -Terminal Screenshot

