

ReadmeForge - Requirements (working draft 0.4)

0. About this paper

ReadmeForge is the product that writes and refreshes README files for GitHub repositories. This is working draft 0.4, written by the product owner for the platform team. Not yet reviewed.

Two plans exist: Free (one repository, community support) and Pro (ten repositories, support desk).

1. What it has to do

1.1 Whenever somebody pushes to the default branch of a linked repository we have to kick off a scan, and the user should see the outcome in the dashboard within about a minute. Without this the whole product is pointless.

1.2 The tool must put together a README proposal from the scan and show it as a diff. Nothing gets committed unless the maintainer accepts it. (Nice for trust.)

1.3 It would be good if maintainers could keep folders out of the scan via a .readmeforge-ignore file.

1.4 Maintainers can pause automatic scanning for a repository for up to 30 days. Added in this revision.

2. Quality expectations

2.1 The main page should load fast - we are aiming for under 2 seconds at the 95th percentile, checked monthly on staging.

2.2 We need the dashboard and webhook receiver to be up 99.5% of the month during working hours.

2.3 Only repositories the signed-in user authorised through GitHub OAuth may be read. Tested on every release.

3. Things we will not do

No wikis, no API reference docs, no hosting providers other than GitHub, and never a commit or pull request without explicit approval.