

## Shopify Test (Admin Panel + Liquid Introduction)

Link to the result page: [https://wizaahschoolofcommerce.testportal.net/exam/test-result.html?a=IAyLR\\_vAvblqSgFZt66F4zOnDb16rRm2qWM8fTLKJdfICiQv0CJZ0Edw44g2Sz0CbkkEz1xxnJ-Qkyk0W-QGyf1OLWFjIm\\_BvSMN\\_oSGcmjKLS&tm=ll-BVqQunBWWQhVOZEsUuuL6513ff1wKKc5HjD0Dpzwbyh-E5dLdmGieg-ul1O2MeQ](https://wizaahschoolofcommerce.testportal.net/exam/test-result.html?a=IAyLR_vAvblqSgFZt66F4zOnDb16rRm2qWM8fTLKJdfICiQv0CJZ0Edw44g2Sz0CbkkEz1xxnJ-Qkyk0W-QGyf1OLWFjIm_BvSMN_oSGcmjKLS&tm=ll-BVqQunBWWQhVOZEsUuuL6513ff1wKKc5HjD0Dpzwbyh-E5dLdmGieg-ul1O2MeQ)

### RESPONDENT

 **Rakeshraj Mahakud**

Email Address rakeshraj.mahakud03@gmail.com

### SUMMARY



Thank you for taking the test!


Your score was too low to pass this test.

### RESULT



**Test failed**

Your result is available



### TIMER



**Total time**

**00:48:57 / 01:00:00**

Start time 14:21 Date 2022-12-26

End time 15:11

### Q. 1

1/1P

What is the purpose of the Bogus Gateway

- ☐ Brainstorming new tags
- ✓ ☒ Testing, primarily testing transactions without being charged a commission
- ☐ Forming partnerships with similarly themed stores
- ☐ Setting up a shop for events like Halloween and April Fools

Score 1/1P

### Q. 2

0/1P

Which statement about JSON template is not true?

- ☐ Once the JSON template is created you can't rename/delete the file
- ✗ ☒ Once the JSON template is created you can't change the extension of the file

- ☐ A theme can contain up to 1,000 JSON templates. After the limit is reached, you can't create new JSON templates.
- ☐ JSON templates can render up to 25 sections, and each section can have up to 50 blocks.

Score 0/1P

### Q. 3

0/1P

What is the maximum number of sections a JSON template can render?

- ☐ 50
- ☐ 20
- ☒ 100
- ☐ 25

Score 0/1P

### Q. 4

1/1P

You cannot hide specific pages of your storefront.

- ☒ False
- ☐ True

Score 1/1P

### Q. 5

1/1P

What is the correct way of creating an array in liquid?

- ☐ `{% assign array = 'a', 'b', 'c', 'd' | array %}`
- ☐ `{% assign array = 'a', 'b', 'c', 'd' | split: ',' | uniq %}`
- ☐ `{% assign array = 'a, b, c, d' | uniq %}`
- ☒ `{% assign array = 'a, b, c, d' | append: ', e' | append: ', f' | split: ', ' %}`

Score 1/1P

### Q. 6

0/1P

Which is not a valid attribute of the **section object**?

- ☐ settings
- ☐ presets
- ☐ id
- ☒ blocks

Score 0/1P

### Q. 7

1/1P

What will be the output of this code?

```
{{ "-1.23" | abs | round }}
```

- ☐ 2
- ☐ 1.5
- ✓ ☒ 1
- ☐ 1.23

Score 1/1P

#### Q. 8

1/1P

Each section can have more than one `{% schema %}` tag

- ☐ True
- ✓ ☒ False

Score 1/1P

#### Q. 9

1/1P

Which is not the correct way of using snippet files?

- ✓ ☒

```
{% assign my_product = product %}
{% render 'snippet-name' where my_product: my_product %}
```
- ☐

```
{% assign icon = 'ICON_NAME' %}
{% render 'snippet-name' with icon %}
```
- ☐

```
{% assign my_product = product %}
{% render 'snippet-name', my_product: my_product %}
```
- ☐

```
{% assign my_product = product %}
{% assign my_title = 'Title text' %}
{% render 'snippet-name', my_product: my_product, my_title: my_title %}
```

Score 1/1P

#### Q. 10

1/1P

Which statement about Snippets is not true?

- ☐ Snippets are most often used for code that appears on more than one page but not across the entire theme
- ✓ ☒ One snippet can't be added inside another snippet
- ☐ Snippets are files containing chunks of reusable code and reside in the snippets folder
- ☐ Snippets are included in a template using the Liquid tag `render`

Score 1/1P

#### Q. 11

0/1P

To customize the sitemap of the site, which file you should edit?

✖ ☒ sitemap.txt.liquid

☐ Shopify doesn't allow to edit the sitemap

☐ robots.txt.liquid

Score 0/1P

#### Q. 12

1/1P

In Liquid, the \_\_\_\_ tag executes a block of code only if a certain condition is not met (that is, if condition is false).

☐ !if

☐ if / else

☐ case / when

✔ ☒ unless

Score 1/1P

#### Q. 13

1/1P

The \_\_\_\_\_ file contains the setting values of theme settings

☐ Sections of theme

✔ ☒ settings\_data.json

☐ settings\_schema.json

☐ Specific template file of that folder

Score 1/1P

#### Q. 14

1/1P

How does Shopify calculate shipping rates?

☐ The rates come directly from USPS

✔ ☒ Rates are based on the conditions you set up

☐ Shipping is always free on Shopify

☐ Rates fluctuate rapidly based on current transportation costs

Score 1/1P

#### Q. 15

0/1P

Which condition for `{{ product.first_available_variant }}` is not true?

✖ ☒ The `variant.inventory_management` is nil.

☐ The `variant.inventory_quantity` should be greater than 1.

☐ The **variant.inventory\_policy** is set to continue.

☐ The first variant of the product should be available

Score **0/1P**

#### Q. 16

1/1P

What will be the output of the following code?

```
{% assign fruits = 'mango, pineapple, banana, watermelon, guava, mango, banana' %  
{{ fruits | split: ', ' | uniq | join: ', ' }}
```



☐ mango, pineapple, banana, watermelon, guava, mango, banana

☐ mango, mango, pineapple, banana, banana, watermelon, guava



☒ mango, pineapple, banana, watermelon, guava

Score **1/1P**

#### Q. 17

1/1P

How many product variants are you allowed for each product?

☐ 200

☐ 50



☒ 100

☐ 150

Score **1/1P**

#### Q. 18

0/1P

Which statement is true for **{{ product.price\_varies }}**

☐ Returns true if the product's variant price is greater than compare\_at\_price

☐ Returns true if the product's variant prices vary



☒ Returns true if the product's variant has compare\_at\_prices

Score **0/1P**

#### Q. 19

0/1P

Which one of the followings is not a type of Sidebar setting?

☐ description

☐ header



☒ paragraph

Score **0/1P**

#### Q. 20

1/1P

What is the maximum file size allowed for collection and product images in Shopify?

☐ 100MB

- ☐ 10MB
- ☐ 1GB
- ✓ ☒ 20MB

Score 1/1P

Q. 21 1/1P

You can create groups of customers to send email newsletters to.

- ☐ False
- ✓ ☒ True

Score 1/1P

Q. 22 0/1P

Which one of the followings is not a valid standard attribute of input settings?

- ✗ ☒ options
- ☐ id
- ☐ content
- ☐ type

Score 0/1P

Q. 23 1/1P

Tags that are associated with products, customers, transfers, and blog posts can have up to \_\_\_\_ characters

- ☐ 150
- ✓ ☒ 255
- ☐ 155
- ☐ 250

Score 1/1P

Q. 24 1/1P

What is the difference between the `{{ }}` and `{% %}` liquid markup?

- ☐ They are interchangeable
- ✓ ☒ The first is for output, the second is for tags
- ☐ The first is for products, the second is for checkout
- ☐ The first is for tags, the second is for output

Score 1/1P

Q. 25 0/1P

What is the maximum number of products can be accessed per page through collection object?

- ✗ ☒ 20

☐ 50

☐ 1000

☐ 100

Score 0/1P

#### Q. 26

1/1P

The two parts of your store are called:

☐ Admin and Checkout



☒ Storefront and Admin

☐ Storefront and Preferences

☐ Storefront and Checkout

Score 1/1P

#### Q. 27

1/1P

What is the right way to update the store policies?

☐ By navigating to Online store > Edit code > Add a new page template

☐ Shopify doesn't allow updating the store policies



☒ By navigating to Settings > Policies

Score 1/1P

#### Q. 28

0/1P

The logic behind `{{ product.price }}`

☐ The lowest price of any variants of the product

☐ The price of the first variant of the product



☒ The price of the **first\_available\_variant** of the product

Score 0/1P

#### Q. 29

1/1P

What is the main layout file used by default?



☒ `{% theme.liquid %}`

☐ `{% main.liquid %}`

☐ `{% password.liquid %}`

☐ `{% theme.alternate.liquid %}`

Score 1/1P

Q. 30

1/1P

What is the maximum number of blocks a section can render?

- ☐ 20
- ☐ 100
- ✓ ☒ 50
- ☐ 25

Score 1/1P

Q. 31

0/1P

Which of the following product fields are available to use in product object?

- ✓ ☒ variants
- ✗ ☒ position
- ✓ ☒ price\_varies
- ✓ ☒ options\_by\_name

Score 0/1P

Q. 32

1/1P

You want to use external CSS which you already uploaded in the assets folder. How do you link it to the page on which you want to use it?

- ☐ `{{ 'custom.css' | asset_url | style_tag }}`
- ✓ ☒ `{{ 'custom.css' | asset_url | stylesheet_tag }}`
- ☐ `{{ asset_url | 'custom.css' | stylesheet_tag }}`
- ☐ `{{ 'custom.css' | stylesheet_tag | asset_url }}`

Score 1/1P

Q. 33

0/1P

Which is not a valid option for `{{ variant.inventory_policy }}`

- ☐ continue
- ☐ unit\_price
- ✗ ☒ deny

Score 0/1P

Q. 34

1/1P

We can display products on shopify blog page?

- ✓ ☒ True
- ☐ False



Score 1/1P

Q. 35

0/1P

Which statement is true for `{% liquid %}` tag?

- ☐ It allows you to write multiple tags within one set of delimiters.
- ✗ ☒ It allows you to capture all the variables used inside a section or snippet
- ☐ It allows you to write multi-line codes including HTML tags, which can be used later

Score 0/1P

Q. 36

1/1P

Which of the following is the correct way to create variable?

- ☐ `{% capture foo = "bar" %}`
- ✓ ☒ `{% assign foo = "bar" %}`
- ☐ `{% var foo = "bar" %}`
- ☐ `{% liquid foo = "bar" %}`

Score 1/1P

Q. 37

1/1P

What file format can you export and import files in?

- ☐ XML
- ✓ ☒ CSV
- ☐ TXT
- ☐ PDF

Score 1/1P

Q. 38

0/1P

What will be the output of the following code?

```
{% if true or false and false %}  
  This statement is true  
{% endif %}
```

- ☐ This statement is true
- ☐ This statement is not true
- ✗ ☒ No output

Score 0/1P

Q. 39

1/1P

How many product options are you allowed for each product?

- ☐ 7
- ✓ ☒ 3
- ☐ 5
- ☐ 10

Score 1/1P

Q. 40

1/1P

Which one of the following is not a valid Payment status?

- ☐ Expired
- ☐ Expiring
- ✓ ☒ Scheduled
- ☐ Voided

Score 1/1P

Q. 41

1/1P

What is the correct way to output the variable?

```
{% capture my_variable %}  
  I am being captured.  
{% endcapture %}
```

- ☐ {% liquid my\_variable %}
- ☐ {{ echo my\_variable }}
- ✓ ☒ {{ my\_variable }}

Score 1/1P

Q. 42

1/1P

The \_\_\_\_\_ file controls the organization and content of the Theme settings area of the theme editor

- ☐ Templates of theme
- ☐ Sections of theme
- ☐ settings\_data.json
- ✓ ☒ settings\_schema.json

Score 1/1P

Q. 43

0/1P

In Shopify, what's the maximum page size allowed, in KB?

- ☐ 128
- ☒ 64
- ☐ 32
- ☐ 256

Score 0/1P

Q. 44 1/1P

What will be the output of the following code?

```
{{ 2 | at_least: 5 }}
```

- ☐ 2
- ☐ 3
- ☒ 5
- ☐ 7

Score 1/1P

Q. 45 1/1P

What's the maximum number of tags we can add on a product?

- ☐ 150
- ☐ 100
- ☒ 250
- ☐ 200

Score 1/1P

Q. 46 1/1P

Which one of the following is not a valid Sales channel in Shopify?

- ☐ Online store
- ☒ Youtube
- ☐ Handshake
- ☐ Buy button

Score 1/1P

Q. 47 1/1P

You want to use external JS which you already uploaded in the assets folder. How do you link it to the page on which you want to use it?

- ☐

```
{{ asset_url | 'custom.js' | javascript_tag }}
```
- ☒

```
{{ 'custom.js' | asset_url | script_tag }}
```

- ☐ {{ asset\_url | 'custom.js' | script\_tag }}
- ☐ {{ 'custom.js' | asset\_url | javascript\_tag }}


Score 1/1P

Q. 48

0/1P

What will be the output of the following code?

```
{{ routes.root_url }}
```


-  ☒ /home
- ☐ /root
- ☐ /
- ☐ /index

Score 0/1P

Q. 49

1/1P

Which one of the following is not a valid order status?


- ☐ Archived
- ☐ Open
- ☐ Canceled
-  ☒ Pending

Score 1/1P

Q. 50

1/1P

Variable Tags are used to create new Liquid variables. Which of the following is NOT a variable tag?

- ☐ assign
- ☐ capture
- ☐ increment
-  ☒ include

Score 1/1P

Q. 51

0/1P

Can we change Shopify's default collection handle?

-  ☒ Yes
- ☐ No

Score 0/1P

Q. 52

0/1P

What will be the output of this code?

```
{{ "<h1>Hello</h1> World" | strip_html }}
```

☐ <h1>Hello World</h1>

✗ ☒ <h1>Hello</h1> World

☐ %3Ch1%3EHello%3C/h1%3E%20World

☐ Hello World

Score 0/1P

Q. 53

1/1P

Which of the following is not a valid schema type?

☐ collection\_list

✓ ☒ variant

☐ product\_list

☐ product

Score 1/1P

Q. 54

0/1P

Which of the following article fields are available to use?

✓ ☒ author

✗ ☒ media

✗ ☒ post

☐ body

Score 0/1P

Q. 55

1/1P

What is the maximum number of JSON templates you can create in a theme?

☐ 500

✓ ☒ 1000

☐ 750

☐ 100

Score 1/1P

Q. 56

1/1P

In Liquid, the \_\_\_\_ filter removes any duplicate instances of elements in an array.

- ☐ concat
- ☐ remove
- ✓ ☒ uniq
- ☐ duplicate

Score 1/1P

Q. 57

0/1P

The **all\_products** object has a limit of \_\_\_\_ unique handles per page

- ✗ ☒ 25
- ☐ 20
- ☐ 50
- ☐ 55

Score 0/1P

Q. 58

1/1P

What is a webhook?

- ✓ ☒ A tool for retrieving and storing data from a certain event with your shop
- ☐ A type of call to action you can place on your blog to attract more customers
- ☐ A service Shopify uses to cut down on bot traffic
- ☐ A developer of Shopify themes

Score 1/1P

Q. 59

1/1P

Where is the sitemap.xml located based on your Shopify store's primary domain name?

- ☐ storename.myshopify.com/seo/sitemap.xml
- ☐ storename.myshopify.com/google/sitemap.xml
- ✓ ☒ storename.myshopify.com/sitemap.xml
- ☐ storename.myshopify.com/pages/sitemap.xml

Score 1/1P

Q. 60

1/1P

What is the maximum file size allowed for product videos in Shopify

- ☐ 50MB
- ✓ ☒ 1GB
- ☐ 20MB
- ☐ 100MB













































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































































