
Task 1:

- 1. do hadoop fs -ls to see if any folder as /user/acadgild exist.
- 2. IF not available then use hadoop fs -mkdir to create a folder under /user



Task 2:

- 1. Use touchz command to create an empty file.
- 2. Use appendToFile to read from stdin and append to the file. hadoop fs –appendToFile <URI>



Task 3:

- 1. Use vi editor to create a file with content.
- 2. Use *put* command to load the file to HDFS from the local file system. hadoop fs –put <localfilesource> <HDFSdestinationLocation>

```
acadgild@localhost:~/Desktop/hadoop_tutorial
ile Edit View Search Terminal Help
jklwjkhs rakesh ';kkss name
ame jl;sjjd my
acadgild@localhost hadoop tutorial]$ clear
ou have new mail in /var/spool/mail/acadgild
acadgild@localhost hadoop_tutorial]$ vi max-temp.txt
ou have new mail in /var/spool/mail/acadgild
acadgild@localhost hadoop tutorial]$ hadoop fs -put max-temp.txt /user/acadgild
3/04/14 14:13:23 WARN util.NativeCodeLoader: Unable to load native-hadoop libra
/ for your platform... using builtin-java classes where applicable
ou have new mail in /var/spool/mail/acadgild
acadgild@localhost hadoop_tutorial]$ hadoop fs -ls /user/acadgild/hadoop
3/04/14 14:13:42 WARN util.NativeCodeLoader: Unable to load native-hadoop libra
/ for your platform... using builtin-java classes where applicable
ound 2 items
rw-r--r--
          1 acadgild supergroup
                                         84 2018-04-14 14:13 /user/acadgild/ha
op/max-temp.txt
rw-r--r--
          1 acadgild supergroup
                                        77 2018-04-14 14:05 /user/acadgild/ha
pop/word-count.txt
acadgild@localhost hadoop tutorial]$ hadoop fs -cat /user/acadgild/hadoop/word-
ount.txt
3/04/14 14:14:36 WARN util.NativeCodeLoader: Unable to load native-hadoop libra
/ for your platform... using builtin-java classes where applicable
ni is ra;k;esj ralklwj my name
jklwjkhs rakesh ';kkss name
ame jl;sjjd my
ou have new mail in /var/spool/mail/acadgild
acadgild@localhost hadoop tutorial]$ hadoop fs -cat /user/acadgild/hadoop/max-t
np.txt
3/04/14 14:15:08 WARN util.NativeCodeLoader: Unable to load native-hadoop libra
/ for your platform... using builtin-java classes where applicable
2-01-1982,20
1-05-1991,30
1-01-1990,10
3-03-2984,20
5-09-1996,15
4-11-1986.15
acadgild@localhost hadoop_tutorial]$
```

Task 4:

- 1. The permission defined in linux is in order of owner, group and then all other users. These are again denoted by hexadecimal value. 7 denote full permission.
- 2. Use *chmod* command to set the permission.

