1

GATE Assignment

A.Rakesh Kumar EE22BTECH11005*

Three unbiased coins were tossed. Provided that at is 0.25. least two outcomes are tails, the probability of having all three outcomes as tails is

Solution:

Parameter	value	description
X_i	1	first coin
	2	second coin
	3	third coin
n	3	number of coins
p,q	$\frac{1}{2}$	toss result in heads/tails
Y	$\sum_{i=0}^{3} X_i$	three coins

TABLE 1: Definition of Y and parameters.

$$\Pr(Y = 3|Y \ge 2) = \frac{\Pr(Y \ge 2, Y = 3)}{\Pr(Y \ge 2)} \qquad (1)$$

$$= \frac{\Pr(Y = 3)}{\Pr(Y \ge 2)} \qquad (2)$$

$$= \frac{p_Y(3)}{p_Y(k \ge 2)} \qquad (3)$$

$$p_Y(k) = {}^{n}C_k p^k q^{n-k} \qquad (4)$$

$$= {}^{3}C_k \left(\frac{1}{2}\right)^k \left(\frac{1}{2}\right)^{3-k} \qquad (5)$$

$$= \frac{{}^{3}C_k}{8} \qquad (6)$$

$$F_Y(k) = \Pr(Y \le k) \qquad (7)$$

$$= \sum_{k=0}^{k} p_Y(k) \qquad (8)$$

$$\implies F_Y(k) = \sum_{k=0}^{k} \frac{{}^{3}C_k}{8} \qquad (9)$$

$$\Pr(Y \ge k) = 1 - F_Y(k - 1) \qquad (10)$$

$$\implies \Pr(Y = 3|Y \ge 2) = \frac{p_Y(3)}{1 - F_Y(1)} \qquad (11)$$

$$= \frac{\left(\frac{1}{8}\right)}{\left(\frac{1}{8}\right)} \qquad (12)$$

(13)

... The probability of having all three outcomes as tails