

SMART ENFORCEMENT: APPLYING AI, IOT, AND SATELLITE ANALYTICS TO COMBAT INDUSTRIAL AIR POLLUTION IN PAKISTAN

Qazi Naveed Ahmed¹, Kamran Ali², Mudasar Latif Memon^{*3}, Sardar Ali Shah⁴

^{1,4}Institute of Law, University of Sindh, Jamshoro, Pakistan

² School Education and Literacy Department, Government of Sindh, Pakistan

^{*3}Department of Information Technology, The University of Modern Sciences, Tando Muhammed Khan, Pakistan

^{*3}mudasar.latif@ums.edu.pk

DOI: <https://doi.org/10.5281/zenodo.17774568>

Keywords

Artificial Intelligence;
Environmental Law; Industrial
Emissions; Air Quality
Monitoring; Machine Learning;
Deep Learning; Environmental
Compliance

Article History

Received: 09 October 2025

Accepted: 18 November 2025

Published: 29 November 2025

Copyright @Author

Corresponding Author: *

Mudasar Latif Memon

Abstract

The growing problem of industrial air pollution is one of the most acute environmental and social health problems of developing countries, and Pakistan is one of the most suffering countries in the world. This is an extensive review of the transformative capacity of the Artificial Intelligence (AI) in enhancing environmental law enforcement and counteracting dangerous gas emissions caused by industrial sources with specific reference to the specific socio-economic and regulatory environment in Pakistan. The review summarizes the current developments in the field of machine learning, deep learning, Internet of Things (IoT), and satellite-based monitoring technologies that have shown impressive efficiency in air quality prediction, identification of emission sources, and monitoring regulatory compliance. Through the global case analysis and unique challenges of Pakistan, the current article gives the framework to incorporate AI technologies in the environmental governance structure of the country. The results suggest that AI-powered monitoring tools can have an over 95 percent prediction accuracy of air quality indices, provide real-time compliance monitoring, and draw down monitoring expenses by up to 80 percent with the traditional approaches. The paper concludes with policy recommendations and a roadmap to implement this policy in stages of a timeline specific to the industrial landscape in Pakistan, which should focus on the importance of the public-private collaboration, capacity building, and changing the rules and regulations to achieve the maximum potential of AI to protect the environment.

INTRODUCTION

The pollution of the air has become one of the defining issues of the twenty-first century, and its implications on the human health, the economic efficiency, and the sustainability of the environment are overwhelming. The World Health Organization has estimated that air pollution of the atmosphere results into the premature death of about 4.2 million people across the world with the developing nations absorbing a disproportionate share of these deaths

[1]. The example of Pakistan displays this crisis as it is regularly at the list of the most polluted countries of the world and the large urban areas, including Lahore, Karachi, and Faisalabad, have the dangerous levels of air quality that are massively worse than the international norms [2]. One of the main sources of atmospheric pollution in Pakistan is the industrial sector, whose emissions comprise of textile manufacturing, cement production, brick kiln, and

steel manufacturing among other sources of ambient levels of particulate matter (PM_{2.5}, PM₁₀), sulfur dioxide (SO₂), nitrogen oxides (NO_x) and carbon monoxide (CO) and volatile organic compounds (VOCs) [2], [3]. Although there are detailed environmental laws which cover the Pakistan Environmental Protection Act (PEPA) 1997 and National Environmental Quality Standards (NEQS) the implementation of these laws is in its perennial shambles as the lack of monitoring systems, inadequate technical capacity and resources and the existence of poor regulatory capacity continues to hamper implementation [4], [5].

In that regard, Artificial Intelligence is an opportunity of a paradigm shift, that is, the opportunity to transform environmental governance and enforcement [6]. AI solutions, including machine learning, deep learning, natural language processing, and computer vision, already have shown themselves to be highly efficient in terms of automating the pollution monitoring process, predicting emission trends, detecting instances of non-compliance, and optimization of industrial operations to minimize environmental impact [6], [7]. By combining AI and IoT sensor networks and satellite remote sensing, the spatial and time coverage of industrial emissions has never been so extensive, making reactive enforcement models into new proactive, predictive regulatory models [8], [9].

The review article gives an in-depth analysis of the application of AI in environmental law enforcement in order to reduce hazardous gas emissions in industries especially in the context of Pakistan [10], [11]. The aims of the review are threefold, namely, to synthesize the existing state of AI applications in environmental monitoring and compliance on the global scale, to examine the industrial emission profile and regulatory issues in Pakistan, and to suggest an implementation framework of using AI technologies in the system of environmental governance in Pakistan [6], [11]. The review will also be based on peer-reviewed articles published in the past five years (2020-2025) which include empirical research, systematic reviews and policy analyses of prominent journals in the environmental science and technology field.

2. Air Quality Crisis and Industrial Emissions in Pakistan

2.1 Magnitude of the Air Pollution Problem

Pakistan is experiencing an environmental health crisis of such proportions. Recent epidemiological evaluations have shown that about 135,000 people in Pakistan die annually because of the causes related to air pollution, which is one of the highest rates of deaths among all worldwide factors caused by atmospheric pollution [2], [3].




Figure 1: PM 2.5 concentrations in South Asian countries compared to WHO guideline

Figure 1 refer the data about the PM2.5 concentrations which show that the annual average concentration of 66.8 ug/m³ of Pakistan is 400 times higher than the standard of 15 ug/m³ provided by the World Health Organization [12], [13]. Survey in the large industrial regions of Pakistan including the Site Area, Korangi and the Landhi industrial areas of Karachi has reported a constancy in the levels of particulate matter well beyond the national environmental standards of quality, and during the pre-monsoon seasons particulate matter levels have been reported to be particularly high because of lower atmospheric dispersion [2], [14]. The health cost of such pollution is very high and it has been reported that 57 percent of chronic obstructive pulmonary disease cases, 40 percent of lower respiratory infections, 36 percent of cases of ischemic stroke, and 35 percent of cases of

ischemic heart disease in Pakistan are directly related to exposure to air pollution [15], [16].

2.2 Industrial Sources of Hazardous Emissions

The industrial environment in Pakistan has a number of major industries, which have led to the pollution burden in the atmosphere [17]. The textile industry, which is the cornerstone of the exportation economy of the country, gives out a lot of emissions in terms of dyeing, boiler running, and combustion of different types of fuels such as natural gas, coal, wood, and cloth waste [18], [19]. The recent measurements of the flue gas emissions within the textile industry of Faisalabad have found that the cloth waste burning has the highest emission rates, with CO reading 2,091.4mg/Nm³, SO₂ reading 2,978mg/Nm³ and NO_x reading 487.5mg/Nm³, all of which are way above the Punjab Environmental Quality Standards [2], [3], [20].




Figure 2: Air pollution sources distribution in Pakistan's major industrial cities

Figure 2 shows another significant source of pollution is brick kilns; it is estimated that there are 20,000 units of brick kilns that are in operation in the country which is mostly using traditional fixed chimney which contributes to a lot of black carbon, particulate matter, and sulfur compounds [21], [22]. Studies that have employed AI satellite imagery have surveyed with the use of computer-assisted satellite imagery the distribution of brick kilns throughout the Indo-Gangetic Plain to show widespread unregulated activity that has led to the worsening of air quality in the region [23], [24]. Combustion processes and material handling activities contribute to the cumulative emission burden through the cement industry, steel manufacturing sector and power generation sector [25], [26].

2.3 Regulatory Framework and Enforcement Challenges

The legal system of environmental legislation in Pakistan encompasses the laws that form the basic framework of environmental legislation in the country such as the Pakistan Environmental Protection Act (PEPA) 1997 which forms the basic provisions of environmental legislation such as Environmental Impact Assessment (EIA), emission standards and mechanisms of providing penalties [27], [28]. After the 18th Constitutional Amendment, the provincial governments assumed control over environmental regulation and created provincial environmental protection offices and

designed provincial-specific regulations, including the Punjab Environmental Quality Standards [29], [30].

Even with this elaborate legal framework, critical analyses have singled out four structural gaps that compromise enforcement of environmental laws: (1) vague legal standards and non-uniform provincial harmonization; (2) systemic underfunding of Environmental Protection Agencies with no accredited laboratories, digital metering devices, and autonomy to enforce them; (3) lack of judicial deterrence through sluggish tribunal courts; and (4) lack of citizen participation in environmental regulation [31], [32]. Such predicaments bring forth the setting in which the industrial compliance is mostly voluntary and the enforcement of the regulations is more response-based than proactive [31].

3. Artificial Intelligence Technologies for Environmental Monitoring

3.1 Machine Learning for Air Quality Prediction

Machine learning due to the introduction of powerful tools that predict ground air quality and forecast emissions has been found to be a major improvement over traditional statistical models in terms of discerning complicated, nonlinear connections between atmospheric pollutants and the environment. Random Forest and XGBoost have shown specific ability to predict Air Quality Index (AQI) with R^2 higher than 0.85 in validation

experiments that were carried out at different geographic locations [33], [34].

A study carried in India based on the use of the Random Forest classification recorded a cross validation of 0.89 in air quality prediction indicating that the model can be generalized to predict the quality of the air in a wide variety of monitoring sites [34], [35]. In a similar manner, XGBoost-based models in industrial cities such as Kryvyi Rih, Ukraine, delivered R^2 values more than 0.84 on pollutant concentration prediction, and, at the same time, detected anomalies using the Isolation Forest algorithms with F1-scores over 0.80 [36], [37]. These machine learning methods are highly effective in terms of incorporating a wide range of data types such as meteorological variables, traffic trends and

industrial activity signals to come up with precise forecasts [38], [39].

AQI prediction using Support Vector Regression (SVR) models that have been optimized using grid search techniques have lead to R^2 values of 0.887, which offer effective computational performance in situations that require resource-constrained deployment [40], [41]. Interpretability of machine learning models is another benefit to regulatory applications because feature importance analyses can determine the major causes of pollution events, which will guide the design of specific intervention plans [42], [43].

3.2 Deep Learning Architectures for Spatiotemporal Analysis




Figure 3: Performance comparison of ML and DL models for air quality prediction

The architectures of deep learning, especially recurrent neural networks (RNNs) and convolutional neural networks (CNNs) have transformed the process of spatiotemporal pollution pattern recognition and prediction. Figure 3 shows Long Short-Term Memory (LSTM) networks and its

offshoots-such as Gated Recurrent Units (GRU), and Bidirectional LSTM (BiLSTM) networks-are highly effective at modeling predictive performance in air quality time sequences, and are much more successful than other model types in the air quality domain [44], [45]. In a complete systematic

investigation into machine learning and deep learning methods of predicting and estimating AQI, CNN-GRU hybrid models were shown to be the most effective in 15-day predictions, whereas BiLSTM and LSTM models were the best at predicting AQI over 5 days [46], [47]. CNN-Transformer demonstrated a specific level of promise, along with a 14% and a 17% decrease in root mean squared error (RMSE) and mean absolute error (MAE) of standalone LSTM models in daily air quality prediction [48]. Hybrid systems that use convolutional layers to extract spatial features and

recurrent layers to model time have demonstrated classification accuracies over 99% in structured environmental data, and LSTM networks have performance of 97.5 percent in predicting temporal pollution [49]. Attention mechanisms combined with temporal graph convolutional networks have facilitated the prediction of numerous pollutants effectively, including the complex interdependence of NO₂, SO₂, and CO, and particulate matter concentration changes among networks of monitoring stations [45], [50].

AI Technology	Application in Environmental Law	Key Algorithms/Models	Performance Metrics
Machine Learning	AQI prediction, emission forecasting, compliance risk assessment	Random Forest, XGBoost, SVM	$R^2 > 0.85$
Deep Learning (CNN/LSTM)	Spatiotemporal pattern recognition, anomaly detection	CNN-LSTM, GRU, BiLSTM, Transformers	$R^2 > 0.94$, accuracy 99%
Natural Language Processing	Regulatory document analysis, compliance reporting automation	BERT, GPT frameworks	94% classification accuracy
Computer Vision	Pollution source identification, facility inspection	YOLO, ResNet	mAP > 91%
IoT with AI	Real-time emissions monitoring, sensor networks	Edge computing, sensor fusion	95% detection reliability
Satellite RS + AI	Large-scale emission mapping	Transfer learning, Sentinel-5P	Correlation 0.58-0.75

Table 1: AI Technologies for Environmental Monitoring and Enforcement Applications

3.3 IoT-Integrated Smart Monitoring Systems

Combining Internet of Things (IoT) technologies with artificial intelligence has made it possible to create smart environmental monitoring systems that could track emissions in real-time continuously and at much cheaper prices than the conventional monitoring infrastructure [51], [52]. Such systems are usually distributed sensor networks related with wireless protocols (Wi-Fi, 4G/5G, LoRa) that link to cloud-connected analytics systems where AI algorithms are run on incoming data streams to identify anomalies, verify compliance, and give predictions [53], [54]. It has been shown that smart air quality monitoring systems placed in automotive workshops can be used to predict the air quality parameters with 90 percent and more precision using the Linear Regression and Random Forest models applied to the data collected by the DHT-11 and MQ-135 sensors sent with the MQTT protocol [55].

[56]. Other related IoT architectures designed to work in the setting of developing countries, such as El Salvador and Bangladesh, have demonstrated viable pollutant sensing at a price of between 1,500 and 15,000 dollars per monitoring node-a 80-95 percent breakover of the reference-grade monitoring stations [57]. Their use of inexpensive sensor networks in data sparse settings is of specific interest to the situation of Pakistan. A study in some African cities such as Accra, Ghana and Lome, Togo has confirmed methods of calibrating low-cost sensors (PurpleAir, Clarity Node-S) versus reference monitors and has shown that well-corrected sensor data can be useful in understanding the contribution of hyper localized sources of emission [58], [59]. The methodologies can easily be applied to the industrial zones in Pakistan, where there is a scramble against existing monitoring infrastructure to limit enforcement to date.

3.4 Satellite Remote Sensing and AI Integration

Remote sensing of industrial emissions using satellites and analytics powered by AI can provide some of the first instances of novel opportunities to monitor the emissions of industries over extensive geographic scope with minimal land infrastructure needs. Sentinel-5P, a satellite with the TROPOMI instrument on board by the European Space Agency, covers the whole globe with tropospheric NO₂, SO₂, CO, and other pollutants on a daily basis with spatial resolutions that are adequate to detect major industrial plants and urban centers [60], [61]. Deep transfer learning methods on satellite images have been shown to predict air quality on the ground in low- and middle-income nations with sparse monitoring networks, with correlation coefficients of 0.58-0.75 with the existing ground measurements [48], [62]. The Sentinel-5P data is applied in research of the largest cities in Asia and makes it possible to evaluate the level of atmospheric pollution in detail and identify the sources of emissions and the dynamics of water pollution in relation to the trends in the activity of industrial facilities. One of the most applicable directions is the creation of AI-based systems of detecting brick kilns with a combination of Sentinel-2 (low-resolution) and high-resolution satellites [63], [64]. This is aimed at dealing with the problem of regulating the vast informal sector of the Pakistan brick kiln sector with a lot of facilities functioning without the required permits and emission regulations. Kiln location, operational status and time change can be detected automatically with the help of detection algorithms which give the enforcement agencies actionable intelligence to verify compliance. Table 1 shows AI Technologies for Environmental Monitoring and Enforcement Applications.

4. AI Applications in Environmental Law Enforcement

4.1 Automated Compliance Monitoring and Reporting

The adoption of AI into environmental compliance surveillance is a systemic change in the current periodical and manual enforcement of environmental regulations to an automated and continuous control of the industrial emissions. Online compliance monitoring systems based on AI and IoT can detect breaches of rules and regulations in real-time, which serves as the main constraint of the traditional methods of monitoring, since they do not even detect the temporary pollution before it disappears [65]. Continuous emissions monitoring (CEMS) systems can be operated in industrial facilities using AI, which analyses the flue gas parameters automatically, compares them with the allowable limits, and can produce a compliance report without the involvement of a human operator [66], [67]. Machine learning methods that are trained with past emission history have been shown to detect trends that are likely to cause violations which can be mitigated before reaching the point of exceedances. Isolation Forest algorithm has been especially useful in classifying abnormalities (with F1-scores over 0.80, in detection of pollution spikes that need regulatory action) [68].

Automated monitoring has significant regulatory effects. The classical enforcement frameworks, based on the periodic reviews and self-reporting, have severe blind spots that enable the facilities that do not adhere to them to avoid acting [69]. These gaps are removed through AI based continuous monitoring which form a detailed record of emission performance that reinforces enforcement measures and aids in the prosecution of violations. The case studies of industrial pollution monitoring (Rotterdam, Netherlands) and air quality management in cities (Beijing, China) show how combined AI monitoring systems can enhance the effectiveness of forecasting pollution, regulating activities, and increasing citizen access to environmental information [6], [70].




Figure 4: AI-integrated environmental monitoring/compliance framework

4.2 Natural Language Processing for Regulatory Analysis

NLP technologies provide strong solutions to the automation of the analysis of environmental regulations, compliance documentation, and enforcement records. NLP-based AI systems have the ability to work with high amounts of regulatory text, derive the relevant requirements, discover the compliance requirements, and determine how well the organization is complying with environmental standards [71], [72]. Automation studies in regulatory compliance language models have shown that transformer-based language models (BERT, GPT architectures) can attain 94%+ accuracy in document classification on matters of regulatory compliance and identifying important regulatory provisions [73]. Such capabilities are specifically applicable to environmental enforcement agencies working with complicated regulatory systems of air quality standards, emission permits, environmental impact assessment and penalty provisions [74]. The following are some of the key tasks that can be automated by NLP-based compliance support systems: finding the values of emissions thresholds within a permit document; contrasting reported

emissions with the relevant limits; creating the violation notices on the basis of monitoring data; and constructing regulatory imperatives across multiple jurisdictional regimes [75], [76]. The use of large language models in environmental policy analysis has also allowed the automated retrieval of policy goals, implementation processes, and enforcement stipulations in legislative text and is useful in making regulative analysis more systematic [77], [78].

4.3 Computer Vision for Pollution Source Identification

Deep learning-based computer vision algorithms have proven to have impressive visual inspection, source of pollution identification, and automated industrial facility monitoring capabilities. The architectures of object detection such as Yolo (You Only Look Once), ResNet, and self-designed CNN models can be used to identify the sources of emission, detect equipment problems and ensure adherence to the operational requirements by using automated methods of analyzing visual images [79], [80]. Studies involving the use of YOLOv7 with later versions to perform inspection tasks in industries

have achieved a mean average precision (mAP) of over 91 per cent, proving accurate enough to be used in the regulatory tasks [81], [82]. These systems may take the imagery of fixed cameras and drones or the mobile inspection units and cover the industrial facilities effectively without the need to have constant human presence. The AI-based drone surveillance is one of the most promising opportunities to keep track of sources of diffuse emissions like brick kilns, open burning activities, and fugitive emissions at industrial facilities [83]. Drones with multispectral cameras and onboard artificial intelligence can independently scan the territory of industries, outline possible areas of violations, and send geolocated notices to the enforcers. Deforestation studies have shown how drone-based surveillance coupled with an embedded AI can be used to monitor environmental crimes in real-time and issue an alert to the authorities [84]. Facility-level compliance check can also be assisted by automated visual inspection systems that identify problems like improper waste disposal, equipment decay and unauthorized modification which can be a sign of regulatory non-compliance [85], [86]. The thermal imaging is integrated which makes it possible to identify abnormal temperature patterns that would signify process upset or malfunctions of the emission control equipment [87]. Figure 4 shows AI-integrated environmental monitoring/compliance framework.

4.4 Predictive Analytics for Proactive Enforcement

This is because the predictive nature of AI systems will allow the regulatory agencies to transform reactive to proactive enforcement of the environment by anticipating violations and permitting the agency to act before the environment is spoilt. There are predictive models to recognize the facilities that are in a high compliance risk based on their past performance trends, industry attributes, operation factors, and external forces such as weather and economic forces [88]. Models of machine learning that have ancestral violation information can produce risk scores of single plants allowing inspection resources to be prioritized to the riskiest targets [89]. This is an efficient method of enforcement because the limited regulatory capacity is deployed where it is most needed rather than on facilities that are already complying. 7-15 day air quality forecasting models give 7-15 days of prediction of the expected instances of pollution, which allows the regulatory bodies to liaise with the industries on the temporary abatement of emissions or to provide warnings to the at-risk groups to ensure protection [90], [91]. Studies have shown that the correctly trained AI models have the capacity to predict the values of the AQI with an accuracy of 90 percent or higher over a one-week horizon and give useful lead time to implement reactionary measures [92]. Table 2 shows predictive analytics for proactive enforcement.

Parameter	Traditional Monitoring	AI-Based Monitoring	Improvement Factor
Data Collection Frequency	Periodic (weekly/monthly)	Continuous real-time	100x+ more frequent
Spatial Coverage	Limited fixed stations	Wide-area sensor networks	10-50x greater coverage
Detection Accuracy	Variable, inspector-dependent	$R^2 > 0.85$, consistent	30-50% higher accuracy
Response Time	Days to weeks	Seconds to minutes	1000x faster response
Cost per Monitor	\$50,000-100,000+	\$1,500-15,000	80-95% cost reduction
Predictive Capability	None	Advanced forecasting	New capability enabled
Human Resource Requirement	High	Low – automated	70-90% reduction

Table 2: Comparison of AI-Based vs Traditional Environmental Monitoring Approaches

5. Industrial Sector Applications in Pakistan's Context

5.1 Textile Industry Emission Management

The textile industry of Pakistan, which provides about 60 percent of the national export revenues, is one of the largest contributors to industrial release, and also an area of implementation of AI-based environmental monitoring issues [93], [94]. The environmental impact of the sector includes air pollution released by the boilers operation, wastewater released by the factories that includes dyes and chemicals, and solid waste produced during the entire chain of production. The AI uses in textile industry emission management are textile flue gases (CO, SO₂, NO_x) real-time monitoring of combustion systems, optimization of fuel selection and burnt operations to reduce emissions, and predictive maintenance of pollution control equipment [95].

It has been shown that digital twin technology used in textile dyeing may lead to 12.1-percent energy use reduction and proportional decrease in greenhouse gas emissions without product quality decrease [96]. The ability to predict the release of pollutants with textile-specific emission prediction models allows the correct forecasts depending on the production parameter, the fuel nature, and the condition of the equipment. Machine learning algorithms are capable of determining the best operating conditions that balance production needs with performance of the environment in favor of the ongoing reduction of emission intensity. Studies that compare the levels of flue gases released by 109 textile plants in Faisalabad offer baseline information to train AI models that are able to identify types of fuels and forecast the level of emissions to be produced by the operational features [97].

5.2 Brick Kiln Monitoring through Satellite AI

The brick kiln industry poses its own particular difficulties concerning the control of activities because of the high number of scattered plants, the informal operations, and the lack of regulatory control. The satellite surveillance using AI would provide a scalable way to monitor all the operations of a brick kiln in the Punjab province of Pakistan and the entire region of Indo-Gangetic Plains [24]. Studies based on deep learning object detectors

(YOLO networks) on coupled Sentinel-2 and high-resolution satellite imagery have demonstrated successful detection of the location of brick kilns, its operational state, and emission plumes [63], [98]. This method allows the regulatory organs to keep up to date records of operating kilns, to confirm seasonal operating limits during smog events and to monitor conversion to more efficient zigzag kiln technology. This combination of satellite surveillance and ground-based air quality indicators allows assigning ambient pollution to certain categories of sources to make enforcement priorities possible. In times of acute smog in Lahore, AI-based source apportionment is able to differentiate between contributions made by brick kilns, crop residue burning, vehicle emissions, and industrial sources and direct mitigation measures, based on the information [99].

5.3 Cement and Steel Industry Applications

Cement and steel production industries also generate significant amounts of particulate matter, CO₂, and criteria pollutants that need to be monitored and controlled. In these manufacturing sectors, AI is applied to optimization of processes, predictive maintenance, and online emission monitoring [97]. Also, ALS can be used to monitor the continuous emission analysis system to identify abnormalities in the normal functioning of the equipment or process that lead to emission overload. Predictive maintenance can be used to prevent equity failure in advance before it happens, based on machine learning models that are trained on historical data about processes, which can avert not only emission spikes but also production disruptions [100].

With the help of AI, process optimization can be used to find the working parameters that will reduce the level of emissions without interfering with the production goals. Industrial energy efficiency studies have shown that AI-based optimization would be able to reduce emissions by 10-15% with better control of combustion, raw material selection, and scheduling of production [35], [101]. These abilities are especially applicable to the cement sector in Pakistan where the cement production should be synchronized with the goals of air quality

improvement. Table 3 shows Pakistan's Industrial Emissions Profile and AI Application Potential.

Industry Sector	Hazardous Emissions	Regulations	AI Application Potential
Textile Industry	SO ₂ , NO _x , CO, VOCs, PM	PEPA 1997, Punjab PEQS	Real-time monitoring, fuel optimization
Cement Industry	CO ₂ , PM10, PM2.5, NO _x , SO ₂	NEQS, EIA Requirements	Predictive maintenance, emission forecasting
Brick Kilns	CO, SO ₂ , PM2.5, Black Carbon	Brick Kiln Act, PEPA 1997	Satellite monitoring, kiln mapping
Steel Manufacturing	CO ₂ , CO, NO _x , PM, Metals	NEQS Industrial Standards	Process optimization, anomaly detection
Transportation	CO, NO _x , PM2.5, VOCs	Motor Vehicle Rules, NEQS	Traffic management, emission zones
Power Generation	CO ₂ , SO ₂ , NO _x , PM, Mercury	NEQS, National Climate Policy	Load optimization, renewable integration

Table 3: Pakistan's Industrial Emissions Profile and AI Application Potential

6. Implementation Framework for Pakistan

6.1 Policy and Regulatory Enablers

The implementation of AI technologies to enforce environmental regulations in Pakistan needs the enabling policy environment, which considers the aspects of legal authorization, data governance, institutional capacity, and cross-agency coordination. Key policy enablers include:

- **Modernization of the Legal Framework:** The changes to PEPA 1997 and provincial environmental laws should explicitly permit AI-based monitoring systems and should provide evidentiary standards to AI-generated compliance data and should specify the liability models of AI-based decisions [102]. The regulatory framework must require the continuous emission monitoring of large industrial facilities, and the analytics based on AI should be incorporated in the conditions of the permits.
- **Data Governance Standards:** General data governance policies should be included to cover the collection, storage, sharing and quality assurance of environmental monitoring information [100]. Standards likewise ought to guarantee interoperability in monitoring systems which are run by federal and provincial agencies, industry self monitoring schemes, and third party verification plans among others. The privacy of the industrial operational data also needs to consider proper

protection and at the same time transparency in the reporting of environmental performance.

- **Institutional Capacity Development:** The federal and provincial Environmental Protection Agencies should have greater technical capacity in terms of trained data scientists, AI-trained environmental engineers and IT infrastructure specialists [42], [103]. Knowledge transfer and sustained technological development can be assisted by partnership with universities and research institutions.

6.2 Technology Infrastructure Requirements

Implementing AI-based environmental monitoring in Pakistan will need the investments in a number of technological infrastructure elements:

- **Sensor Networks:** The extension of air quality surveillance to low-cost sensor networks in industrial regions, cities, and pollution super hotspots [104]. Scientific studies prove that even simple low-cost sensors (calibrated to 1,500-5,000/unit) can offer credible data to use in enforcement provided they are in good condition.
- **Data Integration Platforms:** Data platforms a cloud-based system that can ingest, process and analyse streaming data over distributed sensor networks, satellite imagery and industrial surveillance systems [105].
- **Computing Infrastructure:** The training and inference of AI models demand the availability

of suitable computing resources which may be cloud computing services [106]. Edge computing provides real-time processing in the places of monitoring.

- **Communication Networks:** Breadth The connectivity to be used in data transmission between monitoring sensors and central analytics platforms is reliable based on the presence of 4G/5G cellular networks, radio systems, or satellite communications [107].

6.3 Capacity Building and Training

Human capital development is an important success factor during AI implementation in environmental governance:

- **Technical Specialists:** To successfully implement and support intelligent monitoring systems, environmental scientists and engineers need to have access to organized training in the basics of AI and machine learning, data analytics, and system operation. This capacity building would allow specialists to tune up models properly, and confirm outputs, as well as make AI tools adapt to changing environments. Interdisciplinary training is especially significant in Pakistan, where there is little expertise available in the field of environmental science/artificial intelligence [108].
- **Regulatory Staff:** The ability and limitations of AI systems and potential legal consequences of automated testing should be the focus of awareness training of

- **Regulatory and enforcement staff.** Such training promotes their understanding of AI-generated output, which involves anomaly detection, and violation warning in legal and regulatory context. To make sure that AI-generated evidence is properly understood and enforced lawfully, it is necessary to reduce the number of conflict situations during the compliance procedure [109].

- **Stakeholders in the Industry:** The stakeholders in the industry, such as the plant managers and facility operators should be sensitized on why and the need to implement AI-based monitoring and pollution minimization strategies. The acceptance, compliance and willing adoption of cleaner technologies can be enhanced through awareness. In the long term, the participation of the industry, which is fully informed, will decrease the workload on enforcement and create the culture of environmental responsibility [110].

6.4 Phased Implementation Roadmap

Table 4 shows Implementation Roadmap for AI Integration in Pakistan's Environmental Governance. A phased approach recognizes resource constraints and enables learning before scaling.

Phase	Timeline	Key Activities	Expected Outcomes	Investment
Foundation	Years 1-2	Policy framework, capacity, infrastructure, pilot sensors	Regulatory foundation, coverage in 4 cities, 500+ personnel	\$5-10M
Pilot Implementation	Years 2-3	AI model development, textile/cement pilots, EPA database integration	Validated models, 30% detection improvement, 50+ facilities monitored	\$15-25M
Scale-Up	Years 3-5	Nationwide sensor expansion, satellite integration, compliance dashboards	80% industrial coverage, 50% faster response, automated reporting	\$30-50M
Full Integration	Years 5-7	Digital transformation, predictive enforcement, cross-border monitoring	Governance, 40% emission reduction	\$50-80M

Table 4: Implementation Roadmap for AI Integration in Pakistan's Environmental Governance

7. Challenges and Barriers to Implementation

7.1 Technical Challenges

- **Quality and Availability of Data:** Pakistan has a scanty historical data on monitoring and uneven methodologies limit the development of models [111].

- **Model Validation and Calibration:** Inexpensive sensors require a calibration and confirmation with a reference monitor which is frequently not available locally [112].

- **Infrastructure Reliability:** Infrequent power, connection interruptions, and extreme

conditions in the industrial regions influence the functioning of the system [113].

7.2 Institutional and Governance Challenges

- **Regulatory Fragmentation:** The varying priorities of environmental regulations and enforcement by different provinces usually pose coordination issues to AI systems that seek to monitor emissions across borders. Such differences may result in inconsistent data standards and non-coherent realization of monitoring technologies. The absence of coordinated governance systems can decrease the general efficiency of AI-based environmental control on the national scale [114].
- **Enforcement Capacity Constraints:** The lack of technical knowledge and human capabilities in the regulatory bodies prevents the effectiveness of responding to the violations identified by AI systems. Inadequate enforcement capability can postpone the process of inspection and remedies even in the case of non-compliance detection by automated tools. In the absence of institutional reinforcing, the AI systems can become instruments of diagnostics that will have no significant legal consequences [115].
- **Resistance to Change:** Resistance to AI-based decision-making and the organizational inertia are the obstacles to its adoption by regulatory bodies. The opposition can be due to the fear of job loss, a lack of confidence in the results of algorithms, or the inability to use digital systems. The confidence and institutional buy-in should be developed through strategic change management programs such as pilot projects and demonstrative successes [116].

7.3 Economic and Resource Constraints

- **Initial Investment:** Expensive initial expenses on sensors, monitoring infrastructure, data platforms and system integration are competing with other urgent government demands. In the case of developing economies such as Pakistan, the problem of budgetary constraints may postpone the application of AI on a large scale. Financial barriers can be reduced with the help of public-private partnerships and gradual implementation.
- **Operational Sustainability:** Due to the long-term operation, the budgets on system maintenance, calibration, cloud services, and qualified personnel should be constant. Lack of effective financing

systems can lead to the decay of AI-based surveillance systems or obsolescence. Sustainable financial planning is thus required to ensure the accuracy of the data and regulatory effectiveness.

- **Industrial Competitiveness:** The compliance costs of AI-based environmental regulations will be disproportionately applied to export-oriented as well as small to medium-sized industries. Otherwise, these costs may decrease the competitiveness of industries. Environmental compliance and economic growth can be balanced with the help of gradual rollouts, financial incentives and technical assistance programs.

8. Case Studies and Global Best Practices

8.1 China's Smart City Air Quality Management

The smart city air quality programs in China are a combination of ground sensors, satellite data, and machine learning, eliminating PM2.5, SO₂, and NO_x by increasing regulatory capacity, green technology, and focused industrial intervention [70], [117].

8.2 European Union AI Act and Environmental Applications

The EU AI Act offers a risk-based system of regulating high-risk AI, such as environmental surveillance, and mandates transparency, traceability, and human control [118]. The European digital compliance monitoring proves to be legally viable and have good environmental results [102].

8.3 Developing Country Implementations

The experiences of Indonesia and India also demonstrate that it is possible to realize a radical increase, yet the solutions will have to be customized to reflect the local infrastructure and capacity [119]. Scalable low cost models are shown by African experience in sensor deployment.

9. Future Directions and Research Needs

9.1 Emerging Technologies

- **Edge AI and Federated Learning:** Edge AI and federated learning allow the local analysis of data and protect the privacy and security of data. These technologies eliminate the need to rely on centralized transfer of data thus reducing bandwidth needs and the cost of operation. They are especially

applicable in those areas that lack connectivity and a high level of data governance issues.

- **Explainable AI (XAI):** Explainable AI makes the process of algorithmic decision-making more transparent to regulators, courts, and other stakeholders. This openness is essential in instilling regulatory trust on automated compliance checks and enforcement measures. Accountability is another area that is aided by XAI since it allows auditing AI-generated decisions.

- **Digital Twins:** Digital twins model industrial processes to test the emission reduction plans in advance when they will be implemented in the real world. Through simulation of different operation scenarios, industries can be able to optimize the efficiency reducing the impact on the environment. These instruments favor proactive and not reactive management of the environment.

9.2 Research Priorities for Pakistan

- **Local Model Development:** The AI models have to be modified to the local industry trends, fuel type, weather conditions, and regulations in Pakistan. The use of foreign trained models can result into inaccurate predictions because of mismatches in context. Development of local models enhances policy relevance and reliability.

- **Effective monitoring:** Studies ought to be done to come up with low cost, high capable sensor technologies and scalable data solutions that can be effectively used on a large scale. Small industries and remote industrial areas require affordable systems in order to be monitored. The cost-effective solutions expand regulatory coverage without causing too much financial pressures.

- **Health Impact Assessment:** The analysis of the data exposures to pollution based on AI can be incorporated professionally in the health impact assessment. The association of the monitoring of emissions with the results of the health of people will add power to the policies and reinforce laws. Such strategy will allow policymakers to focus on interventions according to quantifiable health hazards, and thus, increase safety of the population.

10. Conclusions and Policy Recommendations

Potential changes in technological use of Artificial Intelligence to enhance the environmental law

enforcement and reduce the emission of hazardous gases by industries are transformative in nature. AI technologies allow constant observation, precise forecasting, automated compliance evaluation, and proactive enforcement which is a benefit compared to traditional methods.

Key recommendations:

1. Modify the law to permit AI-based surveillance and create regulations.
2. Invest in sensor networks of large industrial areas.
3. Transfer and capacity building internationally in terms of technology.
4. Develop a data integration platform nationally.
5. Participate in industry through technical support and betterment programmes.
6. The international climate finance may be sought to facilitate implementation.

The realization of the complete benefits will entail the concerted effort in policy, technology, and human capital. Strategic implementation will result in better public health, better regulation, and international recognition.

REFERENCES

- [1] K. Velempini, "Assessing the Role of Environmental Education Practices Towards the Attainment of the 2030 Sustainable Development Goals," *Sustainability*, vol. 17, no. 5, p. 2043, Feb. 2025, doi: 10.3390/su17052043.
- [2] S. Iram, I. Qaisar, R. Shabbir, M. Pomee, M. S.-Environments, and undefined 2025, "Impact of air pollution and smog on human health in Pakistan: A systematic review," *mdpi.com*, p. 46, Feb. 2025, doi: 10.3390/environments12020046.
- [3] N. Zeeshan, G. Murtaza, H. R. Ahmad, A. N. Awan, M. Shahbaz, and P. Freer-Smith, "Particulate and gaseous air pollutants exceed WHO guideline values and have the potential to damage human health in Faisalabad, Metropolitan, Pakistan," *Environmental Monitoring and Assessment*, vol. 196, no. 7, p. 659, Jun. 2024, doi: 10.1007/s10661-024-12763-3.

- [4] T. Allendorf et al., "USAID/BANGLADESH FOREIGN ASSISTANCE ACT 118/119 TROPICAL FOREST AND BIODIVERSITY ANALYSIS." Oct. 2024.
- [5] A. Baskoro, "Environmental Education: Awareness, Urgency and Solutions Through the Bridge of Environmental Fiqh and Green Constitution." 2025.
- [6] U. M. Afoma et al., "Integrating Artificial Intelligence in Environmental Monitoring: A Paradigm Shift in Data-Driven Sustainability," *EcoHealth*. Springer Science+Business Media, Aug. 28, 2025. doi: 10.1007/s10393-025-01752-8.
- [7] I. Ficili, M. Giacobbe, G. Tricomi, A. Puliafito, and J. Prieto, "Perspective From Sensors to Data Intelligence: Leveraging IoT, Cloud, and Edge Computing with AI." Mar. 12, 2025.
- [8] S. Mansoor, S. Iqbal, S. M. Popescu, S. L. Kim, S. Mansoor, and J. Baek, "Integration of smart sensors and IOT in precision agriculture: trends, challenges and future prospectives," *Frontiers in Plant Science*, vol. 16. Frontiers Media, May 14, 2025. doi: 10.3389/fpls.2025.1587869.
- [9] Y. Lin and Y. Liu, "Industrial pollution control based on artificial intelligence: A synergistic model using social network analysis and machine learning," *Journal of Innovation & Knowledge*, vol. 10, no. 5, p. 100777, Aug. 2025, doi: 10.1016/j.jik.2025.100777.
- [10] N. Aijaz, L. He, T. Raza, M. Yaqub, R. Iqbal, and M. S. Pathan, "Artificial intelligence in agriculture: Advancing crop productivity and sustainability," *Journal of Agriculture and Food Research*, vol. 20, p. 101762, Feb. 2025, doi: 10.1016/j.jafr.2025.101762.
- [11] P. Kittipanya-ngam, K. H. Tan, and H. J. Cavite, "Future-ready AI: A framework for ethical and sustainable adoption," *Technology in Society*, vol. 83, p. 102993, Jun. 2025, doi: 10.1016/j.techsoc.2025.102993.
- [12] R. Majeed et al., "Solving the mysteries of Lahore smog: the fifth season in the country," *Frontiers in Sustainable Cities*, vol. 5, Jan. 2024, doi: 10.3389/frsc.2023.1314426.
- [13] S. K. Kundu, Z. Farhana, A. A. Kamil, and M. M. Rahman, "Urgent Call to Ensure Clean Air in South Asia - A Growing But Neglected Public Health Emergency," *International Journal of Public Health*, vol. 69, May 2024, doi: 10.3389/ijph.2024.1607461.
- [14] A. Alamgir, N. Fatima, E. Malik, S. Shamim, and A. Basit, "Health Risk Assessment and Geospatial Variation of Particulate Matter Pollution in the Megacity of Karachi, Pakistan," *Water Air & Soil Pollution*, vol. 236, no. 9, Jun. 2025, doi: 10.1007/s11270-025-08228-z.
- [15] A. Nasir, R. A. Aslam, F. Ali, and A. Nasir, "Air pollution from industrial emissions and its control in Pakistan: current situation, challenges, and way forward," in *IntechOpen eBooks*, IntechOpen, 2024. doi: 10.5772/intechopen.1004052.
- [16] A. Malik et al., "SMOG CRISIS IN LAHORE: EVALUATING AIR QUALITY TRENDS AND PUBLIC HEALTH IMPLICATIONS," *Bulletin of Biological and Allied Sciences Research*, vol. 2024, no. 1, p. 87, Nov. 2024, doi: 10.54112/bbasr.v2024i1.87.
- [17] Y. Mehmood and M. U. Arshad, "Modelling the relationship between industrial air pollution and perceived health effects of households in the three most air-polluted cities of Pakistan," *Environmental Monitoring and Assessment*, vol. 197, no. 1, p. 119, Jan. 2025, doi: 10.1007/s10661-024-13580-4.
- [18] A. Khurshid, K. Khan, S. Khan, and J. Cifuentes-Faura, "Tackling sustainable development challenges: A fuzzy set examination of textile industry 4.0 and green supply chain barriers," *Sustainable Development*, vol. 32, Art. no. 6, May 2024, doi: 10.1002/sd.3061.
- [19] M. R. I. Rofi and M. R. Rahman, "A critical review on environmental pollution caused by the textile industry," vol., no. p. 25160032, Jun. 06, 2025. doi: 10.36922/eer025160032.

- [20] M. A. Khan, K. Muhmood, H. Z. Mahmood, I. H. Khaliq, and S. Zaman, "The health and economic burden of dust pollution in the textile industry of Faisalabad, Pakistan," *Journal of the Egyptian Public Health Association*, vol. 99, no. 1, p. 3, Jan. 2024, doi: 10.1186/s42506-024-00150-2.
- [21] Z. B. Patel, R. Mondal, S. Dubey, S. Jaiswal, S. Guttikunda, and N. Batra, "Space to Policy: Scalable Brick Kiln Detection and Automatic Compliance Monitoring with Geospatial Data," *arXiv (Cornell University)*, Dec. 2024, doi: 10.48550/arxiv.2412.04065.
- [22] I. C. Osuizugbo, M. M. Omer, O. S. Oshodi, H. Yuan, R. A. Rahman, and A. A. Orekan, "Emerging technologies for mitigating air pollution in buildings: systematic review and meta-analysis," *emerald.com*, 2025, doi: 10.1108/BEPAM-03-2024-0050/FULL/HTML.
- [23] Md. R. Rahman and B. G. Mark, "Geospatial Analysis of Urban Warming: A Remote Sensing and GIS-Based Investigation of Winter Land Surface Temperature and Biophysical Composition in Rajshahi City, Bangladesh," *Sustainability*, vol. 17, no. 11, p. 5107, Jun. 2025, doi: 10.3390/su17115107.
- [24] M. Hamdani, K. Zakir, N. Kushwaha, S. E. Fatima, and H. A. Sheikh, "Brick Kiln Dataset for Pakistan's IGP Region Using AI," *Scientific Data*, vol. 12, no. 1, p. 830, May 2025, doi: 10.1038/s41597-025-05148-9.
- [25] L. Gupta, M. Bansal, P. Nandi, G. Habib, and R. S. Raman, "Source apportionment and potential source regions of size-resolved particulate matter at a heavily polluted industrial city in the Indo-Gangetic Plain," *Atmospheric Environment*, vol. 298, p. 119614, Jan. 2023, doi: 10.1016/j.atmosenv.2023.119614.
- [26] U. Mishra, S. Sarsaiya, and A. Gupta, "A systematic review on the impact of cement industries on the natural environment," *Environmental Science and Pollution Research*, vol. 29, no. 13, Springer Science+Business Media, p. 18440, Jan. 17, 2022. doi: 10.1007/s11356-022-18672-7.
- [27] S. J. H. Idrees, "Sustainable energy transitions and their ecological footprint: A cross-disciplinary approach from zoology to environmental policy," *Perinatal Journal*, vol. 33, no. 1, Jan. 2025, doi: 10.57239/prn.25.033100115.
- [28] Z. Mukhtar, "Environmental Pollution and Regulatory and Non-Regulatory Environmental Responsibility (Reviewing Pakistan Environmental Protection Act)," *American Journal of Industrial and Business Management*, vol. 13, no. 6, p. 443, Jan. 2023, doi: 10.4236/ajibm.2023.136028.
- [29] M. Fida, P. Li, Y. Wang, S. Alam, and A. Nsabimana, "Water Contamination and Human Health Risks in Pakistan: A Review," *Exposure and Health*, vol. 15, no. 3, Springer Science+Business Media, p. 619, Oct. 04, 2022. doi: 10.1007/s12403-022-00512-1.
- [30] K. F. Akbar, "Decentralization of Environmental Governance in Pakistan and its Impact on Sustainable Development," *Policy Perspectives*, vol. 20, no. 1, Jun. 2023, doi: 10.13169/polipers.20.1.ra3.
- [31] Z. Zhang, X. Zheng, Q. Lv, and X. Meng, "How institutional pressures influence corporate greenwashing strategies: Moderating effects of campaign-style environmental enforcement," *Journal of Environmental Management*, 2025, doi: 10.1016/j.jenvman.2024.123914.
- [32] D. Kassie, "Unravelling the legal labyrinth: Investigating barriers to effective adoption and enforcement of international environmental law in domestic jurisdictions," *Journal of Environmental Management*, vol. 352, p. 119944, Jan. 2024, doi: 10.1016/j.jenvman.2023.119944.
- [33] Y. Pan, C. Zhao, and Z. Liu, "Estimating the Daily NO₂ Concentration with High Spatial Resolution in the Beijing-Tianjin-Hebei Region Using an Ensemble Learning Model," *Remote Sensing*, vol. 13, no. 4, p. 758, Feb. 2021, doi: 10.3390/rs13040758.

- [34] K. Karthick, A. S.K., R. Dharmaprakash, and G. Ravindiran, "Integrating machine learning techniques for Air Quality Index forecasting and insights from pollutant-meteorological dynamics in sustainable urban environments," *Earth Science Informatics* , vol. 17, no. 4, p. 3733, Jun. 2024, doi: 10.1007/s12145-024-01382-8.
- [35] A. Salhi, F. S. Algarni, R. Alshamrani, A. Althbiti, A. Ismail, and B. M. Hassan, "Leveraging artificial intelligence to enable sustainable urban development through the creation of smart and environmentally friendly carbon-free cities," *Scientific Reports* , vol. 15, no. 1, Oct. 2025, doi: 10.1038/s41598-025-16801-z.
- [36] M. Krylova and Y. Okhrin, "Managing air quality: Predicting exceedances of legal limits for PM10 and O3 concentration using machine learning methods," *Environmetrics* , vol. 33, no. 2, Nov. 2021, doi: 10.1002/env.2707.
- [37] C. M. Matara, S. O. Nyambane, A. Yusuf, E. A. Ochungo, and A. Khattak, "Classification of Particulate Matter (PM2.5) Concentrations Using Feature Selection and Machine Learning Strategies," *Logi* , vol. 15, no. 1, p. 85, Jan. 2024, doi: 10.2478/logi-2024-0008.
- [38] Z. Mehmood and Z. Wang, "Enhanced anomaly detection and normal behaviour power curve modelling in wind farm SCADA data: A hybrid approach," *Research Square (Research Square)* , Oct. 2024, doi: 10.21203/rs.3.rs-5288737/v1.
- [39] M. F. Alumfareh, M. Humayun, Z. Ahmad, and A. Khan, "An Intelligent LoRaWAN-Based IoT Device for Monitoring and Control Solutions in Smart Farming Through Anomaly Detection Integrated With Unsupervised Machine Learning," *IEEE Access* , vol. 12, p. 119072, Jan. 2024, doi: 10.1109/access.2024.3450587.
- [40] S. R. Pendela, "Air Quality Index Prediction Using DL," *International Journal for Research in Applied Science and Engineering Technology* , vol. 12, no. 3, p. 1780, Mar. 2024, doi: 10.22214/ijraset.2024.59156.
- [41] S. K. Natarajan, P. Shanmurthy, A. Daniel, B. Balusamy, and S. Selvarajan, "Optimized machine learning model for air quality index prediction in major cities in India," *Scientific Reports* , vol. 14, no. 1, Mar. 2024, doi: 10.1038/s41598-024-54807-1.
- [42] E. Alotaibi and N. Nassif, "Artificial intelligence in environmental monitoring: in-depth analysis," *Discover Artificial Intelligence* , vol. 4, no. 1, Nov. 2024, doi: 10.1007/s44163-024-00198-1.
- [43] P. Liu *et al.* , "Integrating non-target analysis and machine learning: a framework for contaminant source identification," *npj Clean Water* , vol. 8, no. 1, Aug. 2025, doi: 10.1038/s41545-025-00504-z.
- [44] L. L. S. Sachetti and V. F. S. Mota, "Time Series Prediction about Air Quality using LSTM-Based Models: A Systematic Mapping," *arXiv (Cornell University)* , Nov. 2021, doi: 10.48550/arxiv.2111.11848.
- [45] Z. Xie, C. Chow, J. H. Chuah, and W. J. K. Raymond, "Multi-pollutant air quality forecasting using bidirectional attention and multi-scale temporal networks," *Frontiers in Environmental Science* , vol. 13, Sep. 2025, doi: 10.3389/fenvs.2025.1623630.
- [46] J. Jebathangam and K. Kabilan, "Air Quality Prediction with a Hybrid CNN-BiLSTM-Attention Model Using Multivariate Environmental Data." 2024.
- [47] M. Méndez, M. G. Merayo, and M. Núñez, "Machine learning algorithms to forecast air quality: a survey," *Artificial Intelligence Review* , vol. 56, no. 9, p. 10031, Feb. 2023, doi: 10.1007/s10462-023-10424-4.
- [48] K. Kabilan and J. Jebathangam, "A LSTM Deep Learning method with Attention Dense Mechanism for AQI prediction," *2021 International Conference on System, Computation, Automation and Networking (ICSCAN)* , p. 1, Nov. 2023, doi: 10.1109/icscan58655.2023.10394883.
- [49] W. Wang, W. Mao, X. Tong, and G. Xu, "A Novel Recursive Model Based on a Convolutional Long Short-Term Memory Neural Network for Air Pollution

- Prediction,” *Remote Sensing* , vol. 13, no. 7, p. 1284, Mar. 2021, doi: 10.3390/rs13071284.
- [50] Y. Hu, Q. Li, X. Shi, J. Yan, and Y. Chen, “Multi-Spatial Multi-Temporal Air Quality Forecasting with Integrated Monitoring and Reanalysis Data,” Jan. 2024, doi: 10.2139/ssrn.4757714.
- [51] S. M. Popescu *et al.* , “Artificial intelligence and IoT driven technologies for environmental pollution monitoring and management,” *Frontiers in Environmental Science* , vol. 12, Feb. 2024, doi: 10.3389/fenvs.2024.1336088.
- [52] J. Hua *et al.* , “Artificial intelligence for calculating and predicting building carbon emissions: a review,” *Environmental Chemistry Letters* . Springer Science+Business Media, Mar. 21, 2025. doi: 10.1007/s10311-024-01799-z.
- [53] K. Sathupadi, S. Achar, S. Bhaskaran, N. Faruqui, M. Abdullah-Al-Wadud, and J. Uddin, “Edge-Cloud Synergy for AI-Enhanced Sensor Network Data: A Real-Time Predictive Maintenance Framework,” *Sensors* , vol. 24, no. 24, p. 7918, Dec. 2024, doi: 10.3390/s24247918.
- [54] K. DeMedeiros, A. Hendawi, and M. Álvarez, “A Survey of AI-Based Anomaly Detection in IoT and Sensor Networks,” *Sensors* , vol. 23, no. 3, p. 1352, Jan. 2023, doi: 10.3390/s23031352.
- [55] K. D. P. Mariano, F. L. N. Almada, and M. A. Dutra, “Smart Air Quality Monitoring for Automotive Workshop Environments,” *arXiv (Cornell University)* , Oct. 2024, doi: 10.48550/arxiv.2410.03986.
- [56] H. Karnati, “IoT-Based Air Quality Monitoring System with Machine Learning for Accurate and Real-time Data Analysis,” *arXiv (Cornell University)* , Jan. 2023, doi: 10.48550/arxiv.2307.00580.
- [57] M. Shabbir, T. Saeed, A. Saleem, P. V. Bhawe, M. Bergin, and M. F. Khokhar, “A paradigm shift: Low-cost sensors for effective air quality monitoring and management in developing countries,” *Environment International* , vol. 200, p. 109521, May 2025, doi: 10.1016/j.envint.2025.109521.
- [58] A. U. Raysoni, S. D. Pinakana, E. Mendez, D. Wladyka, K. Sepielak, and O. Temby, “A Review of Literature on the Usage of Low-Cost Sensors to Measure Particulate Matter,” *Earth* , vol. 4, no. 1. Multidisciplinary Digital Publishing Institute, p. 168, Mar. 14, 2023. doi: 10.3390/earth4010009.
- [59] B. Awokola *et al.* , “Longitudinal Ambient PM2.5 Measurement at Fifteen Locations in Eight Sub-Saharan African Countries Using Low-Cost Sensors,” *Atmosphere* , vol. 13, no. 10, p. 1593, Sep. 2022, doi: 10.3390/atmos13101593.
- [60] C. Rossi, J. G. Byrne, and C. Christiaen, “Breaking the ESG rating divergence: An open geospatial framework for environmental scores,” *Journal of Environmental Management* , 2024, doi: 10.1016/j.jenvman.2023.119477.
- [61] H. Eskes *et al.* , “High-resolution nitrogen dioxide retrievals from the Sentinel-5P TROPOMI sensor,” in *EGU General Assembly Conference Abstracts* , Apr. 2018, p. 12435. Accessed: Oct. 2025. [Online]. Available: <https://ui.adsabs.harvard.edu/abs/2018EGUGA..2012435E/abstract>
- [62] A. Rowley and O. Karakuş, “Predicting air quality via multimodal AI and satellite imagery,” *Remote Sensing of Environment* , vol. 293, p. 113609, May 2023, doi: 10.1016/j.rse.2023.113609.
- [63] Z. Patel, R. Mondal, S. Dubey, S. Jaiswal, S. Guttikunda, and N. Batra, “Space to Policy: Scalable Brick Kiln Detection and Automatic Compliance Monitoring with Geospatial Data,” *ACM Journal on Computing and Sustainable Societies* , vol. 3, no. 3, p. 1, May 2025, doi: 10.1145/3736649.
- [64] R. Mondal *et al.* , “Eye in the Sky: Detection and Compliance Monitoring of Brick Kilns using Satellite Imagery,” 2024, doi: 10.48550/ARXIV.2406.10723.

- [65] M. N. A. Ramadan, M. A. H. Ali, H. Jaber, and M. Alkhedher, "Blockchain-secured IoT-federated learning for industrial air pollution monitoring: A mechanistic approach to exposure prediction and environmental safety," *Ecotoxicology and Environmental Safety*, vol. 300, p. 118442, Jun. 2025, doi: 10.1016/j.ecoenv.2025.118442.
- [66] J. Y. Lim *et al.*, "Smart solutions for clean air: An AI-guided approach to sustainable industrial pollution control in coal-fired power plant," *Environmental Pollution*, vol. 335, p. 122335, Aug. 2023, doi: 10.1016/j.envpol.2023.122335.
- [67] W. Adamczyk *et al.*, "Development and demonstration of advanced predictive and prescriptive algorithms to control industrial installation," *Energy*, vol. 313, p. 133648, Nov. 2024, doi: 10.1016/j.energy.2024.133648.
- [68] M. Heigl, K. Anand, A. Urmann, D. Fiala, M. Schramm, and R. Hable, "On the Improvement of the Isolation Forest Algorithm for Outlier Detection with Streaming Data," *Electronics*, vol. 10, no. 13, p. 1534, Jun. 2021, doi: 10.3390/electronics10131534.
- [69] B. Chugg, N. Rothbacher, A. S. FENG, X. Long, and D. E. Ho, "Detecting Environmental Violations with Satellite Imagery in Near Real Time: Land Application under the Clean Water Act," in *Proceedings of the 31st ACM International Conference on Information & Knowledge Management*, Oct. 2022, p. 3052. doi: 10.1145/3511808.3557104.
- [70] G. Deep and J. Verma, "Embracing the Future: AI and ML Transforming Urban Environments in Smart Cities," *Journal on artificial intelligence*, vol. 5, no., p. 57, Jan. 2023, doi: 10.32604/jai.2023.043329.
- [71] S. Kothari, "Leveraging natural language processing for automated regulatory compliance in financial reporting," *Global Journal of Engineering and Technology Advances*, vol. 23, no. 3, p. 91, Jun. 2025, doi: 10.30574/gjeta.2025.23.3.0187.
- [72] O. Badmus, R. O. Toromade, and A. H. Adebayo, "Embedding AI into ESG-Financial Reporting Frameworks to Advance Trustworthy Non-Financial Disclosures and Data-Driven Investment Decisions," *International Journal of Research Publication and Reviews*, vol. 6, no. 7, p. 3977, Jul. 2025, doi: 10.55248/gengpi.6.0725.25165.
- [73] J. Villacampa-Porta, M. C. Vaca, and E. C. Garrido-Merchán, "Impact of EU non-financial reporting regulation on Spanish companies' environmental disclosure: a cutting-edge natural language processing approach," *Environmental Sciences Europe*, vol. 37, no. 1, Feb. 2025, doi: 10.1186/s12302-025-01067-z.
- [74] T. Gokhan, K. Wang, I. Gurevych, and T. Briscoe, "RIRAG: Regulatory Information Retrieval and Answer Generation," 2024, doi: 10.48550/ARXIV.2409.05677.
- [75] S. E. Shmelev and E. Gilardi, "Corporate Environmental, Social, and Governance Performance: The Impacts on Financial Returns, Business Model Innovation, and Social Transformation," *Sustainability (Switzerland)*, 2025, doi: 10.3390/su17031286.
- [76] J. Li and A. Maiti, "Applying Large Language Model Analysis and Backend Web Services in Regulatory Technologies for Continuous Compliance Checks," *Future Internet*, vol. 17, no. 3, p. 100, Feb. 2025, doi: 10.3390/fi17030100.
- [77] S. Sewerin *et al.*, "Towards understanding policy design through text-as-data approaches: The policy design annotations (POLIANNA) dataset," *Scientific Data*, vol. 10, no. 1, Dec. 2023, doi: 10.1038/s41597-023-02801-z.
- [78] G. Buster, P. Pinchuk, J. Barrons, R. McKeever, A. Levine, and A. Lopez, "Supporting Energy Policy Research with Large Language Models," *arXiv (Cornell University)*, Mar. 2024, doi: 10.48550/arxiv.2403.12924.

- [79] M. A. Rahman, S. Jamal, and H. Taheri, "Remote condition monitoring of rail tracks using distributed acoustic sensing (DAS): A deep CNN-LSTM-SW based model," *Green Energy and Intelligent Transportation*, vol. 3, no. 5, p. 100178, Jan. 2024, doi: 10.1016/j.geits.2024.100178.
- [80] K. Gupta, P. Chatterjee, X. J. Chen, and J. Kadam, "Real Time Application of Deep Learning Based Flare Smoke Detection," in *SPE Annual Technical Conference and Exhibition*, Sep. 2024. doi: 10.2118/220857-ms.
- [81] H. Nida, "Object Detection in Low-Light Conditions Using YOLOV7," *International Journal For Multidisciplinary Research*, vol. 7, no. 3, May 2025, doi: 10.36948/ijfmr.2025.v07i03.43710.
- [82] Z. Wang, G. Yuan, H. Zhou, Y. Ma, Y. Ma, and D. Chen, "Improved YOLOv7 model for insulator defect detection," *Electronic Research Archive*, vol. 32, no. 4, p. 2880, Jan. 2024, doi: 10.3934/era.2024131.
- [83] B. Nycz and K. Pietrucha-Urbanik, "Advancements in Air Quality Monitoring: The Role of Drone Technology," p. 19, May 2024, doi: 10.3390/proceedings2024105019.
- [84] J. Hovsha and D. O. Brien, "Drone Use Cases and their Privacy Impacts: A Taxonomy," *Tilburg Law Review*, vol. 27, no. 1, p. 60, Jan. 2022, doi: 10.5334/tlir.281.
- [85] J. S. Lim *et al.*, "Real-time Multi-modal Object Detection and Tracking on Edge for Regulatory Compliance Monitoring," *arXiv (Cornell University)*, Oct. 2023, doi: 10.48550/arxiv.2310.03333.
- [86] "Academic Journal of Engineering and Technology Science," *Academic Journal of Engineering and Technology Science*, Dec. 2018, doi: 10.25236/ajets.
- [87] D. Y. Lim, I. J. Jin, and I. C. Bang, "Heat-vision based drone surveillance augmented by deep learning for critical industrial monitoring," *Scientific Reports*, vol. 13, no. 1, Dec. 2023, doi: 10.1038/s41598-023-49589-x.
- [88] A. J. Audu and A. U. Umana, "Advances in environmental compliance monitoring in the oil and gas industry: Challenges and opportunities," *International Journal of Scientific Research Updates*, vol. 8, no. 2, p. 48, Oct. 2024, doi: 10.53430/ijrsu.2024.8.2.0062.
- [89] N. Borjalilu, "Risk assessment and machine learning models," in *IntechOpen eBooks*, IntechOpen, 2024. doi: 10.5772/intechopen.1005485.
- [90] V. Nedungadi *et al.*, "AirCast: Improving Air Pollution Forecasting Through Multi-Variable Data Alignment," *arXiv (Cornell University)*, Feb. 2025, doi: 10.48550/arxiv.2502.17919.
- [91] Z. Tan, M. T. Latif, and M. J. Ashfold, "Assessment of Malaysia-wide PM2.5 Forecasts from a Global Model," *Aerosol and Air Quality Research*, vol. 23, no. 9, p. 220444, Jan. 2023, doi: 10.4209/aaqr.220444.
- [92] M. Mubeen *et al.*, "Smart prediction and optimization of air quality index with artificial intelligence," *Journal of Environmental Sciences*, vol. 158, p. 761, Mar. 2025, doi: 10.1016/j.jes.2025.02.041.
- [93] N. Ahmad, M. Scholz, E. AlDhaen, Z. Ullah, and P. Scholz, "Improving Firm's Economic and Environmental Performance Through the Sustainable and Innovative Environment: Evidence From an Emerging Economy," *Frontiers in Psychology*, vol. 12, Nov. 2021, doi: 10.3389/fpsyg.2021.651394.
- [94] U. N. Kayani, R. Mumtaz, M. Fahlevi, H. Nasseseredine, and A. Hadinata, "Unbridling the Economic Growth and Environmental Nexus in Pakistan," *International Journal of Energy Economics and Policy*, vol. 14, no. 1, p. 488, Jan. 2024, doi: 10.32479/ijeep.15528.
- [95] "Modernizing Textile Industry Operations with Artificial Intelligence," *Applied IT &*

- Engineering* , vol. 3, no. 1, p. 1, Jan. 2025, doi: 10.25163/engineering.3110230.
- [96] R. A. Angelova, "Digital Twins for a Sustainable Textile Industry: A Critical Analysis of Unexplored Applications and Future Directions," *Textiles* , vol. 5, no. 4, p. 49, Oct. 2025, doi: 10.3390/textiles5040049.
- [97] M. Dong, W. Guo, and X. Han, "Artificial intelligence, industrial structure optimization, and CO₂ emissions," *Environmental Science and Pollution Research* , vol. 30, no. 50, p. 108757, Sep. 2023, doi: 10.1007/s11356-023-29859-x.
- [98] J. S. Lee *et al.* , "Scalable deep learning to identify brick kilns and aid regulatory capacity," *Proceedings of the National Academy of Sciences* , vol. 118, no. 17, Apr. 2021, doi: 10.1073/pnas.2018863118.
- [99] A. Fatima and D. Bakker, "Assessment of Brick Kilns' contribution to the air pollution of Lahore using air quality dispersion modeling," *Environmental Monitoring and Assessment* , vol. 197, no. 3, p. 318, Feb. 2025, doi: 10.1007/s10661-025-13760-w.
- [100] J. O. Ojadi, O. A. Owulade, C. S. Odionu, and E. C. Onukwulu, "Deep Learning Models for Predicting and Mitigating Environmental Impact of Industrial Processes in Real-Time," *International Journal of Scientific Research in Science Engineering and Technology* , vol. 12, no. 2, p. 119, Mar. 2025, doi: 10.32628/ijrsrset25122109.
- [101] N. Uriarte-Gallastegi, G. A. Landin, B. Landeta-Manzano, and I. Laskurain-Iturbe, "The Role of AI in Improving Environmental Sustainability: A Focus on Energy Management," *Energies* , vol. 17, no. 3, p. 649, Jan. 2024, doi: 10.3390/en17030649.
- [102] P. E. Atamewan, "Digital Compliance Monitoring: Leveraging AI and IoT for Real-Time Environmental Regulation Enforcement," *International Journal of Advanced Multidisciplinary Research and Studies* , vol. 4, no. 4, p. 1337, Aug. 2024, doi: 10.62225/2583049x.2024.4.4.4816.
- [103] K. Ebert, N. Alder, R. Herbrich, and P. Hacker, "AI, Climate, and Regulation: From Data Centers to the AI Act," *SSRN Electronic Journal* , Jan. 2024, doi: 10.2139/ssrn.4980340.
- [104] S. M. M. Rahman, Md. A. I. Hasnath, R. Islam, A. F. H. Dhruho, and M. A. Qayum, "A Portable and Cost-Effective System for Real-Time Air Quality Monitoring and Environmental Impact Assessment," 2025, doi: 10.48550/ARXIV.2506.22458.
- [105] J. Cukjati, D. Mongus, K. R. Žalik, and B. Žalik, "IoT and Satellite Sensor Data Integration for Assessment of Environmental Variables: A Case Study on NO₂," *Sensors* , vol. 22, no. 15, p. 5660, Jul. 2022, doi: 10.3390/s22155660.
- [106] Y. Mao, X. Yu, K. Huang, Y. A. Zhang, and J. Zhang, "Green Edge AI: A Contemporary Survey," *Proceedings of the IEEE* , vol. 112, no. 7, p. 880, Jul. 2024, doi: 10.1109/jproc.2024.3437365.
- [107] A. Ramírez-Arroyo, M. López, I. Rodríguez, S. B. Damsgaard, and P. Mogensen, "Multi-connectivity solutions for rural areas: Integrating terrestrial 5G and satellite networks to support innovative IoT use cases," *Smart Agricultural Technology* , vol. 12, p. 101260, Aug. 2025, doi: 10.1016/j.atech.2025.101260.
- [108] M. R. C. Santos and L. C. Carvalho, "AI-driven participatory environmental management: Innovations, applications, and future prospects," *Journal of Environmental Management* , vol. 373, p. 123864, Jan. 2025, doi: 10.1016/j.jenvman.2024.123864.
- [109] N. Rothbacher, K. T. Rodolfa, M. Bhaskar, E. Maneri, C. Tsang, and D. E. Ho, "Artificial Intelligence in Environmental Protection: The Importance of Organizational Context from a Field Study in Wisconsin," 2025, doi: 10.48550/ARXIV.2501.04902.
- [110] N. Sreseli and N. Kadagishvili, "Use of Artificial Intelligence for Accounting and Financial Reporting Purposes: A Review of the Key Issues." Aug. 2023.

- [111] S. Mahmood *et al.*, "Health data ecosystem in Pakistan: a multisectoral qualitative assessment of needs and opportunities," *BMJ Open*, vol. 13, no. 9, Sep. 2023, doi: 10.1136/bmjopen-2023-071616.
- [112] S. Kozieł, A. Pietrenko-Dabrowska, W. Marek, and B. Pankiewicz, "High-performance machine-learning-based calibration of low-cost nitrogen dioxide sensor using environmental parameter differentials and global data scaling," *Scientific Reports*, vol. 14, no. 1, Oct. 2024, doi: 10.1038/s41598-024-77214-y.
- [113] P. Vela and T. Todorov, "Implementation of IoT-Based Air Quality Monitoring Stations in Educational Institutions," *TEM Journal*, p. 2021, Aug. 2025, doi: 10.18421/tem143-10.
- [114] B. C. Larsen, "Governing Artificial Intelligence : Lessons from the United States and China," *Research Portal Denmark*, p. 300, Jan. 2022, Accessed: Aug. 2025. [Online]. Available: <https://local.forskningsportal.dk/local/dki-cgi/ws/cris-link?src=cbs&id=cbs-48598543-6d06-4e04-82ac-07eea8605f9f&ti=Governing%20Artificial%20Intelligence%20%3A%20Lessons%20from%20the%20United%20States%20and%20China>
- [115] M. Kiškis, "Legal framework for the coexistence of humans and conscious AI," *Frontiers in Artificial Intelligence*, vol. 6, Frontiers Media, Sep. 20, 2023. doi: 10.3389/frai.2023.1205465.
- [116] I. Hupont, M. Ponti, and S. Schade, "Exploring the Potential of Citiverses for Regulatory Learning," *arXiv (Cornell University)*, Oct. 2025, doi: 10.48550/arxiv.2510.15959.
- [117] S. S. Kumar, R. Chandra, and S. Agarwal, "Rule based complex event processing for an air quality monitoring system in smart city," *Sustainable Cities and Society*, vol. 112, p. 105609, Jun. 2024, doi: 10.1016/j.scs.2024.105609.
- [118] K. Ebert, N. Alder, R. Herbrich, and P. Hacker, "AI, Climate, and Regulation: From Data Centers to the AI Act," *arXiv (Cornell University)*, Oct. 2024, doi: 10.48550/arxiv.2410.06681.
- [119] D. Romero-Ávila and T. Omay, "A long-run convergence analysis of aerosol precursors, reactive gases, and aerosols in the BRICS and Indonesia: is a global emissions abatement agenda supported?," *Environmental Science and Pollution Research*, vol. 30, no. 6, p. 15722, Sep. 2022, doi: 10.1007/s11356-022-22988-9.