

Area of circle.

Code:

```
class CircleRadInConstructor {
```

```
    private double radius;
```

```
    public CircleRadInConstructor() {
```

```
    }
```

```
    public void setRadius(double rad) {
```

```
        this.radius = rad;
```

```
    }
```

```
    public double getRadius() {
```

```
        return this.radius;
```

```
    }
```

```
    public double computeArea() {
```

```
        return (radius * radius * Math.PI);
```

```
    }
```

```
    }
```

```
import java.util.Scanner;
```

```
public class MainClass {
```

```
    public static void main(String[] args) {
```

```
        double radius;
```

```
        Scanner sc = new Scanner(System.in);
```

```

System.out.println("Enter radius:");
radius = sc.nextDouble();
CircleRedInConstructor2 obj = new CircleRadInConstructor2();
obj.setRadius(radius);
System.out.print("The area of the circle with
radius " + obj.getRadius() + " is: " + obj.computeArea());
sc.close();
?
}

```

Title: Lab2: Reading highest value of a series.

Code:

```

import java.io.*;
import util.Scanner;
public class Lab2 {
    public static void main(String[] args) {
        File inputFile = new File("Input.txt");
        File outputFile = new File("Output.txt");
        File sumFile = new File("sum.txt");
    }
}

```