3/23/2018 Untitled55

In [4]: #151-15-5131

```
In [2]: import numpy as np
import matplotlib.pyplot as plt
X = np.array([2,2,5,6,5,2.5])
Y = np.array([4,3,2,2,2.5,3.5])
c1 = (2, 4)
c2 = (5, 2)
clus1 = []
clus2 = []
def distance(c1, c2, x, y):
    for i in range(len(x)):
        m = ((c1[0] - x[i])**2 + (c1[1] - y[i])**2)**1/2
        n = ((c2[0] - x[i])**2 + (c2[1] - y[i])**2)**1/2
        if m < n:</pre>
             clus1.append([x[i], y[i]])
             c1 = (np.mean([k[0] for k in clus1]),
                   np.mean([k[1] for k in clus1]))
             print(c1)
         else:
             clus2.append([x[i], y[i]])
             c2 = (np.mean([k[0] for k in clus2]),
                   np.mean([k[1] for k in clus2]))
             print(c2)
    return c1, c2
```

3/23/2018 Untitled55

```
In [3]: c1_final, c2_final = distance(c1, c2, X, Y)
 plt.scatter(X,Y)
plt.scatter(c1_final[0],c1_final[1])
plt.scatter(c2_final[0], c2_final[1])
 plt.show()
(2.0, 4.0)
 (2.0, 3.5)
 (5.0, 2.0)
 (5.5, 2.0)
 (5.333333333333333, 2.166666666666665)
 (2.16666666666665, 3.5)
  4.00
  3.75
  3.50
  3.25
  3.00
 2.75
 2.50
```

In [ ]:

5.0

4.0

4.5

2.25

2.0

2.5

3.0

3.5