

Title: Opioid Overdose Deaths and Opioid Overdose Deaths as a Percent of All Drug Overdose Deaths | KFF

Timeframe: 2022

Location

United States

Alabama

Alaska

Arizona

Arkansas

California

Colorado

Connecticut

Delaware

District of Columbia

Florida

Georgia

Hawaii

Idaho

Illinois

Indiana

Iowa

Kansas

Kentucky

Louisiana

Maine

Maryland

Massachusetts

Michigan

Minnesota

Mississippi

Missouri

Montana

Nebraska

Nevada

New Hampshire

New Jersey

New Mexico

New York

North Carolina

North Dakota

Ohio

Oklahoma

Oregon

Pennsylvania

Rhode Island

South Carolina  
South Dakota  
Tennessee  
Texas  
Utah  
Vermont  
Virginia  
Washington  
West Virginia  
Wisconsin  
Wyoming

#### Notes

The National Vital Statistics System multiple cause-of-death mortality files were used to identify drug overdose deaths.

Deaths from illegally-made fentanyl cannot be distinguished from pharmaceutical fentanyl in the data source. For this

#### Sources

KFF analysis of Centers for Disease Control and Prevention (CDC), National Center for Health Statistics. Multiple Cau.

#### Definitions

\*NSD\*: Not sufficient data. Data suppressed to ensure confidentiality.

Opioid Overdose Deaths	All Drug Overdose Deaths
------------------------	--------------------------

81,806	107,941
1,097	1,492
188	254
1,930	2,664
388	617
7,347	10,952
1,177	1,811
1,349	1,482
490	549
345	451
5,581	7,551
1,983	2,687
103	284
270	385
3,189	3,849
2,072	2,682
236	469
506	754
1,767	2,271
1,367	2,376
619	707
2,247	2,573
2,326	2,642
2,418	2,997
1,031	1,384
543	758
1,586	2,192
130	208
122	225
639	1,003
431	486
2,637	2,985
733	1,024
5,361	6,358
3,639	4,310
97	148
4,230	5,144
761	1,196
968	1,363
3,960	5,169
333	424

1,831	2,279
46	95
3,062	3,825
3,172	5,489
427	627
239	276
2,108	2,496
2,063	2,725
1,146	1,335
1,433	1,792
83	126

s. Drug overdose deaths were classified using the Interi

s reason, deaths from both legally prescribed and illega

se of Death 1999-2022 on CDC WONDER Online Data

## Opioid Overdose Deaths as a Percent of All Drug Overdose Deaths

0.76  
0.74  
0.74  
0.72  
0.63  
0.67  
0.65  
0.91  
0.89  
0.76  
0.74  
0.74  
0.36  
0.7  
0.83  
0.77  
0.5  
0.67  
0.78  
0.58  
0.88  
0.87  
0.88  
0.81  
0.74  
0.72  
0.72  
0.63  
0.54  
0.64  
0.89  
0.88  
0.72  
0.84  
0.84  
0.66  
0.82  
0.64  
0.71  
0.77  
0.79

0.8  
0.48  
0.8  
0.58  
0.68  
0.87  
0.84  
0.76  
0.86  
0.8  
0.66

national Classification of Disease, Tenth Revision (ICD-10), based on the ICD-10 underlying cause-of-death codes X44-X48. Deaths from illicitly produced fentanyl are included in these data.

case. Data are from the Multiple Cause of Death Files, 1999-2022, as compiled from data provided by the 57 vital sta



40–44 (unintentional), X60–64 (suicide), X85 (homicide), or Y10–Y14 (undetermined intent). Among the deaths with

tistics jurisdictions through the Vital Statistics Cooperative Program. Accessed at [<http://wonder.cdc.gov/mcd-icd10>]





drug overdose as the underlying cause, the type of opioid involved is indicated by the following ICD-10 multiple caus



se-of-death codes: opioids (T40.0, T40.1, T40.2, T40.3, T40.4, or T40.6); natural and semisynthetic opioids (T40.2); n



nethadone (T40.3); synthetic opioids, other than methadone (T40.4); and heroin (T40.1).