

Anomalies, Summarized — Never Touching Your System

Reads metrics, traces, and logs; exports a bounded anomaly summary. It cannot act.

EXPORT-ONLY

— THE PROBLEM

A monitor that can act is part of the outage


- Auto-remediation that misreads a signal amplifies the incident it was watching.
- Perpetual red lights cause alert fatigue, not faster fixes.
- Engineers want a bounded window to investigate, not a vague alarm.

The safest observability has no write path at all.

Summarize the anomaly, touch nothing

- **It reads**
latency p95, error rate, saturation, and span failures.
- **It summarizes**
a spike becomes an anomaly summary with a window start and end.
- **It points**
a root-cause candidate names the likely dimension — never an action.

Telemetry in, a bounded summary out



Three layers — feature-level anomalies become a windowed summary.

A bounded interval, not a vague alarm

t6–t12

spike captured as a windowed anomaly
summary

start & end

Normal

baseline window exports cleanly — no false
incidents

90

deterministic ticks

Export-only, by construction

EXPORT-ONLY Emits anomaly records; no result type controls or writes back.

Bounded Every anomaly carries a window start and end.

Pipeline-native Records flow to your dashboards, nothing flows back.

— GOING LIVE

Sit beside your collector, safely

- **Swap the input edge**
the mock metrics become a live OpenTelemetry collector.
- **Keep the contract**
same typed signals, same export-only ceiling.
- **Keep the boundary**
no writeback to your services — unchanged.

“

The best monitoring system is the one that can tell you everything and change nothing.

The case for Demo 07

JNEOPALLIUM · DEMO 07

rakovpublic/jneopallium

All insight. Zero blast radius.

Windowed anomaly summaries with a root-cause candidate — export-only.

github.com/rakovpublic/jneopallium

EXPORT-ONLY · deterministic

