



CEMENTITIOUS MEMBRANES FOR BALCONIES AND TERRACES

Quality-assured waterproofing





**FLEXIBLE CEMENTITIOUS
PRODUCTS FOR WATERPROOFING
BALCONIES AND TERRACES.**

CEMENTITIOUS MEMBRANES FOR BALCONIES AND TERRACES

Quality-assured waterproofing

The **Mapei** Group has always been committed to research, with the main goal of granting the end user **innovative and durable solutions, certified** in compliance with the highest standards.

Cutting-edge technology solutions meeting any designer's and end user's requirements and always providing the best service for any need.

Mapelastic range products have been well renowned in the building market for over 30 years, as the equivalent of reliable and guaranteed waterproofing. **Monolastic** range, the one-component high quality solution, completes the range's offer.

The high **flexibility** even at **low temperatures** and the **excellent adhesion** to substrates make these products ideal for **applications** both in **new** and **already existing structures**, since they guarantee a quick and perfect waterproofing in every season and at low thicknesses. They are extremely versatile and can be used on many types of substrates with various tools, to meet the different needs of every user.



Deteriorated front edges



Water infiltrations



Moss growing between tiles



Standing water




How to make the right choice

From design to waterproofing.

When a balcony or terrace is created or restored, the highest priority is usually given to aesthetic appearance.

Instead, a **correct design of the waterproofing system** should be taken in higher consideration, since it is essential for granting **the structure's durability**.

There are some key steps to take into consideration during design in order to obtain a suitable waterproofing system.





The **advantages** of waterproofing systems


Waterproofing systems created with products from **Mapelastic** and **Monolastic** ranges are extremely versatile. They can be used both in new constructions and in renovation projects, even without removing the old covering. The high **adhesion** to substrates, the **flexibility** and **low thickness** of the membranes guarantee complete waterproofing and durability to balconies and terraces.




COMPLETE WATERPROOFING
OF BOTH NEW AND EXISTING SUBSTRATES



EXCELLENT ADHESION
TO SUBSTRATES



COVERING
CAN BE APPLIED DIRECTLY
ON THE WATERPROOFING LAYER



HIGH CRACK-BRIDGING LEVEL
AT LOW TEMPERATURES



LOW THICKNESS
PERFECT FOR RENOVATION WORKS
EVEN ON EXISTING FLOORING



CE MARKED PRODUCTS
IN COMPLIANCE WITH 1504-2 AND 14891 STANDARDS



TURBO VERSIONS FOR FAST DRYING TIMES IN ALL
ENVIRONMENTAL CONDITIONS



Always **sustainable**

Protecting the environment has always been fundamental for **Mapei**. Its path combines quality products, research and development and careful design. **Mapei** contributes to quality and long-lasting building through products formulated with **innovative, recycled and ultralight raw materials**, developed to **reduce energy consumption** with very low emissions of volatile organic compounds. Maximum attention is also paid to more sustainable formulations, production processes and packaging.

LONG-LASTING PRODUCTS

**LESS WASTE
AND LESS
EXPLOITATION
OF RESOURCES**

**LESS IMPACT
ON THE
ENVIRONMENT**

CO₂ FULLY OFFSET PRODUCT



CO₂ emissions measured throughout the life cycle of products from the **ZERO Line** in 2025 using Life Cycle Assessment (LCA) methodology, verified and certified with EPDs, have been offset through the acquisition of certified carbon credits in support of forestry protection projects. A commitment to the planet, to people and to biodiversity.

For more details on how emissions are calculated and on climate mitigation projects financed through certified carbon credits, visit the webpage **ZERO.mapei.com**.

*Building a **SUSTAINABLE** future together*



Mapelastic range



CHECK THE
TECHNICAL
DATASHEET
on mapei.com



Mapelastic Zero

Mapelastic Zero is a two-component, flexible, cementitious waterproofing mortar for balconies, terraces, swimming pools and damp environments with fully offset CO₂ emissions for the entire life cycle.



CHECK THE
TECHNICAL
DATASHEET
on mapei.com



Mapelastic Turbo Zero

Mapelastic Turbo Zero is a cementitious membrane for waterproofing balconies and terraces, fully offset CO₂ emissions for the entire life cycle. Suitable also on substrates not perfectly dry, as long as they are cured. It can be used in all seasons, even at low temperatures.



Monolastic range



CHECK THE
TECHNICAL
DATASHEET
on mapei.com



Monolastic

Monolastic is a one-component cementitious waterproofing mortar, easy to prepare and apply, even at low temperatures with fully offset CO₂ emissions for the entire life cycle.




CHECK THE
TECHNICAL
DATASHEET
on mapei.com



Monolastic Turbo Zero

Monolastic Turbo Zero is a one-component cementitious waterproofing mortar, quick drying, with fully offset CO₂ emissions for the entire life cycle.







Waterproofing systems ancillary products

TAPES



Mapeband Easy

Rubber tape sandwiched between two layers of non-woven fabric to form elastic joints in waterproofing systems.




Mapeband

Alkali-resistant rubber-backed tape with felt for cementitious waterproofing systems and liquid membranes.




Mapeband TPE


TPE tape for flexible sealing and waterproofing of expansion joints and cracks subject to movement.



Mapeband SA


Self-adhesive butyl tape with alkali-resistant, non-woven fabric backing for elastic waterproofing systems.







Waterproofing systems ancillary products

REINFORCING ELEMENTS





Mapenet 150

Alkali-resistant glass fibre mesh (in compliance with ETAG 004 par. 5.6.7.1 guidelines) for reinforcing protective waterproofing systems.



Mapetex Sel N

Non-woven polypropylene fabric for reinforcing waterproof membranes.




DRAINS





Drain Vertical Drain Lateral


Complete kit to install floor drains. Ideal for draining off water from terraces, balconies, bathrooms, boiler rooms, wash-rooms, etc.



Drain Front

TPE angular drain for terraces and balconies.





Example of repair with a product from the **Mapelastic** range



System for waterproofing on terraces and flat roofs as an overlay to existing flooring

- | | |
|--|--|
| 1 Existing Covering | 7 Waterproofing product Mapelastic ZERO (2 nd coat) |
| 2 Skimcoat Planitop Fast 330 | 8 Keraflex Maxi SI ZERO adhesive |
| 3 Mapeband Easy rubber tape | 9 New covering |
| 4 Waterproofing product Mapelastic ZERO (1 st coat) | 10 Ultracolor Plus grout |
| 5 Floor drain Drain Vertical | 11 Mapeflex PU 45 FT sealant |
| 6 Mapenet 150 glass fibre mesh | 12 Mapesil AC ECO sealant |

1. Preparation of substrates


The substrates must be cured, solid, clean, dry, free of oil, grease, cement laitance, old paint and anything else that could adversely affect adhesion. Cementitious substrates must be stable and dry, free from rising damp. Any surface dust must be adequately removed. In the case of an existing coating check the adhesion to the substrate.

2. Application of the product


Prior to **applying the chosen product from the Mapelastic range**, pay particular attention to the expansion joints and the joints between horizontal and vertical surfaces, for which **Mapeband Easy** and related special pieces must be used, **bonded with the chosen product from the Mapelastic range**. For drains, it is possible to use the special pieces from the Drain line. Apply the first coat of product with a notched trowel. Once dry, apply the second coat in order to have a final thickness of not less than 2 mm. We recommend inserting the alkali-resistant **Mapenet 150** fibreglass mesh in the first coat while it is still fresh.

3. Application of the covering

The ceramic, stone or mosaic coverings can be installed after the second coat has completely dried. Use **Mapei** adhesives to be chosen according to the intended use of the floor or covering, and the type and size of the tiles.



New balcony with a product from the **Monolastic** range



System for waterproofing newly built balconies and flat roofs

- | | |
|---|--|
| 1 Cementitious substrate | 6 Floor tiles |
| 2 Self-adhesive band Mapeband SA | 7 Grout Ultracolor Plus |
| 3 Waterproofing product Monolastic (1 st coat) | 8 Mapefoam + Mapesil AC sealant |
| 4 Waterproofing product Monolastic (2 nd coat) | |
| 5 Adhesive Keraflex Maxi S1 ZERO | |

1. Preparation of substrates

The substrates must be cured, solid, clean, dry, free of oil, grease, cement laitance, old paint and anything else that could adversely affect adhesion. Cementitious substrates must be stable and dry, free from rising damp. Any surface dust must be adequately removed. In the case of an existing coating check the adhesion to the substrate.

2. Application of the product

Prior to **applying the chosen product from the Monolastic range**, pay particular attention to the expansion joints and the joints between horizontal and vertical surfaces, for which **Mapeband Easy** and related special pieces must be used, **bonded with the chosen product from the Monolastic range**. For drains, it is possible to use the special pieces from the Drain line. Apply the first coat of product with a notched trowel. Once dry, apply the second coat in order to have a final thickness of not less than 2 mm.

3. Application of the covering

The ceramic, stone or mosaic coverings can be installed after the second coat has completely dried. Use **Mapei** adhesives to be chosen according to the intended use of the floor or covering, and the type and size of the tiles.



Projects created with cementitious membranes

Accommodation facilities

Royal Gardens - Budva, Montenegro



Shangri La Village - San Salvo, Italy




Grand Hotel Da Vinci - Cesenatico, Italy





Projects created with **cementitious membranes**

Public and private structures



Commonwealth Games Athletes Village
Gold Coast, Australia



Angelini Pharma Headquarters
Rome, Italy



"Tor Vergata" University of Rome - Rome, Italy

Residential buildings



Private Villa - Santa Lucia di Piave, Italy



Corte Visconti Apartments - Rho, Italy



Apartment building - Cuneo, Italy



EVERYTHING'S OK,
WITH MAPEI



HEAD OFFICE
MAPEI SpA
Via Cafiero, 22
20158 Milan
Tel. +39-02-37673.1
mapei.com
mapei@mapei.it