

Essedum VS Code Extension - Complete Visual Guide


This comprehensive guide showcases all features of the Essedum VS Code Extension with detailed screenshots. Users can access these features in any order based on their workflow needs.

Table of Contents

- [Installation](#)
- [Authentication](#)
- [Navigation Dashboard](#)
- [Pipeline Management](#)
- [Pipeline Execution & Job Logs](#)
- [Pipeline Agents & MCP Servers](#)
- [Code Management](#)
- [GitHub Integration](#)
- [Copilot Integration](#)
- [Session Management](#)


Installation

Finding Essedum in Marketplace




Access the VS Code Extensions Marketplace by clicking the Extensions icon in the Activity Bar or by pressing **Ctrl+Shift+X** .

Searching for Essedum




Type "Essedum" in the marketplace search box to locate the extension.

Extension Preview




Hover over the Essedum extension in search results to preview its details and ratings.

Installing the Extension




Click on the Essedum extension to view its full details page, then click on the Install button to proceed with installation.

Installation Complete



Once installed, the Install button changes to Disable/Uninstall, and the Essedum icon appears in the Activity Bar on the left side of VS Code.


Accessing Essedum



Hover over the Essedum icon in the Activity Bar to see the tooltip, then click to open the extension interface.


Authentication

Login Screen




Upon first launch, you'll see the login screen where you can authenticate with your Esседum account.

Network Selection




Select your target network from the available list. This determines which Esседum server you'll connect to.

Initiating Login




After selecting your network (such as "5G Server Network"), hover over the Login button and click to begin authentication.

Browser Authentication



The extension redirects you to your default browser where you'll be prompted to enter your credentials for authentication.


Authentication Success



After successful login, the browser displays an authentication confirmation message indicating you can return to VS Code.


Navigation Dashboard

Main Dashboard



After authentication, you're directed to the Navigation Dashboard, which serves as the central hub for accessing all extension features.


Accessing Pipelines



The Navigation Dashboard provides access to Pipelines. Click on the Pipeline option to navigate to the pipeline management interface.


Pipeline Management

Pipeline List View




The Pipeline interface displays all available pipelines in a card-based layout, making it easy to browse and access your pipelines.

Search Functionality




Use the search box to filter pipelines by name or description. Click on the search icon to activate the search functionality and find specific pipelines quickly.

Viewing Pipeline Details




Each pipeline card shows key information and includes a "View Details" button. Hover over a pipeline card (such as "Classification Infer Test") to highlight it, then click "View Details" to access the complete pipeline information.

Pipeline Detail Screen




The detail screen displays comprehensive information about the selected pipeline, including configuration, scripts, and execution history.

Full Detail View




Scroll down on the detail screen to view all pipeline components, including associated scripts, notebooks, and action buttons.

Opening Python Scripts




Hover over the "Open" button next to a Python script file to view the tooltip. Clicking this button opens the script directly in the VS Code editor.

Python File in Editor




Python scripts open in the editor with full syntax highlighting, allowing you to view the pipeline's source code.

Opening Jupyter Notebooks




Click on the "Open" button next to a `.ipynb` (Jupyter Notebook) file to open Python notebooks in the editor.

Notebook in Editor




Jupyter notebooks open with proper formatting, displaying cells, code, and any embedded outputs or visualizations.

Copying Content



Use the Copy button to quickly copy content from pipeline configuration or script sections to your clipboard.

Accessing Job Logs



Click on the "View Logs" button on the pipeline detail screen to access the job execution history and status information.

Pipeline Execution & Job Logs

Job Logs Viewer

The screenshot displays the 'Job Logs' view for a pipeline named 'classification infer test'. The interface includes a sidebar with 'Pipelines' and 'Run Types' sections. The main area shows a table of 13 jobs, all of which have failed with an 'ERROR' status. The table columns are Job Id, Submitted By, Submitted On, Completed On, Runtime, Status, Action, and Output Artifacts. Navigation buttons like 'First', '<< Prev', 'Next >>', and 'Last' are visible at the bottom of the table. A status bar at the bottom indicates 'Job logs opened for pipeline: classification infer test'.

Job Id	Submitted By	Submitted On	Completed On	Runtime	Status	Action	Output Artifacts
267	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:24 AM	Feb 17, 2026, 10:24 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]
265	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:21 AM	Feb 17, 2026, 10:21 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]
264	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]
263	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]

After clicking "View Logs", the Job Logs screen opens, displaying the execution history and status of pipeline runs.

Running a Pipeline

This screenshot is identical to the one above, showing the 'Job Logs' view for the 'classification infer test' pipeline. It displays a table of 13 failed jobs with error status. The interface includes a sidebar with 'Pipelines' and 'Run Types' sections. The main area shows a table of 13 jobs, all of which have failed with an 'ERROR' status. The table columns are Job Id, Submitted By, Submitted On, Completed On, Runtime, Status, Action, and Output Artifacts. Navigation buttons like 'First', '<< Prev', 'Next >>', and 'Last' are visible at the bottom of the table. A status bar at the bottom indicates 'Job logs opened for pipeline: classification infer test'.

Job Id	Submitted By	Submitted On	Completed On	Runtime	Status	Action	Output Artifacts
267	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:24 AM	Feb 17, 2026, 10:24 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]
265	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:21 AM	Feb 17, 2026, 10:21 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]
264	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]
263	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR	[Icon]	[Icon]

From the pipeline detail screen, click on the "Run Pipeline" button to execute the pipeline and create a new job.

Execution Success & Refresh

The screenshot shows the ESSEDUM AI Platform Pipeline interface. On the left, the 'Pipelines' sidebar lists two pipelines: 'LEOCLSF65877_leo1311.py' (python (py)) and 'LEOCLSF65877_leo1311.ipynb' (plaintext (ipynb)). Below this, the 'Run Types' section shows 'REMOTE - sample-remote' selected. The 'Actions' section includes 'Run Pipeline' and 'View Logs' buttons. The main area displays 'Total Jobs: 13' and a table of job logs. A 'Refresh' button is highlighted in the top right corner. A notification at the bottom states: 'Pipeline "classification infer test" started successfully!'.

Job Id	Submitted By	Submitted On	Completed On	Runtime	Status	Action	Output Artifacts
267	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:24 AM	Feb 17, 2026, 10:24 AM	Remote-sample-remote	ERROR		
265	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:21 AM	Feb 17, 2026, 10:21 AM	Remote-sample-remote	ERROR		
264	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR		
263	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR		

After running a pipeline, a success notification appears confirming the execution has started. The refresh button (also highlighted) allows you to update the job list to see the latest run.

Updated Job List

The screenshot shows the ESSEDUM AI Platform Pipeline interface after a refresh. The 'Total Jobs' count has increased to 14. The job logs table now includes a new entry (Job Id 269) at the top, which is the newly executed pipeline job. The status of this job is 'ERROR'. The other jobs (267, 265, 264) remain in the 'ERROR' status.

Job Id	Submitted By	Submitted On	Completed On	Runtime	Status	Action	Output Artifacts
269	rishabh.mall@infosys.com User triggered	Feb 18, 2026, 05:07 AM	Feb 18, 2026, 05:07 AM	Remote-sample-remote	ERROR		
267	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:24 AM	Feb 17, 2026, 10:24 AM	Remote-sample-remote	ERROR		
265	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:21 AM	Feb 17, 2026, 10:21 AM	Remote-sample-remote	ERROR		
264	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR		

After clicking refresh, the newly executed pipeline job appears in the job logs list with its current status.

Viewing Job Details

The screenshot displays the ESSEDUM AI Platform interface. On the left, the 'Pipelines' sidebar shows the selected pipeline 'classification infer test' with two files: 'LEOCLSF65877_leo1311.py' and 'LEOCLSF65877_leo1311.ipynb'. Below this, the 'Run Types' section shows 'REMOTE - sample-remote' selected. The 'Actions' section includes 'Run Pipeline' and 'View Logs' buttons. The main panel, titled 'Job Logs: LEOCLSF65877', shows a table of 14 jobs. The table has columns: Job Id, Submitted By, Submitted On, Completed On, Runtime, Status, Action, and Output Artifacts. The first four jobs (IDs 269, 267, 265, 264) are all in 'ERROR' status. A tooltip 'View Logs' is visible over the 'View Logs' button in the 'Action' column for job 269. At the bottom, there are navigation buttons: 'First', '<< Prev', 'Next >>', and 'Last'.

Job Id	Submitted By	Submitted On	Completed On	Runtime	Status	Action	Output Artifacts
269	rishabh.mall@infosys.com User triggered	Feb 18, 2026, 05:07 AM	Feb 18, 2026, 05:07 AM	Remote-sample-remote	ERROR	View Logs	
267	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:24 AM	Feb 17, 2026, 10:24 AM	Remote-sample-remote	ERROR		
265	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:21 AM	Feb 17, 2026, 10:21 AM	Remote-sample-remote	ERROR		
264	rishabh.mall@infosys.com User triggered	Feb 17, 2026, 10:20 AM	Feb 17, 2026, 10:20 AM	Remote-sample-remote	ERROR		

Hover over the action button (eye icon) in the Actions column of a job entry. The tooltip indicates "View Logs" - clicking this opens detailed execution information.


Console Logs

The screenshot displays the ESSEDUM AI Platform interface with the 'Console Logs' tab selected. The main panel shows 'Job ID: 269' and a message: 'Console logs retrieved from the ESSEDUM platform'. Below this, a JSON object is displayed, representing the job details. The JSON includes fields for 'id', 'jobId', 'submittedBy', 'streamingService', 'jobStatus', 'version', 'validation', 'submittedOn', 'type', 'organization', 'runtime', and 'log'. The 'log' field contains a detailed error message: 'Unable to execute HTTP request: aiptest.minio-service.aipns.svc.cluster.local'. The interface also includes 'Refresh' and 'Download' buttons at the top right of the console logs section.

```
{
  "id": 269,
  "jobId": "8a8340d0f41d46209ea584e75626cad4cmlzaGFiaC5tYWxsQ6luZm9zeXMwY29t20260218T050725569ZLEOCLSF65877",
  "submittedBy": "rishabh.mall@infosys.com",
  "streamingService": "LEOCLSF65877",
  "jobStatus": "ERROR",
  "version": 2,
  "validation": null,
  "submittedOn": "2026-02-18T05:07:26.000+00:00",
  "type": "NATIVESCRIPT",
  "organization": "Unable to execute HTTP request: aiptest.minio-service.aipns.svc.cluster.local",
  "runtime": "Remote-sample-remote",
  "log": "No files found in MinIO at bucket='aiptest', prefix='Failed to upload script to S3: The 's3Path' (inputArtifactsPath) is null.\\nPlease verify your S3 connection details, ensure that the bucket and object paths are correctly configured, and check if your storage service is operational.\\nUnable to execute HTTP"
```


The Console Logs tab displays real-time output from the pipeline execution, showing print statements, warnings, and other console messages.

Job Log Details




The Job Log Details tab provides structured information about the job execution, including timestamps, status changes, and execution parameters.

Returning to Pipelines




Hover over the back button to see the "Back to Pipelines" tooltip. Click this to return to the pipeline list view.

Refreshing Pipeline Cards




Back on the pipeline list screen, click the refresh button to update the pipeline cards with the latest information. The tooltip reads "Refresh pipeline cards".

Pagination - Next Page




Use the "Next Page" button to navigate through multiple pages of pipelines when you have a large number of pipelines available.

Pagination - Last Page



Click the "Last Page" button to jump directly to the final page of pipelines (e.g., page 6 in this example).


Navigating Back



From the pipeline list view, hover over the back button at the top to see the "Back to Navigation" tooltip. This returns you to the main Navigation Dashboard.


Pipeline Agents & MCP Servers

Agent MCP Pipelines




From the Navigation Dashboard, click on "Agent MCP Pipelines" to access the agent management interface.

Agents Tab - List View




The Agent MCP Pipelines screen features two tabs: "Agents" and "MCP Servers". The Agents tab displays all available pipeline agents in a card-based format.

MCP Servers Tab Access




Hover over the "MCP Servers" tab to switch views. Clicking this tab displays MCP servers in the same card layout format.

MCP Servers List




The MCP Servers tab shows all available MCP servers, allowing you to browse and manage server configurations.

Searching MCP Servers




Type in the search box (e.g., "Test") and click the search icon to filter MCP servers based on your search criteria.

Filtered Results




After clicking search, only the MCP server cards matching your search text are displayed.

Returning to Agents Tab




Click on the "Agents" tab to return to the pipeline agents view.

Viewing Agent Details




On the Agents tab, hover over the "View Details" button of a specific agent card (such as "Agent-test-v2"). The entire card highlights, indicating it's interactive. Click to access the detailed agent information.

Agent Detail Screen




The agent detail screen displays comprehensive information about the selected pipeline agent, including available actions like Download Code and Edit Code.

Downloading Agent Code




Hover over the "Download Code" button to prepare for downloading the agent's source code files to your local system.

Download Location Selection




A file explorer window opens, prompting you to select a location where the agent code will be downloaded.

Download In Progress




A notification message displays "Downloading Complete" status, indicating the download process has finished.

Download Success



Another notification confirms successful download and provides options such as "Open Folder" to directly access the downloaded files.


Editing Agent Code



Click on the "Edit Code" button on the agent detail screen for editing the agent's source files directly in VS Code.


Code Management

Workspace Trust Prompt




After clicking "Edit Code", VS Code displays a trust prompt asking "Do you trust the authors of files in this folder?" This security measure ensures you're aware that files will be loaded into your workspace.

Return to Agent List




After confirming the trust prompt or navigating away, you're redirected back to the pipeline agents list screen.

VS Code Explorer Access




Click on the Explorer icon in VS Code's Activity Bar to access the file explorer where loaded agent files are displayed.

Explorer View with Agent Files




The Explorer shows an "Untitled" workspace containing the pipeline agent folder. Under this folder, you'll find the ADK (Agent Development Kit) folder structure with all agent files.

Opening Files in Editor




Click on any file (such as `mcp-serviceequal-requirements.txt`) to open it in the VS Code editor with full syntax highlighting and editing capabilities.

Editing Files




Make changes to the file directly in the editor. Modified files are marked with indicators showing unsaved changes.

Saving Changes to Server




Press **Ctrl+S** to save the file. Changes are automatically synchronized to the server, and a notification message confirms successful save.

Creating New Files




Create new files in the agent folder by right-clicking and selecting "New File" or using the new file icon. For example, creating a **readme.md** file.

Uploading Code to Server




After adding content to your new file, right-click on the root folder and hover over "Upload Code to Essedum". This option allows you to sync your local changes (including new or deleted files) back to the server.

Upload Confirmation



A confirmation popup appears asking you to confirm the upload operation before proceeding.


Upload Success



After confirming, a notification message displays "Files are uploaded successfully", confirming that your changes have been synced to the Essedum server.

GitHub Integration


Agent Without ADK



On page 2 of the pipeline agents list, view details of an agent like "Telecom-service-qualification-agent-copy". Agents without an ADK (Agent Development Kit) display


different action buttons: "Open Copilot" and "Upload From Github" instead of "View Code" and "Download Code".

Upload From Github Button



Click on the "Upload From Github" button for importing code from a GitHub repository. This feature allows you to pull code directly from GitHub to serve as the agent's ADK.

GitHub Repository URL Input




After clicking "Upload From Github", an input field appears at the top of the screen prompting you to enter the GitHub repository URL.

Branch Selection

Once you enter a valid GitHub repository URL, the extension retrieves and displays a list of available branches. Select the desired branch to import its code into your agent as the ADK.

Copilot Integration

Open Copilot Feature




For agents without ADK, the "Open Copilot" button is available. Click on this button to access the Copilot integration feature.

Using Copilot with Agents

When you click "Open Copilot", GitHub Copilot opens and a reference JSON file is loaded in the editor. You can paste (**Ctrl+V**) the master prompt directly into Copilot, which will use the JSON file as context for generating code or providing assistance specific to your agent configuration.

Session Management

Logout Function



At the top of the interface, hover over the logout button to see the "Logout from Essedum" tooltip. Click this button to end your current session and clear authentication tokens.

Key Features Summary

Pipeline Management

- Browse pipelines in a card-based interface
- Search and filter pipelines by name
- View detailed pipeline information including scripts and notebooks
- Open Python files and Jupyter notebooks directly in the editor
- Execute pipelines and monitor job status
- View console logs and job details
- Navigate through paginated results

Pipeline Agents & MCP Servers

- Switch between Agents and MCP Servers tabs
- Search and filter agents or servers
- View comprehensive agent details
- Download agent code to local system
- Edit agent code directly in VS Code workspace

Code Development

- Edit files with full VS Code functionality
- Automatic save synchronization to server
- Create new files and folders
- Upload local changes back to server
- Trust and security prompts for workspace safety

Integration Features

- Import code from GitHub repositories
- Select specific branches for import
- Copilot integration for AI-assisted development
- JSON configuration files as Copilot context

Navigation & Workflow

- Non-sequential access to all features
- Contextual back buttons for easy navigation
- Refresh functionality to update data
- Pagination for large datasets
- Tooltip guidance throughout the interface

Tips for Effective Use

Best Practices

- **Use Search**: Quickly locate specific pipelines or agents using the search functionality
- **Monitor Jobs**: Regularly check job logs after running pipelines to catch issues early
- **Save Frequently**: While auto-save is enabled, use **Ctrl+S** to ensure immediate synchronization
- **Organize Code**: When editing agents, maintain clear folder structures for easier maintenance
- **Leverage GitHub**: Use the GitHub import feature to maintain version control of your agent code

Keyboard Shortcuts

- **Ctrl+Shift+X** - Open Extensions marketplace
- **Ctrl+Shift+E** - Open File Explorer
- **Ctrl+S** - Save file and sync to server
- **Ctrl+V** - Paste (used with Copilot integration)
- **Ctrl+W** - Close current editor tab

Troubleshooting

- **Connection Issues**: Use the logout/login cycle to refresh authentication
- **Missing Files**: Check if you trusted the workspace when prompted
- **Upload Failures**: Verify folder selection and confirm upload dialogs
- **Search Not Working**: Ensure you click the search icon after typing your query

This visual guide covers the complete functionality of the Essedum VS Code Extension. Users can access features in any order based on their workflow needs and preferences.