

VULNERABILITY ASSESSMENT REPORT

FUTURE INTERNS – CYBER SECURITY INTERNSHIP



Target:
testaspnet.vulnweb.com

Prepared By:
PATEL KUNJ

Date:
30 May 2026

Executive Summary:-

A passive vulnerability assessment was conducted on the target website using OWASP ZAP and Nmap.

The objective of the assessment was to identify publicly observable security weaknesses without performing exploitation or intrusive testing.

Several security configuration weaknesses were identified and remediation recommendations have been provided.

Scope:-

Target Website:
testaspnet.vulnweb.com

Assessment Type:
Passive Vulnerability Assessment

Method:
Read-only Security Analysis

Tools Used:-

Tool	Purpose
Nmap	Reconnaissance
OWASP ZAP	Passive Scan
Browser DevTools	Header Analysis
Kali Linux	Testing Environment


Methodology:-

1. Information Gathering
2. Website Crawling
3. Passive Vulnerability Assessment
4. Security Header Analysis
5. Risk Classification
6. Remediation Recommendations



OWASP®

Nmap Reconnaissance Results:-



```
zsh: corrupt history file /home/kali/.zsh_history
(kali@kali)-[~]
$ nmap -sV -Pn testaspnet.vulnweb.com
Starting Nmap 7.95 ( https://nmap.org ) at 2026-05-30 00:39 EDT
Stats: 0:00:05 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth Scan
SYN Stealth Scan Timing: About 3.55% done; ETC: 00:42 (0:02:16 remaining)
Nmap scan report for testaspnet.vulnweb.com (44.238.29.244)
Host is up (0.28s latency).
rDNS record for 44.238.29.244: ec2-44-238-29-244.us-west-2.compute.amazonaws.com
Not shown: 999 filtered tcp ports (no-response)
PORT      STATE SERVICE VERSION
80/tcp    open  http      Microsoft IIS httpd 8.5
Service Info: OS: Windows; CPE: cpe:/o:microsoft:windows

Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 29.70 seconds

(kali@kali)-[~]
$
```

Figure 1: Nmap Scan Output for testphp.vulnweb.com

Observation :-

A reconnaissance scan was performed using Nmap to identify exposed services and gather publicly available information about the target host.

Command Used:

```
nmap -sV -Pn testaspnet.vulnweb.com
```

Key Observations:

- Host was reachable.
- Port 80 (HTTP) was open.
- Microsoft IIS 8.5 web server was identified.
- The server appears to be running on a Windows environment.
- Most scanned ports were filtered and not publicly accessible.

Risk Assessment:-

Risk Level: LOW

Conclusion:-

The scan identified a publicly accessible web service running on port 80. No unnecessary network services were exposed, reducing the overall attack surface.

OWASP ZAP Site Mapping:-




Figure 2: Website Structure Identified Using OWASP ZAP

Description:-

OWASP ZAP was used to perform passive website discovery and mapping.

The scan identified multiple publicly accessible resources, including application pages, forms, images, and configuration-related files.

The discovered site structure helps security analysts understand the attack surface and identify areas requiring further security review.

Key Resources Identified:-

- Login Page (login.aspx)
- Signup Page (Signup.aspx)
- Comments Functionality
 - News Pages
 - Robots.txt
 - Sitemap.xml
- Static Resources (CSS, Images)

Observation:-

The application exposes multiple publicly accessible pages and resources that were successfully mapped during passive assessment.

OWASP ZAP Passive Assessment Findings:-




Figure 3: OWASP ZAP Alerts and Security Findings

Description:-

OWASP ZAP was used to perform a passive vulnerability assessment of the target application.

The assessment identified several security configuration weaknesses including missing security headers, cookie security issues, and information disclosure findings.

These findings may increase exposure to common web application attacks if not properly remediated.

Key Findings Identified:-

- Content Security Policy (CSP) Header Not Set
 - Missing Anti-Clickjacking Header
- Cookie Without SameSite Attribute
 - Server Version Disclosure
- X-AspNet-Version Header Disclosure
- X-Content-Type-Options Header Missing


Risk Summary & Findings Overview

Finding	Risk Level
Content Security Policy (CSP) Header Not Set	Medium
Missing Anti-Clickjacking Header	Medium
Cookie Without SameSite Attribute	Medium
Server Version Disclosure	Low
X-AspNet-Version Header Disclosure	Low
X-Content-Type-Options Header Missing	Low

Risk Statistics:-

- Medium Risk Findings : 3
- Low Risk Findings : 3
- High Risk Findings : 0
- Total Findings : 6

Risk Distribution Chart:-



Observation:-

The majority of findings are related to security configuration weaknesses and missing HTTP security headers.

No critical or actively exploitable vulnerabilities were assessed as part of this passive security review.

Recommendations & Conclusion:-

Security Improvements:-

- ✓ Implement Content Security Policy (CSP)
 - ✓ Configure X-Frame-Options Header
 - ✓ Use SameSite Cookie Attribute
- ✓ Remove Server Version Information
- ✓ Disable X-AspNet-Version Disclosure
- ✓ Implement X-Content-Type-Options Header

Conclusion:-

A passive vulnerability assessment was conducted on the target web application using Nmap and OWASP ZAP.

The assessment identified several security configuration weaknesses, primarily related to missing security headers and information disclosure.

Although no active exploitation was performed, implementing the recommended controls will improve the overall security posture of the application and reduce exposure to common web-based attacks.

OVERALL SECURITY RATING:-

MEDIUM RISK