



RAKSHITA N 2024-IT ▾

R2**Started on** Tuesday, 18 November 2025, 3:29 PM**State** Finished**Completed on** Tuesday, 18 November 2025, 3:30 PM**Time taken** 1 min 14 secs**Marks** 1.00/1.00**Grade** **10.00** out of 10.00 (**100%**)

Question 1 | Correct Mark 1.00 out of 1.00

Write a program to take value V and we want to make change for V Rs, and we have infinite supply of each of the denominations in Indian currency, i.e., we have infinite supply of { 1, 2, 5, 10, 20, 50, 100, 500, 1000} valued coins/notes, what is the minimum number of coins and/or notes needed to make the change.

Input Format:

Take an integer from stdin.

Output Format:

print the integer which is change of the number.

Example Input :

64

Output:

4

Explanaton:

We need a 50 Rs note and a 10 Rs note and two 2 rupee coins.

Answer: (penalty regime: 0 %)

```

1  #include <stdio.h>
2
3  int main() {
4      int V;
5      scanf("%d", &V);
6
7      int denominations[] = {1000, 500, 100, 50, 20, 10, 5, 2, 1};
8      int n = sizeof(denominations)/sizeof(denominations[0]);
9
10     int count = 0;
11     for (int i = 0; i < n; i++) {
12         if (V >= denominations[i]) {
13             count += V / denominations[i];
14             V = V % denominations[i];
15         }
16     }
17
18     printf("%d\n", count);
19
20     return 0;
21 }
22

```

	Input	Expected	Got	
✓	49	5	5	✓

Passed all tests! ✓

Correct

Marks for this submission: 1.00/1.00.

[Back to Course](#)