codecademy

React Router

What is React Router?

React Router is a library that provides navigational components for React developers to create Single-Page Applications (SPAs) with dynamic, client-side routing.
Applications that use React-Router can benefit from the separation of content afforded to multi-page applications without the break in the user-experience caused by page reloads.

Installing React Router

In order to use React Router in your applications, you'll need to install `react-router-dom` .

```
npm install react-router-dom
```

Importing BrowserRouter

In order to use React Router, the `BrowserRouter` component (often alias as `Router`) must be imported into the top-level component file.
Wrapping the top-level component with `BrowserRouter` gives your application's entire component tree access to React Router.

```
import React from "react";
import { BrowserRouter as Router } from
"react-router-dom";

export default function TopLevelComponent
() {
  return (
    <Router>
      application contents here
    </Router>
  )
}
```

Route

React Router's `<Route>` component is designed to render its children when its `path` prop matches the current URL.

The `<Route>` component has a boolean prop `exact` that, when `true`, will cause the `<Route>` to render its children only when the current URL exactly matches the `<Route>` component's `path`. When `exact` is `false` (its default value), a `<Route>` will render if its path partially matches the current URL.

```
import React from "react";
import { BrowserRouter as Router, Route
} from "react-router-dom";
import Users from
"../features/users/Users"
import NewUser from
"../features/users/NewUser";

export default const App () {
  return (
    <Router>
      <Route path="/users" exact>
        <Users />
      </Route>
      <Route path="/users/new">
        <NewUser />
      </Route>
    </Router>
  )
}
```

Link

React Router's `<Link>` component can be used to create links for navigation. The `to` prop specifies the location to which the user will be redirected after clicking on the `<Link>`.

Rendering a `<Link>` will insert an anchor tag (`<a>`) in your HTML document, but the anchor's default behavior (triggering a page reload) will be disabled. This allows the application's `<Router>` to respond to URL changes by rendering the appropriate content.

```
<Link to="/about">About</Link>
```

NavLink

React Router's `<NavLink>` is a special type of `<Link>` that can be styled differently when the component's `to` prop matches the current location.

The `activeClassName` prop (whose default value is `'active'`) specifies the class that will be applied when the `to` prop on the `<NavLink>` matches the current location.

```
<NavLink
  to="/about"
  activeClassName="highlighted"
>
  About
</NavLink>
```

URL Parameters

URL parameters are dynamic (ie. non-constant) segments of a `<Route>` component's `path` prop. They can be used to dynamically serve resources based on the current window location.

A URL parameter begins with a colon and is followed by the name of the parameter, like so: `:parameter` . To specify that a URL parameter is optional, append a question mark, like so: `:parameter?` .

```
import { BrowserRouter as Router, Route
} from "react-router-dom"
import Book from "../features/books/Book"

function App () {
  return (
    <Router>
      {/* bookId is required to render
<Book /> */}
      {/* page is not required to render
<Book /> */}
      <Route
path="/books/:bookId/:page?">
        <Book />
      </Route>
    </Router>
  )
}
```

useParams()

React Router's `useParams()` hook can be used by a component rendered by a `<Route>` with a dynamic path to get the names and values of the current URL's parameters.

This function returns an object containing a key/value pair for each URL parameter where the key is the URL parameter's name and the value is the parameter's current value.

```
import React from "react";
import { useParams } from "react-router-
dom";

// assume this component is rendered by
a <Route> with the path
"/users/:userName"
export default const UserProfile () {
  const { userName } = useParams()
  return (
    <h1> Welcome {userName}! </h1>
  )
  /*
  If the user visits /users/Codey, the
following will be rendered:

  <h1> Welcome Codey!
  */
}
```

Switch

React Router's `<Switch>` renders the first of its child `<Route>` or `<Redirect>` components whose `path` prop matches the current URL.

When wrapping multiple `<Route>` components in a `<Switch>`, it is important to order the `<Route>` components from most specific to least specific.

```
// Right: navigating to "/songs/123" will cause the first route to render, whereas navigating to "/songs" will cause the second to render
<Switch>
  <Route path="/songs/:songId">
    <Song />
  </Route>
  <Route path="/songs">
    <AllSongs />
  </Route>
</Switch>

// Wrong: navigating to "/songs/123" OR "/songs" will cause the first route to render. The second route will never render.
<Switch>
  <Route path="/songs">
    <AllSongs />
  </Route>
  <Route path="/songs/:songId">
    <Song />
  </Route>
</Switch>
```

useRouteMatch()

`<Routes>` may be rendered in any component that descends from your `Router`. So, even components rendered by a `<Route>` can themselves render other `<Route>` components.

React Router's `useRouteMatch()` hook helps construct relative `path` and `to` props for `<Route>` and `<Link>` components by returning a `match` object with `url` and `path` properties:

- The `path` property is used to build a nested `<Route>` component's `paths` prop relative to the parent `<Route>`.
- The `url` property is used to build a nested `<Link>` component's `to` prop relative to the parent `<Route>`.

```
// App.js
import React from "react";
import { BrowserRouter as Router, Route
} from "react-router-dom";
import UserProfile from
"../features/users/UserProfile";

export default function App () {
  return (
    <Router>
      <Route path="/users/:userId">
        <UserProfile />
      </Route>
    </Router>
  )
}

// UserProfile.js
import React from "react";
import { Route, Link, useRouteMatch
} from "react-router-dom";
import FriendList from "./FriendList";

export default function UserProfile () {
  const { path, url } = useRouteMatch();

  return (
    <div>
      <SomeUserProfileInformation/>

      {/* Redirects to
'/users/123/friends' */}
      <Link to=
{`${url}/friends`}>Friends</Link>

      {/* Renders <FriendList/> for the
path '/users/:userId/friends' */}
      <Route path={`${path}/friends`}>
        <FriendList/>
      </Route>
    </div>
  )
}
```

Redirect

When rendered, React Router's `<Redirect>` component will change the current URL's path to the value of its `to` prop.

```
const Profile = ({isLoggedIn}) => {
    if (!isLoggedIn) {
    return <Redirect to="/sign-up" />
  } else {
    return <ProfileInfo />
  }
}
```

useHistory()

React Router's `useHistory()` hook returns an instance of the `history` object, which has a mutable stack-like structure that keeps track of the user's session history and contains the following useful methods:

- `history.push(location)` - imperatively redirects the user to the specified location
- `go(n)` - Moves the pointer in the history stack by n entries
- `goBack()` - Equivalent to go(-1)
- `goForward()` - Equivalent to go(1)"

```
import React from "react";
import { useHistory } from "react-router-
dom";

export default function Footer () {
  const history = useHistory();

  return (
    <footer>
      <button onClick={() =>
history.goBack()}>
        Back
      </button>
      <button onClick={() =>
history.goForward()}>
        Forward
      </button>
      <button onClick={() =>
history.push('/about')}>
        About
      </button>
    </footer>
  )
}
```

Query Parameters

Query parameters appear in URLs beginning with a question mark (`?`) and are followed by a parameter name assigned to a value. They are optional and are most often used to search, sort and/or filter resources. For example, if you were to visit the provided URL you would be taken to Google's `/search` page displaying results for the search term `'codecademy'` . In this example, the name of the query parameter is `q` .

```
https://www.google.com/search?
q=codecademy
```

useLocation()

React Router's `useLocation()` hook returns an object whose `search` property corresponds to the current URL's query string.

Passing the search string to the `URLSearchParams` constructor yields an object whose `.get(paramName)` method returns the value of `paramName`.

```
// If the user visits /search/?
term=codecademy...
const { search } = useLocation();
// The value of search would be '?
term=codecademy'
const queryParams = new
URLSearchParams(search);
// queryParams is an object with a .get()
method...
const termValue
= queryParams.get('term');
// ... and termValue would be
'codecademy'
```