Rakshitha. G Lab Program - 8 1BMI7CSO71 import java. util. *. class WrongAge extends Exception public Steing to String () Setuen "Exception: Wrong age"; I scanner & = new scanner (System.in); int fage: Father Cint a) theory Weong Age System.out. printen ("Enter father's age"); lage = sc. norms rest 9nt (); lif (fage < all fage < oll a < o) throw new Wrong Age (); class son entends Father classmate

	DATE
	int lage:
	int sage; Son (int &) throws Weong Age
	for can & Jamons & wignige
	2
	Jack (S)
	Super (s); sage = s;
	4
	and in all a
1	Public class Main
	a llie thati aid a Citai a and 57)
	public static void main (String args I])
	scarne scanne (systemous);
	system out offintly ("Intel son & age");
	Scanner & = new Scanner (System. in); System. out. println ("enter son's age"); int sa = Sc. newtInt (); tey
	349
	100 10/2 (00 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Son 106 = new Son (ga);
***************************************	Catch (Wrong Age W)
	Sustan out sight (1):
	System. out. peintln (w);
***************************************	2
	7.
	y
	The second secon
	When the second of
-	
	classmate PAGE