Status	Finished
Started	Friday, 30 October 2026, 12:25 AM
Completed	Friday, 30 October 2026, 12:49 AM
Duration	24 mins 17 secs
Grade	**13.00** out of 15.00 (**86.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Binary search
b. Hashing
c. Linear search ✓
d. Dynamic search

Question **2**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search can be applied to both sorted and unsorted lists. ✓
b. Linear search divides the list into halves.
c. Linear search is more efficient than binary search on large lists.
d. Linear search requires the list to be sorted.

Question **3**

Correct

Mark 1.00 out of 1.00

In which situation is linear search more efficient than binary search?

a. When the list is small and sorted
b. When the list is large and unsorted
c. When the list is large and sorted
d. When the list is small and unsorted ✓

Question **4**

Correct

Mark 1.00 out of 1.00

In binary search, what happens if the middle element does not match the target element?

a. The list is sorted
b. The search continues in the left or right sublist ✓
c. The search stops
d. The search continues from the beginning

Question **5**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 99; what are the mid values(corresponding array elements) in the first and second levels of recursion?

a. 90 and 99 ✓
b. 89 and 94
c. 89 and 99
d. 90 and 94

Question **6**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Complexity
b. Bubble ✓
c. Selection
d. Insertion

Question **7**

Correct

Mark 1.00 out of 1.00

What is the key characteristic of binary search?

a. It works on unsorted lists
b. It always starts from the beginning of the list
c. It compares elements sequentially
d. It can be applied only if the list is sorted ✓

Question **8**

Correct

Mark 1.00 out of 1.00

What is the time complexity of linear search in the worst case?

a. O👎 ✓
b. O(1)
c. O(log n)
d. O(n log n)

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following is a type of searching method?

a. Merge search
b. Quick search
c. Bubble search
d. Linear search ✓

Question **10**

Correct

Mark 1.00 out of 1.00

Finding the location of a given item in a collection of items is called

a. Mining
b. Finding
c. Discovering
d. Searching ✓

Question **11**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is not the array at all

b. When the item is somewhere in the middle of the array ✓

c. Item is the last element in the array or item is not there at all

d. When the item is the last element in the array

Question **12**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The middle element is chosen randomly

b. The search stops

c. The lower middle element is chosen as the middle element ✗

d. The higher middle element is chosen as the middle element

Question **13**

Correct

Mark 1.00 out of 1.00

What is the advantage of binary search over linear search?

a. Binary search has a lower time complexity on large, sorted lists ✓

b. Binary search does not require dividing the list

c. Binary search works on unsorted lists

d. Binary search can find multiple instances of the target element

Question **14**

Incorrect

Mark 0.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

- a. 94 and 99 ✗
- b. 90 and 99
- c. 89 and 94
- d. 90 and 100

Question **15**

Correct

Mark 1.00 out of 1.00

In binary search, how is the middle element determined?

- a. By comparing each element sequentially
- b. By dividing the list length by two ✓
- c. By using a hash function
- d. By starting from the first element