Status	Finished
Started	Thursday, 29 October 2026, 10:38 PM
Completed	Thursday, 29 October 2026, 10:50 PM
Duration	11 mins 42 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

t = (58, 47, 36, 25, 14, 3)

x = t[2:-1]

print(x)

- a. (36, 25, 14) ✓
- b. (58,47,36,25)
- c. Error
- d. (3,14,25)

Question **2**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
set1={2,5,3}

set2={3,1}

set3={}

set3=set1&set2

print(set3)
```

- a. {3} ✓
- b. {2,5,3,1}
- c. {2,5,1}
- d. {}

Question **3**

Correct

Mark 1.00 out of 1.00

What will the below Python code do?

```
set1={2,3}

set2={3,2}

set3={2,1}

if(set1==set2):

    print("yes")

else:

    print("no")

if(set1==set3):

    print("yes")

else:

    print("no")
```

a. No, No

b. Yes, No ✓

c. Yes, Yes

d. "==" is not supported for set in Python

Question **4**

Correct

Mark 1.00 out of 1.00

What is the output of the following union operation

```
set1 = {10, 20, 30, 40}
set2 = {50, 20, "10", 60}

set3 = set1.union(set2)
print(set3)
```

a. SynatxError: Different types cannot be used with sets

b. {40, 10, '10', 50, 20, 60, 30} ✓

c. {40, 10, 50, 20, 60, 30}

d. {40, '10', 50, 20, 60, 30}

Question **5**

Correct

Mark 1.00 out of 1.00

What will be the output of following Python code?

```
list1=[1,3,4,2]

x=list1.pop(2)

print(set([x]))
```

a. {4} ✓

b. {1,3,2}

c. {2}

d. {1,3,4}

Question **6**

Correct

Mark 1.00 out of 1.00

What is the output of the given below program?

```
t1 = (1,2,3)
t2 = (4,5,6)
x = t1+t2
print(x)
```

a. (1,2,3)(4,5,6)

b. (1,2,3,3,2,1)

c. (1,2,3,4,5,6) ✓

d. Error

Question **7**

Correct

Mark 1.00 out of 1.00

Choose the correct option.

a. In Python, a tuple can contain only integers as its elements.

b. In Python, a tuple can contain both integers and strings as its elements. ✓

c. In Python, a tuple can contain only strings as its elements.

d. In Python, a tuple can contain either string or integer but not both at a time.

Question **8**

Correct

Mark 1.00 out of 1.00

What will be the output of below Python code?

```
tupl=("python","programming","Computer")
print(tupl[-3:0])
```

a. (Computer)

b. Error

c. Computer

d. () ✓

Question **9**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t = (11, 3)
x = 3 * t
print(x)
```

a. (11, 3, 11, 3, 11, 3) ✓

b. (11,3)(11,3)(11,3)

c. (11,3,11,11,3,11,11,11,3)

d. [11,11,11,3,3,3]

Question **10**

Incorrect

Mark 0.00 out of 1.00

What will set1|set2 do?

```
If set1={"a","b",3}
set2={3,7}
```

a. A new set will be created with the unique elements of set1 and set2. ✗

b. Elements of set2 will get appended to set1

c. A new set will be created with the elements of both set1 and set2

d. Elements of set1 will get appended to set2

Question **11**

Correct

Mark 1.00 out of 1.00

Find the output of the given Python program?

```
t1 = (55, 44, 33, 22, 11)
x = [t1[i] for i in range(0, len(t1), 2)]
print(x)
```

a. ([55,33,11])

b. [55, 33, 11] ✓

c. (55,33,11)

d. [(55,33,11)]

Question **12**

Correct

Mark 1.00 out of 1.00

Which of the following is a Python tuple?

- a. {1,3,8,9,41}
- b. ("Wonder")
- c. (1,4,5,6,7) ✓
- d. [1,2,3,4]

Question **13**

Correct

Mark 1.00 out of 1.00

What will be the output of the below Python code?

```
t1=(55,12,78,64,25)
t1.pop(12)
print(tuple1)
```

- a. 12
- b. (55,78,64,25)
- c. Error ✓
- d. (12)

Question **14**

Correct

Mark 1.00 out of 1.00

If a=(15,16,17,18,19,25), then a[1:-1] will be

Note :

```
a=(15,16,17,18,19,25)
print((a[1:-1]))
```

- a. (16,17,18,19) ✓
- b. Error
- c. (25,19,18,17)
- d. (16,17,18)

Question **15**

Correct

Mark 1.00 out of 1.00

What is the output of the following code

```
aSet = {1, 'rec', ('cse', 'ece'), True}
print(aSet)
```

a. {‘rec’, True, (‘cse’, ‘ece’)}

b. {‘rec’, 1, (‘cse’, ‘ece’),True}

c. {‘rec’, 1, (‘cse’, ‘ece’)} ✓

d. Error