

# **Project Analysis Report**

**testmule1**

Comprehensive analysis and documentation of Mule project configuration, flows, and resources

Generated: December 20, 2025 22:44:18 CST

# Table of Contents

1. Project Information .....	3
1.1 Project Details .....	3
1.2 POM Details .....	3
1.3 Mule-artifact.json .....	4
2. Flow Diagrams .....	5
2.1 Mule Project Flow Integration .....	5
2.1.1 testmule1Flow .....	5
2.1.2 testmule1Flow1 .....	5
2.2 Mule Project Flow Diagram .....	6
2.2.1 testmule1Flow .....	6
2.2.2 testmule1Flow1 .....	8
3. Global Configuration .....	9
4. Connector Configurations .....	10
4.1. Email_SMTP (email:smtp-config) .....	10
4.1.1 email:smtp-connection .....	10
4.2. HTTP_Listener_config (http:listener-config) .....	10
4.2.1 http:listener-connection .....	10
4.3. HTTP_Request_config (http:request-config) .....	10
5. Mule Flows .....	11
5.1 testmule1Flow .....	11
5.1.1 http:listener .....	11
5.1.2 logger .....	11
5.1.3 set-payload .....	11
5.1.4 choice .....	11
5.1.5 try .....	11
5.1.6 choice .....	12
5.1.7 scatter-gather .....	12
5.2 testmule1Flow1 .....	12
5.2.1 http:listener .....	12
5.2.2 ee:transform .....	12
5.2.3 async .....	12
5.2.4 set-payload .....	12
6. Mule Sub-Flows .....	14
7. DataWeave Files .....	15
8. Other Resources .....	16

9. References .....	18
---------------------	----

# 1. Project Information

## 1.1 Project Details

Property	Value
Project Name	testmule1
Version	1.0.0-SNAPSHOT
Project Path	C:\raks\apiguard\raksanalyzer\.testdata\testmule1

## 1.2 POM Details

Path: pom.xml

### 1.2.1 Basic Information

Property	Value
Model Version	4.0.0
Group ID	com.mycompany
Artifact ID	testmule1
Version	1.0.0-SNAPSHOT
Packaging	mule-application
Name	testmule1

### 1.2.2 Properties

Key	Value
mule.maven.plugin.version	4.6.1
project.build.sourceEncoding	UTF-8
app.runtime	4.9.11
project.reporting.outputEncoding	UTF-8

### 1.2.3 Plugins

Group ID	Artifact ID	Version
org.apache.maven.plugins	maven-clean-plugin	3.2.0
org.mule.tools.maven	mule-maven-plugin	\${mule.maven.plugin.version}

#### 1.2.4 Dependencies

Group ID	Artifact ID	Version
org.mule.connectors	mule-http-connector	1.11.0
org.mule.connectors	mule-sockets-connector	1.2.7
org.mule.connectors	mule-email-connector	1.7.6

#### 1.3 Mule-artifact.json

Path: mule-artifact.json


```
{
  "minMuleVersion": "4.9.0",
  "javaSpecificationVersions": [
    "17"
  ]
}
```

## 2. Flow Diagrams

### 2.1 Mule Project Flow Integration

#### 2.1.1 testmule1Flow

Path: src\main\mule\testmule1.xml



#### 2.1.2 testmule1Flow1


Path: src\main\mule\testmule1.xml



## 2.2 Mule Project Flow Diagram


### 2.2.1 testmule1Flow

*Path: src\main\mule\testmule1.xml*



## 2.2.2 testmule1Flow1

Path: src\main\mule\testmule1.xml



### 3. Global Configuration

No properties found

## 4. Connector Configurations

Total Configurations: 3

### 4.1. Email\_SMTp (email:smtp-config)

Path: src\main\mule\testmule1.xml

Attribute	Value
doc:name	Email SMTP
doc:id	acfd95b4-d4ea-4472-8a6d-a4fbb09e8cbd
name	Email_SMTp

#### 4.1.1 email:smtp-connection

### 4.2. HTTP\_Listener\_config (http:listener-config)

Path: src\main\mule\testmule1.xml

Attribute	Value
doc:name	HTTP Listener config
doc:id	3e43eccd-04fe-42c7-ae91-c8f6e78f367e
name	HTTP_Listener_config

#### 4.2.1 http:listener-connection

Attribute	Value
port	8081
host	0.0.0.0

### 4.3. HTTP\_Request\_config (http:request-config)

Path: src\main\mule\testmule1.xml

Attribute	Value
doc:name	HTTP Request config
doc:id	b550bc32-648d-403b-9f22-2f852e0e0e23
name	HTTP_Request_config

## 5. Mule Flows

Total Flows: 2

### 5.1. testmule1Flow

Path: src\main\mule\testmule1.xml

Type: flow

Components: 45

#### 5.1.1 http:listener

Attribute	Value
doc:name	Listener
doc:id	1ca3b064-7300-4615-9ffb-f37759ff75aa
config-ref	HTTP_Listener_config

#### 5.1.2 logger

Attribute	Value
doc:name	Logger
doc:id	50a6b587-9222-4029-9154-a04cf5fe8032
level	INFO

#### 5.1.3 set-payload

Attribute	Value
doc:name	Set Payload
doc:id	5408cebf-e335-4c8c-91f5-7854c97462cc
value	#[payload]

#### 5.1.4 choice

Attribute	Value
doc:name	Choice
doc:id	81a0d8a5-a55b-4d8b-b57b-c6926e546295

#### 5.1.5 try

Attribute	Value
doc:name	Try
doc:id	3374e94d-d176-47d5-9401-75db1f546f6e

### 5.1.6 choice

Attribute	Value
doc:name	Choice
doc:id	d3569b42-3c6c-4f30-932d-c42705b2b70f

### 5.1.7 scatter-gather

Attribute	Value
doc:name	Scatter-Gather
doc:id	6a06fa65-ba5c-49a1-8677-fc9e39933432

## 5.2. testmule1Flow1

Path: src\main\mule\testmule1.xml

Type: flow

Components: 6

### 5.2.1 http:listener

Attribute	Value
doc:name	Listener
doc:id	b09b0df2-a209-4933-a410-5fe70c3a97cd

### 5.2.2 ee:transform

Attribute	Value
doc:name	Transform Message
doc:id	c34cabfb-a986-485d-a864-9a3fc85afa6

### 5.2.3 async

Attribute	Value
doc:name	Async
doc:id	e67fccaa-65b2-4db2-8b6d-2dd123455fd4

### 5.2.4 set-payload

Attribute	Value
doc:name	Set Payload
doc:id	e73be6d0-b1dc-4ab9-8865-be13a10a2cb7
value	#[payload]

## 6. Mule Sub-Flows

No sub-flows found

## 7. DataWeave Files

No DataWeave files found

## 8. Other Resources

File Name	Relative Path
home.md	exchange-docs\home.md

## **9. References**

References section is placeholder for any reference details team requires. It can have team playbook reference details or any other information for project.