Aggregate Data

Tyler Lau

July 18, 2016

[1] "No Sound Change, Token Freq F, Number of cases being considered: 5"

[1] "Only considering max suffixes: FALSE"

[1] "Dropping suffixes that appear 10 or less times"

[1] "Sg"

	Suffix	freq	Percent_Trials
2	e	22	44
1	-	12	24
3	i	10	20
4	u	6	12

[1] "SgNom,Acc"

	Suffix	freq	Percent_Trials
3	u	31	62
2	e	11	22
1	-	8	16

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	a	50	100

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
2	u	48	96
1	-	2	4

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	26	52
2	e	24	48

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
2	u	49	98
1	-	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	23	46
3	e	23	46
2	a	2	4
4	i	2	4

[1] "mSgNom,Acc"

	Suffix	freq	Percent_Trials
2	u	48	96
1	-	2	4

[1] "fSgNom,Acc"

	Suffix	freq	Percent_Trials
2	a	24	48
3	e	21	42
1	-	5	10

```
[1] "nSgNom,Acc"
  Suffix freq Percent_Trials
2     u   48            96
1     -    2             4
[1] "SgAcc,Abl"
  Suffix freq Percent_Trials
2     e   29            58
3     u   13            26
1     -    8            16
[1] "1SgAcc,Abl"
  Suffix freq Percent_Trials
2     a   49            98
1     -    1             2
[1] "2SgAcc,Abl"
  Suffix freq Percent_Trials
3     u   35            70
1     -   12            24
2     o    3             6
[1] "3SgAcc,Abl"
  Suffix freq Percent_Trials
2     e   42            84
1     -    8            16
[1] "4SgAcc,Abl"
  Suffix freq Percent_Trials
3     u   41            82
1     -    8            16
2     o    1             2
[1] "5SgAcc,Abl"
  Suffix freq Percent_Trials
3     e   33            66
1     -   13            26
2     a    2             4
4     i    2             4
[1] "mSgAcc,Abl"
  Suffix freq Percent_Trials
3     u   33            66
2     e   12            24
1     -    5            10
[1] "fSgAcc,Abl"
  Suffix freq Percent_Trials
3     e   33            66
2     a   13            26
1     -    4             8
[1] "nSgAcc,Abl"
  Suffix freq Percent_Trials
3     u   32            64
1     -   13            26
2     e    5            10
[1] "SgNom,Acc,Abl"
  Suffix freq Percent_Trials
3     u   21            42
2     e   20            40
1     -    9            18
[1] "1SgNom,Acc,Abl"
```

```
   Suffix freq Percent_Trials
1      a   50          100
[1] "2SgNom,Acc,Abl"
   Suffix freq Percent_Trials
2      u   49           98
1      -    1            2
[1] "3SgNom,Acc,Abl"
   Suffix freq Percent_Trials
2      e   41           82
1      -    9           18
[1] "4SgNom,Acc,Abl"
   Suffix freq Percent_Trials
1      u   49           98
2     ui    1            2
[1] "5SgNom,Acc,Abl"
   Suffix freq Percent_Trials
3      e   33           66
1      -   11           22
4      i    4            8
2      a    2            4
[1] "mSgNom,Acc,Abl"
   Suffix freq Percent_Trials
3      u   39           78
2      e    8           16
1      -    3            6
[1] "fSgNom,Acc,Abl"
   Suffix freq Percent_Trials
2      a   24           48
3      e   21           42
1      -    5           10
[1] "nSgNom,Acc,Abl"
   Suffix freq Percent_Trials
2      u   39           78
1      -   11           22
[1] "SgGen,Dat"
   Suffix freq Percent_Trials
1      -   16           32
2      e   14           28
3      i   14           28
4      u    6           12
[1] "1SgGen,Dat"
   Suffix freq Percent_Trials
2      a   32           64
1      -    8           16
3      e    7           14
4      i    3            6
[1] "2SgGen,Dat"
   Suffix freq Percent_Trials
1      -   17           34
3      i   14           28
4      u   11           22
2      e    8           16
[1] "3SgGen,Dat"
   Suffix freq Percent_Trials
```

```
2      e   24           48
1      -   15           30
3      i   11           22
[1] "4SgGen,Dat"
  Suffix freq Percent_Trials
4      u   17           34
3      i   13           26
1      -   12           24
2      e    8           16
[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
3      e   23           46
1      -   15           30
4      i   11           22
2      a    1            2
[1] "mSgGen,Dat"
  Suffix freq Percent_Trials
3      i   14           28
2      e   13           26
1      -   12           24
4      u   11           22
[1] "fSgGen,Dat"
  Suffix freq Percent_Trials
3      e   20           40
1      -   11           22
4      i   10           20
2      a    9           18
[1] "nSgGen,Dat"
  Suffix freq Percent_Trials
1      -   17           34
3      i   14           28
4      u   11           22
2      e    8           16
[1] "Nom"
  Suffix freq Percent_Trials
3      i   23           46
2      e   14           28
1      -   11           22
4      u    2            4
[1] "NomSg"
  Suffix freq Percent_Trials
1      -   23           46
3      u   16           32
2      e   11           22
[1] "1"
  Suffix freq Percent_Trials
2      a   36           72
3      e    9           18
4      i    3            6
1      -    2            4
[1] "1Sg"
  Suffix freq Percent_Trials
2      a   49           98
1      -    1            2
```

```
[1] "1SgNom"
  Suffix freq Percent_Trials
1      a   50            100
[1] "2"
  Suffix freq Percent_Trials
3      i   20             40
1      -   18             36
4      u    8             16
2      e    4              8
[1] "2Sg"
  Suffix freq Percent_Trials
3      u   38             76
1      -   10             20
2      i    2              4
[1] "2SgNom"
  Suffix freq Percent_Trials
2      u   48             96
1      -    2              4
[1] "3"
  Suffix freq Percent_Trials
2      e   22             44
3      i   18             36
1      -   10             20
[1] "3Sg"
  Suffix freq Percent_Trials
2      e   36             72
1      -   13             26
3      i    1              2
[1] "3SgNom"
  Suffix freq Percent_Trials
1      -   27             54
2      e   23             46
[1] "4"
  Suffix freq Percent_Trials
3      i   19             38
4      u   14             28
1      -   12             24
2      e    4              8
5     ui    1              2
[1] "4Sg"
  Suffix freq Percent_Trials
3      u   42             84
1      -    5             10
2      i    2              4
4     ui    1              2
[1] "4SgNom"
  Suffix freq Percent_Trials
2      u   48             96
1      -    1              2
3     ui    1              2
[1] "5"
  Suffix freq Percent_Trials
3      e   23             46
4      i   16             32
```

```
1        -    9              18
2        a    2               4
[1] "5Sg"
  Suffix freq Percent_Trials
3      e   33             66
1      -   11             22
4      i    4              8
2      a    2              4
[1] "5SgNom"
  Suffix freq Percent_Trials
3      e   22             44
1      -   21             42
4      i    5             10
2      a    2              4
[1] "m"
  Suffix freq Percent_Trials
3      i   22             44
2      e   17             34
1      -   10             20
4      u    1              2
[1] "mSg"
  Suffix freq Percent_Trials
4      u   16             32
2      e   15             30
1      -   12             24
3      i    7             14
[1] "mSgNom"
  Suffix freq Percent_Trials
2      u   48             96
1      -    2              4
[1] "f135Sg"
  Suffix freq Percent_Trials
3      e   24             48
2      a   15             30
1      -    8             16
4      i    3              6
[1] "m24Sg"
  Suffix freq Percent_Trials
4      u   41             82
1      -    6             12
3      i    2              4
2      e    1              2
[1] "n24Sg"
  Suffix freq Percent_Trials
4      u   38             76
1      -    9             18
3      i    2              4
2      e    1              2
[1] "m234Sg"
  Suffix freq Percent_Trials
4      u   16             32
2      e   15             30
1      -   12             24
3      i    7             14
```

```
[1] "m2345Sg"
  Suffix freq Percent_Trials
4      u   16             32
2      e   15             30
1      -   12             24
3      i    7             14
[1] "m1Sg"
  Suffix freq Percent_Trials
2      a   41             82
1      -    8             16
3      e    1              2
[1] "m1SgNom"
  Suffix freq Percent_Trials
2      a   40             80
1      -    9             18
3      e    1              2
[1] "m2Sg"
  Suffix freq Percent_Trials
4      u   36             72
1      -   10             20
2      e    2              4
3      i    2              4
[1] "m2SgNom"
  Suffix freq Percent_Trials
2      u   48             96
1      -    2              4
[1] "m3Sg"
  Suffix freq Percent_Trials
2      e   41             82
1      -    9             18
[1] "m3SgNom"
  Suffix freq Percent_Trials
1      -   28             56
2      e   22             44
[1] "m4Sg"
  Suffix freq Percent_Trials
4      u   41             82
1      -    5             10
3      i    2              4
2      e    1              2
5     ui    1              2
[1] "m4SgNom"
  Suffix freq Percent_Trials
2      u   48             96
1      -    1              2
3     ui    1              2
[1] "m5Sg"
  Suffix freq Percent_Trials
3      e   33             66
1      -   12             24
4      i    3              6
2      a    2              4
[1] "m5SgNom"
  Suffix freq Percent_Trials
```

```
1     -   22            44
3     e   21            42
4     i    5            10
2     a    2             4
[1] "f"
  Suffix freq Percent_Trials
3     e   29            58
2     a    8            16
1     -    7            14
4     i    6            12
[1] "fSg"
  Suffix freq Percent_Trials
3     e   24            48
2     a   14            28
1     -    9            18
4     i    3             6
[1] "fSgNom"
  Suffix freq Percent_Trials
3     e   21            42
1     -   20            40
2     a    8            16
4     i    1             2
[1] "f1Sg"
  Suffix freq Percent_Trials
2     a   49            98
1     -    1             2
[1] "f1SgNom"
  Suffix freq Percent_Trials
1     a   50           100
[1] "f2Sg"
  Suffix freq Percent_Trials
4     u   34            68
1     -   11            22
2     e    3             6
3     i    2             4
[1] "f2SgNom"
  Suffix freq Percent_Trials
3     u   37            74
1     -   12            24
2     i    1             2
[1] "f3Sg"
  Suffix freq Percent_Trials
2     e   40            80
1     -    9            18
3     i    1             2
[1] "f3SgNom"
  Suffix freq Percent_Trials
2     e   25            50
1     -   24            48
3     i    1             2
[1] "f4Sg"
  Suffix freq Percent_Trials
4     u   34            68
1     -   12            24
```

```
3      i    2               4
2      e    1               2
5     ui    1               2
[1] "f4SgNom"
  Suffix freq Percent_Trials
3      u   40              80
1      -    8              16
2      i    1               2
4     ui    1               2
[1] "f5Sg"
  Suffix freq Percent_Trials
3      e   33              66
1      -   11              22
4      i    4               8
2      a    2               4
[1] "f5SgNom"
  Suffix freq Percent_Trials
3      e   22              44
1      -   21              42
4      i    5              10
2      a    2               4
[1] "n"
  Suffix freq Percent_Trials
3      i   21              42
1      -   16              32
2      e   11              22
4      u    2               4
[1] "nSg"
  Suffix freq Percent_Trials
1      -   17              34
4      u   15              30
3      i   10              20
2      e    8              16
[1] "nSgNom"
  Suffix freq Percent_Trials
2      u   48              96
1      -    2               4
[1] "n2Sg"
  Suffix freq Percent_Trials
4      u   36              72
1      -   10              20
2      e    2               4
3      i    2               4
[1] "n2SgNom"
  Suffix freq Percent_Trials
2      u   48              96
1      -    2               4
[1] "n3Sg"
  Suffix freq Percent_Trials
1      -   26              52
2      e   22              44
3      i    2               4
[1] "n3SgNom"
  Suffix freq Percent_Trials
```

```
1        -     38            76
2        e     11            22
3        i      1             2
[1] "n4Sg"
  Suffix freq Percent_Trials
4        u     42            84
1        -      4             8
2        e      2             4
3        i      2             4
[1] "n4SgNom"
  Suffix freq Percent_Trials
3        u     48            96
1        -      1             2
2        e      1             2
[1] "Acc"
  Suffix freq Percent_Trials
2        e     27            54
3        i     13            26
1        -      8            16
4        u      2             4
[1] "AccSg"
  Suffix freq Percent_Trials
3        u     22            44
2        e     21            42
1        -      7            14
[1] "1SgAcc"
  Suffix freq Percent_Trials
1        a     50           100
[1] "2SgAcc"
  Suffix freq Percent_Trials
2        u     49            98
1        -      1             2
[1] "3SgAcc"
  Suffix freq Percent_Trials
2        e     41            82
1        -      9            18
[1] "4SgAcc"
  Suffix freq Percent_Trials
1        u     50           100
[1] "5SgAcc"
  Suffix freq Percent_Trials
3        e     34            68
1        -     12            24
2        a      2             4
4        i      2             4
[1] "mSgAcc"
  Suffix freq Percent_Trials
2        u     49            98
1        -      1             2
[1] "m1SgAcc"
  Suffix freq Percent_Trials
2        a     41            82
1        -      8            16
3        e      1             2
```

```
[1] "m2SgAcc"
  Suffix freq Percent_Trials
2     u   49             98
1     -    1              2
[1] "m3SgAcc"
  Suffix freq Percent_Trials
2     e   40             80
1     -   10             20
[1] "m4SgAcc"
  Suffix freq Percent_Trials
1     u   50            100
[1] "m5SgAcc"
  Suffix freq Percent_Trials
3     e   34             68
1     -   13             26
2     a    2              4
4     i    1              2
[1] "fSgAcc"
  Suffix freq Percent_Trials
3     e   33             66
2     a   12             24
1     -    5             10
[1] "f1SgAcc"
  Suffix freq Percent_Trials
1     a   50            100
[1] "f2SgAcc"
  Suffix freq Percent_Trials
2     u   38             76
1     -   12             24
[1] "f3SgAcc"
  Suffix freq Percent_Trials
2     e   43             86
1     -    7             14
[1] "f4SgAcc"
  Suffix freq Percent_Trials
2     u   42             84
1     -    8             16
[1] "f5SgAcc"
  Suffix freq Percent_Trials
3     e   34             68
1     -   12             24
2     a    2              4
4     i    2              4
[1] "nSgAcc"
  Suffix freq Percent_Trials
2     u   49             98
1     -    1              2
[1] "n2SgAcc"
  Suffix freq Percent_Trials
2     u   49             98
1     -    1              2
[1] "n3SgAcc"
  Suffix freq Percent_Trials
1     -   29             58
```

```
2      e    21              42
[1] "n4SgAcc"
   Suffix freq Percent_Trials
2      u    49              98
1      -     1               2
[1] "Gen"
   Suffix freq Percent_Trials
3      i    23              46
1      -    14              28
2      e    12              24
4      u     1               2
[1] "GenSg"
   Suffix freq Percent_Trials
1      -    19              38
3      i    16              32
2      e    13              26
4      u     2               4
[1] "1SgGen"
   Suffix freq Percent_Trials
2      a    28              56
3      e    11              22
1      -     7              14
4      i     4               8
[1] "2SgGen"
   Suffix freq Percent_Trials
1      -    16              32
3      i    15              30
4      u    11              22
2      e     8              16
[1] "3SgGen"
   Suffix freq Percent_Trials
2      e    20              40
3      i    16              32
1      -    14              28
[1] "4SgGen"
   Suffix freq Percent_Trials
4      u    16              32
3      i    14              28
1      -    11              22
2      e     8              16
5     ui     1               2
[1] "5SgGen"
   Suffix freq Percent_Trials
3      e    18              36
4      i    16              32
1      -    15              30
2      a     1               2
[1] "mSgGen"
   Suffix freq Percent_Trials
3      i    14              28
1      -    13              26
2      e    12              24
4      u    11              22
[1] "m1SgGen"
```

```
  Suffix freq Percent_Trials
2      a   25             50
1      -   11             22
3      e    7             14
4      i    7             14
[1] "m2SgGen"
  Suffix freq Percent_Trials
1      -   17             34
3      i   14             28
4      u   11             22
2      e    8             16
[1] "m3SgGen"
  Suffix freq Percent_Trials
2      e   20             40
3      i   16             32
1      -   14             28
[1] "m4SgGen"
  Suffix freq Percent_Trials
4      u   16             32
3      i   14             28
1      -   11             22
2      e    8             16
5     ui    1              2
[1] "m5SgGen"
  Suffix freq Percent_Trials
3      e   17             34
4      i   17             34
1      -   15             30
2      a    1              2
[1] "fSgGen"
  Suffix freq Percent_Trials
3      e   17             34
4      i   16             32
1      -   15             30
2      a    2              4
[1] "f1SgGen"
  Suffix freq Percent_Trials
2      a   28             56
3      e   11             22
1      -    7             14
4      i    4              8
[1] "f2SgGen"
  Suffix freq Percent_Trials
1      -   15             30
3      i   15             30
2      e   10             20
4      u   10             20
[1] "f3SgGen"
  Suffix freq Percent_Trials
2      e   20             40
3      i   16             32
1      -   14             28
[1] "f4SgGen"
  Suffix freq Percent_Trials
```

```
1       -    16              32
3       i    15              30
4       u    11              22
2       e     7              14
5      ui     1               2
[1] "f5SgGen"
  Suffix freq Percent_Trials
3       e    18              36
4       i    16              32
1       -    15              30
2       a     1               2
[1] "nSgGen"
  Suffix freq Percent_Trials
1       -    16              32
3       i    15              30
4       u    11              22
2       e     8              16
[1] "n2SgGen"
  Suffix freq Percent_Trials
1       -    16              32
3       i    15              30
4       u    11              22
2       e     8              16
[1] "n3SgGen"
  Suffix freq Percent_Trials
1       -    21              42
3       i    16              32
2       e    13              26
[1] "n4SgGen"
  Suffix freq Percent_Trials
4       u    17              34
3       i    14              28
1       -    11              22
2       e     8              16
[1] "Dat"
  Suffix freq Percent_Trials
3       i    21              42
2       e    16              32
1       -    13              26
[1] "DatSg"
  Suffix freq Percent_Trials
2       e    22              44
1       -    14              28
3       i    10              20
4       u     4               8
[1] "1SgDat"
  Suffix freq Percent_Trials
2       a    33              66
1       -     8              16
3       e     6              12
4       i     3               6
[1] "2SgDat"
  Suffix freq Percent_Trials
1       -    17              34
```

```
4      u   13             26
3      i   12             24
2      e    8             16
[1] "3SgDat"
  Suffix freq Percent_Trials
2      e   33             66
1      -    9             18
3      i    8             16
[1] "4SgDat"
  Suffix freq Percent_Trials
4      u   20             40
3      i   11             22
1      -   10             20
2      e    9             18
[1] "5SgDat"
  Suffix freq Percent_Trials
3      e   28             56
1      -   11             22
4      i   10             20
2      a    1              2
[1] "mSgDat"
  Suffix freq Percent_Trials
2      e   14             28
4      u   13             26
3      i   12             24
1      -   11             22
[1] "m1SgDat"
  Suffix freq Percent_Trials
2      a   28             56
1      -   11             22
3      e    6             12
4      i    5             10
[1] "m2SgDat"
  Suffix freq Percent_Trials
1      -   16             32
4      u   14             28
3      i   12             24
2      e    8             16
[1] "m3SgDat"
  Suffix freq Percent_Trials
2      e   33             66
1      -    9             18
3      i    8             16
[1] "m4SgDat"
  Suffix freq Percent_Trials
4      u   20             40
3      i   11             22
1      -   10             20
2      e    9             18
[1] "m5SgDat"
  Suffix freq Percent_Trials
3      e   28             56
1      -   12             24
4      i    9             18
```

```
2      a    1            2
[1] "fSgDat"
   Suffix freq Percent_Trials
3      e   27            54
1      -   11            22
4      i    9            18
2      a    3             6
[1] "f1SgDat"
   Suffix freq Percent_Trials
2      a   33            66
1      -    8            16
3      e    6            12
4      i    3             6
[1] "f2SgDat"
   Suffix freq Percent_Trials
1      -   15            30
3      i   13            26
4      u   12            24
2      e   10            20
[1] "f3SgDat"
   Suffix freq Percent_Trials
2      e   33            66
3      i    9            18
1      -    8            16
[1] "f4SgDat"
   Suffix freq Percent_Trials
4      u   15            30
1      -   14            28
3      i   11            22
2      e    9            18
5     ui    1             2
[1] "f5SgDat"
   Suffix freq Percent_Trials
3      e   28            56
1      -   11            22
4      i   10            20
2      a    1             2
[1] "nSgDat"
   Suffix freq Percent_Trials
1      -   17            34
4      u   13            26
3      i   12            24
2      e    8            16
[1] "n2SgDat"
   Suffix freq Percent_Trials
1      -   17            34
4      u   13            26
3      i   12            24
2      e    8            16
[1] "n3SgDat"
   Suffix freq Percent_Trials
2      e   22            44
1      -   18            36
3      i   10            20
```

```
[1] "n4SgDat"
  Suffix freq Percent_Trials
4      u   18             36
1      -   13             26
3      i   11             22
2      e    8             16
[1] "Abl"
  Suffix freq Percent_Trials
3      i   23             46
2      e   15             30
1      -   11             22
4      u    1              2
[1] "AblSg"
  Suffix freq Percent_Trials
2      e   24             48
1      -   13             26
4      u   12             24
3      o    1              2
[1] "1SgAbl"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
[1] "2SgAbl"
  Suffix freq Percent_Trials
3      u   32             64
1      -   13             26
2      o    5             10
[1] "3SgAbl"
  Suffix freq Percent_Trials
2      e   43             86
1      -    7             14
[1] "4SgAbl"
  Suffix freq Percent_Trials
3      u   38             76
1      -    8             16
2      o    3              6
4     ui    1              2
[1] "5SgAbl"
  Suffix freq Percent_Trials
3      e   33             66
1      -   11             22
4      i    4              8
2      a    2              4
[1] "mSgAbl"
  Suffix freq Percent_Trials
4      u   32             64
1      -    8             16
2      e    7             14
3      o    3              6
[1] "m1SgAbl"
  Suffix freq Percent_Trials
2      a   41             82
1      -    8             16
3      e    1              2
```

```
[1] "m2SgAbl"
  Suffix freq Percent_Trials
3      u   32             64
1      -   13             26
2      o    5             10
[1] "m3SgAbl"
  Suffix freq Percent_Trials
2      e   42             84
1      -    8             16
[1] "m4SgAbl"
  Suffix freq Percent_Trials
3      u   38             76
1      -    8             16
2      o    3              6
4     ui    1              2
[1] "m5SgAbl"
  Suffix freq Percent_Trials
3      e   34             68
1      -   10             20
4      i    4              8
2      a    2              4
[1] "fSgAbl"
  Suffix freq Percent_Trials
3      e   32             64
2      a   11             22
1      -    7             14
[1] "f1SgAbl"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
[1] "f2SgAbl"
  Suffix freq Percent_Trials
5      u   30             60
1      -   15             30
2      e    3              6
3      i    1              2
4      o    1              2
[1] "f3SgAbl"
  Suffix freq Percent_Trials
2      e   43             86
1      -    7             14
[1] "f4SgAbl"
  Suffix freq Percent_Trials
5      u   29             58
1      -   17             34
2      e    1              2
3      i    1              2
4      o    1              2
6     ui    1              2
[1] "f5SgAbl"
  Suffix freq Percent_Trials
3      e   33             66
1      -   11             22
4      i    4              8
```

```
2      a    2               4
[1] "nSgAbl"
  Suffix freq Percent_Trials
3      u   32              64
1      -   13              26
2      o    5              10
[1] "n2SgAbl"
  Suffix freq Percent_Trials
3      u   32              64
1      -   13              26
2      o    5              10
[1] "n3SgAbl"
  Suffix freq Percent_Trials
1      -   24              48
2      e   24              48
3      i    2               4
[1] "n4SgAbl"
  Suffix freq Percent_Trials
3      u   40              80
1      -    8              16
2      o    2               4
[1] "Pl"
  Suffix freq Percent_Trials
3      i   25              50
1      -   13              26
2      e   11              22
4      u    1               2
[1] "PlNom,Acc"
  Suffix freq Percent_Trials
3      i   25              50
1      -   14              28
2      e   10              20
4      u    1               2
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
1      a   33              66
2      e   13              26
3      i    4               8
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
1      -   23              46
3      i   21              42
4      u    5              10
2      e    1               2
[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
3      i   21              42
2      e   19              38
1      -   10              20
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
3      i   19              38
1      -   17              34
4      u   10              20
```

```
2      e     3                6
5      ui    1                2
[1] "5PlNom,Acc"
   Suffix freq Percent_Trials
3      e    21               42
4      i    18               36
1      -    10               20
2      a     1                2
[1] "mPlNom,Acc"
   Suffix freq Percent_Trials
3      i    25               50
1      -    15               30
2      e     6               12
4      u     4                8
[1] "fPlNom,Acc"
   Suffix freq Percent_Trials
3      e    20               40
4      i    19               38
2      a     7               14
1      -     4                8
[1] "nPlNom,Acc"
   Suffix freq Percent_Trials
3      i    22               44
1      -    21               42
4      u     4                8
2      e     3                6
[1] "PlAcc,Abl"
   Suffix freq Percent_Trials
3      i    25               50
1      -    14               28
2      e    11               22
[1] "1PlAcc,Abl"
   Suffix freq Percent_Trials
2      a    33               66
3      e    13               26
4      i     3                6
1      -     1                2
[1] "2PlAcc,Abl"
   Suffix freq Percent_Trials
3      i    22               44
1      -    21               42
4      u     4                8
2      e     3                6
[1] "3PlAcc,Abl"
   Suffix freq Percent_Trials
2      e    25               50
3      i    19               38
1      -     6               12
[1] "4PlAcc,Abl"
   Suffix freq Percent_Trials
3      i    20               40
1      -    19               38
4      u     6               12
2      e     4                8
```

```
5     ui    1              2
[1] "5PlAcc,Abl"
  Suffix freq Percent_Trials
3      e   25             50
4      i   17             34
1      -    7             14
2      a    1              2
[1] "mPlAcc,Abl"
  Suffix freq Percent_Trials
3      i   24             48
1      -   15             30
2      e    7             14
4      u    4              8
[1] "fPlAcc,Abl"
  Suffix freq Percent_Trials
3      e   23             46
4      i   19             38
1      -    4              8
2      a    4              8
[1] "nPlAcc,Abl"
  Suffix freq Percent_Trials
3      i   22             44
1      -   20             40
2      e    4              8
4      u    4              8
[1] "PlNom,Acc,Abl"
  Suffix freq Percent_Trials
3      i   26             52
1      -   14             28
2      e    9             18
4      u    1              2
[1] "1PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   27             54
2      e   18             36
3      i    5             10
[1] "2PlNom,Acc,Abl"
  Suffix freq Percent_Trials
3      i   24             48
1      -   21             42
4      u    4              8
2      e    1              2
[1] "3PlNom,Acc,Abl"
  Suffix freq Percent_Trials
3      i   25             50
2      e   19             38
1      -    6             12
[1] "4PlNom,Acc,Abl"
  Suffix freq Percent_Trials
3      i   21             42
1      -   16             32
4      u    8             16
2      e    3              6
5     ui    2              4
```

```
[1] "5PlNom,Acc,Abl"
  Suffix freq Percent_Trials
4      i   24             48
3      e   18             36
1      -    7             14
2      a    1              2
[1] "mPlNom,Acc,Abl"
  Suffix freq Percent_Trials
3      i   24             48
1      -   14             28
2      e    8             16
4      u    4              8
[1] "fPlNom,Acc,Abl"
  Suffix freq Percent_Trials
3      e   20             40
4      i   19             38
2      a    6             12
1      -    5             10
[1] "nPlNom,Acc,Abl"
  Suffix freq Percent_Trials
3      i   23             46
1      -   18             36
2      e    5             10
4      u    4              8
[1] "PlGen,Dat"
  Suffix freq Percent_Trials
3      i   22             44
2      e   14             28
1      -   13             26
4      u    1              2
[1] "1PlGen,Dat"
  Suffix freq Percent_Trials
2      a   23             46
3      e   14             28
4      i    7             14
1      -    6             12
[1] "2PlGen,Dat"
  Suffix freq Percent_Trials
3      i   23             46
1      -   16             32
2      e   10             20
4      u    1              2
[1] "3PlGen,Dat"
  Suffix freq Percent_Trials
3      i   22             44
2      e   18             36
1      -   10             20
[1] "4PlGen,Dat"
  Suffix freq Percent_Trials
3      i   22             44
1      -   17             34
2      e    9             18
4      u    1              2
5     ui    1              2
```

```
[1] "5PlGen,Dat"
  Suffix freq Percent_Trials
2     e   20            40
3     i   19            38
1     -   11            22
[1] "mPlGen,Dat"
  Suffix freq Percent_Trials
3     i   23            46
1     -   14            28
2     e   12            24
4     u    1             2
[1] "fPlGen,Dat"
  Suffix freq Percent_Trials
4     i   20            40
3     e   18            36
1     -    8            16
2     a    4             8
[1] "nPlGen,Dat"
  Suffix freq Percent_Trials
3     i   22            44
1     -   16            32
2     e   11            22
4     u    1             2
[1] "NomPl"
  Suffix freq Percent_Trials
3     i   27            54
1     -   15            30
2     e    8            16
[1] "1Pl"
  Suffix freq Percent_Trials
2     a   26            52
3     e   18            36
4     i    5            10
1     -    1             2
[1] "1PlNom"
  Suffix freq Percent_Trials
1     a   25            50
2     e   19            38
3     i    6            12
[1] "2Pl"
  Suffix freq Percent_Trials
3     i   24            48
1     -   17            34
2     e    5            10
4     u    4             8
[1] "2PlNom"
  Suffix freq Percent_Trials
3     i   23            46
1     -   19            38
4     u    5            10
2     e    2             4
5    ui    1             2
[1] "3Pl"
  Suffix freq Percent_Trials
```

```
3      i   25              50
2      e   16              32
1      -    9              18
[1] "3PlNom"
   Suffix freq Percent_Trials
3      i   26              52
2      e   14              28
1      -   10              20
[1] "4Pl"
   Suffix freq Percent_Trials
3      i   22              44
1      -   17              34
2      e    5              10
4      u    5              10
5     ui    1               2
[1] "4PlNom"
   Suffix freq Percent_Trials
3      i   20              40
1      -   15              30
4      u    9              18
2      e    3               6
5     ui    3               6
[1] "5Pl"
   Suffix freq Percent_Trials
4      i   23              46
3      e   19              38
1      -    7              14
2      a    1               2
[1] "5PlNom"
   Suffix freq Percent_Trials
4      i   25              50
3      e   15              30
1      -    9              18
2      a    1               2
[1] "mPl"
   Suffix freq Percent_Trials
3      i   24              48
1      -   13              26
2      e   12              24
4      u    1               2
[1] "mPlNom"
   Suffix freq Percent_Trials
3      i   26              52
1      -   15              30
4      u    5              10
2      e    4               8
[1] "f135Pl"
   Suffix freq Percent_Trials
4      i   23              46
3      e   16              32
1      -    7              14
2      a    4               8
[1] "m24Pl"
   Suffix freq Percent_Trials
```

```
3     i   24          48
1     -   17          34
2     e    5          10
4     u    4           8
[1] "n24Pl"
  Suffix freq Percent_Trials
3     i   24          48
1     -   17          34
2     e    5          10
4     u    4           8
[1] "m234Pl"
  Suffix freq Percent_Trials
3     i   24          48
1     -   13          26
2     e   12          24
4     u    1           2
[1] "m2345Pl"
  Suffix freq Percent_Trials
3     i   24          48
1     -   13          26
2     e   12          24
4     u    1           2
[1] "m1Pl"
  Suffix freq Percent_Trials
2     a   23          46
3     e   13          26
4     i    9          18
1     -    5          10
[1] "m1PlNom"
  Suffix freq Percent_Trials
2     a   23          46
3     e   13          26
4     i   10          20
1     -    4           8
[1] "m2Pl"
  Suffix freq Percent_Trials
3     i   24          48
1     -   16          32
2     e    6          12
4     u    4           8
[1] "m2PlNom"
  Suffix freq Percent_Trials
3     i   23          46
1     -   19          38
4     u    5          10
2     e    2           4
5    ui    1           2
[1] "m3Pl"
  Suffix freq Percent_Trials
3     i   24          48
2     e   20          40
1     -    6          12
[1] "m3PlNom"
  Suffix freq Percent_Trials
```

```
3       i    26                   52
2       e    14                   28
1       -    10                   20
[1] "m4Pl"
   Suffix freq Percent_Trials
3       i    22                   44
1       -    17                   34
2       e     5                   10
4       u     5                   10
5      ui     1                    2
[1] "m4PlNom"
   Suffix freq Percent_Trials
3       i    20                   40
1       -    15                   30
4       u     9                   18
2       e     3                    6
5      ui     3                    6
[1] "m5Pl"
   Suffix freq Percent_Trials
4       i    23                   46
3       e    20                   40
1       -     6                   12
2       a     1                    2
[1] "m5PlNom"
   Suffix freq Percent_Trials
4       i    26                   52
3       e    14                   28
1       -     9                   18
2       a     1                    2
[1] "fPl"
   Suffix freq Percent_Trials
4       i    23                   46
3       e    16                   32
1       -     7                   14
2       a     4                    8
[1] "fPlNom"
   Suffix freq Percent_Trials
4       i    25                   50
3       e    14                   28
1       -     9                   18
2       a     2                    4
[1] "f1Pl"
   Suffix freq Percent_Trials
2       a    26                   52
3       e    18                   36
4       i     5                   10
1       -     1                    2
[1] "f1PlNom"
   Suffix freq Percent_Trials
1       a    25                   50
2       e    20                   40
3       i     5                   10
[1] "f2Pl"
   Suffix freq Percent_Trials
```

```
3     i   23              46
1     -   19              38
2     e    4               8
4     u    4               8
[1] "f2PlNom"
  Suffix freq Percent_Trials
3     i   24              48
1     -   17              34
4     u    5              10
2     e    4               8
[1] "f3Pl"
  Suffix freq Percent_Trials
3     i   24              48
2     e   20              40
1     -    6              12
[1] "f3PlNom"
  Suffix freq Percent_Trials
3     i   26              52
2     e   14              28
1     -   10              20
[1] "f4Pl"
  Suffix freq Percent_Trials
3     i   21              42
1     -   16              32
2     e    7              14
4     u    5              10
5    ui    1               2
[1] "f4PlNom"
  Suffix freq Percent_Trials
3     i   22              44
1     -   16              32
4     u    6              12
2     e    5              10
5    ui    1               2
[1] "f5Pl"
  Suffix freq Percent_Trials
4     i   23              46
3     e   19              38
1     -    7              14
2     a    1               2
[1] "f5PlNom"
  Suffix freq Percent_Trials
4     i   25              50
3     e   15              30
1     -    9              18
2     a    1               2
[1] "nPl"
  Suffix freq Percent_Trials
3     i   24              48
1     -   16              32
2     e    9              18
4     u    1               2
[1] "nPlNom"
  Suffix freq Percent_Trials
```

```
3    i   24           48
1    -   19           38
4    u    5           10
2    e    2            4
[1] "n2Pl"
  Suffix freq Percent_Trials
3    i   24           48
1    -   17           34
2    e    5           10
4    u    4            8
[1] "n2PlNom"
  Suffix freq Percent_Trials
3    i   23           46
1    -   19           38
4    u    5           10
2    e    2            4
5   ui    1            2
[1] "n3Pl"
  Suffix freq Percent_Trials
3    i   23           46
1    -   15           30
2    e   12           24
[1] "n3PlNom"
  Suffix freq Percent_Trials
3    i   24           48
1    -   17           34
2    e    9           18
[1] "n4Pl"
  Suffix freq Percent_Trials
3    i   22           44
1    -   17           34
2    e    5           10
4    u    5           10
5   ui    1            2
[1] "n4PlNom"
  Suffix freq Percent_Trials
3    i   20           40
1    -   15           30
4    u    9           18
2    e    3            6
5   ui    3            6
[1] "AccPl"
  Suffix freq Percent_Trials
3    i   20           40
1    -   16           32
2    e   14           28
[1] "1PlAcc"
  Suffix freq Percent_Trials
1    a   33           66
2    e   13           26
3    i    4            8
[1] "2PlAcc"
  Suffix freq Percent_Trials
1    -   25           50
```

```
3      i    17              34
4      u     7              14
2      e     1               2
[1] "3PlAcc"
   Suffix freq Percent_Trials
2      e    27              54
3      i    17              34
1      -     6              12
[1] "4PlAcc"
   Suffix freq Percent_Trials
1      -    18              36
3      i    16              32
4      u    12              24
2      e     3               6
5     ui     1               2
[1] "5PlAcc"
   Suffix freq Percent_Trials
3      e    24              48
4      i    18              36
1      -     7              14
2      a     1               2
[1] "mPlAcc"
   Suffix freq Percent_Trials
1      -    18              36
3      i    18              36
2      e     7              14
4      u     7              14
[1] "m1PlAcc"
   Suffix freq Percent_Trials
2      a    30              60
3      e     8              16
4      i     8              16
1      -     4               8
[1] "m2PlAcc"
   Suffix freq Percent_Trials
1      -    23              46
3      i    18              36
4      u     8              16
2      e     1               2
[1] "m3PlAcc"
   Suffix freq Percent_Trials
2      e    27              54
3      i    17              34
1      -     6              12
[1] "m4PlAcc"
   Suffix freq Percent_Trials
1      -    18              36
3      i    16              32
4      u    12              24
2      e     3               6
5     ui     1               2
[1] "m5PlAcc"
   Suffix freq Percent_Trials
3      e    24              48
```

```
4      i    18              36
1      -     7              14
2      a     1               2
[1] "fPlAcc"
  Suffix freq Percent_Trials
3      e    22              44
4      i    17              34
2      a     6              12
1      -     5              10
[1] "f1PlAcc"
  Suffix freq Percent_Trials
1      a    33              66
2      e    13              26
3      i     4               8
[1] "f2PlAcc"
  Suffix freq Percent_Trials
1      -    20              40
3      i    18              36
4      u     8              16
2      e     4               8
[1] "f3PlAcc"
  Suffix freq Percent_Trials
2      e    26              52
3      i    18              36
1      -     6              12
[1] "f4PlAcc"
  Suffix freq Percent_Trials
1      -    20              40
3      i    16              32
4      u     8              16
2      e     5              10
5     ui     1               2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
3      e    24              48
4      i    18              36
1      -     7              14
2      a     1               2
[1] "nPlAcc"
  Suffix freq Percent_Trials
1      -    25              50
3      i    17              34
4      u     7              14
2      e     1               2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1      -    25              50
3      i    17              34
4      u     7              14
2      e     1               2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
2      e    18              36
1      -    16              32
```

```
3      i   16              32
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1      -   18              36
3      i   16              32
4      u   12              24
2      e    3               6
5     ui    1               2
[1] "GenPl"
  Suffix freq Percent_Trials
3      i   25              50
1      -   14              28
2      e   11              22
[1] "1PlGen"
  Suffix freq Percent_Trials
2      a   20              40
3      e   16              32
4      i    8              16
1      -    6              12
[1] "2PlGen"
  Suffix freq Percent_Trials
3      i   25              50
1      -   14              28
2      e    9              18
4      u    2               4
[1] "3PlGen"
  Suffix freq Percent_Trials
3      i   24              48
2      e   16              32
1      -   10              20
[1] "4PlGen"
  Suffix freq Percent_Trials
3      i   24              48
1      -   15              30
2      e    8              16
4      u    2               4
5     ui    1               2
[1] "5PlGen"
  Suffix freq Percent_Trials
3      i   23              46
2      e   17              34
1      -   10              20
[1] "mPlGen"
  Suffix freq Percent_Trials
3      i   25              50
1      -   14              28
2      e    9              18
4      u    2               4
[1] "m1PlGen"
  Suffix freq Percent_Trials
2      a   18              36
3      e   13              26
1      -   10              20
4      i    9              18
```

```
[1] "m2PlGen"
  Suffix freq Percent_Trials
3      i   25              50
1      -   14              28
2      e    9              18
4      u    2               4
[1] "m3PlGen"
  Suffix freq Percent_Trials
3      i   24              48
2      e   16              32
1      -   10              20
[1] "m4PlGen"
  Suffix freq Percent_Trials
3      i   24              48
1      -   15              30
2      e    8              16
4      u    2               4
5     ui    1               2
[1] "m5PlGen"
  Suffix freq Percent_Trials
3      i   23              46
2      e   17              34
1      -   10              20
[1] "fPlGen"
  Suffix freq Percent_Trials
3      i   23              46
2      e   16              32
1      -   11              22
[1] "f1PlGen"
  Suffix freq Percent_Trials
2      a   20              40
3      e   16              32
4      i    8              16
1      -    6              12
[1] "f2PlGen"
  Suffix freq Percent_Trials
3      i   25              50
1      -   15              30
2      e    9              18
4      u    1               2
[1] "f3PlGen"
  Suffix freq Percent_Trials
3      i   24              48
2      e   16              32
1      -   10              20
[1] "f4PlGen"
  Suffix freq Percent_Trials
3      i   24              48
1      -   14              28
2      e   10              20
4      u    1               2
5     ui    1               2
[1] "f5PlGen"
  Suffix freq Percent_Trials
```

```
3      i   23              46
2      e   17              34
1      -   10              20
[1] "nPlGen"
  Suffix freq Percent_Trials
3      i   25              50
1      -   14              28
2      e    9              18
4      u    2               4
[1] "n2PlGen"
  Suffix freq Percent_Trials
3      i   25              50
1      -   14              28
2      e    9              18
4      u    2               4
[1] "n3PlGen"
  Suffix freq Percent_Trials
3      i   24              48
1      -   15              30
2      e   11              22
[1] "n4PlGen"
  Suffix freq Percent_Trials
3      i   24              48
1      -   15              30
2      e    8              16
4      u    2               4
5     ui    1               2
[1] "DatPl"
  Suffix freq Percent_Trials
3      i   21              42
2      e   15              30
1      -   14              28
[1] "1PlDat"
  Suffix freq Percent_Trials
2      a   24              48
3      e   13              26
4      i    7              14
1      -    6              12
[1] "2PlDat"
  Suffix freq Percent_Trials
3      i   21              42
1      -   17              34
2      e   11              22
4      u    1               2
[1] "3PlDat"
  Suffix freq Percent_Trials
2      e   23              46
3      i   20              40
1      -    7              14
[1] "4PlDat"
  Suffix freq Percent_Trials
3      i   21              42
1      -   18              36
2      e    9              18
```

```
4      u    1              2
5     ui    1              2
[1] "5PlDat"
  Suffix freq Percent_Trials
2      e   23             46
3      i   19             38
1      -    8             16
[1] "mPlDat"
  Suffix freq Percent_Trials
3      i   21             42
1      -   17             34
2      e   11             22
4      u    1              2
[1] "m1PlDat"
  Suffix freq Percent_Trials
2      a   22             44
1      -   10             20
3      e    9             18
4      i    9             18
[1] "m2PlDat"
  Suffix freq Percent_Trials
3      i   22             44
1      -   16             32
2      e   11             22
4      u    1              2
[1] "m3PlDat"
  Suffix freq Percent_Trials
2      e   23             46
3      i   20             40
1      -    7             14
[1] "m4PlDat"
  Suffix freq Percent_Trials
3      i   21             42
1      -   18             36
2      e    9             18
4      u    1              2
5     ui    1              2
[1] "m5PlDat"
  Suffix freq Percent_Trials
2      e   23             46
3      i   19             38
1      -    8             16
[1] "fPlDat"
  Suffix freq Percent_Trials
2      e   22             44
3      i   19             38
1      -    9             18
[1] "f1PlDat"
  Suffix freq Percent_Trials
2      a   24             48
3      e   13             26
4      i    7             14
1      -    6             12
[1] "f2PlDat"
```

```
   Suffix freq Percent_Trials
3      i   23             46
1      -   17             34
2      e    9             18
4      u    1              2
[1] "f3PlDat"
   Suffix freq Percent_Trials
2      e   23             46
3      i   20             40
1      -    7             14
[1] "f4PlDat"
   Suffix freq Percent_Trials
3      i   21             42
1      -   15             30
2      e   12             24
4      u    1              2
5     ui    1              2
[1] "f5PlDat"
   Suffix freq Percent_Trials
2      e   23             46
3      i   19             38
1      -    8             16
[1] "nPlDat"
   Suffix freq Percent_Trials
3      i   21             42
1      -   17             34
2      e   11             22
4      u    1              2
[1] "n2PlDat"
   Suffix freq Percent_Trials
3      i   21             42
1      -   17             34
2      e   11             22
4      u    1              2
[1] "n3PlDat"
   Suffix freq Percent_Trials
3      i   21             42
2      e   15             30
1      -   14             28
[1] "n4PlDat"
   Suffix freq Percent_Trials
3      i   21             42
1      -   18             36
2      e    9             18
4      u    1              2
5     ui    1              2
[1] "AblPl"
   Suffix freq Percent_Trials
3      i   26             52
1      -   13             26
2      e   11             22
[1] "1PlAbl"
   Suffix freq Percent_Trials
2      a   27             54
```

```
3      e    18              36
4      i     4               8
1      -     1               2
[1] "2PlAbl"
   Suffix freq Percent_Trials
3      i    24              48
1      -    18              36
2      e     4               8
4      u     4               8
[1] "3PlAbl"
   Suffix freq Percent_Trials
3      i    24              48
2      e    20              40
1      -     6              12
[1] "4PlAbl"
   Suffix freq Percent_Trials
3      i    22              44
1      -    17              34
2      e     5              10
4      u     5              10
5     ui     1               2
[1] "5PlAbl"
   Suffix freq Percent_Trials
4      i    23              46
3      e    19              38
1      -     7              14
2      a     1               2
[1] "mPlAbl"
   Suffix freq Percent_Trials
3      i    25              50
1      -    16              32
2      e     5              10
4      u     4               8
[1] "m1PlAbl"
   Suffix freq Percent_Trials
2      a    25              50
3      e    12              24
4      i     8              16
1      -     5              10
[1] "m2PlAbl"
   Suffix freq Percent_Trials
3      i    24              48
1      -    18              36
2      e     4               8
4      u     4               8
[1] "m3PlAbl"
   Suffix freq Percent_Trials
3      i    24              48
2      e    20              40
1      -     6              12
[1] "m4PlAbl"
   Suffix freq Percent_Trials
3      i    22              44
1      -    17              34
```

```
2      e    5            10
4      u    5            10
5     ui    1             2
[1] "m5PlAbl"
  Suffix freq Percent_Trials
4      i   23            46
3      e   20            40
1      -    6            12
2      a    1             2
[1] "fPlAbl"
  Suffix freq Percent_Trials
4      i   22            44
3      e   19            38
1      -    5            10
2      a    4             8
[1] "f1PlAbl"
  Suffix freq Percent_Trials
2      a   27            54
3      e   18            36
4      i    4             8
1      -    1             2
[1] "f2PlAbl"
  Suffix freq Percent_Trials
3      i   23            46
1      -   19            38
2      e    4             8
4      u    4             8
[1] "f3PlAbl"
  Suffix freq Percent_Trials
3      i   24            48
2      e   20            40
1      -    6            12
[1] "f4PlAbl"
  Suffix freq Percent_Trials
3      i   21            42
1      -   17            34
2      e    6            12
4      u    5            10
5     ui    1             2
[1] "f5PlAbl"
  Suffix freq Percent_Trials
4      i   23            46
3      e   19            38
1      -    7            14
2      a    1             2
[1] "nPlAbl"
  Suffix freq Percent_Trials
3      i   24            48
1      -   18            36
2      e    4             8
4      u    4             8
[1] "n2PlAbl"
  Suffix freq Percent_Trials
3      i   24            48
```

```
1       -   18              36
2       e    4               8
4       u    4               8
[1] "n3PlAbl"
  Suffix freq Percent_Trials
3     i   24              48
1     -   15              30
2     e   11              22
[1] "n4PlAbl"
  Suffix freq Percent_Trials
3     i   22              44
1     -   17              34
2     e    5              10
4     u    5              10
5    ui    1               2


[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333    2               4
2       24.00000    3               6
3       24.66667    1               2
4       25.33333    1               2
5       26.00000    2               4
6       26.66667    3               6
7       27.33333    2               4
8       28.00000    1               2
9       29.33333    1               2
10      30.00000    5              10
11      30.66667    3               6
12      31.33333    1               2
13      32.00000    1               2
14      33.33333    2               4
15      34.00000    7              14
16      35.33333    2               4
17      36.00000    1               2
18      36.66667   11              22
19      39.33333    1               2
```

Percent of common_system_distrib Matching Reality


```
[1] "NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1      23.33333    2              4
2      24.00000    2              4
3      24.66667    2              4
4      25.33333    1              2
5      27.33333    3              6
6      28.66667    1              2
7      29.33333    3              6
8      30.00000    3              6
9      30.66667    2              4
10     31.33333    2              4
11     32.00000    2              4
12     33.33333    2              4
13     34.00000    1              2
14     34.66667    1              2
15     35.33333    2              4
16     36.66667    2              4
17     37.33333    6             12
18     38.00000    2              4
19     38.66667    1              2
20     39.33333    1              2
21     40.00000    8             16
22     42.66667    1              2
```

Percent of NPLtoFSG_system_distrib Matching Reality


```
[1] "romanian_system_distrib"
   Percent_Match freq Percent_Trials
1        23.33333    1               2
2        24.00000    2               4
3        24.66667    1               2
4        25.33333    4               8
5        26.00000    4               8
6        27.33333    4               8
7        28.00000    2               4
8        29.33333    1               2
9        30.00000    4               8
10       30.66667    2               4
11       31.33333    5              10
12       32.00000    1               2
13       32.66667    2               4
14       34.00000   14              28
15       36.00000    2               4
16       36.66667    1               2
```

Percent of romanian_system_distrib Matching Reality


```
[1] "1_common_system_distrib"
  Percent_Match freq Percent_Trials
1      43.33333    3              6
2      46.66667    4              8
3      50.00000    4              8
4      53.33333   11             22
5      60.00000    3              6
6      66.66667   25             50
```

Percent of 1_common_system_distrib Matching Reality


```
[1] "1_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      43.33333    3               6
2      46.66667    4               8
3      50.00000    4               8
4      53.33333   11              22
5      60.00000    3               6
6      66.66667   25              50
```

Percent of 1_NPLtoFSG_system_distrib Matching Reality


```
[1] "1_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      43.33333    3              6
2      46.66667    4              8
3      50.00000    3              6
4      53.33333   33             66
5      60.00000    3              6
6      63.33333    1              2
7      66.66667    3              6
```

Percent of 1_romanian_system_distrib Matching Reality


```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    4              8
3     10.000000    1              2
```

Percent of 2_common_system_distrib Matching Reality


```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    4              8
3     10.000000    1              2
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality


```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    4              8
3     10.000000    1              2
```

Percent of 2_romanian_system_distrib Matching Reality


```
[1] "3_common_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000    9             18
2      33.33333    2              4
3      40.00000    5             10
4      50.00000   34             68
```

Percent of 3_common_system_distrib Matching Reality


```
[1] "3_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000    7             14
2      33.33333    2              4
3      36.66667    1              2
4      40.00000    4              8
5      43.33333    2              4
6      50.00000    5             10
7      56.66667    3              6
8      60.00000    1              2
9      66.66667   25             50
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality


```
[1] "3_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      30.00000    9             18
2      33.33333    2              4
3      40.00000    5             10
4      50.00000   34             68
```

Percent of 3_romanian_system_distrib Matching Reality


```
[1] "4_common_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   46             92
2      3.333333    2              4
3      6.666667    2              4
```

Percent of 4_common_system_distrib Matching Reality


```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1     0.000000   46              92
2     3.333333    2               4
3     6.666667    2               4
```

Percent of 4_NPLtoFSG_system_distrib Matching Reality

Percent of Trials (y-axis) vs Percent Matching True System (x-axis)

```
[1] "4_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   46             92
2      3.333333    2              4
3      6.666667    2              4
```

Percent of 4_romanian_system_distrib Matching Reality


```
[1] "5_common_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333   13             26
2      36.66667    1              2
3      46.66667    3              6
4      53.33333   13             26
5      60.00000    3              6
6      66.66667   17             34
```

Percent of 5_common_system_distrib Matching Reality


```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333   13             26
2      36.66667    1              2
3      46.66667    3              6
4      53.33333   13             26
5      60.00000    3              6
6      66.66667   17             34
```

Percent of 5_NPLtoFSG_system_distrib Matching Reality


```
[1] "5_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      33.33333   13             26
2      36.66667    1              2
3      46.66667    3              6
4      53.33333   13             26
5      60.00000    3              6
6      66.66667   17             34
```

Percent of 5_romanian_system_distrib Matching Reality


```
[1] "m_common_system_distrib"
   Percent_Match freq Percent_Trials
1            10    6             12
2            12    3              6
3            14    1              2
4            16    2              4
5            18    4              8
6            20    5             10
7            22    4              8
8            24    3              6
9            26    8             16
10           28    2              4
11           30   11             22
12           34    1              2
```

Percent of m_common_system_distrib Matching Reality


```
[1] "m_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             10   6             12
2             12   3              6
3             14   1              2
4             16   2              4
5             18   4              8
6             20   5             10
7             22   4              8
8             24   3              6
9             26   8             16
10            28   2              4
11            30  11             22
12            34   1              2
```

Percent of m_NPLtoFSG_system_distrib Matching Reality


```
[1] "m_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1             10    5             10
2             12    3              6
3             14    2              4
4             16    6             12
5             18    2              4
6             20    3              6
7             22   11             22
8             24    2              4
9             26   13             26
10            28    1              2
11            30    2              4
```

# Percent of m_romanian_system_distrib Matching Reality


```
[1] "f_common_system_distrib"
   Percent_Match freq Percent_Trials
1             12    3              6
2             14    2              4
3             16    4              8
4             18    5             10
5             20    6             12
6             22    3              6
7             24    3              6
8             26    9             18
9             28    1              2
10            30   14             28
```

Percent of f_common_system_distrib Matching Reality


```
[1] "f_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             12    3              6
2             14    2              4
3             16    4              8
4             18    5             10
5             20    6             12
6             22    3              6
7             24    3              6
8             26    9             18
9             28    1              2
10            30   14             28
```

Percent of f_NPLtoFSG_system_distrib Matching Reality


```
[1] "f_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1            10    1              2
2            12    2              4
3            14    1              2
4            16    9             18
5            18    3              6
6            20    4              8
7            22    9             18
8            24    2              4
9            26   18             36
10           30    1              2
```

Percent of f_romanian_system_distrib Matching Reality


```
[1] "n_common_system_distrib"
  Percent_Match freq Percent_Trials
1            42    1              2
2            44    1              2
3            46    6             12
4            48    7             14
5            50   32             64
6            52    2              4
7            54    1              2
```

Percent of n_common_system_distrib Matching Reality


```
[1] "n_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             42    1              2
2             44    1              2
3             46    6             12
4             48    3              6
5             50    9             18
6             54    3              6
7             56    2              4
8             60   22             44
9             62    2              4
10            64    1              2
```

Percent of n_NPLtoFSG_system_distrib Matching Reality


```
[1] "n_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            42    1              2
2            44    1              2
3            46    6             12
4            48    7             14
5            50   32             64
6            52    2              4
7            54    1              2
```

Percent of n_romanian_system_distrib Matching Reality


```
[1] "Nom_common_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    9             18
2      30.00000   17             34
3      33.33333    4              8
4      36.66667   20             40
```

Percent of Nom_common_system_distrib Matching Reality



```
[1] "Nom_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    6              12
2      30.00000   13              26
3      33.33333    9              18
4      36.66667    8              16
5      40.00000   14              28
```

Percent of Nom_NPLtoFSG_system_distrib Matching Reality


```
[1] "Nom_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    9             18
2      30.00000   17             34
3      33.33333    4              8
4      36.66667   20             40
```

Percent of Nom_romanian_system_distrib Matching Reality


```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    5             10
2      30.00000    9             18
3      33.33333    4              8
4      36.66667   32             64
```

Percent of Acc_common_system_distrib Matching Reality


```
[1] "Acc_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    1              2
2      30.00000    8             16
3      33.33333    8             16
4      36.66667    9             18
5      40.00000   24             48
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality


```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    5             10
2      30.00000    9             18
3      33.33333    4              8
4      36.66667   32             64
```

Percent of Acc_romanian_system_distrib Matching Reality


```
[1] "Gen_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   13             26
2      20.00000    3              6
3      23.33333    4              8
4      26.66667    2              4
5      30.00000   14             28
6      33.33333    2              4
7      36.66667   12             24
```

Percent of Gen_common_system_distrib Matching Reality


```
[1] "Gen_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   13             26
2      20.00000    3              6
3      23.33333    1              2
4      26.66667    3              6
5      30.00000    5             10
6      33.33333   11             22
7      36.66667    6             12
8      40.00000    8             16
```

Percent of Gen_NPLtoFSG_system_distrib Matching Reality


```
[1] "Gen_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1     13.33333    7             14
2     16.66667    3              6
3     20.00000    6             12
4     23.33333   14             28
5     26.66667    2              4
6     30.00000   17             34
7     36.66667    1              2
```

Percent of Gen_romanian_system_distrib Matching Reality


```
[1] "Dat_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    8             16
2      23.33333    3              6
3      26.66667    5             10
4      30.00000   11             22
5      33.33333    3              6
6      36.66667   20             40
```

Percent of Dat_common_system_distrib Matching Reality

Percent of Trials (y-axis) vs Percent Matching True System (x-axis)

```
[1] "Dat_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    8             16
2      23.33333    1              2
3      26.66667    4              8
4      30.00000    6             12
5      33.33333   10             20
6      36.66667    6             12
7      40.00000   15             30
```

Percent of Dat_NPLtoFSG_system_distrib Matching Reality


```
[1] "Dat_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    3              6
2      16.66667    2              4
3      20.00000    5             10
4      23.33333   10             20
5      26.66667    2              4
6      30.00000   26             52
7      33.33333    1              2
8      36.66667    1              2
```

Percent of Dat_romanian_system_distrib Matching Reality

Percent of Trials (y-axis) vs Percent Matching True System (x-axis)

```
[1] "Abl_common_system_distrib"
  Percent_Match freq Percent_Trials
1      23.33333    1               2
2      26.66667    5              10
3      30.00000    8              16
4      33.33333    5              10
5      36.66667   26              52
6      40.00000    1               2
7      46.66667    1               2
8      50.00000    3               6
```

Percent of Abl_common_system_distrib Matching Reality


```
[1] "Abl_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      26.66667    3              6
2      30.00000    9             18
3      33.33333    6             12
4      36.66667   12             24
5      40.00000   16             32
6      50.00000    1              2
7      53.33333    3              6
```

Percent of Abl_NPLtoFSG_system_distrib Matching Reality


```
[1] "Abl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1     23.33333    1              2
2     26.66667    5             10
3     30.00000    8             16
4     33.33333    5             10
5     36.66667   26             52
6     40.00000    1              2
7     46.66667    1              2
8     50.00000    3              6
```

Percent of Abl_romanian_system_distrib Matching Reality


```
[1] "Sg_common_system_distrib"
   Percent_Match freq Percent_Trials
1       33.33333    2              4
2       34.66667    3              6
3       36.00000    1              2
4       37.33333    1              2
5       38.66667    2              4
6       40.00000    3              6
7       41.33333    2              4
8       42.66667    1              2
9       45.33333    1              2
10      46.66667    5             10
11      48.00000    3              6
12      49.33333    1              2
13      50.66667    1              2
14      53.33333    2              4
15      54.66667    7             14
16      57.33333    2              4
17      58.66667    1              2
18      60.00000   11             22
19      65.33333    1              2
```

Percent of Sg_common_system_distrib Matching Reality


```
[1] "Sg_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        33.33333    2              4
2        34.66667    3              6
3        36.00000    1              2
4        37.33333    1              2
5        38.66667    2              4
6        40.00000    3              6
7        41.33333    2              4
8        42.66667    1              2
9        45.33333    1              2
10       46.66667    5             10
11       48.00000    3              6
12       49.33333    1              2
13       50.66667    1              2
14       53.33333    2              4
15       54.66667    7             14
16       57.33333    2              4
17       58.66667    1              2
18       60.00000   11             22
19       65.33333    1              2
```

Percent of Sg_NPLtoFSG_system_distrib Matching Reality


```
[1] "Sg_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       33.33333    1              2
2       34.66667    2              4
3       36.00000    1              2
4       37.33333    4              8
5       38.66667    4              8
6       41.33333    4              8
7       42.66667    2              4
8       45.33333    1              2
9       46.66667    4              8
10      48.00000    2              4
11      49.33333    5             10
12      50.66667    1              2
13      52.00000    2              4
14      54.66667   14             28
15      58.66667    2              4
16      60.00000    1              2
```

Percent of Sg_romanian_system_distrib Matching Reality


```
[1] "Pl_common_system_distrib"
  Percent_Match freq Percent_Trials
1     13.33333    50            100
```

Percent of Pl_common_system_distrib Matching Reality


```
[1] "Pl_NPLtoFSG_system_distrib"
```

```
  Percent_Match freq Percent_Trials
1      13.33333   16             32
2      14.66667    4              8
3      16.00000    3              6
4      17.33333    2              4
5      20.00000   25             50
```

Percent of PI_NPLtoFSG_system_distrib Matching Reality


```
[1] "Pl_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   50            100
```

Percent of PI_romanian_system_distrib Matching Reality


```
[1] "n.Sg(Nom|Acc),m.Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      66.66667   13             26
2      83.33333    8             16
3     100.00000   29             58
```

Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other


```
[1] "n.Pl(Nom|Acc),m.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      66.66667    9             18
2      83.33333    6             12
3     100.00000   35             70
```

Percent of n.Pl(Nom|Acc),m.Pl(Nom|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n.Pl(Nom|Acc),f.Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   19             38
2      16.66667    4              8
3      33.33333    8             16
4      50.00000    4              8
5      66.66667    5             10
6      83.33333    2              4
7     100.00000    8             16
```

Percent of n.Pl(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333    4              8
3      50.00000    1              2
4      66.66667    9             18
5      83.33333    7             14
6     100.00000   28             56
```

Percent of n.Pl(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m.Pl(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1            60    4              8
2            70    1              2
3            80   11             22
4            90    3              6
5           100   31             62
```

Percent of m.Pl(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other


```
[1] "1.*(Nom|Acc),5.*(Nom|Acc)"
  Percent_Match freq Percent_Trials
1           0.0   35             70
2          12.5    1              2
3          37.5    2              4
4          50.0    9             18
5          75.0    1              2
6         100.0    2              4
```

Percent of 1.*(Nom|Acc),5.*(Nom|Acc) Matching Each Other


```
[1] "2.*(Nom|Acc),4.*(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      8.333333    1              2
2     33.333333    1              2
3     41.666667    2              4
4     50.000000    3              6
5     75.000000    1              2
6     83.333333    1              2
7     91.666667    2              4
8    100.000000   39             78
```

Percent of 2.*(Nom|Acc),4.*(Nom|Acc) Matching Each Other


```
[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      16.66667    1              2
2      66.66667    4              8
3      83.33333    3              6
4     100.00000   42             84
```

Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "2Pl(Nom|Acc),4Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      16.66667    1              2
3      33.33333    2              4
4      50.00000    1              2
5      66.66667    1              2
6     100.00000   41             82
```

Percent of 2Pl(Nom|Acc),4Pl(Nom|Acc) Matching Each Other


```
[1] "n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1            50    1              2
2            75    1              2
3           100   48             96
```

Percent of n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc) Matching Each Oth


```
[1] "n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1            75    2              4
2           100   48             96
```

Percent of n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc) Matching Othe

```
[1] "n[24]Pl(Nom|Acc),f1Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n[24]Pl(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other


```
[1] "n[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            25    1              2
3            50    1              2
```

Percent of n[24]Pl(Nom|Acc),f1Pl(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "m[24]Pl(Nom|Acc),f1Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m[24]Pl(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "m[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"
```

```
  Percent_Match freq Percent_Trials
1             0   48             96
2            25    1              2
3            50    1              2
```

Percent of m[24]Pl(Nom|Acc),f1Pl(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "m.Sg(Nom|Acc),m.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   11             22
2            10    2              4
3            20    3              6
4            30    4              8
5            40    2              4
6            50    4              8
7            60   19             38
8            80    2              4
9           100    3              6
```

Percent of m.Sg(Nom|Acc),m.Pl(Nom|Acc) Matching Each Other



```
[1] "f.Sg(Nom|Acc),f.Pl(Nom|Acc)"
   Percent_Match freq Percent_Trials
1              0   12             24
2             10    2              4
3             20    2              4
4             30    3              6
5             40    4              8
6             50    5             10
7             60    9             18
8             70    1              2
9             80    2              4
10           100   10             20
```

Percent of f.Sg(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other


```
[1] "n.Sg(Nom|Acc),n.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   14             28
2      16.66667    4              8
3      33.33333   23             46
4      50.00000    3              6
5      66.66667    2              4
6     100.00000    4              8
```

Percent of n.Sg(Nom|Acc),n.Pl(Nom|Acc) Matching Each Other


```
[1] "n.Sg(|),m.Sg(|)"
  Percent_Match freq Percent_Trials
1     60.00000    1              2
2     66.66667    6             12
3     73.33333    1              2
4     80.00000   10             20
5     86.66667    3              6
6     93.33333    2              4
7    100.00000   27             54
```

Percent of n.Sg(|),m.Sg(|) Matching Each Other


```
[1] "n.Pl(|),m.Pl(|)"
  Percent_Match freq Percent_Trials
1      66.66667    5             10
2      80.00000    5             10
3      86.66667    3              6
4      93.33333    2              4
5     100.00000   35             70
```

Percent of n.Pl(|),m.Pl(|) Matching Each Other


```
[1] "n.Pl(|),f.Sg(|)"
   Percent_Match freq Percent_Trials
1       0.000000    5            10
2       6.666667    1             2
3      20.000000    2             4
4      26.666667    3             6
5      33.333333    5            10
6      40.000000   10            20
7      46.666667    6            12
8      53.333333    1             2
9      60.000000    4             8
10     66.666667    1             2
11     73.333333    1             2
12     80.000000    3             6
13    100.000000    8            16
```

Percent of n.Pl(|),f.Sg(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n.Pl(|),f.Pl(|)"
  Percent_Match freq Percent_Trials
1      53.33333    3               6
2      60.00000    2               4
3      66.66667    5              10
4      73.33333    2               4
5      80.00000    5              10
6      86.66667    2               4
7      93.33333    4               8
8     100.00000   27              54
```

Percent of n.Pl(|),f.Pl(|) Matching Each Other

Percent Matching Each Other

```
[1] "m.Pl(|),f.Pl(|)"
  Percent_Match freq Percent_Trials
1            72    1              2
2            76    1              2
3            80    9             18
4            84    3              6
5            88    2              4
6            92    2              4
7            96    5             10
8           100   27             54
```

Percent of m.PI(|),f.PI(|) Matching Each Other


```
[1] "1.*(|),5.*(|)"
   Percent_Match freq Percent_Trials
1              0   31             62
2              5    1              2
3             20    1              2
4             30    2              4
5             40    3              6
6             45    1              2
7             50    5             10
8             60    2              4
9             65    1              2
10            80    1              2
11           100    2              4
```

Percent of 1.*(|),5.*(|) Matching Each Other


```
[1] "2.*(|),4.*(|)"
   Percent_Match freq Percent_Trials
1       6.666667    1              2
2      23.333333    1              2
3      36.666667    1              2
4      50.000000    1              2
5      53.333333    1              2
6      60.000000    1              2
7      66.666667    1              2
8      76.666667    1              2
9      83.333333    1              2
10     90.000000    2              4
11     93.333333    5             10
12     96.666667    2              4
13    100.000000   32             64
```

Percent of 2.*(|),4.*(|) Matching Each Other


```
[1] "2Sg(|),4Sg(|)"
  Percent_Match freq Percent_Trials
1      13.33333    1               2
2      26.66667    2               4
3      33.33333    1               2
4      46.66667    1               2
5      60.00000    1               2
6      80.00000    1               2
7      86.66667    6              12
8      93.33333    3               6
9     100.00000   34              68
```

Percent of 2Sg(|),4Sg(|) Matching Each Other


```
[1] "2Pl(|),4Pl(|)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      20.00000    1              2
3      40.00000    2              4
4      46.66667    1              2
5      53.33333    1              2
6      66.66667    1              2
7      73.33333    2              4
8      93.33333    1              2
9     100.00000   40             80
```

Percent of 2PI(|),4PI(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Sg(|),m[24]Sg(|)"
  Percent_Match freq Percent_Trials
1            50    1              2
2            80    1              2
3            90    4              8
4           100   44             88
```

Percent of n[24]Sg(|),m[24]Sg(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(|),m[24]Pl(|)"
  Percent_Match freq Percent_Trials
1            80    1              2
2            90    1              2
3           100   48             96
```

Percent of n[24]Pl(|),m[24]Pl(|) Matching Each Other

Percent of Trials (y-axis)

Percent Matching Each Other (x-axis)

```
[1] "n[24]Pl(|),f1Sg(|)"
  Percent_Match freq Percent_Trials
1             0   42             84
2            10    1              2
3            20    3              6
4            30    1              2
5            40    2              4
6            60    1              2
```

Percent of n[24]Pl(|),f1Sg(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(|),f1Pl(|)"
  Percent_Match freq Percent_Trials
1             0   39             78
2            10    3              6
3            30    1              2
4            40    4              8
5            60    2              4
6            80    1              2
```

Percent of n[24]Pl(|),f1Pl(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m[24]Pl(|),f1Sg(|)"
  Percent_Match freq Percent_Trials
1             0   42             84
2            10    1              2
3            20    3              6
4            30    1              2
5            40    2              4
6            60    1              2
```

Percent of m[24]Pl(|),f1Sg(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m[24]Pl(|),f1Pl(|)"
  Percent_Match freq Percent_Trials
1             0   39             78
2            10    3              6
3            30    1              2
4            40    4              8
5            60    2              4
6            80    1              2
```

Percent of m[24]Pl(|),f1Pl(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m.Sg(|),m.Pl(|)"
   Percent_Match freq Percent_Trials
1              0    4              8
2              4    1              2
3             16    1              2
4             20    1              2
5             24    1              2
6             36    2              4
7             40    8             16
8             44    3              6
9             48    1              2
10            56    2              4
11            60    3              6
12            64    2              4
13            68    2              4
14            72    2              4
15            76   10             20
16            80    1              2
17            84    3              6
18           100    3              6
```

Percent of m.Sg(|),m.Pl(|) Matching Each Other


```
[1] "f.Sg(|),f.Pl(|)"
   Percent_Match freq Percent_Trials
1              0    4              8
2              4    1              2
3             16    1              2
4             20    1              2
5             24    1              2
6             36    3              6
7             40    7             14
8             44    2              4
9             48    1              2
10            56    2              4
11            60    3              6
12            64    3              6
13            68    2              4
14            72    4              8
15            76    3              6
16            80    1              2
17            84    2              4
18           100    9             18
```

Percent of f.Sg(|),f.Pl(|) Matching Each Other


```
[1] "n.Sg(|),n.Pl(|)"
   Percent_Match freq Percent_Trials
1        0.00000    4              8
2       13.33333    3              6
3       20.00000    2              4
4       26.66667    1              2
5       33.33333    5             10
6       40.00000    9             18
7       46.66667    5             10
8       53.33333    2              4
9       60.00000   11             22
10      66.66667    1              2
11      73.33333    3              6
12     100.00000    4              8
```

Percent of n.Sg(|),n.Pl(|) Matching Each Other


```
[1] "n.Sg(Abl|Acc),m.Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      50.00000    1              2
2      66.66667   18             36
3      83.33333    1              2
4     100.00000   30             60
```

# Percent of n.Sg(Abl|Acc),m.Sg(Abl|Acc) Matching Each Other


```
[1] "n.Pl(Abl|Acc),m.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      66.66667   11             22
2      83.33333    4              8
3     100.00000   35             70
```

Percent of n.Pl(Abl|Acc),m.Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n.Pl(Abl|Acc),f.Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   18             36
2      16.66667    3              6
3      33.33333   11             22
4      50.00000    4              8
5      66.66667    6             12
6     100.00000    8             16
```

**Percent of n.Pl(Abl|Acc),f.Sg(Abl|Acc) Matching Each Other**


```
[1] "n.Pl(Abl|Acc),f.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      33.33333    2              4
2      50.00000    3              6
3      66.66667   12             24
4      83.33333    4              8
5     100.00000   29             58
```

Percent of n.Pl(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m.Pl(Abl|Acc),f.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1            60    1              2
2            70    1              2
3            80   13             26
4            90    3              6
5           100   32             64
```

Percent of m.PI(Abl|Acc),f.PI(Abl|Acc) Matching Each Other


```
[1] "1.*(Abl|Acc),5.*(Abl|Acc)"
  Percent_Match freq Percent_Trials
1           0.0   35             70
2          25.0    3              6
3          50.0    9             18
4          62.5    1              2
5         100.0    2              4
```

Percent of 1.*(Abl|Acc),5.*(Abl|Acc) Matching Each Other


```
[1] "2.*(Abl|Acc),4.*(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      8.333333    1              2
2     25.000000    1              2
3     41.666667    1              2
4     50.000000    3              6
5     58.333333    2              4
6     83.333333    4              8
7     91.666667    4              8
8    100.000000   34             68
```

Percent of 2.*(Abl|Acc),4.*(Abl|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "2Sg(Abl|Acc),4Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      16.66667    1              2
2      33.33333    2              4
3      50.00000    2              4
4      66.66667    3              6
5      83.33333    3              6
6     100.00000   39             78
```

Percent of 2Sg(Abl|Acc),4Sg(Abl|Acc) Matching Each Other


```
[1] "2Pl(Abl|Acc),4Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      16.66667    1              2
3      50.00000    1              2
4      66.66667    3              6
5      83.33333    1              2
6     100.00000   40             80
```

Percent of 2Pl(Abl|Acc),4Pl(Abl|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1            50    1              2
2            75    1              2
3           100   48             96
```

Percent of n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc) Matching Each Othe

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1            75    2              4
2           100   48             96
```

Percent of n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(Abl|Acc),f1Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            50    1              2
```

# Percent of n[24]Pl(Abl|Acc),f1Sg(Abl|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Pl(Abl|Acc),f1Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            25    1              2
3            50    2              4
```

Percent of n[24]Pl(Abl|Acc),f1Pl(Abl|Acc) Matching Each Other



```
[1] "m[24]Pl(Abl|Acc),f1Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   49             98
2            50    1              2
```

# Percent of m[24]Pl(Abl|Acc),f1Sg(Abl|Acc) Matching Each Other

```
[1] "m[24]Pl(Abl|Acc),f1Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            25    1              2
3            50    2              4
```

Percent of m[24]Pl(Abl|Acc),f1Pl(Abl|Acc) Matching Each Other


```
[1] "m.Sg(Abl|Acc),m.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   11             22
2            10    2              4
3            20    2              4
4            30    2              4
5            40    5             10
6            50    3              6
7            60   16             32
8            80    6             12
9           100    3              6
```

Percent of m.Sg(Abl|Acc),m.Pl(Abl|Acc) Matching Each Other


```
[1] "f.Sg(Abl|Acc),f.Pl(Abl|Acc)"
   Percent_Match freq Percent_Trials
1              0   11             22
2             10    2              4
3             20    2              4
4             30    2              4
5             40    5             10
6             50    4              8
7             60    8             16
8             70    2              4
9             80    4              8
10            90    1              2
11           100    9             18
```

Percent of f.Sg(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n.Sg(Abl|Acc),n.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   13             26
2      16.66667    6             12
3      33.33333   19             38
4      50.00000    2              4
5      66.66667    6             12
6     100.00000    4              8
```

Percent of n.Sg(Abl|Acc),n.Pl(Abl|Acc) Matching Each Other


```
[1] "n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      55.55556    1               2
2      66.66667   12              24
3      77.77778    6              12
4      88.88889    2               4
5     100.00000   29              58
```

Percent of n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl) Matching Each Oth


```
[1] "n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      66.66667    7             14
2      77.77778    5             10
3      88.88889    3              6
4     100.00000   35             70
```

Percent of n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl) Matching Each Oth


```
[1] "n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   17             34
2      11.11111    4              8
3      22.22222    3              6
4      33.33333    8             16
5      44.44444    2              4
6      55.55556    2              4
7      66.66667    4              8
8      77.77778    2              4
9     100.00000    8             16
```

Percent of n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl) Matching Each Othe

Percent Matching Each Other

```
[1] "n.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      33.33333    2              4
2      44.44444    3              6
3      55.55556    1              2
4      66.66667    7             14
5      77.77778    5             10
6      88.88889    4              8
7     100.00000   28             56
```

# Percent of n.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe


```
[1] "m.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      60.00000    1               2
2      66.66667    1               2
3      73.33333    2               4
4      80.00000   11              22
5      86.66667    2               4
6      93.33333    3               6
7     100.00000   30              60
```

Percent of m.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe

Percent of Trials

Percent Matching Each Other

```
[1] "1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.000000   34             68
2      8.333333    1              2
3     33.333333    4              8
4     50.000000    8             16
5     66.666667    1              2
6    100.000000    2              4
```

Percent of 1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl) Matching Each Other

Percent Matching Each Other

```
[1] "2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1       5.555556    1              2
2      27.777778    1              2
3      44.444444    2              4
4      50.000000    1              2
5      55.555556    2              4
6      66.666667    1              2
7      83.333333    1              2
8      88.888889    4              8
9      94.444444    3              6
10    100.000000   34             68
```

**Percent of 2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl) Matching Each Other**


```
[1] "2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      11.11111    1               2
2      44.44444    2               4
3      55.55556    2               4
4      77.77778    3               6
5      88.88889    5              10
6     100.00000   37              74
```

Percent of 2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl) Matching Each Oth


```
[1] "2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    3              6
2      11.11111    1              2
3      33.33333    1              2
4      44.44444    1              2
5      55.55556    2              4
6      66.66667    1              2
7      88.88889    1              2
8     100.00000   40             80
```

Percent of 2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl) Matching Each Othe

Percent Matching Each Other

```
[1] "n[24]Sg(Nom|Acc|Abl),m[24]Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      50.00000    1              2
2      83.33333    2              4
3     100.00000   47             94
```

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc|Abl),m[24]Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      83.33333    2              4
2     100.00000   48             96
```

'ercent of n[24]Pl(Nom|Acc|Abl),m[24]Pl(Nom|Acc|Abl) Matching Each (

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.00000   49             98
2     33.33333    1              2
```

Percent of n[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl) Matching Each Ot

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.00000   47             94
2     33.33333    2              4
3     66.66667    1              2
```

Percent of n[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl) Matching Each Ot


```
[1] "m[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.00000   49             98
2     33.33333    1              2
```

Percent of m[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl) Matching Each O

```
[1] "m[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   47             94
2      33.33333    2              4
3      66.66667    1              2
```

Percent of m[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl) Matching Each Ot

Percent Matching Each Other

```
[1] "m.Sg(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1       0.000000   11             22
2       6.666667    1              2
3      13.333333    2              4
4      20.000000    3              6
5      33.333333    6             12
6      40.000000    1              2
7      53.333333    3              6
8      60.000000   13             26
9      73.333333    6             12
10     80.000000    1              2
11    100.000000    3              6
```

Percent of m.Sg(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl) Matching Each Oth

Percent Matching Each Other

```
[1] "f.Sg(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1        0.000000   11             22
2        6.666667    1              2
3       13.333333    2              4
4       20.000000    3              6
5       33.333333    5             10
6       40.000000    3              6
7       46.666667    1              2
8       53.333333    2              4
9       60.000000    4              8
10      66.666667    3              6
11      73.333333    4              8
12      86.666667    2              4
13     100.000000    9             18
```

Percent of f.Sg(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe

Percent Matching Each Other

```
[1] "n.Sg(Nom|Acc|Abl),n.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.00000   13            26
2     11.11111    4             8
3     22.22222    4             8
4     33.33333   17            34
5     44.44444    1             2
6     55.55556    6            12
7     66.66667    1             2
8    100.00000    4             8
```

Percent of n.Sg(Nom|Acc|Abl),n.Pl(Nom|Acc|Abl) Matching Each Oth

Percent Matching Each Other

```
[1] "n.Sg,m.Sg"
  Percent_Match freq Percent_Trials
1      60.00000    1              2
2      66.66667    6             12
3      73.33333    1              2
4      80.00000   10             20
5      86.66667    3              6
6      93.33333    2              4
7     100.00000   27             54
```

Percent of n.Sg,m.Sg Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n.Pl,m.Pl"
  Percent_Match freq Percent_Trials
1      66.66667    5             10
2      80.00000    5             10
3      86.66667    3              6
4      93.33333    2              4
5     100.00000   35             70
```

Percent of n.Pl,m.Pl Matching Each Other


```
[1] "n.Pl,f.Sg"
   Percent_Match freq Percent_Trials
1       0.000000    5             10
2       6.666667    1              2
3      20.000000    2              4
4      26.666667    3              6
5      33.333333    5             10
6      40.000000   10             20
7      46.666667    6             12
8      53.333333    1              2
9      60.000000    4              8
10     66.666667    1              2
11     73.333333    1              2
12     80.000000    3              6
13    100.000000    8             16
```

Percent of n.Pl,f.Sg Matching Each Other


```
[1] "n.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1      53.33333    3              6
2      60.00000    2              4
3      66.66667    5             10
4      73.33333    2              4
5      80.00000    5             10
6      86.66667    2              4
7      93.33333    4              8
8     100.00000   27             54
```

Percent of n.Pl,f.Pl Matching Each Other


```
[1] "m.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1            72    1              2
2            76    1              2
3            80    9             18
4            84    3              6
5            88    2              4
6            92    2              4
7            96    5             10
8           100   27             54
```

Percent of m.PI,f.PI Matching Each Other

Percent Matching Each Other

```
[1] "1.*,5.*"
   Percent_Match freq Percent_Trials
1              0   31             62
2              5    1              2
3             20    1              2
4             30    2              4
5             40    3              6
6             45    1              2
7             50    5             10
8             60    2              4
9             65    1              2
10            80    1              2
11           100    2              4
```

Percent of 1.*,5.* Matching Each Other


```
[1] "2.*,4.*"
   Percent_Match freq Percent_Trials
1       6.666667    1              2
2      23.333333    1              2
3      36.666667    1              2
4      50.000000    1              2
5      53.333333    1              2
6      60.000000    1              2
7      66.666667    1              2
8      76.666667    1              2
9      83.333333    1              2
10     90.000000    2              4
11     93.333333    5             10
12     96.666667    2              4
13    100.000000   32             64
```

Percent of 2.*,4.* Matching Each Other

Percent Matching Each Other

```
[1] "2Sg,4Sg"
  Percent_Match freq Percent_Trials
1      13.33333    1              2
2      26.66667    2              4
3      33.33333    1              2
4      46.66667    1              2
5      60.00000    1              2
6      80.00000    1              2
7      86.66667    6             12
8      93.33333    3              6
9     100.00000   34             68
```

Percent of 2Sg,4Sg Matching Each Other


```
[1] "2Pl,4Pl"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      20.00000    1              2
3      40.00000    2              4
4      46.66667    1              2
5      53.33333    1              2
6      66.66667    1              2
7      73.33333    2              4
8      93.33333    1              2
9     100.00000   40             80
```

Percent of 2PI,4PI Matching Each Other


```
[1] "n[24]Sg,m[24]Sg"
  Percent_Match freq Percent_Trials
1            50    1              2
2            80    1              2
3            90    4              8
4           100   44             88
```

Percent of n[24]Sg,m[24]Sg Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl,m[24]Pl"
  Percent_Match freq Percent_Trials
1            80    1              2
2            90    1              2
3           100   48             96
```

Percent of n[24]Pl,m[24]Pl Matching Each Other


```
[1] "n[24]Pl,f1Sg"
  Percent_Match freq Percent_Trials
1             0   42             84
2            10    1              2
3            20    3              6
4            30    1              2
5            40    2              4
6            60    1              2
```

Percent of n[24]Pl,f1Sg Matching Each Other


```
[1] "n[24]Pl,f1Pl"
  Percent_Match freq Percent_Trials
1             0   39             78
2            10    3              6
3            30    1              2
4            40    4              8
5            60    2              4
6            80    1              2
```

Percent of n[24]Pl,f1Pl Matching Each Other


```
[1] "m[24]Pl,f1Sg"
  Percent_Match freq Percent_Trials
1             0   42             84
2            10    1              2
3            20    3              6
4            30    1              2
5            40    2              4
6            60    1              2
```

Percent of m[24]Pl,f1Sg Matching Each Other


```
[1] "m[24]Pl,f1Pl"
  Percent_Match freq Percent_Trials
1             0   39             78
2            10    3              6
3            30    1              2
4            40    4              8
5            60    2              4
6            80    1              2
```

Percent of m[24]Pl,f1Pl Matching Each Other

Percent Matching Each Other

```
[1] "m.Sg,m.Pl"
   Percent_Match freq Percent_Trials
1              0    4              8
2              4    1              2
3             16    1              2
4             20    1              2
5             24    1              2
6             36    2              4
7             40    8             16
8             44    3              6
9             48    1              2
10            56    2              4
11            60    3              6
12            64    2              4
13            68    2              4
14            72    2              4
15            76   10             20
16            80    1              2
17            84    3              6
18           100    3              6
```

Percent of m.Sg,m.Pl Matching Each Other


```
[1] "f.Sg,f.Pl"
   Percent_Match freq Percent_Trials
1              0    4              8
2              4    1              2
3             16    1              2
4             20    1              2
5             24    1              2
6             36    3              6
7             40    7             14
8             44    2              4
9             48    1              2
10            56    2              4
11            60    3              6
12            64    3              6
13            68    2              4
14            72    4              8
15            76    3              6
16            80    1              2
17            84    2              4
18           100    9             18
```

Percent of f.Sg,f.Pl Matching Each Other


```
[1] "n.Sg,n.Pl"
   Percent_Match freq Percent_Trials
1        0.00000    4              8
2       13.33333    3              6
3       20.00000    2              4
4       26.66667    1              2
5       33.33333    5             10
6       40.00000    9             18
7       46.66667    5             10
8       53.33333    2              4
9       60.00000   11             22
10      66.66667    1              2
11      73.33333    3              6
12     100.00000    4              8
```

Percent of n.Sg,n.Pl Matching Each Other


```
[1] "Nom,Acc"
   Percent_Match freq Percent_Trials
1       30.76923    1              2
2       38.46154    1              2
3       42.30769    1              2
4       50.00000    2              4
5       53.84615    1              2
6       57.69231    1              2
7       61.53846    1              2
8       65.38462    3              6
9       69.23077    2              4
10      73.07692    1              2
11      76.92308    1              2
12      80.76923    6             12
13      84.61538    3              6
14      88.46154    1              2
15      92.30769    2              4
16     100.00000   23             46
```

Percent of Nom,Acc Matching Each Other


```
[1] "Acc,Abl"
   Percent_Match freq Percent_Trials
1       19.23077    1               2
2       26.92308    1               2
3       38.46154    1               2
4       46.15385    1               2
5       50.00000    2               4
6       53.84615    1               2
7       57.69231    2               4
8       69.23077    2               4
9       76.92308    5              10
10      80.76923    3               6
11      84.61538    4               8
12      88.46154    3               6
13      92.30769    2               4
14      96.15385    2               4
15     100.00000   20              40
```

Percent of Acc,Abl Matching Each Other

Percent of Trials (y-axis) vs Percent Matching Each Other (x-axis)

```
[1] "Nom,Acc,Abl"
   Percent_Match freq Percent_Trials
1       19.23077    1              2
2       26.92308    1              2
3       30.76923    1              2
4       38.46154    2              4
5       42.30769    1              2
6       46.15385    2              4
7       50.00000    1              2
8       53.84615    3              6
9       57.69231    2              4
10      61.53846    1              2
11      65.38462    2              4
12      69.23077    2              4
13      73.07692    1              2
14      76.92308    4              8
15      80.76923    7             14
16      84.61538    2              4
17      88.46154    1              2
18      92.30769    2              4
19     100.00000   14             28
```

Percent of Nom,Acc,Abl Matching Each Other

Percent Matching Each Other

```
[1] "Gen,Dat"
   Percent_Match freq Percent_Trials
1       38.46154    1              2
2       46.15385    2              4
3       50.00000    1              2
4       53.84615    1              2
5       57.69231    1              2
6       61.53846    1              2
7       65.38462    2              4
8       69.23077    3              6
9       73.07692    2              4
10      76.92308    1              2
11      80.76923    1              2
12      84.61538    2              4
13      88.46154    2              4
14      96.15385    2              4
15     100.00000   28             56
```

Percent of Gen,Dat Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "Nom,Acc,Gen,Dat,Abl"
   Percent_Match freq Percent_Trials
1        0.00000    3              6
2       15.38462    2              4
3       23.07692    1              2
4       26.92308    2              4
5       30.76923    1              2
6       34.61538    2              4
7       38.46154    2              4
8       42.30769    1              2
9       46.15385    2              4
10      50.00000    9             18
11      53.84615    5             10
12      57.69231    4              8
13      61.53846    2              4
14      65.38462    1              2
15      69.23077    2              4
16      76.92308    4              8
17      80.76923    2              4
18      84.61538    2              4
19     100.00000    3              6
```

Percent of Nom,Acc,Gen,Dat,Abl Matching Each Other

Percent Matching Each Other

```
[1] "nPlmPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   39             78
2      6.666667    2              4
3     13.333333    2              4
4     26.666667    3              6
5     33.333333    2              4
6     40.000000    1              2
7     46.666667    1              2
```

Percent of nPlmPl_exclusive Matching Each Other


```
[1] "nPlfPl_exclusive"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of nPlfPl_exclusive Matching Each Other


```
[1] "Sg(Nom|Acc)_nots"
```

```
    Percent_Match freq Percent_Trials
1            100   50            100
```

Percent of Sg(Nom|Acc) ending in nots


```
[1] "1Sg(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1            50    9             18
2            75    1              2
3           100   40             80
```

Percent of 1Sg(Nom|Acc) ending in a($|,)


```
[1] "[24]Sg(Nom|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Sg(Nom|Acc) ending in o($|,)

```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      83.33333    2              4
2     100.00000   48             96
```

Percent of 3Sg(Nom|Acc) ending in [e−]($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of Pl(Nom|Acc) ending in s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "[mf].Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of [mf].Pl(Nom|Acc) ending in s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "[124]Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [124]Pl(Nom|Acc) ending in s($|,)


```
[1] "1Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Nom|Acc) ending in s($|,)


```
[1] "[24]Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Nom|Acc) ending in s($|,)

```
[1] "n.Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc) ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

# Percent of 1Pl(Nom|Acc) ending in as($|,)

[1] "[24]Pl(Nom|Acc)_os($|,)"
```
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Nom|Acc) ending in os($|,)

```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of 3Pl(Nom|Acc) ending in e?s($|,)

Percent Matching Reality

```
[1] "n.Pl(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of n.Pl(Nom|Acc) ending in a($|,)


```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc) ending in as($|,)

```
[1] "n.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc) ending in os($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "m.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Nom|Acc) ending in as($|,)


```
[1] "m.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Nom|Acc) ending in os($|,)

```
[1] "Sg(Abl|Acc)_nots"
  Percent_Match freq Percent_Trials
1          100   50            100
```

Percent of Sg(Abl|Acc) ending in nots

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "1Sg(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1           50    9             18
2           75    1              2
3          100   40             80
```

Percent of 1Sg(Abl|Acc) ending in a($|,)


```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45             90
2      16.66667    1              2
3      25.00000    1              2
4      33.33333    3              6
```

Percent of [24]Sg(Abl|Acc) ending in o($|,)


```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      83.33333    2              4
2     100.00000   48             96
```

Percent of 3Sg(Abl|Acc) ending in [e−]($|,)

```
[1] "Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of Pl(Abl|Acc) ending in s($|,)


```
[1] "[mf].Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [mf].Pl(Abl|Acc) ending in s($|,)


```
[1] "[124]Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [124]Pl(Abl|Acc) ending in s($|,)

```
[1] "1Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Abl|Acc) ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "[24]Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

193

# Percent of [24]Pl(Abl|Acc) ending in s($|,)


```
[1] "n.Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Abl|Acc) ending in s($|,)

```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Abl|Acc) ending in as($|,)

Percent of Trials — Percent Matching Reality

```
[1] "[24]Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Abl|Acc) ending in os($|,)


```
[1] "3Pl(Abl|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 3Pl(Abl|Acc) ending in e?s($|,)

```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Abl|Acc) ending in a($|,)


```
[1] "n.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Abl|Acc) ending in as($|,)


```
[1] "n.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1           0   50          100
```

Percent of n.Pl(Abl|Acc) ending in os($|,)

```
[1] "m.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50             100
```

Percent of m.Pl(Abl|Acc) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50             100
```

Percent of m.Pl(Abl|Acc) ending in os($|,)


```
[1] "Sg(Nom|Acc|Abl)_nots"
  Percent_Match freq Percent_Trials
1          100   50            100
```

Percent of Sg(Nom|Acc|Abl) ending in nots

```
[1] "1Sg(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1      50.00000    8              16
2      66.66667    2               4
3      83.33333    1               2
4     100.00000   39              78
```

Percent of 1Sg(Nom|Acc|Abl) ending in a($|,)


```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   45              90
2      11.11111    1               2
3      16.66667    1               2
4      22.22222    3               6
```

Percent of [24]Sg(Nom|Acc|Abl) ending in o($|,)


```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1     77.77778    1               2
2     88.88889    2               4
3    100.00000   47              94
```

Percent of 3Sg(Nom|Acc|Abl) ending in [e-]($|,)


```
[1] "Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

**Percent of Pl(Nom|Acc|Abl) ending in s($|,)**

```
[1] "[mf].Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [mf].Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "[124]Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [124]Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "1Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of 1Pl(Nom|Acc|Abl) ending in s($|,)

```
[1] "[24]Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Nom|Acc|Abl) ending in s($|,)

Percent Matching Reality

```
[1] "n.Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "1Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl(Nom|Acc|Abl) ending in as($|,)

```
[1] "[24]Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Nom|Acc|Abl) ending in os($|,)


```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 3Pl(Nom|Acc|Abl) ending in e?s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc|Abl) ending in a($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50           100
```

Percent of n.Pl(Nom|Acc|Abl) ending in as($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50           100
```

Percent of n.Pl(Nom|Acc|Abl) ending in os($|,)

[1] "m.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1   0   50   100

Percent of m.Pl(Nom|Acc|Abl) ending in as($|,)

```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Nom|Acc|Abl) ending in os($|,)

Percent Matching Reality

```
[1] "1Sg(Gen|Dat)_e($|,)"
  Percent_Match freq Percent_Trials
1             0   38             76
2            25    2              4
3            50    6             12
4           100    4              8
```

Percent of 1Sg(Gen|Dat) ending in e($|,)


```
[1] "Pl(Gen|Dat)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of Pl(Gen|Dat) ending in s($|,)

```
[1] "[124]Pl(Gen|Dat)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [124]Pl(Gen|Dat) ending in s($|,)


```
[1] "Sg_nots"
  Percent_Match freq Percent_Trials
1           100   50            100
```

Percent of Sg ending in nots


```
[1] "1Sg_a($|,)"
  Percent_Match freq Percent_Trials
1            30    3              6
2            40    4              8
3            50    4              8
4            60   11             22
5            80    3              6
6           100   25             50
```

Percent of 1Sg ending in a($|,)


```
[1] "[24]Sg_o($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   45             90
2      6.666667    1              2
3     10.000000    1              2
4     13.333333    3              6
```

Percent of [24]Sg ending in o($|,)


```
[1] "3Sg_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      60.00000    9             18
2      66.66667    2              4
3      80.00000    5             10
4     100.00000   34             68
```

Percent of 3Sg ending in [e−]($|,)


```
[1] "Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of Pl ending in s($|,)

```
[1] "[mf].Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [mf].Pl ending in s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "[124]Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [124]Pl ending in s($|,)


```
[1] "1Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl ending in s($|,)

```
[1] "[24]Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "n.Pl_s($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in s($|,)


```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Pl ending in as($|,)

```
[1] "[24]Pl_os($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of [24]Pl ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "3Pl_e?s($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of 3Pl ending in e?s($|,)



```
[1] "n.Pl_a($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in a($|,)

```
[1] "n.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in as($|,)


```
[1] "n.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in os($|,)


Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl ending in os($|,)


```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50            100
6      u   50            100
3      e   47             94
1      -   43             86
4      i   19             38
5      o    5             10
7     ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50            100
6      u   50            100
3      e   47             94
1      -   46             92
4      i   20             40
5      o    5             10
7     ui    2              4
[1] "SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50            100
5      u   50            100
3      e   45             90
```

```
1     -   39          78
4     i   3            6
6    ui   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50          100
5     u   50          100
3     e   45           90
1     -   42           84
4     i    7           14
6    ui    1            2
[1] "1SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a   50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50          100
1     -    9           18
3     e    2            4
[1] "2SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     u   49           98
1     -    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     u   49           98
1     -   13           26
2     i    2            4
[1] "3SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   44           88
1     -   39           78
3     i    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   44           88
1     -   40           80
3     i    2            4
[1] "4SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     u   50          100
1     -    1            2
3    ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     u   50          100
1     -   11           22
2     e    1            2
3     i    1            2
5    ui    1            2
```

```
[1] "5SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   22            44
1      -   10            20
2      a    2             4
4      i    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   35            70
1      -   24            48
4      i    6            12
2      a    2             4
[1] "mSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      u   50           100
2      e   41            82
1      -   28            56
4     ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   50           100
3      e   45            90
2      a   43            86
1      -   32            64
4      i    7            14
6     ui    1             2
[1] "fSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3      e   45            90
1      -   25            50
4      i    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
3      e   45            90
5      u   44            88
1      -   34            68
4      i    5            10
6     ui    1             2
[1] "nSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      u   49            98
1      -   39            78
2      e   21            42
3      i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      u   50           100
1      -   40            80
```

```
2     e   21            42
3     i    1             2
[1] "SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   50           100
6     u   50           100
3     e   47            94
1     -   32            64
4     i    5            10
5     o    5            10
7    ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50           100
6     u   50           100
3     e   47            94
1     -   38            76
4     i    7            14
5     o    5            10
7    ui    1             2
[1] "1SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   50           100
1     -    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50           100
1     -    9            18
3     e    3             6
[1] "2SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     u   49            98
1     -   14            28
3     o    5            10
2     i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   49            98
1     -   19            38
4     o    5            10
2     e    3             6
3     i    3             6
[1] "3SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   46            92
1     -   30            60
3     i    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   46            92
```

```
1      -    30              60
3      i    2               4
[1] "4SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      u   50             100
1      -    9              18
2      o    3               6
4     ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   50             100
1      -   20              40
4      o    4               8
2      e    1               2
3      i    1               2
6     ui    1               2
[1] "5SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   33              66
1      -   10              20
2      a    2               4
4      i    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   36              72
1      -   15              30
4      i    4               8
2      a    2               4
[1] "mSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u   50             100
2      e   45              90
1      -   20              40
4      o    5              10
3      i    1               2
6     ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      u   50             100
3      e   47              94
2      a   43              86
1      -   29              58
4      i    6              12
5      o    5              10
7     ui    1               2
[1] "fSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50             100
3      e   46              92
1      -   12              24
```

```
4     i    2            4
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2     a   50          100
3     e   47           94
6     u   43           86
1     -   29           58
4     i    4            8
5     o    1            2
7    ui    1            2
```
[1] "nSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
5     u   49           98
1     -   32           64
2     e   25           50
4     o    5           10
3     i    2            4
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
5     u   50          100
1     -   32           64
2     e   26           52
4     o    5           10
3     i    2            4
```
[1] "SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2     a   50          100
6     u   50          100
3     e   47           94
1     -   40           80
4     i    6           12
5     o    5           10
7    ui    1            2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2     a   50          100
6     u   50          100
3     e   47           94
1     -   43           86
4     i    8           16
5     o    5           10
7    ui    1            2
```
[1] "1SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2     a   50          100
1     -    1            2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2     a   50          100
1     -   10           20
3     e    3            6
```

```
[1] "2SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     u   49           98
1     -   15           30
3     o    5           10
2     i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   49           98
1     -   20           40
4     o    5           10
2     e    3            6
3     i    3            6
[1] "3SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   46           92
1     -   39           78
3     i    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   46           92
1     -   40           80
3     i    3            6
[1] "4SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     u   50          100
1     -   10           20
2     o    3            6
4    ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   50          100
1     -   21           42
4     o    4            8
2     e    2            4
3     i    1            2
6    ui    1            2
[1] "5SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   33           66
1     -   11           22
4     i    4            8
2     a    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   36           72
1     -   24           48
4     i    6           12
2     a    2            4
[1] "mSgNom,Acc,Abl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     u   50          100
2     e   45           90
1     -   33           66
4     o    5           10
3     i    1            2
6    ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6     u   50          100
3     e   47           94
2     a   43           86
1     -   37           74
4     i    8           16
5     o    5           10
7    ui    1            2
[1] "fSgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   50          100
3     e   46           92
1     -   25           50
4     i    4            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50          100
3     e   47           94
6     u   44           88
1     -   36           72
4     i    5           10
5     o    1            2
7    ui    1            2
[1] "nSgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     u   49           98
1     -   40           80
2     e   25           50
4     o    5           10
3     i    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   50          100
1     -   41           82
2     e   26           52
4     o    5           10
3     i    2            4
[1] "SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   41           82
2     a   33           66
1     -   31           62
```

```
5      u    20             40
4      i    18             36
6      ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    41             82
1      -    35             70
2      a    33             66
4      i    20             40
5      u    20             40
6      ui    2              4
[1] "1SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    33             66
3      e    12             24
1      -     8             16
4      i     4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    33             66
3      e    14             28
1      -    12             24
4      i     7             14
[1] "2SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    18             36
3      i    16             32
4      u    14             28
2      e     9             18
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    20             40
3      i    18             36
4      u    14             28
2      e    11             22
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    33             66
1      -    23             46
3      i    16             32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    33             66
1      -    23             46
3      i    16             32
[1] "4SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      u    20             40
3      i    14             28
1      -    12             24
```

```
2      e    9              18
5     ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      u   20              40
1      -   19              38
3      i   15              30
2      e   10              20
5     ui    2               4
[1] "5SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   18              36
1      -   10              20
4      i   10              20
2      a    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   28              56
1      -   18              36
4      i   17              34
2      a    1               2
[1] "mSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   33              66
1      -   25              50
4      u   20              40
3      i   18              36
5     ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   37              74
1      -   31              62
2      a   29              58
4      i   20              40
5      u   20              40
6     ui    1               2
[1] "fSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   41              82
2      a   33              66
1      -   21              42
4      i   16              32
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   41              82
2      a   33              66
1      -   32              64
4      i   17              34
5      u   15              30
6     ui    2               4
[1] "nSgGen,Dat"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27             54
2      e   22             44
3      i   17             34
4      u   13             26
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   27             54
2      e   22             44
4      u   20             40
3      i   17             34
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50            100
5      u   48             96
1      -   43             86
3      e   39             78
4      i   27             54
6     ui    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50            100
5      u   49             98
1      -   44             88
3      e   39             78
4      i   29             58
6     ui    3              6
[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50            100
5      u   48             96
1      -   39             78
3      e   25             50
4      i    2              4
6     ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50            100
5      u   49             98
1      -   42             84
3      e   26             52
4      i    7             14
6     ui    1              2
[1] "1"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50            100
3      e   23             46
4      i   13             26
1      -   12             24
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
2      a   50          100
3      e   23           46
1      -   16           32
4      i   13           26
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   50          100
3      e   12           24
1      -    8           16
4      i    4            8
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   50          100
1      -   16           32
3      e   15           30
4      i    7           14
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      a   50          100
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   50          100
1      -    9           18
3      e    1            2
[1] "2"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5      u   49           98
1      -   28           56
3      i   26           52
2      e   11           22
4      o    5           10
6     ui    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5      u   49           98
1      -   30           60
3      i   26           52
2      e   12           24
4      o    5           10
6     ue    1            2
7     ui    1            2
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5      u   49           98
1      -   23           46
3      i   17           34
2      e    9           18
4      o    5           10
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
5      u   49              98
1      -   26              52
3      i   18              36
2      e   11              22
4      o    5              10
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      u   48              96
1      -    3               6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      u   48              96
1      -   12              24
2      i    2               4
[1] "3"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   47              94
1      -   39              78
3      i   28              56
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47              94
1      -   40              80
3      i   28              56
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   47              94
1      -   39              78
3      i   16              32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47              94
1      -   40              80
3      i   16              32
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39              78
2      e   25              50
3      i    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40              80
2      e   25              50
3      i    2               4
[1] "4"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u   50             100
3      i   24              48
```

```
1      -   23           46
2      e   10           20
4      o    3            6
6     ui    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   50          100
1      -   27           54
3      i   24           48
2      e   14           28
4      o    4            8
6     ui    4            8
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u   50          100
1      -   17           34
3      i   14           28
2      e    9           18
4      o    3            6
6     ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   50          100
1      -   25           50
3      i   15           30
2      e   10           20
4      o    4            8
6     ui    2            4
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      u   48           96
1      -    1            2
3     ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      u   49           98
1      -    8           16
2      e    1            2
3      i    1            2
5     ui    1            2
[1] "5"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   35           70
4      i   26           52
1      -   18           36
2      a    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   37           74
4      i   30           60
1      -   26           52
```

```
2      a    2             4
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   34            68
1      -   18            36
4      i   11            22
2      a    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   36            72
1      -   26            52
4      i   17            34
2      a    2             4
[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   21            42
3      e   21            42
4      i    4             8
2      a    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22            44
3      e   22            44
4      i    6            12
2      a    2             4
[1] "m"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      u   50           100
3      e   46            92
1      -   41            82
4      i   29            58
2      a   28            56
5      o    5            10
7     ui    3             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      u   50           100
3      e   47            94
1      -   46            92
2      a   43            86
4      i   29            58
5      o    5            10
8     ui    3             6
7     ue    1             2
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
6      u   50           100
3      e   46            92
1      -   37            74
4      i   19            38
```

```
5     o    5            10
2     a    1             2
7     ui   1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6     u    50           100
3     e    47            94
1     -    43            86
2     a    43            86
4     i    20            40
5     o    5             10
7     ui   1             2
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     u    48            96
1     -    28            56
2     e    23            46
4     ui   1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u    48            96
2     a    43            86
1     -    32            64
3     e    26            52
4     i    7             14
6     ui   1             2
[1] "f135Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a    50           100
3     e    46            92
1     -    30            60
4     i    16            32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a    50           100
3     e    47            94
1     -    30            60
4     i    16            32
[1] "m24Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     u    50           100
1     -    23            46
3     i    17            34
2     e    10            20
4     o    5             10
6     ui   1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u    50           100
1     -    24            48
3     i    17            34
```

```
2      e    10            20
4      o     5            10
6     ui     1             2
[1] "n24Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u    49            98
1      -    23            46
3      i    15            30
2      e     8            16
4      o     5            10
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u    50           100
1      -    23            46
3      i    15            30
2      e     8            16
4      o     5            10
[1] "m234Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u    50           100
2      e    46            92
1      -    37            74
3      i    19            38
4      o     5            10
6     ui     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u    50           100
2      e    47            94
1      -    39            78
3      i    19            38
4      o     5            10
6     ui     1             2
[1] "m2345Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u    50           100
2      e    46            92
1      -    37            74
3      i    19            38
4      o     5            10
6     ui     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
6      u    50           100
3      e    47            94
1      -    40            80
4      i    20            40
5      o     5            10
2      a     2             4
7     ui     1             2
[1] "m1Sg"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   43             86
1     -   16             32
3     e   10             20
4     i    7             14
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   43             86
1     -    9             18
3     e    1              2
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     u   49             98
1     -   22             44
3     i   17             34
2     e    9             18
4     o    5             10
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   49             98
1     -   24             48
3     i   17             34
2     e    9             18
4     o    5             10
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     u   48             96
1     -    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     u   48             96
1     -    3              6
2     i    1              2
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   46             92
1     -   30             60
3     i   16             32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   47             94
1     -   31             62
3     i   16             32
```

```
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   28             56
2      e   23             46
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29             58
2      e   23             46
3      i    1              2
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u   50            100
1      -   17             34
3      i   14             28
2      e    9             18
4      o    3              6
6     ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   50            100
1      -   18             36
3      i   14             28
2      e    9             18
4      o    3              6
6     ui    1              2
[1] "m4SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      u   48             96
1      -    1              2
3     ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u   48             96
1      -    1              2
3     ui    1              2
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   35             70
1      -   26             52
4      i   17             34
2      a    2              4
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
1      -   22            44
3      e   21            42
4      i    5            10
2      a    2             4
[1] "f"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3      e   47            94
1      -   37            74
4      i   28            56
5      u   15            30
6     ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
3      e   47            94
1      -   45            90
6      u   44            88
4      i   31            62
7     ui    2             4
5      o    1             2
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3      e   46            92
1      -   30            60
4      i   16            32
5      u   11            22
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
3      e   47            94
6      u   44            88
1      -   42            84
4      i   17            34
7     ui    2             4
5      o    1             2
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   50           100
3      e   25            50
1      -   24            48
4      i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50           100
5      u   41            82
1      -   32            64
3      e   26            52
4      i    5            10
6     ui    1             2
```

```
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   50           100
3     e   12            24
1     -    8            16
4     i    4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50           100
3     e   13            26
1     -    9            18
4     i    4             8
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   50           100
1     -    1             2
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   39            78
1     -   25            50
3     i   15            30
2     e   10            20
4     o    1             2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     u   37            74
1     -   12            24
2     i    1             2
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   46            92
1     -   26            52
3     i   16            32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   47            94
1     -   26            52
3     i   16            32
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
2      e   25              50
1      -   24              48
3      i    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   25              50
1      -   24              48
3      i    1               2
[1] "f4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq              Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   43              86
1      -   24              48
3      i   15              30
2      e    9              18
6     ui    2               4
4      o    1               2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq              Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      u   40              80
1      -    8              16
2      i    1               2
4     ui    1               2
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   34              68
1      -   18              36
4      i   11              22
2      a    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   36              72
1      -   25              50
4      i   16              32
2      a    2               4
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq              Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   22              44
1      -   21              42
4      i    5              10
2      a    2               4
```

```
[1] "n"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     u   49          98
1     -   45          90
2     e   29          58
3     i   27          54
4     o    5          10
6    ui    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   50         100
1     -   46          92
2     e   29          58
3     i   27          54
4     o    5          10
6    ui    3           6
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     u   49          98
1     -   41          82
2     e   28          56
3     i   17          34
4     o    5          10
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   50         100
1     -   42          84
2     e   29          58
3     i   17          34
4     o    5          10
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     u   48          96
1     -   38          76
2     e   11          22
3     i    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     u   49          98
1     -   39          78
2     e   11          22
3     i    1           2
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     u   49          98
1     -   22          44
3     i   15          30
2     e    8          16
4     o    5          10
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
5      u   49          98
1      -   23          46
3      i   15          30
2      e    8          16
4      o    5          10
[1] "n2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      u   48          96
1      -    2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u   48          96
1      -    2           4
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   39          78
2      e   28          56
3      i   16          32
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   40          80
2      e   29          58
3      i   16          32
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   38          76
2      e   11          22
3      i    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   39          78
2      e   11          22
3      i    1           2
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   50         100
1      -   18          36
3      i   14          28
2      e    8          16
4      o    2           4
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq            Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
3      u    49           98
1      -     1            2
2      e     1            2
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    50          100
5      u    50          100
3      e    46           92
1      -    36           72
4      i    24           48
6     ui     1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    50          100
5      u    50          100
3      e    46           92
1      -    40           80
4      i    24           48
6     ue     1            2
7     ui     1            2
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    50          100
4      u    50          100
3      e    44           88
1      -    29           58
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    50          100
5      u    50          100
3      e    45           90
1      -    34           68
4      i     2            4
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a    50          100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    50          100
1      -     8           16
3      e     2            4
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      u    49           98
1      -     2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u    49           98
1      -    12           24
[1] "3SgAcc"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   44            88
1     -   29            58
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   44            88
1     -   29            58
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     u   50           100
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     u   50           100
1     -    9            18
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   34            68
1     -   12            24
2     a    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   35            70
1     -   13            26
2     a    2             4
4     i    2             4
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     u   50           100
2     e   41            82
1     -   10            20
[1] "All Endings Included"
  Suffix freq Percent_Trials
5     u   50           100
3     e   45            90
2     a   43            86
1     -   20            40
4     i    1             2
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   43            86
1     -    8            16
3     e    2             4
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     u   49            98
```

```
1       -     2                 4
[1] "All Endings Included"
   Suffix freq Percent_Trials
2     u    49                98
1     -     2                 4
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2     e    41                82
1     -    10                20
[1] "All Endings Included"
   Suffix freq Percent_Trials
2     e    42                84
1     -    10                20
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1     u    50               100
[1] "All Endings Included"
   Suffix freq Percent_Trials
1     u    50               100
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3     e    34                68
1     -    13                26
2     a     2                 4
4     i     1                 2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2     a    50               100
3     e    44                88
1     -     7                14
[1] "All Endings Included"
   Suffix freq Percent_Trials
2     a    50               100
3     e    45                90
5     u    43                86
1     -    22                44
4     i     2                 4
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1     a    50               100
[1] "All Endings Included"
   Suffix freq Percent_Trials
1     a    50               100
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u   38          76
1      -   12          24
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   44          88
1      -    7          14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   44          88
1      -    7          14
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u   42          84
1      -    8          16
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   35          70
1      -   12          24
2      a    2           4
4      i    2           4
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      u   49          98
1      -   29          58
2      e   21          42
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      u   49          98
1      -   29          58
2      e   21          42
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      u   49          98
1      -    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u   49          98
1      -    1           2
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
1      -   29           58
2      e   21           42
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   29           58
2      e   21           42
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u   49           98
1      -    1            2
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   34           68
1      -   28           56
2      a   28           56
4      i   26           52
5      u   16           32
6     ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   34           68
1      -   31           62
2      a   29           58
4      i   27           54
5      u   17           34
6     ui    1            2
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   30           60
2      a   28           56
1      -   27           54
4      i   18           36
5      u   16           32
6     ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   32           64
1      -   30           60
2      a   29           58
4      i   20           40
5      u   17           34
6     ui    1            2
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   28           56
3      e   11           22
```

```
1       -   7             14
4       i   4              8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   29            58
3       e   12            24
1       -   11            22
4       i   7             14
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   17            34
3       i   16            32
4       u   11            22
2       e   8             16
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   19            38
3       i   18            36
2       e   11            22
4       u   11            22
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -   21            42
2       e   20            40
3       i   16            32
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   21            42
2       e   20            40
3       i   16            32
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4       u   16            32
3       i   14            28
1       -   11            22
2       e   8             16
5       ui  1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4       u   17            34
1       -   16            32
3       i   15            30
2       e   9             18
5       ui  1              2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       e   17            34
4       i   16            32
1       -   14            28
2       a   1              2
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   19          38
4     i   17          34
1     -   15          30
2     a    1           2
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   22          44
2     e   20          40
3     i   18          36
4     u   16          32
5    ui    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   27          54
2     a   26          52
3     e   26          52
4     i   20          40
5     u   16          32
6    ui    1           2
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   26          52
1     -   11          22
3     e    7          14
4     i    7          14
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   17          34
3     i   16          32
4     u   11          22
2     e    8          16
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   18          36
3     i   17          34
4     u   11          22
2     e    8          16
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   20          40
3     i   16          32
1     -   14          28
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   20          40
```

```
3     i   16              32
1     -   14              28
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     u   16              32
3     i   14              28
1     -   11              22
2     e    8              16
5    ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     u   16              32
3     i   14              28
1     -   11              22
2     e    8              16
5    ui    1               2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   17              34
4     i   17              34
1     -   15              30
2     a    1               2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   30              60
2     a   28              56
1     -   18              36
4     i   16              32
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   32              64
2     a   29              58
1     -   28              56
4     i   17              34
5     u   12              24
6    ui    1               2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   28              56
3     e   11              22
1     -    7              14
4     i    4               8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   29              58
3     e   12              24
1     -    7              14
```

```
4      i     4                 8
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    15               30
3      i    15               30
2      e    10               20
4      u    10               20
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    20               40
3      i    16               32
1      -    14               28
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    20               40
3      i    16               32
1      -    14               28
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    16               32
3      i    15               30
4      u    11               22
2      e     7               14
5     ui     1                2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e    19               38
4      i    16               32
1      -    15               30
2      a     1                2
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    24               48
3      i    17               34
2      e    13               26
4      u    11               22
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    24               48
3      i    17               34
```

```
4     u   17            34
2     e   13            26
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   16            32
3     i   15            30
4     u   11            22
2     e    8            16
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   17            34
3     i   15            30
4     u   11            22
2     e    8            16
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   21            42
3     i   16            32
2     e   13            26
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   21            42
3     i   16            32
2     e   13            26
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     u   17            34
3     i   14            28
1     -   11            22
2     e    8            16
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   41            82
2     a   33            66
1     -   31            62
4     i   25            50
5     u   20            40
6    ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   41            82
1     -   34            68
2     a   33            66
4     i   25            50
5     u   20            40
6    ui    2             4
[1] "DatSg"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   39          78
2     a   33          66
1     -   28          56
5     u   20          40
4     i   13          26
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   39          78
2     a   33          66
1     -   30          60
5     u   20          40
4     i   13          26
6    ui    1           2
[1] "1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   33          66
1     -    8          16
3     e    7          14
4     i    3           6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   33          66
1     -   12          24
3     e    9          18
4     i    5          10
[1] "2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   17          34
4     u   14          28
3     i   12          24
2     e    9          18
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   18          36
4     u   14          28
3     i   13          26
2     e   11          22
[1] "3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   33          66
1     -   18          36
3     i   11          22
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   33          66
1     -   18          36
3     i   11          22
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
4     u   20           40
1     -   11           22
3     i   11           22
2     e    9           18
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     u   20           40
1     -   16           32
3     i   11           22
2     e   10           20
5    ui    1            2
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   27           54
1     -   11           22
4     i    9           18
2     a    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   28           56
1     -   13           26
4     i   10           20
2     a    1            2
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   33           66
1     -   21           42
4     u   20           40
3     i   12           24
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   36           72
2     a   29           58
1     -   27           54
5     u   20           40
4     i   12           24
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   29           58
1     -   11           22
3     e    6           12
4     i    5           10
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   17           34
4     u   14           28
```

```
3    i   12          24
2    e    9          18
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   17          34
4    u   14          28
3    i   12          24
2    e    9          18
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e   33          66
1    -    9          18
3    i    8          16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    e   33          66
1    -    9          18
3    i    8          16
[1] "m4SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4    u   20          40
1    -   11          22
3    i   11          22
2    e    9          18
[1] "All Endings Included"
  Suffix freq Percent_Trials
4    u   20          40
1    -   12          24
3    i   11          22
2    e    9          18
[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e   28          56
1    -   12          24
4    i    9          18
2    a    1           2
[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    e   39          78
2    a   33          66
1    -   15          30
4    i    9          18
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e   39          78
2    a   33          66
1    -   27          54
```

```
5      u    15            30
4      i    13            26
6      ui    1             2
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a    33            66
1      -     8            16
3      e     7            14
4      i     3             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a    33            66
1      -     8            16
3      e     7            14
4      i     3             6
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    15            30
3      i    13            26
4      u    12            24
2      e    10            20
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e    33            66
3      i     9            18
1      -     8            16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e    33            66
3      i     9            18
1      -     8            16
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      u    15            30
1      -    14            28
3      i    11            22
2      e     9            18
5      ui    1             2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
3     e   28          56
1     -   12          24
4     i   10          20
2     a    1           2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   24          48
2     e   22          44
4     u   13          26
3     i   12          24
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   24          48
2     e   22          44
4     u   19          38
3     i   12          24
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   17          34
4     u   13          26
3     i   12          24
2     e    8          16
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   17          34
4     u   14          28
3     i   12          24
2     e    8          16
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   22          44
1     -   18          36
3     i   10          20
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   22          44
1     -   18          36
3     i   10          20
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     u   18          36
1     -   13          26
3     i   11          22
2     e    8          16
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
```

```
2      a   49              98
3      e   47              94
6      u   38              76
1      -   37              74
4      i   27              54
5      o    5              10
7     ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49              98
3      e   47              94
6      u   41              82
1      -   40              80
4      i   29              58
5      o    5              10
7     ui    2               4
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49              98
3      e   44              88
6      u   38              76
1      -   30              60
5      o    5              10
4      i    4               8
7     ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49              98
3      e   45              90
6      u   41              82
1      -   34              68
4      i    7              14
5      o    5              10
7     ui    1               2
[1] "1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49              98
1      -    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49              98
1      -    8              16
3      e    2               4
[1] "2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      u   32              64
1      -   14              28
3      o    5              10
2      i    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
5      u   34            68
1      -   19            38
4      o    5            10
2      e    3             6
3      i    3             6
[1] "3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   44            88
1      -   24            48
3      i    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   44            88
1      -   25            50
3      i    2             4
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      u   38            76
1      -    9            18
2      o    3             6
4     ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   41            82
1      -   18            36
4      o    4             8
2      e    1             2
3      i    1             2
6     ui    1             2
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   32            64
1      -   10            20
4      i    4             8
2      a    2             4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   34            68
1      -   12            24
4      i    4             8
2      a    2             4
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   44            88
5      u   38            76
1      -   20            40
4      o    5            10
3      i    1             2
6     ui    1             2
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
3      e   45           90
2      a   42           84
6      u   38           76
1      -   26           52
4      i    6           12
5      o    5           10
7     ui    1            2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   42           84
1      -    8           16
3      e    1            2
[1] "m2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      u   32           64
1      -   13           26
3      o    5           10
2      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   32           64
1      -   14           28
4      o    5           10
3      i    2            4
2      e    1            2
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   44           88
1      -    8           16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   44           88
1      -    8           16
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      u   38           76
1      -    9           18
2      o    3            6
4     ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      u   38           76
1      -    9           18
2      o    3            6
4     ui    1            2
[1] "m5SgAbl"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   34             68
1      -   10             20
4      i    4              8
2      a    2              4
[1] "fSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49             98
3      e   43             86
1      -    9             18
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49             98
3      e   45             90
6      u   31             62
1      -   25             50
4      i    4              8
5      o    1              2
7     ui    1              2
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   49             98
1      -    1              2
3      e    1              2
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   30             60
1      -   15             30
2      e    3              6
3      i    1              2
4      o    1              2
[1] "f3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   43             86
1      -    7             14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   44             88
1      -    8             16
```

```
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   31              62
1      -   17              34
2      e    1               2
3      i    1               2
4      o    1               2
6     ui    1               2
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   34              68
1      -   12              24
4      i    4               8
2      a    2               4
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      u   32              64
1      -   30              60
2      e   24              48
4      o    5              10
3      i    2               4
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      u   40              80
1      -   30              60
2      e   25              50
4      o    5              10
3      i    2               4
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      u   32              64
1      -   13              26
2      o    5              10
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      u   32              64
1      -   14              28
2      o    5              10
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24              48
2      e   24              48
3      i    2               4
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   25           50
1     -   24           48
3     i    2            4
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     u   40           80
1     -    8           16
2     o    2            4
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   45           90
2     a   34           68
1     -   30           60
4     i   29           58
5     u   14           28
6    ui    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   45           90
2     a   34           68
1     -   31           62
4     i   31           62
5     u   15           30
7    ui    3            6
6    ue    1            2
[1] "PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   44           88
2     a   33           66
1     -   28           56
4     i   28           56
5     u   14           28
6    ui    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   44           88
2     a   33           66
4     i   30           60
1     -   29           58
5     u   15           30
7    ui    3            6
6    ue    1            2
[1] "1PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a   33           66
```

```
2     e   21                42
3     i    6                12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   33                66
3     e   21                42
4     i   10                20
1     -    4                 8
[1] "2PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   25                50
3     i   24                48
4     u    9                18
2     e    2                 4
5    ui    1                 2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   26                52
3     i   25                50
4     u   10                20
2     e    5                10
5    ue    1                 2
6    ui    1                 2
[1] "3PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   29                58
3     i   27                54
1     -   18                36
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   29                58
3     i   27                54
1     -   19                38
[1] "4PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   20                40
1     -   18                36
4     u   13                26
2     e    3                 6
5    ui    3                 6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   22                44
3     i   22                44
4     u   14                28
2     e    6                12
5    ui    3                 6
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     i   18                36
```

```
3      e    15            30
1      -     6            12
2      a     1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
4      i    29            58
3      e    24            48
1      -    10            20
2      a     1             2
```
[1] "mPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e    28            56
3      i    28            56
1      -    27            54
4      u    14            28
5     ui     3             6
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3      e    37            74
2      a    31            62
4      i    28            56
1      -    27            54
5      u    14            28
7     ui     3             6
6     ue     1             2
```
[1] "fPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3      e    41            82
2      a    33            66
4      i    26            52
1      -    11            22
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3      e    43            86
2      a    33            66
4      i    30            60
1      -    26            52
5      u    11            22
6     ui     1             2
```
[1] "nPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -    28            56
3      i    26            52
2      e    18            36
4      u     8            16
5     ui     1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -    29            58
3      i    26            52
2      e    18            36
```

```
4      u    13              26
5      ui    3               6
```
[1] "PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3      e    43              86
2      a    34              68
1      -    28              56
4      i    28              56
5      u    13              26
6      ui    1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3      e    43              86
2      a    34              68
4      i    30              60
1      -    29              58
5      u    14              28
7      ui    2               4
6      ue    1               2
```
[1] "1PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      a    34              68
3      e    20              40
4      i     5              10
1      -     1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a    34              68
3      e    20              40
4      i     9              18
1      -     5              10
```
[1] "2PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -    25              50
3      i    24              48
4      u     8              16
2      e     4               8
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -    26              52
3      i    25              50
4      u     9              18
2      e     6              12
5      ue    1               2
```
[1] "3PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e    29              58
3      i    27              54
1      -    17              34
```
[1] "All Endings Included"

```
  Suffix freq Percent_Trials
2      e   29            58
3      i   27            54
1      -   17            34
[1] "4PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   22            44
1      -   20            40
4      u   12            24
2      e    5            10
5     ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22            44
3      i   22            44
4      u   13            26
2      e    8            16
5     ui    2             4
[1] "5PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   18            36
4      i   17            34
1      -    6            12
2      a    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i   28            56
3      e   25            50
1      -    8            16
2      a    1             2
[1] "mPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   29            58
3      i   28            56
1      -   27            54
4      u   13            26
5     ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   38            76
2      a   32            64
4      i   28            56
1      -   27            54
5      u   13            26
7     ui    2             4
6     ue    1             2
[1] "fPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   41            82
2      a   34            68
```

```
4      i   26            52
1      -   10            20
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   42            84
2      a   34            68
4      i   30            60
1      -   27            54
5      u   10            20
6     ui    1             2
[1] "nPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   27            54
3      i   26            52
2      e   18            36
4      u    7            14
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   28            56
3      i   26            52
2      e   18            36
4      u   12            24
5     ui    1             2
[1] "PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   44            88
2      a   34            68
1      -   29            58
4      i   28            56
5      u   14            28
6     ui    3             6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   44            88
2      a   34            68
1      -   30            60
4      i   30            60
5      u   15            30
7     ui    3             6
6     ue    1             2
[1] "1PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   34            68
3      e   21            42
4      i    6            12
1      -    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   34            68
3      e   21            42
4      i   10            20
```

```
1        -     5              10
[1] "2PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -    25             50
3        i    25             50
4        u     9             18
2        e     5             10
5       ui     1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    26             52
3        i    25             50
4        u    10             20
2        e     7             14
5       ue     1              2
6       ui     1              2
[1] "3PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        e    29             58
3        i    27             54
1        -    19             38
[1] "All Endings Included"
  Suffix freq Percent_Trials
2        e    29             58
3        i    27             54
1        -    20             40
[1] "4PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3        i    22             44
1        -    20             40
4        u    13             26
2        e     5             10
5       ui     3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    22             44
3        i    22             44
4        u    14             28
2        e     8             16
5       ui     3              6
[1] "5PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4        i    24             48
3        e    18             36
1        -     7             14
2        a     1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4        i    29             58
3        e    25             50
```

```
1       -    10              20
2       a     1               2
[1] "mPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e    29              58
1       -    28              56
3       i    28              56
4       u    14              28
5      ui     3               6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       e    38              76
2       a    32              64
1       -    28              56
4       i    28              56
5       u    14              28
7      ui     3               6
6      ue     1               2
[1] "fPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       e    42              84
2       a    34              68
4       i    27              54
1       -    12              24
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       e    43              86
2       a    34              68
4       i    30              60
1       -    28              56
5       u    11              22
6      ui     1               2
[1] "nPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -    28              56
3       i    26              52
2       e    18              36
4       u     8              16
5      ui     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -    29              58
3       i    26              52
2       e    18              36
4       u    13              26
5      ui     3               6
[1] "PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       e    38              76
4       i    27              54
```

```
2    a   24          48
1    -   23          46
5    u   2           4
6    ui  1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e   38          76
4    i   28          56
1    -   24          48
2    a   24          48
5    u   2           4
6    ui  1           2
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    a   24          48
3    e   17          34
4    i   8           16
1    -   6           12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a   24          48
3    e   18          36
4    i   11          22
1    -   10          20
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    i   25          50
1    -   17          34
2    e   11          22
4    u   2           4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    i   25          50
1    -   18          36
2    e   11          22
4    u   2           4
[1] "3PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    i   25          50
2    e   23          46
1    -   16          32
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    i   25          50
2    e   23          46
1    -   16          32
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    i   24          48
1    -   18          36
```

```
2     e    9              18
4     u    2               4
5    ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24              48
1     -   18              36
2     e   12              24
4     u    2               4
5    ui    1               2
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   19              38
2     e   17              34
1     -    7              14
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24              48
2     e   23              46
1     -   11              22
[1] "mPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   25              50
2     e   23              46
1     -   20              40
4     u    2               4
5    ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   33              66
4     i   26              52
1     -   23              46
2     a   22              44
5     u    2               4
6    ui    1               2
[1] "fPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   38              76
4     i   25              50
2     a   24              48
1     -   15              30
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   38              76
4     i   28              56
2     a   24              48
1     -   22              44
5     u    2               4
6    ui    1               2
[1] "nPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```

```
  Suffix freq Percent_Trials
3    i    25         50
1    -    18         36
2    e    15         30
4    u     2          4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    i    26         52
1    -    20         40
2    e    15         30
4    u     2          4
5   ui     1          2
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    e    36         72
4    i    27         54
2    a    25         50
1    -    23         46
5    u     9         18
6   ui     3          6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e    37         74
4    i    29         58
2    a    25         50
1    -    24         48
5    u    10         20
6   ui     3          6
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    a    34         68
3    e    21         42
4    i    10         20
1    -     6         12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a    34         68
3    e    22         44
4    i    13         26
1    -    10         20
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    a    25         50
2    e    20         40
3    i     6         12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a    25         50
3    e    20         40
4    i    10         20
1    -     4          8
```

```
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   26            52
1     -   25            50
2     e   11            22
4     u    9            18
5    ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   26            52
3     i   26            52
2     e   12            24
4     u   10            20
5    ue    1             2
6    ui    1             2
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24            48
1     -   19            38
4     u    5            10
2     e    2             4
5    ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25            50
1     -   20            40
4     u    6            12
2     e    4             8
5    ui    1             2
[1] "3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   31            62
3     i   28            56
1     -   19            38
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   31            62
3     i   28            56
1     -   20            40
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   26            52
1     -   17            34
2     e   15            30
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   26            52
1     -   18            36
2     e   15            30
[1] "4Pl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    i   24          48
1    -   21          42
4    u   13          26
2    e    9          18
5   ui    3           6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    i   24          48
1    -   22          44
4    u   14          28
2    e   13          26
5   ui    3           6
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    i   20          40
1    -   15          30
4    u    9          18
2    e    3           6
5   ui    3           6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    i   22          44
1    -   18          36
4    u   10          20
2    e    5          10
5   ui    3           6
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4    i   26          52
3    e   24          48
1    -   11          22
2    a    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4    i   30          60
3    e   27          54
1    -   11          22
2    a    1           2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4    i   25          50
3    e   14          28
1    -    7          14
2    a    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4    i   28          56
3    e   15          30
1    -    9          18
```

```
2     a    1              2
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   32             64
3     i   29             58
1     -   28             56
4     u   14             28
5    ui    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   39             78
2     a   32             64
1     -   30             60
4     i   29             58
5     u   14             28
7    ui    3              6
6    ue    1              2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   27             54
1     -   21             42
2     e   15             30
4     u    9             18
5    ui    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   29             58
4     i   27             54
2     a   24             48
1     -   22             44
5     u    9             18
6    ui    3              6
[1] "f135Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   44             88
2     a   34             68
4     i   28             56
1     -   16             32
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   44             88
2     a   34             68
4     i   30             60
1     -   16             32
[1] "m24Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   26             52
1     -   25             50
4     u   14             28
2     e   11             22
```

```
5    ui    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   26             52
1     -   25             50
4     u   14             28
2     e   12             24
6    ui    3              6
5    ue    1              2
[1] "n24Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   25             50
3     i   25             50
2     e   11             22
4     u    8             16
5    ui    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   26             52
3     i   25             50
4     u   13             26
2     e   11             22
5    ui    3              6
[1] "m234Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   31             62
3     i   29             58
1     -   28             56
4     u   14             28
5    ui    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   31             62
3     i   29             58
1     -   28             56
4     u   14             28
6    ui    3              6
5    ue    1              2
[1] "m2345Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   31             62
3     i   29             58
1     -   28             56
4     u   14             28
5    ui    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   32             64
4     i   29             58
1     -   28             56
5     u   14             28
```

```
7     ui    3              6
2      a    1              2
6     ue    1              2
[1] "m1Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
3      e   15             30
4      i   13             26
1      -   10             20
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   24             48
3      e   13             26
4      i   10             20
1      -    4              8
[1] "m2Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   26             52
1      -   25             50
2      e   11             22
4      u    9             18
5     ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   26             52
1      -   25             50
2      e   11             22
4      u    9             18
5     ue    1              2
6     ui    1              2
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   24             48
1      -   19             38
4      u    5             10
2      e    2              4
5     ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   25             50
1      -   19             38
4      u    5             10
2      e    2              4
5     ui    1              2
```

```
[1] "m3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   31           62
3     i   28           56
1     -   13           26
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   31           62
3     i   28           56
1     -   14           28
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   26           52
2     e   14           28
1     -   10           20
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   26           52
2     e   14           28
1     -   11           22
[1] "m4Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24           48
1     -   21           42
4     u   13           26
2     e    9           18
5    ui    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24           48
1     -   21           42
4     u   13           26
2     e   10           20
5    ui    3            6
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   20           40
1     -   15           30
4     u    9           18
2     e    3            6
5    ui    3            6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   20           40
1     -   15           30
4     u    9           18
2     e    3            6
5    ui    3            6
[1] "m5Pl"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   27             54
4      i   27             54
1      -   11             22
2      a    1              2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i   26             52
3      e   14             28
1      -    9             18
2      a    1              2
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   44             88
2      a   34             68
4      i   28             56
1      -   20             40
5      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   44             88
2      a   34             68
4      i   31             62
1      -   30             60
5      u   11             22
6     ui    1              2
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   34             68
4      i   26             52
2      a   25             50
1      -   10             20
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   37             74
4      i   29             58
2      a   25             50
1      -   20             40
5      u    8             16
6     ui    1              2
[1] "f1Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   34             68
3      e   21             42
```

```
4     i   10          20
1     -    6          12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   34          68
3     e   21          42
4     i   10          20
1     -    6          12
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a   25          50
2     e   20          40
3     i    6          12
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     a   25          50
2     e   20          40
3     i    6          12
[1] "f2Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25          50
1     -   22          44
2     e   12          24
4     u    8          16
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24          48
1     -   17          34
4     u    5          10
2     e    4           8
[1] "f3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   30          60
3     i   28          56
1     -   13          26
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   30          60
3     i   28          56
1     -   13          26
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   26          52
```

```
2      e    14          28
1      -    10          20
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i    26          52
2      e    14          28
1      -    10          20
[1] "f4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i    24          48
1      -    21          42
2      e    12          24
4      u    10          20
5     ui     1           2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i    22          44
1      -    16          32
4      u     8          16
2      e     5          10
5     ui     1           2
[1] "f5Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      i    26          52
3      e    24          48
1      -    11          22
2      a     1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i    29          58
3      e    27          54
1      -    11          22
2      a     1           2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i    27          54
3      e    15          30
1      -     9          18
2      a     1           2
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
```

```
   Suffix freq Percent_Trials
1      -   28          56
3      i   27          54
2      e   20          40
4      u    8          16
5     ui    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   29          58
3      i   27          54
2      e   20          40
4      u   13          26
5     ui    3           6
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      i   25          50
1      -   23          46
2      e    9          18
4      u    5          10
5     ui    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      i   25          50
1      -   23          46
2      e   10          20
4      u    9          18
5     ui    3           6
[1] "n2Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   25          50
3      i   25          50
2      e   11          22
4      u    8          16
5     ui    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   26          52
3      i   25          50
2      e   11          22
4      u    8          16
5     ui    1           2
[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      i   24          48
1      -   19          38
4      u    5          10
2      e    2           4
5     ui    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      i   24          48
```

```
1      -   19          38
4      u   5           10
2      e   2            4
5      ui  1            2
[1] "n3Pl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   26          52
2      e   20          40
1      -   18          36
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   26          52
2      e   20          40
1      -   18          36
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   24          48
1      -   17          34
2      e    9          18
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   24          48
1      -   17          34
2      e    9          18
[1] "n4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   24          48
1      -   21          42
4      u   13          26
2      e    9          18
5      ui   3           6
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   20          40
1      -   15          30
4      u    9          18
2      e    3           6
5      ui   3           6
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   41          82
2      a   33          66
1      -   27          54
```

```
4     i   24          48
5     u   13          26
6    ui    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   42          84
2     a   33          66
1     -   28          56
4     i   24          48
5     u   14          28
6    ue    1           2
7    ui    1           2
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     a   33          66
2     e   13          26
3     i    4           8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   33          66
3     e   13          26
4     i    8          16
1     -    4           8
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   25          50
3     i   19          38
4     u    8          16
2     e    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   26          52
3     i   19          38
4     u    9          18
2     e    4           8
5    ue    1           2
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   29          58
3     i   22          44
1     -   16          32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   29          58
3     i   22          44
1     -   16          32
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   18          36
3     i   16          32
```

```
4     u    12              24
2     e     3               6
5    ui     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -    22              44
3     i    16              32
4     u    13              26
2     e     6              12
5    ui     1               2
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e    23              46
4     i    18              36
1     -     7              14
2     a     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e    24              48
4     i    19              38
1     -     7              14
2     a     1               2
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e    28              56
1     -    25              50
3     i    24              48
4     u    13              26
5    ui     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e    36              72
2     a    31              62
1     -    26              52
4     i    24              48
5     u    13              26
6    ue     1               2
7    ui     1               2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a    31              62
3     e     8              16
4     i     8              16
1     -     4               8
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -    24              48
```

```
3    i   19              38
4    u    8              16
2    e    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   25              50
3    i   19              38
4    u    8              16
2    e    1               2
5   ue    1               2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e   28              56
3    i   19              38
1    -    6              12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    e   28              56
3    i   19              38
1    -    6              12
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    -   18              36
3    i   16              32
4    u   12              24
2    e    3               6
5   ui    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   18              36
3    i   16              32
4    u   12              24
2    e    4               8
5   ui    1               2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e   24              48
4    i   18              36
1    -    7              14
2    a    1               2
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    e   38              76
2    a   33              66
4    i   18              36
1    -    6              12
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
3    e   41          82
2    a   33          66
1    -   24          48
4    i   23          46
5    u   10          20
6   ui    1           2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1    a   33          66
2    e   13          26
3    i    4           8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    a   33          66
2    e   13          26
3    i    4           8
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   20          40
3    i   18          36
4    u    8          16
2    e    4           8
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    e   26          52
3    i   18          36
1    -    6          12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    e   26          52
3    i   19          38
1    -    6          12
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1    -   20          40
3    i   16          32
4    u    9          18
2    e    5          10
5   ui    1           2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   24          48
4     i   19          38
1     -    7          14
2     a    1           2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   27          54
3     i   19          38
2     e   18          36
4     u    7          14
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   28          56
3     i   20          40
2     e   18          36
4     u   12          24
5    ui    1           2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   25          50
3     i   17          34
4     u    7          14
2     e    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   26          52
3     i   17          34
4     u    7          14
2     e    1           2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   18          36
3     i   17          34
1     -   16          32
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   18          36
3     i   18          36
1     -   16          32
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   18          36
3     i   16          32
4     u   12          24
2     e    3           6
```

```
5    ui    1                2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   32               64
4     i   26               52
1     -   20               40
2     a   20               40
5     u    2                4
6    ui    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   33               66
4     i   27               54
1     -   21               42
2     a   20               40
5     u    2                4
6    ui    1                2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   20               40
3     e   16               32
4     i    8               16
1     -    6               12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   20               40
3     e   18               36
4     i   11               22
1     -   10               20
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   25               50
1     -   14               28
2     e    9               18
4     u    2                4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25               50
1     -   15               30
2     e    9               18
4     u    2                4
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24               48
2     e   16               32
1     -   15               30
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24               48
2     e   16               32
```

```
1      -    15               30
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24               48
1     -   15               30
2     e    8               16
4     u    2                4
5    ui    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24               48
1     -   16               32
2     e   10               20
4     u    2                4
5    ui    1                2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   23               46
2     e   17               34
1     -    9               18
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24               48
2     e   17               34
1     -   10               20
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   25               50
1     -   16               32
2     e   16               32
4     u    2                4
5    ui    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   28               56
4     i   25               50
1     -   19               38
2     a   18               36
5     u    2                4
6    ui    1                2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   18               36
3     e   13               26
1     -   10               20
4     i   10               20
[1] "m2PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   25           50
1     -   14           28
2     e    9           18
4     u    2            4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25           50
1     -   14           28
2     e    9           18
4     u    2            4
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24           48
2     e   16           32
1     -   10           20
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24           48
2     e   16           32
1     -   10           20
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24           48
1     -   15           30
2     e    8           16
4     u    2            4
5    ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24           48
1     -   15           30
2     e    8           16
4     u    2            4
5    ui    1            2
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   23           46
2     e   17           34
1     -   10           20
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   32           64
4     i   25           50
2     a   20           40
1     -   14           28
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   33         66
4     i   27         54
2     a   20         40
1     -   19         38
5     u    2          4
6    ui    1          2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   20         40
3     e   16         32
4     i    8         16
1     -    6         12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   20         40
3     e   17         34
4     i    8         16
1     -    6         12
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25         50
1     -   15         30
2     e    9         18
4     u    1          2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24         48
2     e   16         32
1     -   10         20
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24         48
2     e   16         32
1     -   10         20
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24         48
1     -   14         28
2     e   10         20
4     u    2          4
5    ui    1          2
[1] "f5PlGen"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24             48
2     e   17             34
1     -   10             20
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   25             50
1     -   16             32
2     e   11             22
4     u    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25             50
1     -   17             34
2     e   11             22
4     u    2              4
5    ui    1              2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   25             50
1     -   14             28
2     e    9             18
4     u    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25             50
1     -   14             28
2     e    9             18
4     u    2              4
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24             48
1     -   15             30
2     e   11             22
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24             48
1     -   15             30
2     e   11             22
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   24             48
1     -   15             30
```

```
2      e    8             16
4      u    2              4
5     ui    1              2
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      e   36             72
4      i   25             50
2      a   24             48
1      -   22             44
5      u    1              2
6     ui    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   37             74
4      i   25             50
2      a   24             48
1      -   23             46
5      u    1              2
6     ui    1              2
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a   24             48
3      e   13             26
4      i    7             14
1      -    6             12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   24             48
3      e   15             30
1      -   10             20
4      i   10             20
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   23             46
1      -   17             34
2      e   11             22
4      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   23             46
1      -   18             36
2      e   11             22
4      u    1              2
[1] "3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23             46
3      i   23             46
1      -   14             28
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
2      e   23            46
3      i   23            46
1      -   14            28
[1] "4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   21            42
1      -   18            36
2      e    9            18
4      u    1             2
5     ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   21            42
1      -   18            36
2      e   12            24
4      u    1             2
5     ui    1             2
[1] "5PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23            46
3      i   19            38
1      -    8            16
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   23            46
3      i   19            38
1      -    8            16
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   23            46
3      i   23            46
1      -   19            38
4      u    1             2
5     ui    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   32            64
4      i   24            48
1      -   22            44
2      a   22            44
5      u    1             2
6     ui    1             2
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   22            44
1      -   10            20
3      e   10            20
```

```
4     i    9               18
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   23               46
1     -   17               34
2     e   11               22
4     u    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   23               46
1     -   17               34
2     e   11               22
4     u    1                2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   23               46
3     i   21               42
1     -    7               14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   23               46
3     i   22               44
1     -    7               14
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   21               42
1     -   18               36
2     e    9               18
4     u    1                2
5    ui    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   21               42
1     -   18               36
2     e    9               18
4     u    1                2
5    ui    1                2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   23               46
3     i   19               38
1     -    8               16
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   36               72
2     a   24               48
```

```
4     i   21           42
1     -   12           24
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   37           74
4     i   25           50
2     a   24           48
1     -   21           42
5     u    1            2
6    ui    1            2
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   24           48
3     e   13           26
4     i    7           14
1     -    6           12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   24           48
3     e   14           28
4     i    7           14
1     -    6           12
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   23           46
1     -   17           34
2     e    9           18
4     u    1            2
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   23           46
3     i   20           40
1     -    7           14
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     e   23           46
3     i   21           42
1     -    7           14
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   21           42
1     -   15           30
2     e   12           24
4     u    1            2
```

```
5    ui    1                 2
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   23             46
3      i   19             38
1      -    8             16
[1] "nPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   21             42
1      -   17             34
2      e   15             30
4      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   22             44
1      -   19             38
2      e   15             30
4      u    1              2
5     ui    1              2
[1] "n2PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   21             42
1      -   17             34
2      e   11             22
4      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   21             42
1      -   17             34
2      e   11             22
4      u    1              2
[1] "n3PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   21             42
2      e   15             30
1      -   14             28
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   22             44
2      e   15             30
1      -   14             28
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
3    i   21           42
1    -   18           36
2    e    9           18
4    u    1            2
5   ui    1            2
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    e   41           82
2    a   27           54
4    i   27           54
1    -   23           46
5    u    5           10
6   ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    e   42           84
4    i   29           58
2    a   27           54
1    -   24           48
5    u    5           10
6   ui    2            4
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    a   27           54
3    e   19           38
4    i    4            8
1    -    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    a   27           54
3    e   19           38
4    i    8           16
1    -    5           10
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    i   24           48
1    -   18           36
2    e    4            8
4    u    4            8
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    i   25           50
1    -   19           38
2    e    5           10
4    u    4            8
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3    i   26           52
2    e   22           44
1    -   16           32
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   26           52
2     e   22           44
1     -   16           32
[1] "4PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   22           44
1     -   17           34
2     e    5           10
4     u    5           10
5    ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   22           44
1     -   19           38
2     e    7           14
4     u    5           10
5    ui    2            4
[1] "5PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     i   23           46
3     e   18           36
1     -    4            8
2     a    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     i   27           54
3     e   20           40
1     -    7           14
2     a    1            2
[1] "mPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   26           52
1     -   21           42
2     e   21           42
4     u    5           10
5    ui    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   37           74
4     i   27           54
2     a   25           50
1     -   21           42
5     u    5           10
6    ui    2            4
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
   Suffix freq Percent_Trials
2     a   25           50
3     e   13           26
4     i    8           16
1     -    5           10
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3     i   24           48
1     -   18           36
2     e    4            8
4     u    4            8
[1] "All Endings Included"
   Suffix freq Percent_Trials
3     i   25           50
1     -   18           36
2     e    4            8
4     u    4            8
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3     i   24           48
2     e   20           40
1     -    7           14
[1] "All Endings Included"
   Suffix freq Percent_Trials
3     i   25           50
2     e   22           44
1     -    7           14
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3     i   22           44
1     -   17           34
2     e    5           10
4     u    5           10
5    ui    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3     i   22           44
1     -   17           34
2     e    5           10
4     u    5           10
5    ui    2            4
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
4     i   23           46
3     e   20           40
1     -    6           12
2     a    1            2
```

```
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     e   39            78
2     a   27            54
4     i   24            48
1     -    8            16
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   41            82
4     i   29            58
2     a   27            54
1     -   22            44
5     u    5            10
6    ui    1             2
[1] "f1PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     a   27            54
3     e   19            38
4     i    4             8
1     -    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   27            54
3     e   19            38
4     i    4             8
1     -    1             2
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   23            46
1     -   19            38
2     e    4             8
4     u    4             8
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     i   24            48
2     e   20            40
1     -    7            14
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     i   25            50
2     e   21            42
1     -    7            14
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
3      i   22            44
1      -   17            34
2      e    6            12
4      u    5            10
5     ui    1             2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i   27            54
3      e   19            38
1      -    7            14
2      a    1             2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   25            50
1      -   21            42
2      e   12            24
4      u    4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   26            52
1      -   22            44
2      e   13            26
4      u    5            10
5     ui    1             2
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   24            48
1      -   18            36
2      e    4             8
4      u    4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   24            48
1      -   18            36
2      e    4             8
4      u    4             8
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   24            48
1      -   15            30
2      e   12            24
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   25            50
1      -   15            30
2      e   12            24
```

```
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   22              44
1      -   17              34
2      e    5              10
4      u    5              10
5     ui    1               2


[1] "mSg and nSg fully match 94% of the time"


[1] "mPl and nPl fully match 98% of the time"


[1] "nPl and fSg fully match 2% of the time"


[1] "Endings that overlap are c(\"-\", \"-\") in trials 28"


[1] "nPl and fPl fully match 6% of the time"


[1] "Endings that overlap are c(\"i\", \"i\"),c(\"-\", \"-\"),c(\"i\", \"i\") in trials 17,28,41"


[1] "mPl and fSg fully match 2% of the time"


[1] "Endings that overlap are c(\"-\", \"-\") in trials 28"


[1] "mPl and fPl fully match 6% of the time"


[1] "Endings that overlap are c(\"i\", \"i\"),c(\"-\", \"-\"),c(\"i\", \"i\") in trials 17,28,41"


[1] "mSg and nSg at least partially match 100% of the time"


[1] "mPl and nPl at least partially match 100% of the time"


[1] "fSg and nPl at least partially match 2% of the time"


[1] "Endings that overlap are - in trials 28"


[1] "fPl and nPl at least partially match 8% of the time"


[1] "Endings that overlap are i,i,-,i in trials 11,17,28,41"


[1] "fSg and mPl at least partially match 2% of the time"


[1] "Endings that overlap are - in trials 28"


[1] "fPl and mPl at least partially match 8% of the time"
```

[1] "Endings that overlap are i,i,-,i in trials 11,17,28,41"

[1] "fPl, mPl, and nPl at least partially match 8% of the time"

[1] "Endings that overlap are i,i,-,i in trials 11,17,28,41"

[1] "0 percent of trials contain fPl (135) ending in -as. Those trials are "

[1] "0 percent of trials contain nPl ending in -as. Those trials are "

[1] "0 percent of trials contain mPl (234) ending in -as. Those trials are "

[1] "0 percent of trials contain mPl (2345) ending in -as. Those trials are "

[1] "0 percent of trials contain fPl (135) ending in -os. Those trials are "

[1] "0 percent of trials contain nPl ending in -os. Those trials are "

[1] "0 percent of trials contain mPl (234) ending in -os. Those trials are "

[1] "0 percent of trials contain mPl (2345) ending in -os. Those trials are "

[1] "0 percent of trials contain fPl ending in -s. Those trials are "

[1] "0 percent of trials contain nPl ending in -s. Those trials are "

[1] "0 percent of trials contain mPl ending in -s. Those trials are "

[1] "68 percent of trials contain fPl (135) ending in -a. Those trials are 1,2,6,7,8,9,10,11,13,14,15,1(

[1] "0 percent of trials contain nPl ending in -a. Those trials are "

[1] "0 percent of trials contain mPl (234) ending in -a. Those trials are "

[1] "2 percent of trials contain mPl (2345) ending in -a. Those trials are 7"

[1] "42 percent of trials contain fPl (1) ending in -e. Those trials are 1,3,4,5,9,11,12,15,17,21,23,25

[1] "88 percent of trials contain fPl (135) ending in -e. Those trials are 1,2,3,4,5,6,7,9,10,11,12,13,

[1] "40 percent of trials contain nPl (3) ending in -e. Those trials are 1,2,6,7,8,9,14,16,17,18,23,24,

[1] "22 percent of trials contain nPl (24) ending in -e. Those trials are 1,2,6,14,16,23,26,29,43,46,49

[1] "40 percent of trials contain nPl ending in -e. Those trials are 1,2,6,7,8,9,14,16,17,18,23,24,26,2

[1] "62 percent of trials contain mPl (3) ending in -e. Those trials are 1,2,6,7,8,9,10,13,14,15,16,17,

[1] "26 percent of trials contain mPl (24) ending in -e. Those trials are 1,2,6,14,16,17,23,26,29,41,43

[1] "64 percent of trials contain mPl (234) ending in -e. Those trials are 1,2,6,7,8,9,10,13,14,15,16,1

[1] "66 percent of trials contain mPl (2345) ending in -e. Those trials are 1,2,3,6,7,8,9,10,13,14,15,1

[1] "100 percent of trials contain fSg (1) ending in -a. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13

[1] "4 percent of trials contain fSg (5) ending in -a. Those trials are 3,7"

[1] "0 percent of trials contain fSg (3) ending in -a. Those trials are "

[1] "0 percent of trials contain nSg ending in -a. Those trials are "

[1] "0 percent of trials contain mSg (234) ending in -a. Those trials are "

[1] "4 percent of trials contain mSg (2345) ending in -a. Those trials are 3,7"

[1] "0 percent of trials contain fSg (1) ending in -o. Those trials are "

[1] "10 percent of trials contain nSg ending in -o. Those trials are "

[1] "10 percent of trials contain mSg (24) ending in -o. Those trials are 7,14,17,30,31"

[1] "10 percent of trials contain mSg (2345) ending in -o. Those trials are 7,14,17,30,31"

[1] "26 percent of trials contain fSg (1) ending in -e. Those trials are 4,11,12,15,21,25,27,33,35,41,4

[1] "94 percent of trials contain fSg (135) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,1

[1] "58 percent of trials contain nSg (3) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,14,16,17,18,

[1] "16 percent of trials contain nSg (24) ending in -e. Those trials are 2,14,23,26,29,43,46,49"

[1] "58 percent of trials contain nSg ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,14,16,17,18,21,2

[1] "94 percent of trials contain mSg (3) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13,

[1] "20 percent of trials contain mSg (24) ending in -e. Those trials are 1,2,5,14,23,26,29,43,46,49"

[1] "94 percent of trials contain mSg (234) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,1

[1] "94 percent of trials contain mSg (2345) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,

[1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 0"

[1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 0"

[1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 0"

[1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 0"

[1] "Max Endings only"

[1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 0"

[1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 0"

[1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 0"

[1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 0"