Aggregate Data

Tyler Lau

July 18, 2016

[1] "Common Sound Change, Token Freq T, Number of cases being considered: 5"

[1] "Only considering max suffixes: FALSE"

[1] "Dropping suffixes that appear 10 or less times"

[1] "Sg"

	Suffix	freq	Percent_Trials
3	i	17	34
1	-	12	24
2	e	5	10
5	is	5	10
7	s	4	8
4	ī	3	6
8	u	2	4
6	īs	1	2
9	um	1	2

[1] "SgNom,Acc"

	Suffix	freq	Percent_Trials
5	um	27	54
1	-	16	32
4	u	4	8
2	em	2	4
3	s	1	2

[1] "1SgNom,Acc"

	Suffix	freq	Percent_Trials
1	a	46	92
2	am	4	8

[1] "2SgNom,Acc"

	Suffix	freq	Percent_Trials
2	um	30	60
1	u	20	40

[1] "3SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	44	88
3	em	3	6
2	e	2	4
4	s	1	2

[1] "4SgNom,Acc"

	Suffix	freq	Percent_Trials
3	um	25	50
1	u	24	48
2	ū	1	2

[1] "5SgNom,Acc"

	Suffix	freq	Percent_Trials
1	-	35	70
2	e	9	18

```
4      em    3              6
5       i    2              4
3       ē    1              2
[1] "mSgNom,Acc"
  Suffix freq Percent_Trials
2      u    25             50
3     um    24             48
1      -     1              2
[1] "fSgNom,Acc"
  Suffix freq Percent_Trials
1      -    31             62
2      a     8             16
5     em     5             10
3     am     3              6
4      e     3              6
[1] "nSgNom,Acc"
  Suffix freq Percent_Trials
2     um    31             62
1      u    19             38
[1] "SgAcc,Abl"
  Suffix freq Percent_Trials
2      e    25             50
6     um    12             24
4      ō    10             20
1      -     1              2
3     em     1              2
5      u     1              2
[1] "1SgAcc,Abl"
  Suffix freq Percent_Trials
1      a    46             92
2     am     4              8
[1] "2SgAcc,Abl"
  Suffix freq Percent_Trials
2      ō    28             56
5     um    18             36
4      u     2              4
1      o     1              2
3     ōs     1              2
[1] "3SgAcc,Abl"
  Suffix freq Percent_Trials
2      e    47             94
3     em     2              4
1      -     1              2
[1] "4SgAcc,Abl"
  Suffix freq Percent_Trials
2      ō    24             48
6     um    15             30
4      u     8             16
1      -     1              2
3     ōs     1              2
5      ū     1              2
[1] "5SgAcc,Abl"
  Suffix freq Percent_Trials
2      e    43             86
```

```
4      em   3              6
1      -    1              2
3      ē    1              2
5      i    1              2
6      im   1              2
[1] "mSgAcc,Abl"
  Suffix freq Percent_Trials
4      ō   30             60
7      um  11             22
2      e    4              8
6      u    2              4
1      -    1              2
3      em   1              2
5      ōs   1              2
[1] "fSgAcc,Abl"
  Suffix freq Percent_Trials
2      e   42             84
1      a    6             12
3      em   1              2
4      i    1              2
[1] "nSgAcc,Abl"
  Suffix freq Percent_Trials
3      ō   33             66
6      um  10             20
1      -    3              6
5      u    2              4
2      o    1              2
4      ōs   1              2
[1] "SgNom,Acc,Abl"
  Suffix freq Percent_Trials
5      um  24             48
1      -   13             26
3      e    6             12
4      u    5             10
2      a    2              4
[1] "1SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   48             96
2      am   2              4
[1] "2SgNom,Acc,Abl"
  Suffix freq Percent_Trials
4      um  30             60
3      u   11             22
2      ō    8             16
1      o    1              2
[1] "3SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -   41             82
2      e    9             18
[1] "4SgNom,Acc,Abl"
  Suffix freq Percent_Trials
4      um  24             48
2      u   14             28
1      ō    8             16
```

```
5     us    3              6
3      ū    1              2
[1] "5SgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -   34             68
2      e   12             24
4      i    3              6
3      ē    1              2
[1] "mSgNom,Acc,Abl"
  Suffix freq Percent_Trials
5     um   23             46
3      ō   11             22
4      u   11             22
2      e    4              8
1      -    1              2
[1] "fSgNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   45             90
3      e    4              8
2     am    1              2
[1] "nSgNom,Acc,Abl"
  Suffix freq Percent_Trials
5     um   30             60
2      ō    7             14
4      u    7             14
1      -    5             10
3      s    1              2
[1] "SgGen,Dat"
  Suffix freq Percent_Trials
3      i   20             40
1      -    7             14
5     is    7             14
7      s    7             14
2      e    3              6
4      ī    3              6
6     īs    2              4
8      u    1              2
[1] "1SgGen,Dat"
  Suffix freq Percent_Trials
2      a   42             84
4     as    6             12
1      -    1              2
3     am    1              2
[1] "2SgGen,Dat"
  Suffix freq Percent_Trials
2      i   23             46
1      -   12             24
7      s    5             10
3      ī    4              8
5     is    2              4
8      u    2              4
4    ies    1              2
6     īs    1              2
[1] "3SgGen,Dat"
```

```
  Suffix freq Percent_Trials
3      i   21             42
2      e    7             14
5     is    7             14
7      s    7             14
1      -    5             10
6     īs    2              4
4      ī    1              2
[1] "4SgGen,Dat"
   Suffix freq Percent_Trials
3       i   15             30
1       -    8             16
7       s    6             12
8       u    6             12
10     um    4              8
4       ī    3              6
6      is    3              6
11     us    2              4
2       e    1              2
5     ies    1              2
9       ū    1              2
[1] "5SgGen,Dat"
  Suffix freq Percent_Trials
4      i   19             38
2      e   10             20
1      -    7             14
6     is    7             14
3     es    2              4
5      ī    2              4
8      s    2              4
7     īs    1              2
[1] "mSgGen,Dat"
  Suffix freq Percent_Trials
3      i   21             42
1      -    9             18
6     is    6             12
8      s    5             10
7     īs    3              6
4      ī    2              4
9      u    2              4
2      e    1              2
5    ies    1              2
[1] "fSgGen,Dat"
  Suffix freq Percent_Trials
2      a   15             30
5      i   15             30
7     is    6             12
1      -    4              8
9      s    4              8
4      e    3              6
3     as    1              2
6      ī    1              2
8     īs    1              2
[1] "nSgGen,Dat"
```

```
   Suffix freq Percent_Trials
3      i   21             42
1      -   10             20
8      s    6             12
4      ī    4              8
6     is    4              8
9      u    2              4
2      e    1              2
5    ies    1              2
7     īs    1              2
[1] "Nom"
   Suffix freq Percent_Trials
1      -   27             54
6      s   13             26
2      a    4              8
5     is    3              6
3     es    1              2
4      i    1              2
7     us    1              2
[1] "NomSg"
   Suffix freq Percent_Trials
1      -   44             88
5      u    3              6
2      e    1              2
3      i    1              2
4      s    1              2
[1] "1"
   Suffix freq Percent_Trials
1      a   37             74
3     as   11             22
2     am    1              2
4      s    1              2
[1] "1Sg"
   Suffix freq Percent_Trials
1      a   49             98
2     am    1              2
[1] "1SgNom"
   Suffix freq Percent_Trials
1      a   48             96
2     am    2              4
[1] "2"
   Suffix freq Percent_Trials
1       -   15             30
4       i   13             26
8       s   10             20
6      is    4              8
5       ī    3              6
2       a    1              2
3       e    1              2
7      īs    1              2
9       u    1              2
10     um    1              2
[1] "2Sg"
   Suffix freq Percent_Trials
```

```
2      i   16             32
8     um   10             20
1      -    7             14
7      u    7             14
6      s    4              8
3      ī    3              6
4     is    2              4
5     īs    1              2
[1] "2SgNom"
  Suffix freq Percent_Trials
2     um   30             60
1      u   20             40
[1] "3"
  Suffix freq Percent_Trials
4      i   16             32
1      -   10             20
6     is    9             18
9      s    7             14
2      e    2              4
5      ī    2              4
8     iu    2              4
3     es    1              2
7     īs    1              2
[1] "3Sg"
  Suffix freq Percent_Trials
3      i   16             32
2      e   12             24
1      -   10             20
5     is    7             14
6     īs    2              4
7      s    2              4
4      ī    1              2
[1] "3SgNom"
  Suffix freq Percent_Trials
1      -   44             88
2      e    2              4
3      i    2              4
4     is    1              2
5      s    1              2
[1] "4"
  Suffix freq Percent_Trials
1      -   11             22
2      i   11             22
6      s    9             18
4     is    5             10
7      u    4              8
9     um    4              8
3      ī    2              4
10    us    2              4
5     iu    1              2
8      ū    1              2
[1] "4Sg"
  Suffix freq Percent_Trials
2      i   12             24
```

```
6      u   12           24
8     um   12           24
1      -    4            8
4     is    3            6
3      ī    2            4
5      s    2            4
9     us    2            4
7      ū    1            2
[1] "4SgNom"
  Suffix freq Percent_Trials
1      u   24           48
3     um   22           44
4     us    3            6
2      ū    1            2
[1] "5"
  Suffix freq Percent_Trials
5      i   12           24
1      -    8           16
3      e    7           14
8     is    7           14
11     s    5           10
4     es    4            8
6      ī    2            4
10    iu    2            4
2      a    1            2
7    ies    1            2
9     īs    1            2
[1] "5Sg"
  Suffix freq Percent_Trials
2      e   15           30
4      i   15           30
1      -    9           18
6     is    5           10
5      ī    2            4
8      s    2            4
3     es    1            2
7     īs    1            2
[1] "5SgNom"
  Suffix freq Percent_Trials
1      -   35           70
2      e    6           12
4      i    5           10
6      s    2            4
3     es    1            2
5     is    1            2
[1] "m"
  Suffix freq Percent_Trials
3      i   16           32
1      -   12           24
5     is    9           18
7      s    9           18
4      ī    2            4
2      e    1            2
6     iu    1            2
```

8

```
[1] "mSg"
  Suffix freq Percent_Trials
3      i   16              32
1      -    8              16
9     um    7              14
5     is    5              10
8      u    5              10
7      s    4               8
4      ī    2               4
6     īs    2               4
2      e    1               2
[1] "mSgNom"
  Suffix freq Percent_Trials
4     um   22              44
3      u   21              42
1      -    6              12
2      s    1               2
[1] "f135Sg"
  Suffix freq Percent_Trials
2      a   43              86
7      s    2               4
1      -    1               2
3     am    1               2
4      e    1               2
5      i    1               2
6     īs    1               2
[1] "m24Sg"
  Suffix freq Percent_Trials
8     um   13              26
2      i   11              22
6      u   10              20
1      -    5              10
4     is    3               6
5      s    3               6
3      ī    2               4
9     us    2               4
7      ū    1               2
[1] "n24Sg"
  Suffix freq Percent_Trials
7     um   16              32
2      i   13              26
6      u    9              18
1      -    5              10
5      s    3               6
3      ī    2               4
4     is    2               4
[1] "m234Sg"
  Suffix freq Percent_Trials
3      i   16              32
1      -    8              16
9     um    7              14
5     is    5              10
8      u    5              10
7      s    4               8
```

```
4      ī    2              4
6     īs    2              4
2      e    1              2
[1] "m2345Sg"
  Suffix freq Percent_Trials
3      i   16             32
1      -    8             16
9     um    7             14
5     is    5             10
8      u    5             10
7      s    4              8
4      ī    2              4
6     īs    2              4
2      e    1              2
[1] "m1Sg"
  Suffix freq Percent_Trials
1      a   49             98
2     am    1              2
[1] "m1SgNom"
  Suffix freq Percent_Trials
2      a   45             90
3     am    4              8
1      -    1              2
[1] "m2Sg"
  Suffix freq Percent_Trials
2      i   18             36
1      -    9             18
8     um    7             14
7      u    6             12
3      ī    3              6
4     is    3              6
6      s    3              6
5     īs    1              2
[1] "m2SgNom"
  Suffix freq Percent_Trials
1      u   25             50
2     um   25             50
[1] "m3Sg"
  Suffix freq Percent_Trials
2      e   17             34
3      i   15             30
1      -    7             14
5     is    6             12
6     īs    2              4
7      s    2              4
4      ī    1              2
[1] "m3SgNom"
  Suffix freq Percent_Trials
1      -   44             88
2      e    2              4
3      i    2              4
4     is    1              2
5      s    1              2
[1] "m4Sg"
```

```
  Suffix freq Percent_Trials
2      i   12             24
6      u   12             24
8     um   12             24
1      -    4              8
4     is    3              6
3      ī    2              4
5      s    2              4
9     us    2              4
7      ū    1              2
[1] "m4SgNom"
  Suffix freq Percent_Trials
1      u   24             48
3     um   22             44
4     us    3              6
2      ū    1              2
[1] "m5Sg"
  Suffix freq Percent_Trials
2      e   17             34
4      i   15             30
1      -    9             18
6     is    4              8
8      s    2              4
3     es    1              2
5      ī    1              2
7     īs    1              2
[1] "m5SgNom"
  Suffix freq Percent_Trials
1      -   35             70
2      e    6             12
4      i    4              8
7      s    2              4
3     es    1              2
5     is    1              2
6      m    1              2
[1] "f"
  Suffix freq Percent_Trials
1      a   34             68
3     as    7             14
7      s    4              8
6     is    2              4
2     am    1              2
4      i    1              2
5      ī    1              2
[1] "fSg"
  Suffix freq Percent_Trials
2      a   43             86
7      s    2              4
1      -    1              2
3     am    1              2
4      i    1              2
5     is    1              2
6     īs    1              2
[1] "fSgNom"
```

```
  Suffix freq Percent_Trials
1      -   35             70
2      a    8             16
4      e    2              4
5      i    2              4
3     am    1              2
6     is    1              2
7      s    1              2
[1] "f1Sg"
  Suffix freq Percent_Trials
1      a   49             98
2     am    1              2
[1] "f1SgNom"
  Suffix freq Percent_Trials
1      a   48             96
2     am    2              4
[1] "f2Sg"
  Suffix freq Percent_Trials
2      i   15             30
1      -   13             26
7      u    6             12
8     um    6             12
3      ī    3              6
4     is    3              6
6      s    3              6
5     īs    1              2
[1] "f2SgNom"
  Suffix freq Percent_Trials
2      u   25             50
3     um   24             48
1      -    1              2
[1] "f3Sg"
  Suffix freq Percent_Trials
2      e   17             34
3      i   15             30
1      -    8             16
5     is    6             12
7      s    2              4
4      ī    1              2
6     īs    1              2
[1] "f3SgNom"
  Suffix freq Percent_Trials
1      -   44             88
2      e    2              4
3      i    2              4
4     is    1              2
5      s    1              2
[1] "f4Sg"
  Suffix freq Percent_Trials
2      i   13             26
6      u   13             26
8     um   10             20
1      -    5             10
4     is    3              6
```

```
5      s    3             6
3      ī    1             2
7      ū    1             2
9     us    1             2
[1] "f4SgNom"
   Suffix freq Percent_Trials
1      u   23            46
3     um   23            46
4     us    3             6
2      ū    1             2
[1] "f5Sg"
   Suffix freq Percent_Trials
2      e   16            32
4      i   14            28
1      -    9            18
6     is    5            10
5      ī    2             4
8      s    2             4
3     es    1             2
7     īs    1             2
[1] "f5SgNom"
   Suffix freq Percent_Trials
1      -   35            70
2      e    6            12
4      i    5            10
6      s    2             4
3     es    1             2
5     is    1             2
[1] "n"
   Suffix freq Percent_Trials
1      -   17            34
4      i   11            22
7      s   11            22
6     is    6            12
5      ī    2             4
2      a    1             2
3      e    1             2
8      u    1             2
[1] "nSg"
   Suffix freq Percent_Trials
3      i   17            34
1      -   13            26
9     um    5            10
7      s    4             8
8      u    4             8
5     is    3             6
4      ī    2             4
2      e    1             2
6     īs    1             2
[1] "nSgNom"
   Suffix freq Percent_Trials
2     um   30            60
1      u   20            40
[1] "n2Sg"
```

```
   Suffix freq Percent_Trials
2      i   16             32
1      -   10             20
8     um    9             18
7      u    6             12
3      ī    3              6
6      s    3              6
4     is    2              4
5     īs    1              2
[1] "n2SgNom"
   Suffix freq Percent_Trials
2     um   30             60
1      u   20             40
[1] "n3Sg"
   Suffix freq Percent_Trials
1      -   23             46
3      i   11             22
2      e    7             14
4     is    5             10
5     īs    2              4
6      s    2              4
[1] "n3SgNom"
   Suffix freq Percent_Trials
1      -   48             96
2      i    1              2
3      s    1              2
[1] "n4Sg"
   Suffix freq Percent_Trials
8     um   15             30
2      i   12             24
6      u    9             18
1      -    4              8
4     is    3              6
3      ī    2              4
5      s    2              4
9     us    2              4
7      ū    1              2
[1] "n4SgNom"
   Suffix freq Percent_Trials
3     um   26             52
1      u   20             40
4     us    3              6
2      ū    1              2
[1] "Acc"
   Suffix freq Percent_Trials
1      -   12             24
2      a   11             22
7      s    9             18
5     em    8             16
4      e    4              8
8     um    3              6
3     as    2              4
6      i    1              2
[1] "AccSg"
```

```
  Suffix freq Percent_Trials
3     em   24              48
5     um   22              44
2      e    2               4
1      -    1               2
4      u    1               2
[1] "1SgAcc"
  Suffix freq Percent_Trials
2     am   44              88
1      a    6              12
[1] "2SgAcc"
  Suffix freq Percent_Trials
2     um   48              96
1      u    2               4
[1] "3SgAcc"
  Suffix freq Percent_Trials
3     em   46              92
2      e    3               6
1      -    1               2
[1] "4SgAcc"
  Suffix freq Percent_Trials
3     um   42              84
1      u    7              14
2      ū    1               2
[1] "5SgAcc"
  Suffix freq Percent_Trials
4     em   41              82
2      e    5              10
1      -    1               2
3      ē    1               2
5      i    1               2
6     im    1               2
[1] "mSgAcc"
  Suffix freq Percent_Trials
5     um   40              80
3     em    5              10
4      u    3               6
1      -    1               2
2      e    1               2
[1] "m1SgAcc"
  Suffix freq Percent_Trials
2     am   46              92
1      a    4               8
[1] "m2SgAcc"
  Suffix freq Percent_Trials
2     um   45              90
1      u    5              10
[1] "m3SgAcc"
  Suffix freq Percent_Trials
3     em   45              90
2      e    3               6
1      -    1               2
4      m    1               2
[1] "m4SgAcc"
```

```
   Suffix freq Percent_Trials
3    um   42            84
1     u    7            14
2     ū    1             2
[1] "m5SgAcc"
   Suffix freq Percent_Trials
4    em   41            82
2     e    5            10
1     -    1             2
3     ē    1             2
5     i    1             2
6    im    1             2
[1] "fSgAcc"
   Suffix freq Percent_Trials
5    em   41            82
3    am    3             6
4     e    3             6
2     a    2             4
1     -    1             2
[1] "f1SgAcc"
   Suffix freq Percent_Trials
2    am   44            88
1     a    6            12
[1] "f2SgAcc"
   Suffix freq Percent_Trials
4    um   43            86
3     u    5            10
1     -    1             2
2     m    1             2
[1] "f3SgAcc"
   Suffix freq Percent_Trials
3    em   46            92
2     e    3             6
1     -    1             2
[1] "f4SgAcc"
   Suffix freq Percent_Trials
3    um   41            82
1     u    8            16
2     ū    1             2
[1] "f5SgAcc"
   Suffix freq Percent_Trials
4    em   41            82
2     e    5            10
1     -    1             2
3     ē    1             2
5     i    1             2
6    im    1             2
[1] "nSgAcc"
   Suffix freq Percent_Trials
2    um   48            96
1     u    2             4
[1] "n2SgAcc"
   Suffix freq Percent_Trials
2    um   48            96
```

```
1      u     2              4
[1] "n3SgAcc"
   Suffix freq Percent_Trials
3      m    23             46
2     em    18             36
1      -     9             18
[1] "n4SgAcc"
   Suffix freq Percent_Trials
3     um    42             84
1      u     7             14
2      ū     1              2
[1] "Gen"
   Suffix freq Percent_Trials
3      i    17             34
1      -    10             20
5     is    10             20
8      s     9             18
2      e     1              2
4      ī     1              2
6     īs     1              2
7     mu     1              2
[1] "GenSg"
   Suffix freq Percent_Trials
4      i    19             38
6     is    10             20
8      s     7             14
1      -     6             12
7     īs     3              6
5      ī     2              4
2      e     1              2
3     es     1              2
9      u     1              2
[1] "1SgGen"
   Suffix freq Percent_Trials
2      a    34             68
4     as    11             22
6      s     2              4
1      -     1              2
3     am     1              2
5     is     1              2
[1] "2SgGen"
   Suffix freq Percent_Trials
2      i    21             42
1      -    11             22
3      ī     5             10
7      s     5             10
5     is     4              8
6     īs     2              4
4    ies     1              2
8      u     1              2
[1] "3SgGen"
   Suffix freq Percent_Trials
4      i    20             40
6     is    13             26
```

```
8       s   7          14
1       -   4           8
7      īs   3           6
2       e   1           2
3      es   1           2
5       ī   1           2
[1] "4SgGen"
   Suffix freq Percent_Trials
2       i  15          30
1       -   7          14
7       s   6          12
8       u   6          12
5      is   4           8
10     um   4           8
3       ī   2           4
6      īs   2           4
11     us   2           4
4     ies   1           2
9       ū   1           2
[1] "5SgGen"
  Suffix freq Percent_Trials
4       i  20          40
6      is  11          22
8       s   7          14
1       -   6          12
7      īs   3           6
2       e   1           2
3      es   1           2
5       ī   1           2
[1] "mSgGen"
   Suffix freq Percent_Trials
4       i  20          40
1       -   8          16
7      is   8          16
9       s   5          10
8      īs   3           6
5       ī   2           4
2       e   1           2
3      es   1           2
6     ies   1           2
10      u   1           2
[1] "m1SgGen"
  Suffix freq Percent_Trials
2       a  31          62
5      as  10          20
1       -   3           6
3      ai   2           4
7       s   2           4
4      am   1           2
6      is   1           2
[1] "m2SgGen"
  Suffix freq Percent_Trials
2       i  21          42
1       -  11          22
```

```
3     ī    5           10
5     is   5           10
7     s    4            8
6     īs   2            4
4     ies  1            2
8     u    1            2
```
[1] "m3SgGen"
```
   Suffix freq Percent_Trials
4     i    20          40
6     is   13          26
8     s     7          14
1     -     4           8
7     īs    3           6
2     e     1           2
3     es    1           2
5     ī     1           2
```
[1] "m4SgGen"
```
    Suffix freq Percent_Trials
2      i    15          30
1      -     7          14
7      s     6          12
8      u     6          12
5      is    4           8
10     um    4           8
3      ī     2           4
6      īs    2           4
11     us    2           4
4      ies   1           2
9      ū     1           2
```
[1] "m5SgGen"
```
   Suffix freq Percent_Trials
4     i    22          44
6     is   11          22
8     s     7          14
1     -     4           8
7     īs    3           6
2     e     1           2
3     ei    1           2
5     ī     1           2
```
[1] "fSgGen"
```
   Suffix freq Percent_Trials
5     i    17          34
7     is    9          18
2     a     7          14
9     s     7          14
1     -     4           8
8     īs    3           6
3     e     1           2
4     es    1           2
6     ī     1           2
```
[1] "f1SgGen"
```
  Suffix freq Percent_Trials
2     a    34          68
4     as   11          22
```

```
6      s    2           4
1      -    1           2
3     am    1           2
5     is    1           2
[1] "f2SgGen"
   Suffix freq Percent_Trials
2      i   19             38
1      -   14             28
5     is    5             10
7      s    5             10
3      ī    3              6
6     īs    2              4
4    ies    1              2
8      u    1              2
[1] "f3SgGen"
   Suffix freq Percent_Trials
4      i   19             38
6     is   13             26
8      s    7             14
1      -    5             10
7     īs    3              6
2      e    1              2
3     es    1              2
5      ī    1              2
[1] "f4SgGen"
    Suffix freq Percent_Trials
2       i   14             28
1       -    8             16
7       s    7             14
5      is    5             10
8       u    5             10
10     um    4              8
6      īs    2              4
11     us    2              4
3       ī    1              2
4     ies    1              2
9       ū    1              2
[1] "f5SgGen"
   Suffix freq Percent_Trials
4      i   20             40
6     is   11             22
8      s    7             14
1      -    6             12
7     īs    3              6
2      e    1              2
3     es    1              2
5      ī    1              2
[1] "nSgGen"
   Suffix freq Percent_Trials
2      i   21             42
1      -   11             22
3      ī    5             10
7      s    5             10
5     is    4              8
```

```
6     īs   2              4
4    ies   1              2
8      u   1              2
[1] "n2SgGen"
   Suffix freq Percent_Trials
2      i   21             42
1      -   11             22
3      ī    5             10
7      s    5             10
5     is    4              8
6     īs    2              4
4    ies    1              2
8      u    1              2
[1] "n3SgGen"
   Suffix freq Percent_Trials
4      i   19             38
6     is   10             20
1      -    8             16
8      s    7             14
7     īs    3              6
2      e    1              2
3     es    1              2
5      ī    1              2
[1] "n4SgGen"
    Suffix freq Percent_Trials
2       i   16             32
1       -    8             16
7       s    5             10
8       u    5             10
5      is    4              8
10     um    4              8
3       ī    2              4
6      īs    2              4
11     us    2              4
4      ies   1              2
9       ū    1              2
[1] "Dat"
   Suffix freq Percent_Trials
4      i   14             28
1      -   12             24
6     is    7             14
3      e    6             12
9      s    6             12
5      ī    2              4
2      a    1              2
7     īs    1              2
8     mu    1              2
[1] "DatSg"
   Suffix freq Percent_Trials
4      i   19             38
1      -    9             18
2      e    9             18
6     is    5             10
8      s    3              6
```

```
5       ī    2              4
3      es    1              2
7      īs    1              2
9       u    1              2
[1] "1SgDat"
  Suffix freq Percent_Trials
2       a   41             82
4      as    6             12
3      am    2              4
1       -    1              2
[1] "2SgDat"
  Suffix freq Percent_Trials
3       i   21             42
1       -   10             20
9       u    6             12
8       s    4              8
4       ī    3              6
6      is    2              4
2       e    1              2
5      im    1              2
7      īs    1              2
10     um    1              2
[1] "3SgDat"
  Suffix freq Percent_Trials
5       i   22             44
2       e   14             28
7      is    5             10
1       -    2              4
8      īs    2              4
9       s    2              4
3      em    1              2
4      es    1              2
6       ī    1              2
[1] "4SgDat"
  Suffix freq Percent_Trials
3       i   13             26
7       u   11             22
1       -    9             18
6       s    4              8
9      um    4              8
4       ī    3              6
5      is    3              6
2       e    1              2
8       ū    1              2
10     us    1              2
[1] "5SgDat"
  Suffix freq Percent_Trials
4       i   18             36
2       e   15             30
6      is    6             12
1       -    4              8
3      es    2              4
5       ī    2              4
8       s    2              4
```

22

```
7    īs   1            2
[1] "mSgDat"
    Suffix freq Percent_Trials
5       i   20            40
1       -    6            12
2       e    6            12
7      is    4             8
10      u    4             8
6       ī    3             6
9       s    3             6
3      em    1             2
4      es    1             2
8      īs    1             2
11     um    1             2
[1] "m1SgDat"
  Suffix freq Percent_Trials
2       a   42            84
4      as    5            10
3      am    2             4
1       -    1             2
[1] "m2SgDat"
  Suffix freq Percent_Trials
3       i   22            44
1       -   11            22
7       s    4             8
8       u    4             8
4       ī    3             6
5      is    3             6
2       e    1             2
6      īs    1             2
9      um    1             2
[1] "m3SgDat"
  Suffix freq Percent_Trials
5       i   22            44
2       e   14            28
7      is    5            10
1       -    2             4
8      īs    2             4
9       s    2             4
3      em    1             2
4      es    1             2
6       ī    1             2
[1] "m4SgDat"
  Suffix freq Percent_Trials
3       i   13            26
7       u   11            22
1       -    9            18
6       s    4             8
9      um    4             8
4       ī    3             6
5      is    3             6
2       e    1             2
8       ū    1             2
10     us    1             2
```

```
[1] "m5SgDat"
   Suffix freq Percent_Trials
5       i   20              40
2       e   12              24
8      is    6              12
1       -    3               6
4      es    2               4
6       ī    2               4
10      s    2               4
3      em    1               2
7      im    1               2
9      īs    1               2
[1] "fSgDat"
   Suffix freq Percent_Trials
7       i   17              34
5       e   12              24
9      is    5              10
1       -    4               8
2       a    3               6
3      am    2               4
8       ī    2               4
11      s    2               4
4      as    1               2
6      es    1               2
10     īs    1               2
[1] "f1SgDat"
  Suffix freq Percent_Trials
2      a   41              82
4     as    6              12
3     am    2               4
1      -    1               2
[1] "f2SgDat"
  Suffix freq Percent_Trials
3      i   17              34
1      -   15              30
7      s    5              10
8      u    4               8
4      ī    3               6
5     is    3               6
2      e    1               2
6     īs    1               2
9     um    1               2
[1] "f3SgDat"
  Suffix freq Percent_Trials
5      i   20              40
2      e   14              28
7     is    6              12
1      -    3               6
6      ī    2               4
9      s    2               4
3     em    1               2
4     es    1               2
8     īs    1               2
[1] "f4SgDat"
```

```
   Suffix freq Percent_Trials
2      i   14              28
6      u   10              20
1      -    9              18
8     um    5              10
4     is    4               8
5      s    4               8
3      ī    2               4
7      ū    1               2
9     us    1               2
[1] "f5SgDat"
   Suffix freq Percent_Trials
4      i   18              36
2      e   15              30
6     is    6              12
1      -    4               8
3     es    2               4
5      ī    2               4
8      s    2               4
7     īs    1               2
[1] "nSgDat"
   Suffix freq Percent_Trials
3      i   21              42
1      -   10              20
9      u    6              12
8      s    4               8
4      ī    3               6
6     is    2               4
2      e    1               2
5     im    1               2
7     īs    1               2
10    um    1               2
[1] "n2SgDat"
   Suffix freq Percent_Trials
3      i   20              40
1      -   10              20
9      u    6              12
8      s    4               8
4      ī    3               6
5     im    2               4
6     is    2               4
2      e    1               2
7     īs    1               2
10    um    1               2
[1] "n3SgDat"
   Suffix freq Percent_Trials
3      i   18              36
1      -   11              22
2      e    7              14
7      s    6              12
5     is    5              10
6     īs    2               4
4      ī    1               2
[1] "n4SgDat"
```

```
     Suffix freq Percent_Trials
3        i   13              26
8        u   10              20
1        -    8              16
7        s    4               8
10      um    4               8
4        ī    3               6
6       is    3               6
5       im    2               4
2        e    1               2
9        ū    1               2
11      us    1               2
[1] "Abl"
    Suffix freq Percent_Trials
4        i   12              24
3        e   10              20
9        s    8              16
1        -    6              12
7       is    6              12
8       iu    3               6
2        a    2               4
5        ī    2               4
6     ibus    1               2
[1] "AblSg"
    Suffix freq Percent_Trials
1        e   32              64
2        ō   17              34
3        u    1               2
[1] "1SgAbl"
    Suffix freq Percent_Trials
1        a   50             100
[1] "2SgAbl"
    Suffix freq Percent_Trials
2        ō   46              92
4        u    2               4
1        o    1               2
3       ōs    1               2
[1] "3SgAbl"
    Suffix freq Percent_Trials
1        e   50             100
[1] "4SgAbl"
    Suffix freq Percent_Trials
3        ō   32              64
5        u    7              14
7       um    4               8
8       us    3               6
1        -    1               2
2        o    1               2
4       ōs    1               2
6        ū    1               2
[1] "5SgAbl"
    Suffix freq Percent_Trials
1        e   42              84
3        i    6              12
```

```
2     es    1               2
4     is    1               2
[1] "mSgAbl"
   Suffix freq Percent_Trials
2      ō   32              64
1      e   15              30
4      u    2               4
3     ōs    1               2
[1] "m1SgAbl"
   Suffix freq Percent_Trials
2      a   44              88
3     ao    5              10
1      -    1               2
[1] "m2SgAbl"
   Suffix freq Percent_Trials
2      ō   46              92
4      u    2               4
1      o    1               2
3     ōs    1               2
[1] "m3SgAbl"
   Suffix freq Percent_Trials
1      e   50             100
[1] "m4SgAbl"
   Suffix freq Percent_Trials
3      ō   32              64
5      u    7              14
7     um    4               8
8     us    3               6
1      -    1               2
2      o    1               2
4     ōs    1               2
6      ū    1               2
[1] "m5SgAbl"
   Suffix freq Percent_Trials
1      e   43              86
2     eo    3               6
4      i    2               4
3     es    1               2
5     is    1               2
[1] "fSgAbl"
   Suffix freq Percent_Trials
2      e   42              84
1      a    5              10
3      i    3               6
[1] "f1SgAbl"
   Suffix freq Percent_Trials
1      a   50             100
[1] "f2SgAbl"
   Suffix freq Percent_Trials
3      ō   26              52
1      -    9              18
5      u    7              14
2      o    6              12
4     ōs    1               2
```

```
6     um    1              2
[1] "f3SgAbl"
   Suffix freq Percent_Trials
1      e   47             94
2      i    3              6
[1] "f4SgAbl"
   Suffix freq Percent_Trials
4      ō   24             48
6      u    9             18
1      -    5             10
8     um    4              8
3      o    3              6
9     us    2              4
2      m    1              2
5     ōs    1              2
7      ū    1              2
[1] "f5SgAbl"
   Suffix freq Percent_Trials
1      e   42             84
3      i    6             12
2     es    1              2
4     is    1              2
[1] "nSgAbl"
   Suffix freq Percent_Trials
2      ō   46             92
4      u    2              4
1      o    1              2
3     ōs    1              2
[1] "n2SgAbl"
   Suffix freq Percent_Trials
2      ō   46             92
4      u    2              4
1      o    1              2
3     ōs    1              2
[1] "n3SgAbl"
   Suffix freq Percent_Trials
2      e   27             54
1      -   20             40
3      s    3              6
[1] "n4SgAbl"
   Suffix freq Percent_Trials
3      ō   32             64
5      u    6             12
7     um    5             10
8     us    3              6
1      -    1              2
2      o    1              2
4     ōs    1              2
6      ū    1              2
[1] "Pl"
   Suffix freq Percent_Trials
1      -   13             26
4      i   11             22
8      s   10             20
```

```
6    is   8            16
2     a   3             6
5     ī   2             4
7    iu   2             4
3     e   1             2
[1] "PlNom,Acc"
  Suffix freq Percent_Trials
1      -   16            32
8      s   13            26
2      a   11            22
5     ēs   3             6
3     as   2             4
4     es   2             4
7     is   2             4
6      i   1             2
[1] "1PlNom,Acc"
  Suffix freq Percent_Trials
1      a   34            68
3     as   14            28
2    aes   2             4
[1] "2PlNom,Acc"
  Suffix freq Percent_Trials
1      -   24            48
6      s   11            22
2      a   10            20
3     as   2             4
4     es   1             2
5      i   1             2
7     us   1             2
[1] "3PlNom,Acc"
  Suffix freq Percent_Trials
9      s   12            24
1      -   11            22
3      e    7            14
5     es    7            14
6     ēs    7            14
7      i    2             4
8     is    2             4
2      a    1             2
4    eis    1             2
[1] "4PlNom,Acc"
  Suffix freq Percent_Trials
1      -   20            40
5      s   11            22
3      i    6            12
6      u    4             8
4     is    3             6
8     um    2             4
9     us    2             4
2     es    1             2
7      ū    1             2
[1] "5PlNom,Acc"
  Suffix freq Percent_Trials
5     es   17            34
```

```
1      -   12             24
3      e    7             14
6     ēs    5             10
2      a    3              6
8     is    3              6
4    eis    1              2
7      i    1              2
9      s    1              2
[1] "mPlNom,Acc"
  Suffix freq Percent_Trials
1      -   23             46
8      s   14             28
2      a    3              6
5     ēs    3              6
6      i    2              4
7     is    2              4
3      e    1              2
4     es    1              2
9     us    1              2
[1] "fPlNom,Acc"
  Suffix freq Percent_Trials
2      a   23             46
4     as    9             18
6     es    4              8
7     ēs    4              8
1      -    3              6
9     is    2              4
10     s    2              4
3    aes    1              2
5      e    1              2
8      i    1              2
[1] "nPlNom,Acc"
  Suffix freq Percent_Trials
1      -   18             36
7      s   13             26
2      a   12             24
3     as    2              4
5      i    2              4
4     es    1              2
6     is    1              2
8     us    1              2
[1] "PlAcc,Abl"
  Suffix freq Percent_Trials
6      i   11             22
11     s   11             22
1      -    9             18
9     is    5             10
2      a    4              8
4      e    3              6
7      ī    2              4
10    iu    2              4
3     as    1              2
5     ēs    1              2
8   ibus    1              2
```

```
[1] "1PlAcc,Abl"
  Suffix freq Percent_Trials
2      a   34             68
4     as   13             26
1      -    1              2
3    aes    1              2
5     iu    1              2
[1] "2PlAcc,Abl"
  Suffix freq Percent_Trials
1      -   24             48
9      s   10             20
6      i    6             12
2      a    3              6
4      e    2              4
8     is    2              4
3     as    1              2
5     es    1              2
7      ī    1              2
[1] "3PlAcc,Abl"
   Suffix freq Percent_Trials
2       e   13             26
6       i   10             20
4      es    8             16
9      is    5             10
5      ēs    4              8
1       -    2              4
7       ī    2              4
10     iu    2              4
11      s    2              4
3     eis    1              2
8    ibus    1              2
[1] "4PlAcc,Abl"
   Suffix freq Percent_Trials
1       -   20             40
7       s   10             20
3       i    6             12
5      is    3              6
8       u    3              6
10     um    2              4
11     us    2              4
2      es    1              2
4       ī    1              2
6      iu    1              2
9       ū    1              2
[1] "5PlAcc,Abl"
  Suffix freq Percent_Trials
3      e   16             32
5     es   14             28
6     ēs    5             10
7      i    5             10
1      -    4              8
2      a    2              4
8     is    2              4
4    eis    1              2
```

```
9      s    1              2
[1] "mPlAcc,Abl"
  Suffix freq Percent_Trials
1      -   13             26
4      i   11             22
8      s   11             22
6     is    8             16
2      e    2              4
5      ī    2              4
7     iu    2              4
3    eis    1              2
[1] "fPlAcc,Abl"
  Suffix freq Percent_Trials
2      a   20             40
5     es    7             14
4      e    5             10
10    is    4              8
11    iu    3              6
1      -    2              4
3     as    2              4
7      i    2              4
8      ī    2              4
6     ēs    1              2
9   ibus    1              2
12     s    1              2
[1] "nPlAcc,Abl"
  Suffix freq Percent_Trials
1      -   13             26
4      i   12             24
7      s   11             22
2      a    6             12
6     is    4              8
3     as    2              4
5      ī    2              4
[1] "PlNom,Acc,Abl"
  Suffix freq Percent_Trials
9      s   14             28
1      -   13             26
2      a    9             18
8     is    5             10
6      i    3              6
4      e    2              4
5     es    2              4
3     as    1              2
7      ī    1              2
[1] "1PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      a   34             68
3     as   13             26
2    aes    2              4
4      s    1              2
[1] "2PlNom,Acc,Abl"
  Suffix freq Percent_Trials
1      -   25             50
```

```
7      s   11               22
2      a    7               14
4     es    2                4
5      i    2                4
6     is    2                4
3     as    1                2
[1] "3PlNom,Acc,Abl"
   Suffix freq Percent_Trials
5      es   10               20
1       -    9               18
3       e    6               12
10     is    6               12
11      s    6               12
6      ēs    5               10
7       i    4                8
2       a    1                2
4     eis    1                2
8       ī    1                2
9     ies    1                2
[1] "4PlNom,Acc,Abl"
   Suffix freq Percent_Trials
1       -   21               42
5       s   11               22
3       i    5               10
4      is    4                8
6       u    4                8
9      us    2                4
2      es    1                2
7       ū    1                2
8      um    1                2
[1] "5PlNom,Acc,Abl"
   Suffix freq Percent_Trials
5      es   17               34
1       -   10               20
8      is    7               14
3       e    6               12
6      ēs    4                8
2       a    3                6
4     eis    1                2
7       i    1                2
9       s    1                2
[1] "mPlNom,Acc,Abl"
   Suffix freq Percent_Trials
1       -   21               42
9       s   12               24
5       i    6               12
7      is    5               10
2       e    2                4
3      es    1                2
4      ēs    1                2
6       ī    1                2
8      iu    1                2
[1] "fPlNom,Acc,Abl"
   Suffix freq Percent_Trials
```

```
2        a   27              54
4       as    9              18
10      is    3               6
1        -    2               4
12       s    2               4
3      aes    1               2
5       es    1               2
6       ēs    1               2
7        i    1               2
8        ī    1               2
9     ibus    1               2
11      iu    1               2
[1] "nPlNom,Acc,Abl"
  Suffix freq Percent_Trials
1        -   18              36
7        s   14              28
2        a   11              22
3       as    2               4
5        i    2               4
6       is    2               4
4       es    1               2
[1] "PlGen,Dat"
  Suffix freq Percent_Trials
1        -   13              26
4        i   13              26
6       is    8              16
9        s    8              16
7       iu    3               6
5        ī    2               4
2        a    1               2
3        e    1               2
8       mu    1               2
[1] "1PlGen,Dat"
  Suffix freq Percent_Trials
2        a   32              64
6       as   10              20
8        s    2               4
1        -    1               2
3       ai    1               2
4       am    1               2
5      amu    1               2
7      asu    1               2
9        u    1               2
[1] "2PlGen,Dat"
  Suffix freq Percent_Trials
1        -   17              34
4        i   11              22
8        s   10              20
6       is    5              10
5        ī    2               4
9        u    2               4
2        a    1               2
3        e    1               2
7       mu    1               2
```

```
[1] "3PlGen,Dat"
   Suffix freq Percent_Trials
4       i   15             30
1       -   10             20
7      is    9             18
10      s    7             14
8      iu    3              6
5       ī    2              4
2       e    1              2
3      es    1              2
6     ies    1              2
9      mu    1              2
[1] "4PlGen,Dat"
   Suffix freq Percent_Trials
3       i   16             32
1       -   10             20
5      is    8             16
8       s    8             16
6      iu    3              6
4       ī    2              4
2       e    1              2
7      mu    1              2
9       ū    1              2
[1] "5PlGen,Dat"
   Suffix freq Percent_Trials
5       i   13             26
1       -   10             20
8      is    7             14
12      s    5             10
3       e    3              6
4      es    3              6
9      iu    3              6
6       ī    2              4
2       a    1              2
7     ies    1              2
10      m    1              2
11     mu    1              2
[1] "mPlGen,Dat"
   Suffix freq Percent_Trials
3       i   16             32
1       -   12             24
8       s    8             16
5      is    7             14
6      iu    3              6
4       ī    2              4
2       e    1              2
7      mu    1              2
[1] "fPlGen,Dat"
   Suffix freq Percent_Trials
2       a   13             26
6       i   12             24
9      is    8             16
12      s    4              8
1       -    3              6
```

```
10      iu   3              6
7        ī   2              4
3       as   1              2
4        e   1              2
5       es   1              2
8      ies   1              2
11      mu   1              2
[1] "nPlGen,Dat"
  Suffix freq Percent_Trials
1       -   15             30
4       i   12             24
8       s   10             20
6      is    5             10
2       a    2              4
5       ī    2              4
9       u    2              4
3       e    1              2
7      mu    1              2
[1] "NomPl"
  Suffix freq Percent_Trials
1       -   17             34
8       s   15             30
2       a    5             10
6      is    5             10
3      es    3              6
4      ēs    3              6
5       i    1              2
7      īs    1              2
[1] "1Pl"
  Suffix freq Percent_Trials
2       a   32             64
4      as   14             28
1       -    1              2
3      ai    1              2
5       s    1              2
6       u    1              2
[1] "1PlNom"
  Suffix freq Percent_Trials
1       a   33             66
3      as   14             28
2     aes    2              4
4       s    1              2
[1] "2Pl"
  Suffix freq Percent_Trials
1       -   17             34
7       s   11             22
4       i    9             18
6      is    5             10
2       a    3              6
5       ī    2              4
8       u    2              4
3       e    1              2
[1] "2PlNom"
  Suffix freq Percent_Trials
```

```
1       -   21              42
6       s   15              30
2       a   10              20
3      es    1               2
4       i    1               2
5      is    1               2
7      us    1               2
[1] "3Pl"
  Suffix freq Percent_Trials
4       i   15              30
9       s    9              18
7      is    8              16
1       -    7              14
2       e    3               6
8      iu    3               6
3      es    2               4
5       ī    2               4
6     ies    1               2
[1] "3PlNom"
  Suffix freq Percent_Trials
9       s   16              32
1       -   12              24
4      es    7              14
7      is    7              14
5      ēs    3               6
6       i    2               4
2       a    1               2
3       e    1               2
8      īs    1               2
[1] "4Pl"
   Suffix freq Percent_Trials
1        -   14              28
7        s   10              20
2        i    9              18
4       is    6              12
8        u    3               6
3        ī    2               4
5       iu    2               4
6       mu    1               2
9        ū    1               2
10      um    1               2
11      us    1               2
[1] "4PlNom"
  Suffix freq Percent_Trials
1       -   18              36
5       s   13              26
3       i    5              10
6       u    5              10
4      is    4               8
9      us    2               4
2      es    1               2
7       ū    1               2
8      um    1               2
[1] "5Pl"
```

```
    Suffix freq Percent_Trials
5       i   11              22
1       -    9              18
8      is    8              16
3       e    6              12
10      s    5              10
4      es    4               8
9      iu    3               6
6       ī    2               4
2       a    1               2
7     ies    1               2
[1] "5PlNom"
  Suffix freq Percent_Trials
1       -   14              28
8       s   13              26
3      es    8              16
6      is    7              14
2       a    3               6
4      ēs    3               6
5       i    1               2
7      īs    1               2
[1] "mPl"
  Suffix freq Percent_Trials
3       i   14              28
1       -   12              24
7       s   11              22
5      is    7              14
2       e    2               4
4       ī    2               4
6      iu    2               4
[1] "mPlNom"
   Suffix freq Percent_Trials
1        -   19              38
9        s   15              30
4       es    3               6
5       ēs    3               6
6        i    3               6
7       is    3               6
2        a    1               2
3        e    1               2
8       īs    1               2
10      us    1               2
[1] "f135Pl"
  Suffix freq Percent_Trials
2       a   25              50
3      as    7              14
7      is    4               8
9       s    4               8
1       -    3               6
5       i    2               4
6       ī    2               4
8      iu    2               4
4       e    1               2
[1] "m24Pl"
```

```
     Suffix freq Percent_Trials
1         -   16             32
3         i   12             24
8         s   11             22
5        is    4              8
4         ī    2              4
2         e    1              2
6        iu    1              2
7        mu    1              2
9         u    1              2
10        ū    1              2
[1] "n24Pl"
   Suffix freq Percent_Trials
1        -   16             32
8        s   11             22
4        i    9             18
2        a    4              8
6       is    4              8
5        ī    2              4
9        u    2              4
3        e    1              2
7       mu    1              2
[1] "m234Pl"
   Suffix freq Percent_Trials
3        i   14             28
1        -   12             24
7        s   11             22
5       is    7             14
2        e    2              4
4        ī    2              4
6       iu    2              4
[1] "m2345Pl"
   Suffix freq Percent_Trials
3        i   14             28
1        -   12             24
7        s   11             22
5       is    7             14
2        e    2              4
4        ī    2              4
6       iu    2              4
[1] "m1Pl"
   Suffix freq Percent_Trials
2        a   31             62
5       as   12             24
1        -    2              4
6        s    2              4
3       ai    1              2
4       am    1              2
7        u    1              2
[1] "m1PlNom"
   Suffix freq Percent_Trials
2        a   32             64
4       as   14             28
3      aes    2              4
```

```
1      -    1              2
5      s    1              2
[1] "m2Pl"
  Suffix freq Percent_Trials
1      -   14             28
4      i   12             24
8      s   11             22
6     is    6             12
3      e    2              4
5      ī    2              4
2      a    1              2
7     iu    1              2
9      u    1              2
[1] "m2PlNom"
  Suffix freq Percent_Trials
1      -   24             48
6      s   15             30
2      a    4              8
3     es    2              4
4      i    2              4
5     is    2              4
7     us    1              2
[1] "m3Pl"
  Suffix freq Percent_Trials
4      i   14             28
7     is    8             16
1      -    7             14
2      e    5             10
3     es    5             10
9      s    5             10
8     iu    3              6
5      ī    2              4
6    ies    1              2
[1] "m3PlNom"
  Suffix freq Percent_Trials
9      s   16             32
1      -   12             24
4     es    7             14
7     is    7             14
5     ēs    3              6
6      i    2              4
2      a    1              2
3      e    1              2
8     īs    1              2
[1] "m4Pl"
  Suffix freq Percent_Trials
1      -   14             28
2      i   10             20
6      s   10             20
4     is    6             12
7      u    3              6
3      ī    2              4
5     iu    2              4
8      ū    1              2
```

```
9       um   1              2
10      us   1              2
[1] "m4PlNom"
  Suffix freq Percent_Trials
1      -   18             36
5      s   13             26
3      i    5             10
6      u    5             10
4     is    4              8
9     us    2              4
2     es    1              2
7      ū    1              2
8     um    1              2
[1] "m5Pl"
  Suffix freq Percent_Trials
5      i   13             26
1      -    7             14
3      e    7             14
8     is    7             14
4     es    5             10
10     s    4              8
9     iu    3              6
6      ī    2              4
2      a    1              2
7    ies    1              2
[1] "m5PlNom"
  Suffix freq Percent_Trials
10     s   15             30
1      -   13             26
5     es    6             12
8     is    6             12
2      a    3              6
6     ēs    3              6
3     as    1              2
4      e    1              2
7      i    1              2
9     īs    1              2
[1] "fPl"
  Suffix freq Percent_Trials
2      a   25             50
3     as    7             14
7     is    4              8
9      s    4              8
1      -    3              6
5      i    2              4
6      ī    2              4
8     iu    2              4
4      e    1              2
[1] "fPlNom"
  Suffix freq Percent_Trials
8      s   13             26
1      -   10             20
2      a    9             18
3     es    7             14
```

```
6    is   6           12
4    ēs   3            6
5     i   1            2
7    īs   1            2
[1] "f1Pl"
  Suffix freq Percent_Trials
2     a   33           66
4    as   13           26
1     -    1            2
3    ai    1            2
5     s    1            2
6     u    1            2
[1] "f1PlNom"
  Suffix freq Percent_Trials
1     a   33           66
3    as   14           28
2   aes    2            4
4     s    1            2
[1] "f2Pl"
  Suffix freq Percent_Trials
1     -   17           34
9     s   11           22
5     i    8           16
7    is    6           12
3     e    2            4
6     ī    2            4
2     a    1            2
4    es    1            2
8    iu    1            2
10    u    1            2
[1] "f2PlNom"
  Suffix freq Percent_Trials
1     -   23           46
7     s   16           32
2     a    3            6
4    es    2            4
5     i    2            4
6    is    2            4
3     e    1            2
8    us    1            2
[1] "f3Pl"
  Suffix freq Percent_Trials
4     i   13           26
7    is    9           18
1     -    7           14
2     e    5           10
3    es    5           10
9     s    5           10
8    iu    3            6
5     ī    2            4
6   ies    1            2
[1] "f3PlNom"
  Suffix freq Percent_Trials
8     s   16           32
```

```
1      -    12              24
3     es     8              16
6     is     7              14
4     ēs     3               6
5      i     2               4
2      a     1               2
7     īs     1               2
[1] "f4Pl"
   Suffix freq Percent_Trials
1      -    15              30
7      s     9              18
2      i     8              16
4     is     7              14
8      u     3               6
3      ī     2               4
5     iu     2               4
6     mu     1               2
9      ū     1               2
10    um     1               2
11    us     1               2
[1] "f4PlNom"
   Suffix freq Percent_Trials
1      -    19              38
5      s    13              26
3      i     5              10
4     is     4               8
6      u     4               8
9     us     2               4
2     es     1               2
7      ū     1               2
8     um     1               2
[1] "f5Pl"
   Suffix freq Percent_Trials
5      i    11              22
1      -     9              18
8     is     8              16
3      e     5              10
4     es     5              10
10     s     5              10
9     iu     3               6
6      ī     2               4
2      a     1               2
7    ies     1               2
[1] "f5PlNom"
   Suffix freq Percent_Trials
1      -    14              28
8      s    13              26
3     es     8              16
6     is     7              14
2      a     3               6
4     ēs     3               6
5      i     1               2
7     īs     1               2
[1] "nPl"
```

```
  Suffix freq Percent_Trials
1      -   16             32
7      s   11             22
4      i   10             20
6     is    5             10
2      a    3              6
5      ī    2              4
8      u    2              4
3      e    1              2
[1] "nPlNom"
  Suffix freq Percent_Trials
1      -   21             42
6      s   15             30
2      a   10             20
3     es    1              2
4      i    1              2
5     is    1              2
7     us    1              2
[1] "n2Pl"
  Suffix freq Percent_Trials
1      -   16             32
7      s   11             22
4      i    9             18
6     is    5             10
2      a    4              8
5      ī    2              4
8      u    2              4
3      e    1              2
[1] "n2PlNom"
  Suffix freq Percent_Trials
1      -   21             42
7      s   14             28
2      a   10             20
3     as    1              2
4     es    1              2
5      i    1              2
6     is    1              2
8     us    1              2
[1] "n3Pl"
   Suffix freq Percent_Trials
1       -   16             32
9       s    9             18
5       i    8             16
7      is    6             12
2       a    4              8
6       ī    2              4
8      iu    2              4
3      as    1              2
4      es    1              2
10      u    1              2
[1] "n3PlNom"
  Suffix freq Percent_Trials
8      s   17             34
1      -   13             26
```

```
2      a   11          22
7     is    4           8
5     es    2           4
3     as    1           2
4      e    1           2
6      i    1           2
[1] "n4Pl"
   Suffix freq Percent_Trials
1       -   16          32
6       s   11          22
2       i    9          18
4      is    5          10
3       ī    2           4
5      iu    2           4
7       u    2           4
8       ū    1           2
9      um    1           2
10     us    1           2
[1] "n4PlNom"
  Suffix freq Percent_Trials
1      -   20          40
5      s   14          28
3      i    4           8
6      u    4           8
4     is    3           6
9     us    2           4
2     es    1           2
7      ū    1           2
8     um    1           2
[1] "AccPl"
  Suffix freq Percent_Trials
1      -   12          24
2      a   11          22
9      s   10          20
6     ēs    6          12
4      e    4           8
5     es    3           6
3     as    2           4
7      i    1           2
8     is    1           2
[1] "1PlAcc"
  Suffix freq Percent_Trials
1      a   32          64
3     as   14          28
2    aes    4           8
[1] "2PlAcc"
  Suffix freq Percent_Trials
1      -   20          40
2      a   15          30
6      s   11          22
3     as    2           4
4     es    1           2
5      i    1           2
[1] "3PlAcc"
```

```
  Suffix freq Percent_Trials
2      e   18             36
4     es   13             26
5     ēs   11             22
1      -    3              6
6      i    2              4
3    eis    1              2
7     is    1              2
8      s    1              2
[1] "4PlAcc"
  Suffix freq Percent_Trials
1      -   20             40
5      s   11             22
6      u    5             10
3      i    4              8
4     is    3              6
8     um    3              6
9     us    2              4
2     es    1              2
7      ū    1              2
[1] "5PlAcc"
  Suffix freq Percent_Trials
5     es   16             32
3      e   15             30
6     ēs    8             16
1      -    4              8
2      a    2              4
8     is    2              4
4    eis    1              2
7      i    1              2
9      s    1              2
[1] "mPlAcc"
  Suffix freq Percent_Trials
1      -   20             40
8      s   10             20
2      e    7             14
5     ēs    6             12
4     es    3              6
7     is    2              4
3    eis    1              2
6      i    1              2
[1] "m1PlAcc"
  Suffix freq Percent_Trials
2      a   31             62
4     as   14             28
3    aes    4              8
1      -    1              2
[1] "m2PlAcc"
  Suffix freq Percent_Trials
1      -   29             58
7      s   13             26
2      a    3              6
3      e    2              4
4     es    1              2
```

```
5       i    1                    2
6      is    1                    2
[1] "m3PlAcc"
   Suffix freq Percent_Trials
2       e   18                   36
4      es   13                   26
5      ēs   11                   22
1       -    4                    8
3     eis    1                    2
6       i    1                    2
7      is    1                    2
8       s    1                    2
[1] "m4PlAcc"
   Suffix freq Percent_Trials
1       -   20                   40
5       s   11                   22
6       u    5                   10
3       i    4                    8
4      is    3                    6
8      um    3                    6
9      us    2                    4
2      es    1                    2
7       ū    1                    2
[1] "m5PlAcc"
   Suffix freq Percent_Trials
3       e   17                   34
5      es   15                   30
6      ēs    7                   14
1       -    3                    6
2       a    3                    6
8      is    2                    4
4     eis    1                    2
7       i    1                    2
9       s    1                    2
[1] "fPlAcc"
   Suffix freq Percent_Trials
4       e   14                   28
6      es   13                   26
7      ēs    8                   16
2       a    7                   14
1       -    2                    4
9      is    2                    4
3     aes    1                    2
5     eis    1                    2
8       i    1                    2
10      s    1                    2
[1] "f1PlAcc"
   Suffix freq Percent_Trials
1       a   32                   64
3      as   14                   28
2     aes    4                    8
[1] "f2PlAcc"
   Suffix freq Percent_Trials
1       -   26                   52
```

```
7      s    12               24
2      a     3                6
3      e     3                6
4     es     2                4
5      i     2                4
6     is     2                4
[1] "f3PlAcc"
  Suffix freq Percent_Trials
2      e    17               34
4     es    13               26
5     ēs    11               22
1      -     2                4
6      i     2                4
7     is     2                4
8      s     2                4
3    eis     1                2
[1] "f4PlAcc"
   Suffix freq Percent_Trials
1       -    18               36
7       s    10               20
8       u     5               10
5       i     4                8
6      is     4                8
10     um     3                6
11     us     2                4
2       a     1                2
3       e     1                2
4      es     1                2
9       ū     1                2
[1] "f5PlAcc"
  Suffix freq Percent_Trials
5     es    16               32
3      e    15               30
6     ēs     8               16
1      -     4                8
2      a     2                4
8     is     2                4
4    eis     1                2
7      i     1                2
9      s     1                2
[1] "nPlAcc"
  Suffix freq Percent_Trials
1      -    20               40
2      a    15               30
6      s    11               22
3     as     2                4
4     es     1                2
5      i     1                2
[1] "n2PlAcc"
  Suffix freq Percent_Trials
1      -    20               40
2      a    15               30
6      s    11               22
3     as     2                4
```

```
4      es    1             2
5       i    1             2
[1] "n3PlAcc"
  Suffix freq Percent_Trials
2      a   14            28
9      s   13            26
1      -    9            18
4      e    5            10
5     es    3             6
3     as    2             4
6     ēs    2             4
7      i    1             2
8     is    1             2
[1] "n4PlAcc"
  Suffix freq Percent_Trials
1      -   22            44
5      s   11            22
6      u    4             8
8     um    4             8
3      i    3             6
4     is    2             4
9     us    2             4
2     es    1             2
7      ū    1             2
[1] "GenPl"
  Suffix freq Percent_Trials
3       i   14            28
1       -   11            22
6      is    9            18
9       s    8            16
4       ī    2             4
7      iu    2             4
2       e    1             2
5    ibus    1             2
8      mu    1             2
10      u    1             2
[1] "1PlGen"
  Suffix freq Percent_Trials
2       a   32            64
6      as    8            16
9       s    3             6
1       -    1             2
3      ai    1             2
4      am    1             2
5     amu    1             2
7     asu    1             2
8     bus    1             2
10      u    1             2
[1] "2PlGen"
  Suffix freq Percent_Trials
1       -   17            34
4       i   11            22
8       s   10            20
6      is    5            10
```

```
5      ī    2              4
9      u    2              4
2      a    1              2
3      e    1              2
7     mu    1              2
```
[1] "3PlGen"
```
    Suffix freq Percent_Trials
3       i   15             30
1       -    9             18
7      is    9             18
10      s    8             16
8      iu    3              6
4       ī    2              4
2       e    1              2
5    ibus    1              2
6     ies    1              2
9      mu    1              2
```
[1] "4PlGen"
```
  Suffix freq Percent_Trials
2      i   16             32
4     is   10             20
1      -    9             18
8      s    8             16
3      ī    2              4
6     iu    2              4
5    isu    1              2
7     mu    1              2
9      ū    1              2
```
[1] "5PlGen"
```
    Suffix freq Percent_Trials
4       i   13             26
1       -   10             20
8      is    9             18
12      s    7             14
9      iu    3              6
5       ī    2              4
2       a    1              2
3       e    1              2
6    ibus    1              2
7     ies    1              2
10      m    1              2
11     mu    1              2
```
[1] "mPlGen"
```
  Suffix freq Percent_Trials
3      i   15             30
1      -   11             22
8      s    9             18
5     is    8             16
6     iu    3              6
4      ī    2              4
2      e    1              2
7     mu    1              2
```
[1] "m1PlGen"
```
    Suffix freq Percent_Trials
```

```
2        a   29               58
6       as    8               16
1        -    3                6
10       s    3                6
3       ai    1                2
4       am    1                2
5      amu    1                2
7      asu    1                2
8      bus    1                2
9        i    1                2
11       u    1                2
[1] "m2PlGen"
  Suffix freq Percent_Trials
3        i   15               30
8        s   12               24
1        -   11               22
5       is    6               12
4        ī    2                4
2        e    1                2
6       iu    1                2
7       mu    1                2
9        u    1                2
[1] "m3PlGen"
   Suffix freq Percent_Trials
3        i   15               30
1        -    9               18
7       is    9               18
10       s    8               16
8       iu    3                6
4        ī    2                4
2        e    1                2
5     ibus    1                2
6      ies    1                2
9       mu    1                2
[1] "m4PlGen"
  Suffix freq Percent_Trials
2        i   16               32
4       is   10               20
1        -    9               18
8        s    8               16
3        ī    2                4
6       iu    2                4
5      isu    1                2
7       mu    1                2
9        ū    1                2
[1] "m5PlGen"
   Suffix freq Percent_Trials
4        i   15               30
8       is    9               18
1        -    8               16
12       s    7               14
9       iu    3                6
5        ī    2                4
2        a    1                2
```

```
3       e    1            2
6    ibus    1            2
7     ies    1            2
10      m    1            2
11     mu    1            2
[1] "fPlGen"
   Suffix freq Percent_Trials
4       i   11           22
8      is    9           18
1       -    8           16
11      s    7           14
2       a    6           12
9      iu    3            6
5       ī    2            4
3       e    1            2
6    ibus    1            2
7     ies    1            2
10     mu    1            2
[1] "f1PlGen"
   Suffix freq Percent_Trials
2       a   32           64
6      as    8           16
9       s    3            6
1       -    1            2
3      ai    1            2
4      am    1            2
5     amu    1            2
7     asu    1            2
8     bus    1            2
10      u    1            2
[1] "f2PlGen"
   Suffix freq Percent_Trials
1       -   13           26
3       i   13           26
8       s   12           24
5      is    6           12
4       ī    2            4
2       e    1            2
6      iu    1            2
7      mu    1            2
9       u    1            2
[1] "f3PlGen"
   Suffix freq Percent_Trials
3       i   15           30
1       -    9           18
7      is    9           18
10      s    8           16
8      iu    3            6
4       ī    2            4
2       e    1            2
5    ibus    1            2
6     ies    1            2
9      mu    1            2
[1] "f4PlGen"
```

```
   Suffix freq Percent_Trials
2      i   16            32
7      s   10            20
1      -    9            18
4     is    8            16
5     iu    3             6
3      ī    2             4
6     mu    1             2
8      ū    1             2
[1] "f5PlGen"
    Suffix freq Percent_Trials
4       i   13            26
1       -   10            20
8      is    9            18
12      s    7            14
9      iu    3             6
5       ī    2             4
2       a    1             2
3       e    1             2
6    ibus    1             2
7     ies    1             2
10      m    1             2
11     mu    1             2
[1] "nPlGen"
   Suffix freq Percent_Trials
1      -   17            34
4      i   11            22
8      s   10            20
6     is    5            10
5      ī    2             4
9      u    2             4
2      a    1             2
3      e    1             2
7     mu    1             2
[1] "n2PlGen"
    Suffix freq Percent_Trials
1       -   16            32
4       i   11            22
9       s   10            20
6      is    5            10
5       ī    2             4
10      u    2             4
2       a    1             2
3       e    1             2
7       m    1             2
8      mu    1             2
[1] "n3PlGen"
   Suffix freq Percent_Trials
1      -   14            28
3      i   11            22
6     is    8            16
9      s    7            14
2      a    3             6
4      ī    2             4
```

```
7       iu    2              4
5     ibus    1              2
8       mu    1              2
10       u    1              2
[1] "n4PlGen"
  Suffix freq Percent_Trials
2     i   16             32
1     -   10             20
4    is    9             18
8     s    8             16
3     ī    2              4
6    iu    2              4
5   isu    1              2
7    mu    1              2
9     ū    1              2
[1] "DatPl"
   Suffix freq Percent_Trials
5      i   14             28
1      -   12             24
7     is    8             16
10     s    7             14
8     iu    3              6
6      ī    2              4
2      a    1              2
3      e    1              2
4     es    1              2
9     mu    1              2
[1] "1PlDat"
  Suffix freq Percent_Trials
2     a   31             62
6    as   12             24
1     -    1              2
3    ai    1              2
4    am    1              2
5   amu    1              2
7   asu    1              2
8     s    1              2
9     u    1              2
[1] "2PlDat"
  Suffix freq Percent_Trials
1     -   14             28
4     i   12             24
8     s   10             20
6    is    5             10
2     a    3              6
5     ī    2              4
9     u    2              4
3     e    1              2
7    mu    1              2
[1] "3PlDat"
  Suffix freq Percent_Trials
4     i   14             28
7    is    8             16
1     -    7             14
```

```
2       e    7              14
10      s    4               8
3      es    3               6
8      iu    3               6
5       ī    2               4
6     ies    1               2
9      mu    1               2
[1] "4PlDat"
   Suffix freq Percent_Trials
3       i   16              32
1       -   10              20
5      is    8              16
8       s    8              16
6      iu    3               6
4       ī    2               4
2       e    1               2
7      mu    1               2
9       ū    1               2
[1] "5PlDat"
   Suffix freq Percent_Trials
5       i   13              26
3       e    8              16
8      is    7              14
1       -    5              10
12      s    5              10
4      es    3               6
9      iu    3               6
6       ī    2               4
2       a    1               2
7     ies    1               2
10      m    1               2
11     mu    1               2
[1] "mPlDat"
   Suffix freq Percent_Trials
3       i   15              30
1       -   13              26
8       s    8              16
5      is    7              14
6      iu    3               6
4       ī    2               4
2       e    1               2
7      mu    1               2
[1] "m1PlDat"
   Suffix freq Percent_Trials
2       a   30              60
6      as   12              24
1       -    2               4
3      ai    1               2
4      am    1               2
5     amu    1               2
7     asu    1               2
8       s    1               2
9       u    1               2
[1] "m2PlDat"
```

```
      Suffix freq Percent_Trials
4        i   14             28
1        -   13             26
9        s   10             20
6       is    6             12
5        ī    2              4
2        a    1              2
3        e    1              2
7       iu    1              2
8       mu    1              2
10       u    1              2
[1] "m3PlDat"
      Suffix freq Percent_Trials
4        i   15             30
7       is    8             16
1        -    7             14
2        e    6             12
10       s    4              8
3       es    3              6
8       iu    3              6
5        ī    2              4
6      ies    1              2
9       mu    1              2
[1] "m4PlDat"
      Suffix freq Percent_Trials
3        i   16             32
1        -   10             20
5       is    8             16
8        s    8             16
6       iu    3              6
4        ī    2              4
2        e    1              2
7       mu    1              2
9        ū    1              2
[1] "m5PlDat"
      Suffix freq Percent_Trials
5        i   15             30
8       is    8             16
3        e    7             14
1        -    4              8
12       s    4              8
4       es    3              6
9       iu    3              6
6        ī    2              4
2        a    1              2
7      ies    1              2
10       m    1              2
11      mu    1              2
[1] "fPlDat"
      Suffix freq Percent_Trials
6        i   11             22
9       is    8             16
4        e    6             12
2        a    5             10
```

```
1       -    4           8
12      s    4           8
5      es    3           6
10     iu    3           6
3      as    2           4
7       ī    2           4
8     ies    1           2
11     mu    1           2
[1] "f1PlDat"
  Suffix freq Percent_Trials
2       a   31           62
6      as   12           24
1       -    1            2
3      ai    1            2
4      am    1            2
5     amu    1            2
7     asu    1            2
8       s    1            2
9       u    1            2
[1] "f2PlDat"
  Suffix freq Percent_Trials
1       -   13           26
4       i   13           26
9       s   10           20
6      is    6           12
3       e    2            4
5       ī    2            4
2       a    1            2
7      iu    1            2
8      mu    1            2
10      u    1            2
[1] "f3PlDat"
  Suffix freq Percent_Trials
4       i   13           26
7      is    9           18
1       -    7           14
2       e    7           14
10      s    4            8
3      es    3            6
8      iu    3            6
5       ī    2            4
6     ies    1            2
9      mu    1            2
[1] "f4PlDat"
  Suffix freq Percent_Trials
3       i   16           32
1       -   10           20
8       s    9           18
5      is    7           14
6      iu    3            6
4       ī    2            4
2       e    1            2
7      mu    1            2
9       ū    1            2
```

```
[1] "f5PlDat"
   Suffix freq Percent_Trials
5       i   13             26
3       e    8             16
8      is    7             14
1       -    5             10
12      s    5             10
4      es    3              6
9      iu    3              6
6       ī    2              4
2       a    1              2
7     ies    1              2
10      m    1              2
11     mu    1              2
[1] "nPlDat"
  Suffix freq Percent_Trials
1      -   15             30
4      i   11             22
8      s   10             20
6     is    5             10
2      a    3              6
5      ī    2              4
9      u    2              4
3      e    1              2
7     mu    1              2
[1] "n2PlDat"
  Suffix freq Percent_Trials
1      -   15             30
4      i   11             22
8      s   10             20
6     is    5             10
2      a    3              6
5      ī    2              4
9      u    2              4
3      e    1              2
7     mu    1              2
[1] "n3PlDat"
   Suffix freq Percent_Trials
1       -   15             30
4       i   11             22
9       s    8             16
6      is    6             12
2       a    3              6
5       ī    2              4
7      iu    2              4
3      es    1              2
8      mu    1              2
10      u    1              2
[1] "n4PlDat"
  Suffix freq Percent_Trials
3      i   15             30
1      -   11             22
5     is    8             16
8      s    8             16
```

```
6     iu    3              6
4      ī    2              4
2      e    1              2
7     mu    1              2
9      ū    1              2
[1] "AblPl"
   Suffix freq Percent_Trials
3      i   12             24
1      -   10             20
6     is    9             18
8      s    9             18
7     iu    4              8
2      e    2              4
4      ī    2              4
5    ibus   2              4
[1] "1PlAbl"
   Suffix freq Percent_Trials
2      a   29             58
4     as   11             22
1      -    2              4
5    bus    2              4
8      s    2              4
3     ai    1              2
6      ī    1              2
7     iu    1              2
9      u    1              2
[1] "2PlAbl"
   Suffix freq Percent_Trials
5      i   13             26
9      s   13             26
1      -   12             24
7     is    5             10
6      ī    2              4
2      a    1              2
3      e    1              2
4     es    1              2
8     iu    1              2
10     u    1              2
[1] "3PlAbl"
   Suffix freq Percent_Trials
4      i   13             26
8     is   11             22
3     es    7             14
2      e    6             12
9     iu    4              8
1      -    2              4
5      ī    2              4
6    ibus   2              4
10     s    2              4
7    ies    1              2
[1] "4PlAbl"
   Suffix freq Percent_Trials
1      -   12             24
6      s   12             24
```

```
2          i     10                20
4         is      5                10
5         iu      3                 6
3          ī      2                 4
7          u      2                 4
10        us      2                 4
8          ū      1                 2
9         um      1                 2
[1] "5PlAbl"
    Suffix freq Percent_Trials
5          i     12                24
9         is     10                20
4         es      7                14
3          e      6                12
1          -      4                 8
10        iu      3                 6
6          ī      2                 4
7       ibus      2                 4
2          a      1                 2
8        ies      1                 2
11        īu      1                 2
12         s      1                 2
[1] "mPlAbl"
  Suffix freq Percent_Trials
3          i     13                26
7          s     11                22
1          -      9                18
5         is      9                18
6         iu      4                 8
2          e      2                 4
4          ī      2                 4
[1] "m1PlAbl"
    Suffix freq Percent_Trials
2          a     31                62
4         as      9                18
5        bus      2                 4
1          -      1                 2
3         ai      1                 2
6          i      1                 2
7          ī      1                 2
8         is      1                 2
9         iu      1                 2
10         s      1                 2
11         u      1                 2
[1] "m2PlAbl"
  Suffix freq Percent_Trials
7          s     14                28
3          i     13                26
1          -     10                20
5         is      7                14
2          e      2                 4
4          ī      2                 4
6         iu      1                 2
8          u      1                 2
```

```
[1] "m3PlAbl"
   Suffix freq Percent_Trials
4       i   12             24
8      is   12             24
3      es    7             14
2       e    6             12
9      iu    4              8
1       -    2              4
5       ī    2              4
6    ibus    2              4
10      s    2              4
7     ies    1              2
[1] "m4PlAbl"
   Suffix freq Percent_Trials
1       -   12             24
6       s   12             24
2       i   10             20
4      is    5             10
5      iu    3              6
3       ī    2              4
7       u    2              4
10     us    2              4
8       ū    1              2
9      um    1              2
[1] "m5PlAbl"
   Suffix freq Percent_Trials
5       i   12             24
9      is   11             22
4      es    7             14
3       e    6             12
10     iu    3              6
1       -    2              4
6       ī    2              4
7    ibus    2              4
12      s    2              4
2       a    1              2
8     ies    1              2
11     īu    1              2
[1] "fPlAbl"
   Suffix freq Percent_Trials
5       i   10             20
9      is   10             20
2       a    6             12
3       e    6             12
4      es    6             12
10     iu    4              8
1       -    2              4
6       ī    2              4
7    ibus    2              4
8     ies    1              2
11      s    1              2
[1] "f1PlAbl"
  Suffix freq Percent_Trials
2       a   29             58
```

```
4    as   11          22
1     -    2           4
5    bus   2           4
8     s    2           4
3    ai    1           2
6     ī    1           2
7    iu    1           2
9     u    1           2
[1] "f2PlAbl"
  Suffix freq Percent_Trials
7     s   14          28
3     i   13          26
1     -   10          20
5    is    7          14
2     e    2           4
4     ī    2           4
6    iu    1           2
8     u    1           2
[1] "f3PlAbl"
  Suffix freq Percent_Trials
4     i   13          26
8    is   11          22
3    es    7          14
2     e    6          12
9    iu    4           8
1     -    2           4
5     ī    2           4
6   ibus   2           4
10    s    2           4
7   ies    1           2
[1] "f4PlAbl"
  Suffix freq Percent_Trials
1     -   12          24
6     s   10          20
4    is    9          18
2     i    8          16
5    iu    3           6
3     ī    2           4
7     u    2           4
10   us    2           4
8     ū    1           2
9    um    1           2
[1] "f5PlAbl"
  Suffix freq Percent_Trials
5     i   12          24
9    is   10          20
4    es    7          14
3     e    6          12
1     -    4           8
10   iu    3           6
6     ī    2           4
7   ibus   2           4
2     a    1           2
8   ies    1           2
```

```
11     īu    1              2
12     s     1              2
[1] "nPlAbl"
   Suffix freq Percent_Trials
9      s    13             26
1      -    12             24
5      i    12             24
7      is    5             10
6      ī     2              4
10     u     2              4
2      a     1              2
3      e     1              2
4      es    1              2
8      iu    1              2
[1] "n2PlAbl"
   Suffix freq Percent_Trials
1      -    13             26
9      s    13             26
5      i    12             24
7      is    5             10
6      ī     2              4
2      a     1              2
3      e     1              2
4      es    1              2
8      iu    1              2
10     u     1              2
[1] "n3PlAbl"
   Suffix freq Percent_Trials
1      -    13             26
4      i    11             22
9      s     8             16
7      is    7             14
8      iu    3              6
2      a     2              4
5      ī     2              4
6    ibus    2              4
3      es    1              2
10     u     1              2
[1] "n4PlAbl"
   Suffix freq Percent_Trials
1      -    13             26
6      s    12             24
2      i    10             20
4      is    4              8
5      iu    3              6
3      ī     2              4
7      u     2              4
10     us    2              4
8      ū     1              2
9      um    1              2


[1] "common_system_distrib"
   Percent_Match freq Percent_Trials
1      22.66667    1              2
```

63

```
2        23.33333    1           2
3        24.00000    6          12
4        24.66667    1           2
5        25.33333    5          10
6        26.00000    4           8
7        26.66667    4           8
8        27.33333    2           4
9        28.00000    3           6
10       28.66667    1           2
11       29.33333    2           4
12       30.00000    3           6
13       30.66667    1           2
14       31.33333    1           2
15       32.00000    5          10
16       32.66667    1           2
17       34.66667    1           2
18       38.00000    1           2
19       39.33333    1           2
20       40.66667    2           4
21       41.33333    1           2
22       42.00000    1           2
23       42.66667    1           2
24       46.00000    1           2
```

Percent of common_system_distrib Matching Reality


```
[1] "NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333    1           2
2       24.00000    1           2
3       24.66667    2           4
```

```
4        26.00000    2           4
5        26.66667    3           6
6        27.33333    2           4
7        28.66667    5           10
8        29.33333    7           14
9        30.00000    4           8
10       30.66667    6           12
11       31.33333    4           8
12       32.00000    1           2
13       33.33333    2           4
14       34.00000    1           2
15       35.33333    2           4
16       37.33333    2           4
17       38.00000    1           2
18       38.66667    2           4
19       39.33333    1           2
20       42.66667    1           2
```

Percent of NPLtoFSG_system_distrib Matching Reality


```
[1] "romanian_system_distrib"
    Percent_Match freq Percent_Trials
1        20.00000    1           2
2        21.33333    6           12
3        22.00000    1           2
4        22.66667    5           10
5        23.33333    3           6
6        24.00000    3           6
7        24.66667    2           4
8        25.33333    3           6
9        26.00000    2           4
```

```
10      26.66667     5              10
11      27.33333     2               4
12      28.00000     4               8
13      28.66667     2               4
14      29.33333     1               2
15      30.00000     1               2
16      34.66667     1               2
17      35.33333     1               2
18      36.00000     2               4
19      37.33333     2               4
20      38.00000     2               4
21      41.33333     1               2
```

Percent of romanian_system_distrib Matching Reality


```
[1] "1_common_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667     1               2
2       50.00000     1               2
3       53.33333     6              12
4       56.66667     2               4
5       60.00000    21              42
6       63.33333     3               6
7       66.66667     4               8
8       73.33333     4               8
9       80.00000     4               8
10      83.33333     1               2
11      86.66667     3               6
```

Percent of 1_common_system_distrib Matching Reality


```
[1] "1_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       46.66667    1               2
2       50.00000    1               2
3       53.33333    6              12
4       56.66667    2               4
5       60.00000   21              42
6       63.33333    3               6
7       66.66667    4               8
8       73.33333    4               8
9       80.00000    4               8
10      83.33333    1               2
11      86.66667    3               6
```

Percent of 1_NPLtoFSG_system_distrib Matching Reality


```
[1] "1_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       40.00000    3               6
2       43.33333    2               4
3       46.66667   25              50
4       50.00000    1               2
5       53.33333    4               8
6       56.66667    1               2
7       60.00000    2               4
8       63.33333    1               2
9       66.66667    3               6
10      73.33333    1               2
11      80.00000    7              14
```

Percent of 1_romanian_system_distrib Matching Reality


```
[1] "2_common_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   44             88
2      3.333333    5             10
3     10.000000    1              2
```

Percent of 2_common_system_distrib Matching Reality


```
[1] "2_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   31             62
2      3.333333    5             10
3      6.666667   11             22
4     10.000000    2              4
5     16.666667    1              2
```

Percent of 2_NPLtoFSG_system_distrib Matching Reality


```
[1] "2_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   43             86
2      3.333333    5             10
3      6.666667    1              2
4     13.333333    1              2
```

Percent of 2_romanian_system_distrib Matching Reality


```
[1] "3_common_system_distrib"
   Percent_Match freq Percent_Trials
1       10.00000   1              2
2       20.00000   8             16
3       23.33333   4              8
4       26.66667   5             10
5       30.00000   8             16
6       33.33333   2              4
7       36.66667   1              2
8       40.00000   9             18
9       43.33333   1              2
10      50.00000   2              4
11      53.33333   2              4
12      56.66667   1              2
13      60.00000   1              2
14      73.33333   1              2
15      76.66667   2              4
16      80.00000   2              4
```

Percent of 3_common_system_distrib Matching Reality


```
[1] "3_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        13.33333    1               2
2        20.00000    4               8
3        26.66667    3               6
4        30.00000    4               8
5        33.33333    8              16
6        36.66667    5              10
7        40.00000    5              10
8        43.33333    6              12
9        46.66667    1               2
10       50.00000    3               6
11       53.33333    1               2
12       56.66667    4               8
13       60.00000    2               4
14       63.33333    2               4
15       70.00000    1               2
```

Percent of 3_NPLtoFSG_system_distrib Matching Reality


```
[1] "3_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       10.00000    1              2
2       20.00000    9             18
3       23.33333    3              6
4       26.66667    6             12
5       30.00000    6             12
6       33.33333    9             18
7       36.66667    2              4
8       40.00000    6             12
9       43.33333    1              2
10      50.00000    1              2
11      53.33333    1              2
12      56.66667    1              2
13      60.00000    2              4
14      63.33333    2              4
```

Percent of 3_romanian_system_distrib Matching Reality


```
[1] "4_common_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   46             92
2      3.333333    3              6
3      6.666667    1              2
```

Percent of 4_common_system_distrib Matching Reality


```
[1] "4_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   46             92
2      3.333333    3              6
3      6.666667    1              2
```

Percent of 4_NPLtoFSG_system_distrib Matching Reality


```
[1] "4_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      0.000000   46             92
2      3.333333    3              6
3      6.666667    1              2
```

Percent of 4_romanian_system_distrib Matching Reality


```
[1] "5_common_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    2               4
2      40.00000   14              28
3      43.33333    4               8
4      46.66667   19              38
5      53.33333    4               8
6      60.00000    5              10
7      66.66667    2               4
```

Percent of 5_common_system_distrib Matching Reality


```
[1] "5_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    2              4
2      40.00000   14             28
3      43.33333    4              8
4      46.66667   19             38
5      53.33333    4              8
6      60.00000    5             10
7      66.66667    2              4
```

Percent of 5_NPLtoFSG_system_distrib Matching Reality


```
[1] "5_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      36.66667    2              4
2      40.00000   14             28
3      43.33333    4              8
4      46.66667   19             38
5      53.33333    4              8
6      60.00000    5             10
7      66.66667    2              4
```

Percent of 5_romanian_system_distrib Matching Reality


```
[1] "m_common_system_distrib"
   Percent_Match freq Percent_Trials
1             10    1              2
2             12    3              6
3             14   10             20
4             16    9             18
5             18    4              8
6             20    6             12
7             22    3              6
8             24    6             12
9             32    3              6
10            34    1              2
11            36    3              6
12            42    1              2
```

Percent of m_common_system_distrib Matching Reality


```
[1] "m_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             10    1              2
2             12    3              6
3             14   10             20
4             16    9             18
5             18    4              8
6             20    6             12
7             22    3              6
8             24    6             12
9             32    3              6
10            34    1              2
11            36    3              6
12            42    1              2
```

Percent of m_NPLtoFSG_system_distrib Matching Reality


```
[1] "m_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1              8    1              2
2             10   12             24
3             12    7             14
4             14    6             12
5             16    3              6
6             18    5             10
7             20    6             12
8             22    1              2
9             24    1              2
10            28    1              2
11            30    1              2
12            32    1              2
13            34    4              8
14            40    1              2
```

Percent of m_romanian_system_distrib Matching Reality


```
[1] "f_common_system_distrib"
   Percent_Match freq Percent_Trials
1             12    2              4
2             14    7             14
3             16    7             14
4             18    8             16
5             20    6             12
6             22    6             12
7             24    5             10
8             32    2              4
9             34    3              6
10            36    3              6
11            42    1              2
```

Percent of f_common_system_distrib Matching Reality


```
[1] "f_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             12    2              4
2             14    7             14
3             16    7             14
4             18    8             16
5             20    6             12
6             22    6             12
7             24    5             10
8             32    2              4
9             34    3              6
10            36    3              6
11            42    1              2
```

Percent of f_NPLtoFSG_system_distrib Matching Reality


```
[1] "f_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1              8    2              4
2             10    7             14
3             12    5             10
4             14    7             14
5             16    5             10
6             18    6             12
7             20    8             16
8             22    1              2
9             30    1              2
10            32    3              6
11            34    4              8
12            40    1              2
```

Percent of f_romanian_system_distrib Matching Reality


```
[1] "n_common_system_distrib"
  Percent_Match freq Percent_Trials
1            42    1              2
2            44   12             24
3            46   10             20
4            48   14             28
5            50    5             10
6            52    2              4
7            54    3              6
8            56    3              6
```

Percent of n_common_system_distrib Matching Reality


```
[1] "n_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1             42    1              2
2             44   13             26
3             46    8             16
4             48    2              4
5             50    4              8
6             52    5             10
7             54    2              4
8             56    2              4
9             58    8             16
10            60    3              6
11            62    1              2
12            68    1              2
```

Percent of n_NPLtoFSG_system_distrib Matching Reality


```
[1] "n_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1            42    2              4
2            44   23             46
3            46   13             26
4            48    9             18
5            50    2              4
6            52    1              2
```

Percent of n_romanian_system_distrib Matching Reality


```
[1] "Nom_common_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333    3              6
2       26.66667    4              8
3       30.00000   16             32
4       33.33333    1              2
5       36.66667    3              6
6       40.00000    5             10
7       43.33333    5             10
8       46.66667   10             20
9       50.00000    1              2
10      53.33333    1              2
11      60.00000    1              2
```

Percent of Nom_common_system_distrib Matching Reality


```
[1] "Nom_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1      23.33333    2               4
2      26.66667    1               2
3      30.00000    6              12
4      33.33333   10              20
5      36.66667   10              20
6      40.00000    3               6
7      43.33333   11              22
8      46.66667    2               4
9      50.00000    4               8
10     56.66667    1               2
```

Percent of Nom_NPLtoFSG_system_distrib Matching Reality


```
[1] "Nom_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333    4              8
2       26.66667    3              6
3       30.00000   16             32
4       33.33333    2              4
5       36.66667    6             12
6       40.00000    1              2
7       43.33333   15             30
8       50.00000    1              2
9       53.33333    1              2
10      56.66667    1              2
```

Percent of Nom_romanian_system_distrib Matching Reality


```
[1] "Acc_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   20             40
2      16.66667    3              6
3      20.00000    7             14
4      26.66667    4              8
5      30.00000    5             10
6      36.66667    9             18
7      40.00000    1              2
8      53.33333    1              2
```

Percent of Acc_common_system_distrib Matching Reality



```
[1] "Acc_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    2              4
2       16.66667   11             22
3       20.00000   13             26
4       23.33333    3              6
5       26.66667    6             12
6       30.00000    1              2
7       33.33333   10             20
8       36.66667    2              4
9       40.00000    1              2
10      50.00000    1              2
```

Percent of Acc_NPLtoFSG_system_distrib Matching Reality


```
[1] "Acc_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1     13.33333   20             40
2     16.66667    5             10
3     20.00000    4              8
4     26.66667    8             16
5     30.00000    1              2
6     33.33333    9             18
7     36.66667    2              4
8     50.00000    1              2
```

Percent of Acc_romanian_system_distrib Matching Reality


```
[1] "Gen_common_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    6             12
2      16.66667    1              2
3      20.00000   26             52
4      23.33333    7             14
5      26.66667    2              4
6      30.00000    6             12
7      36.66667    2              4
```

Percent of Gen_common_system_distrib Matching Reality


```
[1] "Gen_NPLtoFSG_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333    4              8
2      16.66667    3              6
3      20.00000   22             44
4      23.33333    7             14
5      26.66667    8             16
6      30.00000    3              6
7      33.33333    1              2
8      40.00000    2              4
```

Percent of Gen_NPLtoFSG_system_distrib Matching Reality


```
[1] "Gen_romanian_system_distrib"
  Percent_Match freq Percent_Trials
1      13.33333   28             56
2      16.66667    5             10
3      20.00000    9             18
4      23.33333    3              6
5      26.66667    3              6
6      30.00000    2              4
```

Percent of Gen_romanian_system_distrib Matching Reality


```
[1] "Dat_common_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    3              6
2       16.66667    1              2
3       20.00000   19             38
4       23.33333    8             16
5       26.66667    1              2
6       30.00000    2              4
7       36.66667   10             20
8       43.33333    1              2
9       46.66667    2              4
10      50.00000    1              2
11      56.66667    1              2
12      60.00000    1              2
```

Percent of Dat_common_system_distrib Matching Reality


```
[1] "Dat_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333    3              6
2       20.00000   17             34
3       23.33333    5             10
4       26.66667    6             12
5       30.00000    2              4
6       33.33333    3              6
7       36.66667    1              2
8       40.00000    7             14
9       43.33333    3              6
10      46.66667    1              2
11      53.33333    1              2
12      56.66667    1              2
```

Percent of Dat_NPLtoFSG_system_distrib Matching Reality

Percent of Trials (y-axis)

Percent Matching True System (x-axis)

```
[1] "Dat_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333   20             40
2       16.66667    7             14
3       20.00000    5             10
4       23.33333    1              2
5       26.66667    3              6
6       30.00000    8             16
7       36.66667    3              6
8       40.00000    1              2
9       46.66667    1              2
10      50.00000    1              2
```

Percent of Dat_romanian_system_distrib Matching Reality


```
[1] "Abl_common_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333    1               2
2       30.00000    7              14
3       33.33333    1               2
4       36.66667   23              46
5       40.00000    6              12
6       43.33333    2               4
7       46.66667    1               2
8       50.00000    2               4
9       53.33333    1               2
10      56.66667    2               4
11      60.00000    4               8
```

Percent of Abl_common_system_distrib Matching Reality

Percent of Trials

Percent Matching True System

```
[1] "Abl_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333    1               2
2       30.00000    5              10
3       33.33333    4               8
4       36.66667   14              28
5       40.00000   11              22
6       43.33333    3               6
7       46.66667    4               8
8       50.00000    1               2
9       53.33333    3               6
10      56.66667    4               8
```

Percent of Abl_NPLtoFSG_system_distrib Matching Reality


```
[1] "Abl_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       23.33333    1               2
2       30.00000    7              14
3       33.33333    2               4
4       36.66667   22              44
5       40.00000    6              12
6       43.33333    2               4
7       46.66667    2               4
8       50.00000    2               4
9       53.33333    2               4
10      56.66667    4               8
```

Percent of Abl_romanian_system_distrib Matching Reality


```
[1] "Sg_common_system_distrib"
   Percent_Match freq Percent_Trials
1       29.33333    4              8
2       30.66667    3              6
3       32.00000    3              6
4       33.33333    3              6
5       34.66667   11             22
6       36.00000    3              6
7       37.33333    7             14
8       38.66667    4              8
9       40.00000    4              8
10      41.33333    3              6
11      42.66667    2              4
12      44.00000    1              2
13      46.66667    1              2
14      50.66667    1              2
```

Percent of Sg_common_system_distrib Matching Reality


```
[1] "Sg_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1       29.33333    4              8
2       30.66667    3              6
3       32.00000    3              6
4       33.33333    3              6
5       34.66667   11             22
6       36.00000    3              6
7       37.33333    7             14
8       38.66667    4              8
9       40.00000    4              8
10      41.33333    3              6
11      42.66667    2              4
12      44.00000    1              2
13      46.66667    1              2
14      50.66667    1              2
```

Percent of Sg_NPLtoFSG_system_distrib Matching Reality


```
[1] "Sg_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       24.00000    1              2
2       26.66667    2              4
3       28.00000    2              4
4       29.33333   13             26
5       30.66667    4              8
6       32.00000    7             14
7       33.33333    5             10
8       34.66667    4              8
9       36.00000    4              8
10      37.33333    4              8
11      38.66667    2              4
12      41.33333    1              2
13      45.33333    1              2
```

Percent of Sg_romanian_system_distrib Matching Reality


```
[1] "Pl_common_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333   20             40
2       14.66667    1              2
3       16.00000    2              4
4       17.33333    1              2
5       18.66667    4              8
6       21.33333    4              8
7       25.33333    1              2
8       26.66667    3              6
9       29.33333    3              6
10      30.66667    1              2
11      32.00000    1              2
12      33.33333    1              2
13      38.66667    1              2
14      41.33333    1              2
15      45.33333    1              2
16      46.66667    2              4
17      49.33333    1              2
18      52.00000    1              2
19      54.66667    1              2
```

Percent of PI_common_system_distrib Matching Reality


```
[1] "Pl_NPLtoFSG_system_distrib"
   Percent_Match freq Percent_Trials
1        13.33333    1              2
2        14.66667    1              2
3        16.00000    3              6
4        17.33333    2              4
5        18.66667    5             10
6        20.00000    6             12
7        21.33333    3              6
8        22.66667    4              8
9        24.00000    6             12
10       25.33333    2              4
11       26.66667    5             10
12       28.00000    2              4
13       29.33333    1              2
14       32.00000    1              2
15       34.66667    2              4
16       40.00000    2              4
17       42.66667    2              4
18       45.33333    1              2
19       48.00000    1              2
```

Percent of PI_NPLtoFSG_system_distrib Matching Reality


```
[1] "Pl_romanian_system_distrib"
   Percent_Match freq Percent_Trials
1       13.33333   21             42
2       16.00000    3              6
3       18.66667    5             10
4       21.33333    3              6
5       24.00000    4              8
6       26.66667    3              6
7       28.00000    1              2
8       29.33333    1              2
9       34.66667    2              4
10      36.00000    1              2
11      40.00000    2              4
12      42.66667    2              4
13      45.33333    1              2
14      48.00000    1              2
```

Percent of PI_romanian_system_distrib Matching Reality


```
[1] "n.Sg(Nom|Acc),m.Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1      16.66667    1               2
2      33.33333    2               4
3      50.00000    3               6
4      66.66667    3               6
5      83.33333   22              44
6     100.00000   19              38
```

Percent of n.Sg(Nom|Acc),m.Sg(Nom|Acc) Matching Each Other



```
[1] "n.Pl(Nom|Acc),m.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333   10             20
3      50.00000    4              8
4      66.66667    9             18
5      83.33333   13             26
6     100.00000   13             26
```

Percent of n.Pl(Nom|Acc),m.Pl(Nom|Acc) Matching Each Other


```
[1] "n.Pl(Nom|Acc),f.Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   31             62
2      16.66667   14             28
3      33.33333    4              8
4      66.66667    1              2
```

Percent of n.Pl(Nom|Acc),f.Sg(Nom|Acc) Matching Each Other


```
[1] "n.Pl(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    2              4
2      16.66667    1              2
3      33.33333    7             14
4      50.00000    5             10
5      66.66667   12             24
6      83.33333   12             24
7     100.00000   11             22
```

Percent of n.Pl(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other


```
[1] "m.Pl(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1            50    1              2
2            60    1              2
3            70    1              2
4            80    3              6
5            90    8             16
6           100   36             72
```

Percent of m.Pl(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "1.*(Nom|Acc),5.*(Nom|Acc)"
  Percent_Match freq Percent_Trials
1           0.0   44             88
2          12.5    1              2
3          25.0    3              6
4          50.0    2              4
```

Percent of 1.*(Nom|Acc),5.*(Nom|Acc) Matching Each Other


```
[1] "2.*(Nom|Acc),4.*(Nom|Acc)"
   Percent_Match freq Percent_Trials
1       0.000000    2              4
2       8.333333    1              2
3      25.000000    2              4
4      41.666667    3              6
5      50.000000   10             20
6      58.333333    1              2
7      66.666667    2              4
8      75.000000    2              4
9      83.333333    4              8
10     91.666667    3              6
11    100.000000   20             40
```

Percent of 2.*(Nom|Acc),4.*(Nom|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "2Sg(Nom|Acc),4Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      16.66667    1              2
3      50.00000    2              4
4      66.66667    2              4
5      83.33333    3              6
6     100.00000   38             76
```

Percent of 2Sg(Nom|Acc),4Sg(Nom|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "2Pl(Nom|Acc),4Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   16             32
2      33.33333    1              2
3      50.00000    4              8
4      66.66667    3              6
5      83.33333    4              8
6     100.00000   22             44
```

Percent of 2Pl(Nom|Acc),4Pl(Nom|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0    1              2
2            50    4              8
3            75    4              8
4           100   41             82
```

Percent of n[24]Sg(Nom|Acc),m[24]Sg(Nom|Acc) Matching Each Oth


```
[1] "n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0    1              2
2            50   12             24
3            75    5             10
4           100   32             64
```

Percent of n[24]Pl(Nom|Acc),m[24]Pl(Nom|Acc) Matching Each Othe

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc),f1Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   37             74
2            25    4              8
3            50    9             18
```

Percent of n[24]Pl(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other


```
[1] "n[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   33             66
2            25    6             12
3            50   11             22
```

Percent of n[24]Pl(Nom|Acc),f1Pl(Nom|Acc) Matching Each Other



```
[1] "m[24]Pl(Nom|Acc),f1Sg(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            50    3              6
```

Percent of m[24]Pl(Nom|Acc),f1Sg(Nom|Acc) Matching Each Other

```
[1] "m[24]Pl(Nom|Acc),f1Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   45             90
2            25    1              2
3            50    4              8
```

Percent of m[24]Pl(Nom|Acc),f1Pl(Nom|Acc) Matching Each Other


```
[1] "m.Sg(Nom|Acc),m.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   13             26
2            10   15             30
3            20    8             16
4            30   12             24
5            50    1              2
6            60    1              2
```

Percent of m.Sg(Nom|Acc),m.Pl(Nom|Acc) Matching Each Other


```
[1] "f.Sg(Nom|Acc),f.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1             0   13             26
2            10   14             28
3            20    8             16
4            30   12             24
5            50    1              2
6            60    2              4
```

Percent of f.Sg(Nom|Acc),f.Pl(Nom|Acc) Matching Each Other


```
[1] "n.Sg(Nom|Acc),n.Pl(Nom|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   30             60
2      16.66667   13             26
3      33.33333    7             14
```

Percent of n.Sg(Nom|Acc),n.Pl(Nom|Acc) Matching Each Other


```
[1] "n.Sg(|),m.Sg(|)"
  Percent_Match freq Percent_Trials
1      40.00000    1               2
2      46.66667    1               2
3      66.66667    3               6
4      73.33333    6              12
5      80.00000   10              20
6      86.66667    6              12
7      93.33333    7              14
8     100.00000   16              32
```

Percent of n.Sg(|),m.Sg(|) Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl(|),m.Pl(|)"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       33.33333    3              6
3       40.00000    1              2
4       46.66667    1              2
5       53.33333    1              2
6       60.00000    2              4
7       66.66667    5             10
8       73.33333    5             10
9       80.00000    7             14
10      86.66667    9             18
11      93.33333    4              8
12     100.00000   11             22
```

Percent of n.Pl(|),m.Pl(|) Matching Each Other


```
[1] "n.Pl(|),f.Sg(|)"
   Percent_Match freq Percent_Trials
1       0.000000    7             14
2       6.666667    7             14
3      13.333333    7             14
4      20.000000    4              8
5      26.666667    6             12
6      33.333333    4              8
7      40.000000   10             20
8      46.666667    2              4
9      53.333333    1              2
10     60.000000    1              2
11     66.666667    1              2
```

Percent of n.Pl(|),f.Sg(|) Matching Each Other


```
[1] "n.Pl(|),f.Pl(|)"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       33.33333    3              6
3       40.00000    1              2
4       46.66667    2              4
5       53.33333    1              2
6       60.00000    3              6
7       66.66667    8             16
8       73.33333    4              8
9       80.00000    6             12
10      86.66667    6             12
11      93.33333    7             14
12     100.00000    8             16
```

Percent of n.Pl(|),f.Pl(|) Matching Each Other

Percent Matching Each Other

```
[1] "m.Pl(|),f.Pl(|)"
  Percent_Match freq Percent_Trials
1            76    1              2
2            84    3              6
3            88    9             18
4            92    4              8
5            96    9             18
6           100   24             48
```

Percent of m.PI(|),f.PI(|) Matching Each Other

Percent of Trials (y-axis)

Percent Matching Each Other (x-axis)

```
[1] "1.*(|),5.*(|)"
  Percent_Match freq Percent_Trials
1             0   39             78
2             5    3              6
3            10    4              8
4            20    2              4
5            30    1              2
6            50    1              2
```

Percent of 1.*(|),5.*(|) Matching Each Other


```
[1] "2.*(|),4.*(|)"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       20.00000    1              2
3       33.33333    3              6
4       36.66667    2              4
5       40.00000    2              4
6       43.33333    3              6
7       46.66667    2              4
8       50.00000    1              2
9       53.33333    2              4
10      60.00000    1              2
11      63.33333    2              4
12      66.66667    1              2
13      73.33333    2              4
14      76.66667    1              2
15      80.00000    1              2
16      83.33333    1              2
17      86.66667    3              6
18      90.00000    3              6
19      93.33333    6             12
20      96.66667    2              4
21     100.00000   10             20
```

Percent of 2.*(|),4.*(|) Matching Each Other

Percent of Trials (y-axis), Percent Matching Each Other (x-axis)

```
[1] "2Sg(|),4Sg(|)"
   Percent_Match freq Percent_Trials
1        0.00000    3              6
2       26.66667    1              2
3       40.00000    5             10
4       46.66667    3              6
5       53.33333    1              2
6       60.00000    2              4
7       66.66667    1              2
8       73.33333    5             10
9       80.00000    3              6
10      86.66667    6             12
11      93.33333    5             10
12     100.00000   15             30
```

Percent of 2Sg(|),4Sg(|) Matching Each Other


```
[1] "2Pl(|),4Pl(|)"
   Percent_Match freq Percent_Trials
1       0.000000    2              4
2       6.666667    1              2
3      20.000000    1              2
4      26.666667    3              6
5      33.333333    3              6
6      40.000000    5             10
7      46.666667    2              4
8      60.000000    3              6
9      66.666667    2              4
10     73.333333    3              6
11     80.000000    2              4
12     86.666667    2              4
13     93.333333    2              4
14    100.000000   19             38
```

Percent of 2PI(|),4PI(|) Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Sg(|),m[24]Sg(|)"
  Percent_Match freq Percent_Trials
1            40    1              2
2            60    1              2
3            70    2              4
4            80    4              8
5            90    6             12
6           100   36             72
```

Percent of n[24]Sg(|),m[24]Sg(|) Matching Each Other


```
[1] "n[24]Pl(|),m[24]Pl(|)"
  Percent_Match freq Percent_Trials
1            20    1              2
2            50    3              6
3            60    3              6
4            70    3              6
5            80    6             12
6            90    5             10
7           100   29             58
```

Percent of n[24]Pl(|),m[24]Pl(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(|),f1Sg(|)"
  Percent_Match freq Percent_Trials
1             0   31             62
2            10   10             20
3            20    8             16
4            40    1              2
```

Percent of n[24]Pl(|),f1Sg(|) Matching Each Other

Percent of Trials (y-axis)

Percent Matching Each Other (x-axis)

```
[1] "n[24]Pl(|),f1Pl(|)"
  Percent_Match freq Percent_Trials
1             0   27             54
2            10    9             18
3            20   10             20
4            30    2              4
5            50    2              4
```

Percent of n[24]Pl(|),f1Pl(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m[24]Pl(|),f1Sg(|)"
  Percent_Match freq Percent_Trials
1             0   44             88
2            10    2              4
3            20    4              8
```

Percent of m[24]Pl(|),f1Sg(|) Matching Each Other


```
[1] "m[24]Pl(|),f1Pl(|)"
  Percent_Match freq Percent_Trials
1             0   40             80
2            10    3              6
3            20    4              8
4            30    1              2
5            40    1              2
6            50    1              2
```

Percent of m[24]Pl(|),f1Pl(|) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m.Sg(|),m.Pl(|)"
   Percent_Match freq Percent_Trials
1              0    1              2
2              4    3              6
3              8    1              2
4             12    5             10
5             16    3              6
6             20    2              4
7             24    4              8
8             28    2              4
9             32    5             10
10            36    5             10
11            40    4              8
12            44    1              2
13            48    7             14
14            52    1              2
15            56    4              8
16            64    1              2
17            76    1              2
```

143

Percent of m.Sg(|),m.Pl(|) Matching Each Other


```
[1] "f.Sg(|),f.Pl(|)"
   Percent_Match freq Percent_Trials
1              0    2              4
2              8    3              6
3             12    3              6
4             16    5             10
5             24    4              8
6             28    3              6
7             32    5             10
8             36    1              2
9             40    6             12
10            44    3              6
11            48    7             14
12            52    3              6
13            56    1              2
14            64    1              2
15            68    1              2
16            84    2              4
```

Percent of f.Sg(|),f.Pl(|) Matching Each Other


```
[1] "n.Sg(|),n.Pl(|)"
  Percent_Match freq Percent_Trials
1      0.000000    7             14
2      6.666667    7             14
3     13.333333    6             12
4     20.000000   10             20
5     26.666667    2              4
6     40.000000   10             20
7     46.666667    3              6
8     53.333333    3              6
9     60.000000    2              4
```

Percent of n.Sg(|),n.Pl(|) Matching Each Other


```
[1] "n.Sg(Abl|Acc),m.Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1      50.00000    6              12
2      66.66667   19              38
3      83.33333    5              10
4     100.00000   20              40
```

Percent of n.Sg(Abl|Acc),m.Sg(Abl|Acc) Matching Each Other


```
[1] "n.Pl(Abl|Acc),m.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333    6             12
3      50.00000    6             12
4      66.66667   15             30
5      83.33333    9             18
6     100.00000   13             26
```

Percent of n.Pl(Abl|Acc),m.Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n.Pl(Abl|Acc),f.Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   39             78
2      16.66667    5             10
3      33.33333    5             10
4      66.66667    1              2
```

Percent of n.Pl(Abl|Acc),f.Sg(Abl|Acc) Matching Each Other


```
[1] "n.Pl(Abl|Acc),f.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      16.66667    1              2
3      33.33333    8             16
4      50.00000    7             14
5      66.66667   12             24
6      83.33333   10             20
7     100.00000   11             22
```

Percent of n.Pl(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "m.Pl(Abl|Acc),f.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1            70    4              8
2            80    6             12
3            90    9             18
4           100   31             62
```

Percent of m.Pl(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other


```
[1] "1.*(Abl|Acc),5.*(Abl|Acc)"
  Percent_Match freq Percent_Trials
1           0.0   43             86
2          12.5    3              6
3          25.0    3              6
4          50.0    1              2
```

Percent of 1.*(Abl|Acc),5.*(Abl|Acc) Matching Each Other


```
[1] "2.*(Abl|Acc),4.*(Abl|Acc)"
   Percent_Match freq Percent_Trials
1       0.000000    2              4
2       8.333333    1              2
3      25.000000    1              2
4      33.333333    3              6
5      41.666667    3              6
6      50.000000    5             10
7      58.333333    4              8
8      66.666667    2              4
9      75.000000    3              6
10     83.333333    7             14
11     91.666667    6             12
12    100.000000   13             26
```

Percent of 2.*(Abl|Acc),4.*(Abl|Acc) Matching Each Other


```
[1] "2Sg(Abl|Acc),4Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      50.00000    6             12
3      66.66667    9             18
4      83.33333    7             14
5     100.00000   24             48
```

Percent of 2Sg(Abl|Acc),4Sg(Abl|Acc) Matching Each Other


```
[1] "2Pl(Abl|Acc),4Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000    8             16
2      16.66667    4              8
3      33.33333    2              4
4      50.00000    7             14
5      66.66667    4              8
6      83.33333    4              8
7     100.00000   21             42
```

Percent of 2Pl(Abl|Acc),4Pl(Abl|Acc) Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1            50    1              2
2            75    6             12
3           100   43             86
```

Percent of n[24]Sg(Abl|Acc),m[24]Sg(Abl|Acc) Matching Each Othe

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0    1              2
2            50    6             12
3            75   12             24
4           100   31             62
```

Percent of n[24]Pl(Abl|Acc),m[24]Pl(Abl|Acc) Matching Each Other


```
[1] "n[24]Pl(Abl|Acc),f1Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   47             94
2            25    3              6
```

Percent of n[24]Pl(Abl|Acc),f1Sg(Abl|Acc) Matching Each Other

```
[1] "n[24]Pl(Abl|Acc),f1Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   30             60
2            25   18             36
3            50    2              4
```

Percent of n[24]Pl(Abl|Acc),f1Pl(Abl|Acc) Matching Each Other


```
[1] "m[24]Pl(Abl|Acc),f1Sg(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m[24]Pl(Abl|Acc),f1Sg(Abl|Acc) Matching Each Other


```
[1] "m[24]Pl(Abl|Acc),f1Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   43             86
2            25    6             12
3            50    1              2
```

Percent of m[24]Pl(Abl|Acc),f1Pl(Abl|Acc) Matching Each Other


```
[1] "m.Sg(Abl|Acc),m.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   17             34
2            10   21             42
3            20    2              4
4            30    7             14
5            40    2              4
6            60    1              2
```

Percent of m.Sg(Abl|Acc),m.Pl(Abl|Acc) Matching Each Other


```
[1] "f.Sg(Abl|Acc),f.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1             0   19             38
2            10   17             34
3            20    2              4
4            30    5             10
5            40    5             10
6            80    2              4
```

Percent of f.Sg(Abl|Acc),f.Pl(Abl|Acc) Matching Each Other



```
[1] "n.Sg(Abl|Acc),n.Pl(Abl|Acc)"
  Percent_Match freq Percent_Trials
1       0.00000   32             64
2      16.66667   14             28
3      33.33333    4              8
```

Percent of n.Sg(Abl|Acc),n.Pl(Abl|Acc) Matching Each Other

Percent of Trials

Percent Matching Each Other

```
[1] "n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      44.44444    2              4
3      55.55556    3              6
4      66.66667    2              4
5      77.77778   17             34
6      88.88889    6             12
7     100.00000   19             38
```

Percent of n.Sg(Nom|Acc|Abl),m.Sg(Nom|Acc|Abl) Matching Each Other


```
[1] "n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      33.33333    4              8
3      44.44444    4              8
4      55.55556    6             12
5      66.66667    4              8
6      77.77778   13             26
7      88.88889    6             12
8     100.00000   12             24
```

Percent of n.Pl(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl) Matching Each Oth

Percent Matching Each Other

```
[1] "n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   31             62
2      11.11111    9             18
3      22.22222    4              8
4      33.33333    4              8
5      44.44444    1              2
6      66.66667    1              2
```

Percent of n.Pl(Nom|Acc|Abl),f.Sg(Nom|Acc|Abl) Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      22.22222    1              2
3      33.33333    5             10
4      44.44444    4              8
5      55.55556    5             10
6      66.66667    6             12
7      77.77778   11             22
8      88.88889    7             14
9     100.00000   10             20
```

Percent of n.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe


```
[1] "m.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      66.66667    1              2
2      73.33333    1              2
3      80.00000    5             10
4      86.66667    5             10
5      93.33333    8             16
6     100.00000   30             60
```

Percent of m.Pl(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Other


```
[1] "1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.000000   41             82
2      8.333333    3              6
3     16.666667    3              6
4     33.333333    2              4
5     50.000000    1              2
```

Percent of 1.*(Nom|Acc|Abl),5.*(Nom|Acc|Abl) Matching Each Other


```
[1] "2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1        0.00000    2              4
2       22.22222    1              2
3       33.33333    1              2
4       38.88889    5             10
5       44.44444    2              4
6       50.00000    2              4
7       55.55556    3              6
8       61.11111    3              6
9       66.66667    3              6
10      77.77778    2              4
11      83.33333    2              4
12      88.88889    8             16
13      94.44444    3              6
14     100.00000   13             26
```

Percent of 2.*(Nom|Acc|Abl),4.*(Nom|Acc|Abl) Matching Each Other


```
[1] "2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    4              8
2      44.44444    1              2
3      55.55556    1              2
4      66.66667    6             12
5      77.77778    8             16
6      88.88889    8             16
7     100.00000   22             44
```

Percent of 2Sg(Nom|Acc|Abl),4Sg(Nom|Acc|Abl) Matching Each Othe


```
[1] "2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl)"
   Percent_Match freq Percent_Trials
1        0.00000    8             16
2       11.11111    3              6
3       22.22222    1              2
4       33.33333    4              8
5       44.44444    2              4
6       55.55556    1              2
7       66.66667    5             10
8       77.77778    3              6
9       88.88889    2              4
10     100.00000   21             42
```

Percent of 2Pl(Nom|Acc|Abl),4Pl(Nom|Acc|Abl) Matching Each Othe

Percent Matching Each Other

```
[1] "n[24]Sg(Nom|Acc|Abl),m[24]Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      33.33333    1              2
2      50.00000    1              2
3      66.66667    3              6
4      83.33333    4              8
5     100.00000   41             82
```

Percent of Trials

Percent Matching Each Other

```
[1] "n[24]Pl(Nom|Acc|Abl),m[24]Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000    1              2
2      50.00000    4              8
3      66.66667    9             18
4      83.33333    5             10
5     100.00000   31             62
```

```
[1] "n[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   35             70
2      16.66667    6             12
3      33.33333    9             18
```

Percent of n[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl) Matching Each O


```
[1] "n[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   30             60
2      16.66667   12             24
3      33.33333    6             12
4      50.00000    2              4
```

Percent of n[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl) Matching Each Ot

Percent Matching Each Other

```
[1] "m[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   47              94
2      33.33333    3               6
```

Percent of m[24]Pl(Nom|Acc|Abl),f1Sg(Nom|Acc|Abl) Matching Each O

Percent Matching Each Other

```
[1] "m[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   42             84
2      16.66667    6             12
3      33.33333    1              2
4      50.00000    1              2
```

Percent of m[24]Pl(Nom|Acc|Abl),f1Pl(Nom|Acc|Abl) Matching Each Ot


```
[1] "m.Sg(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.000000   11             22
2      6.666667    3              6
3     13.333333   14             28
4     20.000000    5             10
5     26.666667   11             22
6     33.333333    2              4
7     40.000000    3              6
8     60.000000    1              2
```

Percent of m.Sg(Nom|Acc|Abl),m.Pl(Nom|Acc|Abl) Matching Each Oth

Percent Matching Each Other

```
[1] "f.Sg(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1      0.000000   12             24
2      6.666667    2              4
3     13.333333   13             26
4     20.000000    5             10
5     26.666667   10             20
6     33.333333    1              2
7     40.000000    3              6
8     46.666667    2              4
9     73.333333    2              4
```

Percent of f.Sg(Nom|Acc|Abl),f.Pl(Nom|Acc|Abl) Matching Each Othe

Percent of Trials (y-axis) vs Percent Matching Each Other (x-axis)

```
[1] "n.Sg(Nom|Acc|Abl),n.Pl(Nom|Acc|Abl)"
  Percent_Match freq Percent_Trials
1       0.00000   26             52
2      11.11111   11             22
3      22.22222    8             16
4      33.33333    5             10
```

Percent of n.Sg(Nom|Acc|Abl),n.Pl(Nom|Acc|Abl) Matching Each Oth


```
[1] "n.Sg,m.Sg"
  Percent_Match freq Percent_Trials
1     40.00000    1               2
2     46.66667    1               2
3     66.66667    3               6
4     73.33333    6              12
5     80.00000   10              20
6     86.66667    6              12
7     93.33333    7              14
8    100.00000   16              32
```

Percent of n.Sg,m.Sg Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl,m.Pl"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       33.33333    3              6
3       40.00000    1              2
4       46.66667    1              2
5       53.33333    1              2
6       60.00000    2              4
7       66.66667    5             10
8       73.33333    5             10
9       80.00000    7             14
10      86.66667    9             18
11      93.33333    4              8
12     100.00000   11             22
```

Percent of n.Pl,m.Pl Matching Each Other

Percent Matching Each Other

```
[1] "n.Pl,f.Sg"
   Percent_Match freq Percent_Trials
1       0.000000    7             14
2       6.666667    7             14
3      13.333333    7             14
4      20.000000    4              8
5      26.666667    6             12
6      33.333333    4              8
7      40.000000   10             20
8      46.666667    2              4
9      53.333333    1              2
10     60.000000    1              2
11     66.666667    1              2
```

Percent of n.Pl,f.Sg Matching Each Other


```
[1] "n.Pl,f.Pl"
   Percent_Match freq Percent_Trials
1       13.33333    1              2
2       33.33333    3              6
3       40.00000    1              2
4       46.66667    2              4
5       53.33333    1              2
6       60.00000    3              6
7       66.66667    8             16
8       73.33333    4              8
9       80.00000    6             12
10      86.66667    6             12
11      93.33333    7             14
12     100.00000    8             16
```

Percent of n.Pl,f.Pl Matching Each Other

Percent Matching Each Other

```
[1] "m.Pl,f.Pl"
  Percent_Match freq Percent_Trials
1            76    1              2
2            84    3              6
3            88    9             18
4            92    4              8
5            96    9             18
6           100   24             48
```

Percent of m.PI,f.PI Matching Each Other


```
[1] "1.*,5.*"
  Percent_Match freq Percent_Trials
1             0   39             78
2             5    3              6
3            10    4              8
4            20    2              4
5            30    1              2
6            50    1              2
```

Percent of 1.*,5.* Matching Each Other

Percent Matching Each Other

```
[1] "2.*,4.*"
   Percent_Match freq Percent_Trials
1        0.00000    1              2
2       20.00000    1              2
3       33.33333    3              6
4       36.66667    2              4
5       40.00000    2              4
6       43.33333    3              6
7       46.66667    2              4
8       50.00000    1              2
9       53.33333    2              4
10      60.00000    1              2
11      63.33333    2              4
12      66.66667    1              2
13      73.33333    2              4
14      76.66667    1              2
15      80.00000    1              2
16      83.33333    1              2
17      86.66667    3              6
18      90.00000    3              6
19      93.33333    6             12
20      96.66667    2              4
21     100.00000   10             20
```

Percent of 2.*,4.* Matching Each Other


```
[1] "2Sg,4Sg"
   Percent_Match freq Percent_Trials
1        0.00000    3              6
2       26.66667    1              2
3       40.00000    5             10
4       46.66667    3              6
5       53.33333    1              2
6       60.00000    2              4
7       66.66667    1              2
8       73.33333    5             10
9       80.00000    3              6
10      86.66667    6             12
11      93.33333    5             10
12     100.00000   15             30
```

Percent of 2Sg,4Sg Matching Each Other


```
[1] "2Pl,4Pl"
   Percent_Match freq Percent_Trials
1       0.000000    2              4
2       6.666667    1              2
3      20.000000    1              2
4      26.666667    3              6
5      33.333333    3              6
6      40.000000    5             10
7      46.666667    2              4
8      60.000000    3              6
9      66.666667    2              4
10     73.333333    3              6
11     80.000000    2              4
12     86.666667    2              4
13     93.333333    2              4
14    100.000000   19             38
```

Percent of 2PI,4PI Matching Each Other

Percent Matching Each Other

```
[1] "n[24]Sg,m[24]Sg"
  Percent_Match freq Percent_Trials
1            40    1              2
2            60    1              2
3            70    2              4
4            80    4              8
5            90    6             12
6           100   36             72
```

Percent of n[24]Sg,m[24]Sg Matching Each Other


```
[1] "n[24]Pl,m[24]Pl"
  Percent_Match freq Percent_Trials
1            20    1               2
2            50    3               6
3            60    3               6
4            70    3               6
5            80    6              12
6            90    5              10
7           100   29              58
```

Percent of n[24]Pl,m[24]Pl Matching Each Other


```
[1] "n[24]Pl,f1Sg"
  Percent_Match freq Percent_Trials
1             0   31             62
2            10   10             20
3            20    8             16
4            40    1              2
```

Percent of n[24]Pl,f1Sg Matching Each Other


```
[1] "n[24]Pl,f1Pl"
  Percent_Match freq Percent_Trials
1             0   27             54
2            10    9             18
3            20   10             20
4            30    2              4
5            50    2              4
```

Percent of n[24]Pl,f1Pl Matching Each Other


```
[1] "m[24]Pl,f1Sg"
  Percent_Match freq Percent_Trials
1             0   44             88
2            10    2              4
3            20    4              8
```

Percent of m[24]Pl,f1Sg Matching Each Other


```
[1] "m[24]Pl,f1Pl"
  Percent_Match freq Percent_Trials
1             0   40             80
2            10    3              6
3            20    4              8
4            30    1              2
5            40    1              2
6            50    1              2
```

Percent of m[24]Pl,f1Pl Matching Each Other


```
[1] "m.Sg,m.Pl"
   Percent_Match freq Percent_Trials
1              0    1              2
2              4    3              6
3              8    1              2
4             12    5             10
5             16    3              6
6             20    2              4
7             24    4              8
8             28    2              4
9             32    5             10
10            36    5             10
11            40    4              8
12            44    1              2
13            48    7             14
14            52    1              2
15            56    4              8
16            64    1              2
17            76    1              2
```

Percent of m.Sg,m.Pl Matching Each Other

Percent Matching Each Other

```
[1] "f.Sg,f.Pl"
   Percent_Match freq Percent_Trials
1              0    2              4
2              8    3              6
3             12    3              6
4             16    5             10
5             24    4              8
6             28    3              6
7             32    5             10
8             36    1              2
9             40    6             12
10            44    3              6
11            48    7             14
12            52    3              6
13            56    1              2
14            64    1              2
15            68    1              2
16            84    2              4
```

Percent of f.Sg,f.Pl Matching Each Other


```
[1] "n.Sg,n.Pl"
  Percent_Match freq Percent_Trials
1      0.000000   7             14
2      6.666667   7             14
3     13.333333   6             12
4     20.000000  10             20
5     26.666667   2              4
6     40.000000  10             20
7     46.666667   3              6
8     53.333333   3              6
9     60.000000   2              4
```

Percent of n.Sg,n.Pl Matching Each Other


```
[1] "Nom,Acc"
   Percent_Match freq Percent_Trials
1       0.00000    1              2
2      19.23077    1              2
3      26.92308    1              2
4      30.76923    3              6
5      34.61538    5             10
6      38.46154    3              6
7      42.30769    3              6
8      46.15385    2              4
9      50.00000   10             20
10     53.84615    3              6
11     57.69231    5             10
12     61.53846    7             14
13     65.38462    1              2
14     69.23077    1              2
15     73.07692    2              4
16     80.76923    1              2
17     96.15385    1              2
```

Percent of Nom,Acc Matching Each Other


```
[1] "Acc,Abl"
   Percent_Match freq Percent_Trials
1       0.000000    8             16
2       3.846154    1              2
3       7.692308    4              8
4      11.538462    1              2
5      15.384615    2              4
6      19.230769    5             10
7      23.076923    3              6
8      26.923077    5             10
9      30.769231    4              8
10     34.615385    2              4
11     38.461538    1              2
12     42.307692    4              8
13     46.153846    1              2
14     50.000000    5             10
15     53.846154    1              2
16     65.384615    1              2
17     76.923077    2              4
```

Percent of Acc,Abl Matching Each Other


```
[1] "Nom,Acc,Abl"
   Percent_Match freq Percent_Trials
1       0.000000    8             16
2       3.846154    1              2
3       7.692308    4              8
4      11.538462    1              2
5      15.384615    3              6
6      19.230769    7             14
7      23.076923    2              4
8      26.923077    6             12
9      30.769231    4              8
10     34.615385    5             10
11     38.461538    1              2
12     42.307692    3              6
13     46.153846    1              2
14     50.000000    2              4
15     53.846154    1              2
16     61.538462    1              2
```

Percent of Nom,Acc,Abl Matching Each Other


```
[1] "Gen,Dat"
   Percent_Match freq Percent_Trials
1       15.38462    1              2
2       23.07692    1              2
3       42.30769    1              2
4       46.15385    2              4
5       50.00000    2              4
6       57.69231    4              8
7       61.53846    1              2
8       65.38462    3              6
9       69.23077    4              8
10      73.07692    1              2
11      76.92308    3              6
12      80.76923    3              6
13      84.61538    2              4
14      88.46154    3              6
15      92.30769    1              2
16      96.15385    5             10
17     100.00000   13             26
```

Percent of Gen,Dat Matching Each Other

Percent Matching Each Other

```
[1] "Nom,Acc,Gen,Dat,Abl"
   Percent_Match freq Percent_Trials
1       0.000000   12             24
2       3.846154    2              4
3       7.692308    9             18
4      11.538462    3              6
5      15.384615    2              4
6      19.230769    4              8
7      23.076923    1              2
8      26.923077    6             12
9      30.769231    2              4
10     34.615385    5             10
11     42.307692    2              4
12     50.000000    2              4
```

Percent of Nom,Acc,Gen,Dat,Abl Matching Each Other


```
[1] "nPlmPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   36             72
2      6.666667    8             16
3     13.333333    3              6
4     20.000000    3              6
```

Percent of nPlmPl_exclusive Matching Each Other


```
[1] "nPlfPl_exclusive"
  Percent_Match freq Percent_Trials
1      0.000000   47             94
2      6.666667    2              4
3     13.333333    1              2
```

Percent of nPlfPl_exclusive Matching Each Other


```
[1] "Sg(Nom|Acc)_nots"
  Percent_Match freq Percent_Trials
1      69.23077    1               2
2      84.61538    1               2
3      88.46154    2               4
4      92.30769    2               4
5     100.00000   44              88
```

Percent of Sg(Nom|Acc) ending in nots


```
[1] "1Sg(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1             0    2              4
2            25    2              4
3            50   41             82
4            75    1              2
5           100    4              8
```

Percent of 1Sg(Nom|Acc) ending in a($|,)


```
[1] "[24]Sg(Nom|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Sg(Nom|Acc) ending in o($|,)

```
[1] "3Sg(Nom|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1       0.00000    1               2
2      16.66667    2               4
3      50.00000   39              78
4      66.66667    5              10
5     100.00000    3               6
```

Percent of 3Sg(Nom|Acc) ending in [e−]($|,)


```
[1] "Pl(Nom|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   12              24
2       11.53846    4               8
3       19.23077    1               2
4       23.07692    3               6
5       26.92308    1               2
6       30.76923    5              10
7       38.46154    1               2
8       46.15385    3               6
9       50.00000    1               2
10      53.84615    1               2
11      61.53846    1               2
12      69.23077    1               2
13      76.92308    3               6
14      80.76923    1               2
15      84.61538    2               4
16      92.30769    1               2
17     100.00000    9              18
```

Percent of Pl(Nom|Acc) ending in s($|,)


```
[1] "[mf].Pl(Nom|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1              0   12             24
2             10    2              4
3             15    2              4
4             20    2              4
5             25    1              2
6             30    2              4
7             35    1              2
8             40    5             10
9             50    2              4
10            60    4              8
11            70    1              2
12            75    1              2
13            80    5             10
14           100   10             20
```

Percent of [mf].Pl(Nom|Acc) ending in s($|,)


```
[1] "[124]Pl(Nom|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1          0.00   22             44
2          6.25    1              2
3         12.50    3              6
4         18.75    2              4
5         25.00    2              4
6         37.50    1              2
7         50.00    1              2
8         62.50    4              8
9         75.00    3              6
10        87.50    1              2
11        93.75    1              2
12       100.00    9             18
```

Percent of [124]Pl(Nom|Acc) ending in s($|,)


```
[1] "1Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   31             62
2            50    3              6
3           100   16             32
```

Percent of 1Pl(Nom|Acc) ending in s($|,)


```
[1] "[24]Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   27             54
2      8.333333    1              2
3     25.000000    2              4
4     50.000000    4              8
5     66.666667    1              2
6     83.333333    2              4
7     91.666667    1              2
8    100.000000   12             24
```

Percent of [24]Pl(Nom|Acc) ending in s($|,)


```
[1] "n.Pl(Nom|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   22             44
2      16.66667    4              8
3      33.33333    6             12
4      50.00000    1              2
5      66.66667    4              8
6     100.00000   13             26
```

Percent of n.Pl(Nom|Acc) ending in s($|,)


```
[1] "1Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   35             70
2            50    2              4
3           100   13             26
```

Percent of 1Pl(Nom|Acc) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "[24]Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Nom|Acc) ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "3Pl(Nom|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   14              28
2      33.33333    3               6
3      50.00000    4               8
4      66.66667   11              22
5     100.00000   18              36
```

Percent of 3Pl(Nom|Acc) ending in e?s($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "n.Pl(Nom|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   32              64
2      16.66667    3               6
3      33.33333    6              12
4      50.00000    1               2
5      66.66667    8              16
```

Percent of n.Pl(Nom|Acc) ending in a($|,)


```
[1] "n.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            50    2              4
```

Percent of n.Pl(Nom|Acc) ending in as($|,)

```
[1] "n.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Nom|Acc) ending in os($|,)


```
[1] "m.Pl(Nom|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   34             68
2            10    3              6
3            20   13             26
```

Percent of m.Pl(Nom|Acc) ending in as($|,)


```
[1] "m.Pl(Nom|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Nom|Acc) ending in os($|,)

```
[1] "Sg(Abl|Acc)_nots"
  Percent_Match freq Percent_Trials
1      69.23077    1              2
2      84.61538    1              2
3      88.46154    1              2
4      92.30769    2              4
5      96.15385    2              4
6     100.00000   43             86
```

Percent of Sg(Abl|Acc) ending in nots

Percent of Trials (y-axis) vs Percent Matching Reality (x-axis)

```
[1] "1Sg(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1            25    4              8
2            50   41             82
3            75    2              4
4           100    3              6
```

Percent of 1Sg(Abl|Acc) ending in a($|,)


```
[1] "[24]Sg(Abl|Acc)_o($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   42             84
2      8.333333    5             10
3     16.666667    1              2
4     25.000000    2              4
```

Percent of [24]Sg(Abl|Acc) ending in o($|,)


```
[1] "3Sg(Abl|Acc)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    2              4
2      50.00000   41             82
3      66.66667    3              6
4      83.33333    2              4
5     100.00000    2              4
```

Percent of 3Sg(Abl|Acc) ending in [e−]($|,)


```
[1] "Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   13              26
2       11.53846    1               2
3       15.38462    3               6
4       19.23077    1               2
5       23.07692    4               8
6       26.92308    2               4
7       30.76923    3               6
8       42.30769    2               4
9       46.15385    2               4
10      50.00000    1               2
11      53.84615    5              10
12      65.38462    1               2
13      69.23077    2               4
14      84.61538    1               2
15      92.30769    1               2
16     100.00000    8              16
```

Percent of Pl(Abl|Acc) ending in s($|,)


```
[1] "[mf].Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1              0   13             26
2             15    1              2
3             20    4              8
4             25    1              2
5             30    6             12
6             35    1              2
7             40    3              6
8             45    1              2
9             50    4              8
10            55    2              4
11            60    1              2
12            70    3              6
13            80    1              2
14           100    9             18
```

Percent of [mf].Pl(Abl|Acc) ending in s($|,)


```
[1] "[124]Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1          0.00   20             40
2         12.50    5             10
3         18.75    1              2
4         25.00    2              4
5         31.25    1              2
6         37.50    3              6
7         43.75    1              2
8         50.00    2              4
9         56.25    1              2
10        62.50    1              2
11        75.00    2              4
12        81.25    2              4
13        87.50    1              2
14       100.00    8             16
```

Percent of [124]Pl(Abl|Acc) ending in s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "1Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1             0   30             60
2            25    1              2
3            50    6             12
4            75    1              2
5           100   12             24
```

Percent of 1Pl(Abl|Acc) ending in s($|,)


```
[1] "[24]Pl(Abl|Acc)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000   25             50
2       16.66667    1              2
3       25.00000    2              4
4       33.33333    2              4
5       41.66667    1              2
6       50.00000    3              6
7       66.66667    1              2
8       75.00000    3              6
9       83.33333    2              4
10     100.00000   10             20
```

Percent of [24]Pl(Abl|Acc) ending in s($|,)


```
[1] "n.Pl(Abl|Acc)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   22             44
2      16.66667    5             10
3      33.33333    5             10
4      50.00000    3              6
5      66.66667    4              8
6     100.00000   11             22
```

Percent of n.Pl(Abl|Acc) ending in s($|,)


```
[1] "1Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   34             68
2            25    1              2
3            50    6             12
4            75    1              2
5           100    8             16
```

Percent of 1Pl(Abl|Acc) ending in as($|,)


```
[1] "[24]Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Abl|Acc) ending in os($|,)

```
[1] "3Pl(Abl|Acc)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   13             26
2      16.66667    1              2
3      33.33333   10             20
4      50.00000    8             16
5      66.66667    5             10
6      83.33333    1              2
7     100.00000   12             24
```

Percent of 3Pl(Abl|Acc) ending in e?s($|,)


```
[1] "n.Pl(Abl|Acc)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   32             64
2      16.66667    6             12
3      33.33333   11             22
4      66.66667    1              2
```

Percent of n.Pl(Abl|Acc) ending in a($|,)


```
[1] "n.Pl(Abl|Acc)_as($|,)"
   Percent_Match freq Percent_Trials
1       0.00000   48             96
2      33.33333    2              4
```

Percent of n.Pl(Abl|Acc) ending in as($|,)

```
[1] "n.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl(Abl|Acc) ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl(Abl|Acc)_as($|,)"
  Percent_Match freq Percent_Trials
1             0   35             70
2            10    7             14
3            20    8             16
```

Percent of m.Pl(Abl|Acc) ending in as($|,)


```
[1] "m.Pl(Abl|Acc)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.Pl(Abl|Acc) ending in os($|,)

```
[1] "Sg(Nom|Acc|Abl)_nots"
  Percent_Match freq Percent_Trials
1      69.23077    1              2
2      74.35897    1              2
3      84.61538    1              2
4      87.17949    1              2
5      89.74359    2              4
6      97.43590    2              4
7     100.00000   42             84
```

Percent of Sg(Nom|Acc|Abl) ending in nots


```
[1] "1Sg(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    3              6
2      50.00000    4              8
3      66.66667   39             78
4      83.33333    1              2
5     100.00000    3              6
```

Percent of 1Sg(Nom|Acc|Abl) ending in a($|,)


```
[1] "[24]Sg(Nom|Acc|Abl)_o($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   42             84
2      5.555556    5             10
3     11.111111    1              2
4     16.666667    2              4
```

Percent of [24]Sg(Nom|Acc|Abl) ending in o($|,)


```
[1] "3Sg(Nom|Acc|Abl)_[e-]($|,)"
  Percent_Match freq Percent_Trials
1      33.33333    1               2
2      44.44444    2               4
3      55.55556    3               6
4      66.66667   38              76
5      77.77778    3               6
6      88.88889    1               2
7     100.00000    2               4
```

Percent of 3Sg(Nom|Acc|Abl) ending in [e−]($|,)


```
[1] "Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   12              24
2       7.692308    1               2
3      15.384615    1               2
4      17.948718    1               2
5      20.512821    2               4
6      23.076923    2               4
7      25.641026    2               4
8      28.205128    1               2
9      30.769231    2               4
10     35.897436    1               2
11     38.461538    2               4
12     43.589744    1               2
13     51.282051    3               6
14     53.846154    2               4
15     56.410256    2               4
16     58.974359    1               2
17     64.102564    1               2
18     69.230769    1               2
19     71.794872    1               2
20     79.487179    1               2
21     84.615385    1               2
22     94.871795    1               2
23    100.000000    8              16
```

Percent of Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "[mf].Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   12             24
2       6.666667    1              2
3      20.000000    1              2
4      23.333333    2              4
5      26.666667    4              8
6      33.333333    2              4
7      36.666667    1              2
8      40.000000    4              8
9      46.666667    1              2
10     53.333333    5             10
11     56.666667    2              4
12     63.333333    1              2
13     66.666667    2              4
14     73.333333    1              2
15     80.000000    2              4
16    100.000000    9             18
```

Percent of [mf].Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "[124]Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   20             40
2       8.333333    2              4
3      16.666667    2              4
4      20.833333    1              2
5      29.166667    3              6
6      33.333333    1              2
7      41.666667    3              6
8      45.833333    2              4
9      50.000000    1              2
10     58.333333    1              2
11     62.500000    1              2
12     75.000000    2              4
13     87.500000    2              4
14     91.666667    1              2
15    100.000000    8             16
```

Percent of [124]Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "1Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   30              60
2      16.66667    1               2
3      33.33333    2               4
4      66.66667    4               8
5      83.33333    1               2
6     100.00000   12              24
```

Percent of 1Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "[24]Pl(Nom|Acc|Abl)_s($|,)"
   Percent_Match freq Percent_Trials
1        0.00000  23             46
2       11.11111   1              2
3       22.22222   1              2
4       27.77778   1              2
5       33.33333   5             10
6       38.88889   2              4
7       61.11111   1              2
8       66.66667   1              2
9       77.77778   1              2
10      83.33333   3              6
11      88.88889   1              2
12     100.00000  10             20
```

Percent of [24]Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_s($|,)"
  Percent_Match freq Percent_Trials
1      0.00000   20             40
2     11.11111    3              6
3     22.22222    2              4
4     33.33333    5             10
5     44.44444    3              6
6     55.55556    3              6
7     66.66667    1              2
8     77.77778    2              4
9    100.00000   11             22
```

Percent of n.Pl(Nom|Acc|Abl) ending in s($|,)


```
[1] "1Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   33             66
2      16.66667    1              2
3      33.33333    3              6
4      66.66667    4              8
5      83.33333    1              2
6     100.00000    8             16
```

Percent of 1Pl(Nom|Acc|Abl) ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "[24]Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl(Nom|Acc|Abl) ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "3Pl(Nom|Acc|Abl)_e?s($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   12             24
2      11.11111    1              2
3      22.22222    2              4
4      33.33333    1              2
5      44.44444    6             12
6      55.55556    3              6
7      66.66667   11             22
8      77.77778    2              4
9     100.00000   12             24
```

Percent of 3Pl(Nom|Acc|Abl) ending in e?s($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_a($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   32             64
2      11.11111    3              6
3      22.22222    5             10
4      33.33333    2              4
5      44.44444    7             14
6      66.66667    1              2
```

Percent of n.Pl(Nom|Acc|Abl) ending in a($|,)


```
[1] "n.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1       0.00000   48             96
2      33.33333    2              4
```

Percent of n.Pl(Nom|Acc|Abl) ending in as($|,)

```
[1] "n.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of n.Pl(Nom|Acc|Abl) ending in os($|,)

Percent of Trials (y-axis)

Percent Matching Reality (x-axis)

```
[1] "m.Pl(Nom|Acc|Abl)_as($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   33             66
2      6.666667    4              8
3     13.333333    5             10
4     20.000000    8             16
```

Percent of m.Pl(Nom|Acc|Abl) ending in as($|,)


```
[1] "m.Pl(Nom|Acc|Abl)_os($|,)"
  Percent_Match freq Percent_Trials
1            0   50            100
```

Percent of m.Pl(Nom|Acc|Abl) ending in os($|,)

```
[1] "1Sg(Gen|Dat)_e($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of 1Sg(Gen|Dat) ending in e($|,)

Percent of Trials

Percent Matching Reality

```
[1] "Pl(Gen|Dat)_s($|,)"
    Percent_Match freq Percent_Trials
1        0.000000   26             52
2        3.846154    1              2
3       15.384615    3              6
4       23.076923    1              2
5       30.769231    2              4
6       38.461538    1              2
7       46.153846    1              2
8       69.230769    2              4
9       84.615385    3              6
10     100.000000   10             20
```

Percent of Pl(Gen|Dat) ending in s($|,)


```
[1] "[124]Pl(Gen|Dat)_s($|,)"
  Percent_Match freq Percent_Trials
1          0.00   28             56
2         12.50    2              4
3         18.75    1              2
4         25.00    2              4
5         37.50    1              2
6         62.50    2              4
7         75.00    4              8
8        100.00   10             20
```

Percent of [124]PI(Gen|Dat) ending in s($|,)


```
[1] "Sg_nots"
   Percent_Match freq Percent_Trials
1      41.53846    1              2
2      52.30769    1              2
3      60.00000    1              2
4      66.15385    2              4
5      67.69231    1              2
6      69.23077    2              4
7      70.76923    2              4
8      75.38462    1              2
9      78.46154    1              2
10     80.00000    3              6
11     84.61538    2              4
12     86.15385    2              4
13     87.69231    1              2
14     89.23077    1              2
15     90.76923    1              2
16     93.84615    2              4
17     95.38462    2              4
18    100.00000   24             48
```

Percent of Sg ending in nots


```
[1] "1Sg_a($|,)"
  Percent_Match freq Percent_Trials
1            30    1              2
2            40    5             10
3            50    3              6
4            60   12             24
5            70    2              4
6            80   24             48
7            90    1              2
8           100    2              4
```

Percent of 1Sg ending in a($|,)


```
[1] "[24]Sg_o($|,)"
  Percent_Match freq Percent_Trials
1      0.000000   42             84
2      3.333333    5             10
3      6.666667    1              2
4     10.000000    2              4
```

Percent of [24]Sg ending in o($|,)


```
[1] "3Sg_[e-]($|,)"
   Percent_Match freq Percent_Trials
1       20.00000    1              2
2       26.66667    1              2
3       33.33333    3              6
4       40.00000   20             40
5       46.66667    2              4
6       53.33333    7             14
7       60.00000    9             18
8       66.66667    3              6
9       80.00000    3              6
10      86.66667    1              2
```

Percent of 3Sg ending in [e-]($|,)


```
[1] "Pl_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   11             22
2       4.615385    1              2
3       6.153846    1              2
4       9.230769    1              2
5      10.769231    1              2
6      12.307692    2              4
7      15.384615    2              4
8      18.461538    1              2
9      23.076923    4              8
10     26.153846    1              2
11     30.769231    3              6
12     32.307692    2              4
13     33.846154    2              4
14     44.615385    1              2
15     49.230769    1              2
16     55.384615    1              2
17     63.076923    2              4
18     66.153846    1              2
19     72.307692    1              2
20     75.384615    1              2
21     84.615385    1              2
22     96.923077    1              2
23    100.000000    8             16
```

Percent of PI ending in s($|,)


```
[1] "[mf].Pl_s($|,)"
   Percent_Match freq Percent_Trials
1              0   11             22
2              4    1              2
3              8    1              2
4             12    1              2
5             14    1              2
6             16    3              6
7             20    1              2
8             22    1              2
9             24    3              6
10            28    2              4
11            32    3              6
12            34    2              4
13            40    1              2
14            42    1              2
15            46    1              2
16            48    1              2
17            54    1              2
18            56    1              2
19            64    1              2
20            72    2              4
21            76    1              2
22            80    1              2
23           100    9             18
```

Percent of [mf].Pl ending in s($|,)


```
[1] "[124]Pl_s($|,)"
   Percent_Match freq Percent_Trials
1            0.0   18             36
2            5.0    1              2
3            7.5    1              2
4           10.0    3              6
5           17.5    3              6
6           20.0    1              2
7           25.0    2              4
8           27.5    2              4
9           30.0    1              2
10          32.5    1              2
11          40.0    1              2
12          62.5    2              4
13          65.0    2              4
14          75.0    2              4
15          77.5    1              2
16          95.0    1              2
17         100.0    8             16
```

Percent of [124]Pl ending in s($|,)

[1] "1Pl_s($|,)"

	Percent_Match	freq	Percent_Trials
1	0	30	60
2	10	1	2
3	20	1	2
4	40	4	8
5	50	1	2
6	60	1	2
7	80	1	2
8	100	11	22

Percent of 1PI ending in s($|,)


```
[1] "[24]Pl_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   21             42
2       6.666667    1              2
3      10.000000    1              2
4      13.333333    1              2
5      20.000000    4              8
6      23.333333    2              4
7      36.666667    1              2
8      40.000000    1              2
9      43.333333    1              2
10     50.000000    1              2
11     53.333333    1              2
12     60.000000    1              2
13     70.000000    1              2
14     83.333333    1              2
15     86.666667    1              2
16     93.333333    1              2
17    100.000000   10             20
```

Percent of [24]PI ending in s($|,)


```
[1] "n.Pl_s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   20             40
2       6.666667    2              4
3      13.333333    1              2
4      20.000000    3              6
5      26.666667    4              8
6      33.333333    3              6
7      40.000000    1              2
8      60.000000    3              6
9      73.333333    2              4
10     86.666667    1              2
11    100.000000   10             20
```

Percent of n.Pl ending in s($|,)


```
[1] "1Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   32             64
2            10    1              2
3            20    2              4
4            40    4              8
5            50    1              2
6            60    2              4
7            80    1              2
8           100    7             14
```

Percent of 1Pl ending in as($|,)


```
[1] "[24]Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of [24]Pl ending in os($|,)

```
[1] "3Pl_e?s($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   12              24
2       6.666667    1               2
3      13.333333    2               4
4      20.000000    1               2
5      26.666667    4               8
6      33.333333    1               2
7      40.000000    9              18
8      46.666667    1               2
9      53.333333    2               4
10     60.000000    2               4
11     66.666667    1               2
12     80.000000    1               2
13     86.666667    2               4
14    100.000000   11              22
```

Percent of 3Pl ending in e?s($|,)

Percent of Trials

Percent Matching Reality

```
[1] "n.Pl_a($|,)"
   Percent_Match freq Percent_Trials
1       0.000000   32              64
2       6.666667    2               4
3      13.333333    5              10
4      20.000000    1               2
5      26.666667    7              14
6      33.333333    2               4
7      66.666667    1               2
```

Percent of n.Pl ending in a($|,)

Percent of Trials

Percent Matching Reality

```
[1] "n.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   48             96
2            20    2              4
```

Percent of n.Pl ending in as($|,)

Percent of Trials

Percent Matching Reality

```
[1] "n.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of n.Pl ending in os($|,)

Percent of Trials

Percent Matching Reality

```
[1] "m.Pl_as($|,)"
  Percent_Match freq Percent_Trials
1             0   32             64
2             4    3              6
3             8    5             10
4            12    2              4
5            16    1              2
6            20    7             14
```

Percent of m.PI ending in as($|,)


```
[1] "m.Pl_os($|,)"
  Percent_Match freq Percent_Trials
1             0   50            100
```

Percent of m.PI ending in os($|,)

```
[1] "Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a    50         100
5      e    50         100
1      -    49          98
21    um    49          98
6     em    46          92
16     ō    46          92
3     am    44          88
8      i    31          62
19     u    30          60
14     m    23          46
12    is    15          30
4     as    13          26
18     s    13          26
9      ī     5          10
7     es     3           6
11    im     3           6
13    īs     3           6
22    us     3           6
15     o     2           4
10   ies     1           2
17    ōs     1           2
20     ū     1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -    50         100
2      a    50         100
7      e    50         100
26    um    49          98
4     am    46          92
10    em    46          92
21     ō    46          92
24     u    33          66
13     i    31          62
19     m    25          50
17    is    15          30
23     s    15          30
6     as    14          28
20     o     8          16
5     ao     5          10
14     ī     5          10
12    es     4           8
16    im     4           8
11    eo     3           6
18    īs     3           6
27    us     3           6
3     ai     2           4
8      ē     1           2
9     ei     1           2
15   ies     1           2
22    ōs     1           2
25     ū     1           2
```

```
[1] "SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1        -   49              98
12      um   49              98
2        a   48              96
5       em   46              92
3       am   44              88
10       u   27              54
8        m   23              46
4        e    5              10
6        i    3               6
13      us    3               6
7       is    1               2
9        s    1               2
11       ū    1               2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1        -   50             100
15      um   49              98
2        a   48              96
3       am   46              92
6       em   46              92
13       u   27              54
11       m   24              48
4        e   11              22
8        i    5              10
16      us    3               6
12       s    2               4
5        ē    1               2
7       es    1               2
9       im    1               2
10      is    1               2
14       ū    1               2
[1] "1SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   48              96
2     am   44              88
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   48              96
3     am   46              92
1      -    1               2
[1] "2SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     um   48              96
1      u   25              50
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     um   48              96
3      u   25              50
1      -    1               2
```

```
2       m    1               2
[1] "3SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   49              98
3     em   46              92
6      m   23              46
2      e    5              10
4      i    2               4
5     is    1               2
7      s    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   50             100
3     em   46              92
6      m   23              46
2      e    6              12
4      i    2               4
5     is    1               2
7      s    1               2
[1] "4SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     um   42              84
1      u   27              54
4     us    3               6
2      ū    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     um   44              88
1      u   27              54
4     us    3               6
2      ū    1               2
[1] "5SgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    1               2
2      e    1               2
3      i    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4      em   41              82
1       -   36              72
2       e   11              22
6       i    5              10
10      s    2               4
3       ē    1               2
5      es    1               2
7      im    1               2
8      is    1               2
9       m    1               2
[1] "mSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
```

```
10     um   47            94
3      em   46            92
1       -   44            88
8       u   27            54
2       e    5            10
11     us    3             6
4       i    2             4
5      is    1             2
6       m    1             2
7       s    1             2
9       ū    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
15     um   47            94
2       a   46            92
3      am   46            92
6      em   46            92
1       -   45            90
13      u   27            54
4       e   11            22
8       i    5            10
16     us    3             6
11      m    2             4
12      s    2             4
5       ē    1             2
7      es    1             2
9      im    1             2
10     is    1             2
14      ū    1             2
```
[1] "fSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2       a   48            96
5      em   46            92
1       -   44            88
3      am   44            88
4       e    5            10
6       i    3             6
7      is    1             2
8       s    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   48            96
6      em   46            92
15     um   46            92
3      am   45            90
1       -   44            88
13      u   26            52
4       e   10            20
8       i    5            10
16     us    3             6
12      s    2             4
5       ē    1             2
7      es    1             2
```

```
9       im    1              2
10      is    1              2
11       m    1              2
14       ū    1              2
```
[1] "nSgNom,Acc"
[1] "Endings occuring 10 times or less excluded"

Suffix	freq	Percent_Trials
1	–	49	98
7	um	48	96
4	m	23	46
6	u	20	40
2	em	19	38
3	i	1	2
5	s	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials
1	–	50	100
8	um	48	96
6	u	24	48
4	m	23	46
2	em	19	38
9	us	3	6
3	i	1	2
5	s	1	2
7	ū	1	2

[1] "SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"

Suffix	freq	Percent_Trials
2	a	50	100
4	e	50	100
14	um	49	98
5	em	46	92
9	ō	46	92
3	am	44	88
1	–	25	50
7	m	23	46
12	u	16	32
6	i	4	8
11	s	3	6
15	us	3	6
8	o	2	4
10	ōs	1	2
13	ū	1	2

[1] "All Endings Included"

Suffix	freq	Percent_Trials
2	a	50	100
6	e	50	100
21	um	49	98
3	am	46	92
8	em	46	92
16	ō	46	92
1	–	30	60
14	m	24	48
19	u	21	42

```
15      o      8            16
11      i      6            12
4      ao      5            10
9      eo      3             6
18      s      3             6
22     us      3             6
5      as      1             2
7       ē      1             2
10     es      1             2
12     im      1             2
13     is      1             2
17     ōs      1             2
20      ū      1             2
```
[1] "1SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      a     50           100
2     am     44            88
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a     50           100
3     am     46            92
4     ao      5            10
1      -      1             2
5     as      1             2
```
[1] "2SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
5     um     48            96
2      ō     46            92
4      u      7            14
1      o      1             2
3     ōs      1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
7     um     48            96
4      ō     46            92
6      u     12            24
1      -      9            18
3      o      6            12
2      m      1             2
5     ōs      1             2
```
[1] "3SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e     50           100
3     em     46            92
1      -     25            50
5      m     23            46
4      i      3             6
6      s      3             6
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      e     50           100
```

273

```
3     em   46            92
1      -   25            50
5      m   23            46
4      i    3             6
6      s    3             6
[1] "4SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7      um   42            84
3       ō   32            64
5       u   13            26
8      us    3             6
1       -    1             2
2       o    1             2
4      ōs    1             2
6       ū    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
8      um   44            88
4       ō   32            64
6       u   19            38
1       -    5            10
3       o    4             8
9      us    3             6
2       m    1             2
5      ōs    1             2
7       ū    1             2
[1] "5SgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       e    2             4
2       i    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   48            96
4      em   41            82
7       i    6            12
5      eo    3             6
1       -    2             4
3       ē    1             2
6      es    1             2
8      im    1             2
9      is    1             2
[1] "mSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        e   50           100
10      um   47            94
3       em   46            92
6        ō   46            92
8        u   15            30
11      us    3             6
1        -    2             4
5        o    2             4
```

```
4        m    1                2
7       ōs    1                2
9        ū    1                2
```
[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	e	50	100
19	um	47	94
2	a	46	92
3	am	46	92
7	em	46	92
15	ō	46	92
17	u	17	34
4	ao	5	10
1	-	3	6
8	eo	3	6
10	i	3	6
20	us	3	6
14	o	2	4
6	ē	1	2
9	es	1	2
11	im	1	2
12	is	1	2
13	m	1	2
16	ōs	1	2
18	ū	1	2

[1] "fSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	50	100
4	e	47	94
5	em	46	92
3	am	44	88
6	i	4	8
1	-	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
5	e	48	96
7	em	46	92
18	um	46	92
3	am	45	90
14	ō	26	52
16	u	17	34
1	-	11	22
13	o	8	16
9	i	6	12
12	m	2	4
19	us	2	4
4	as	1	2
6	ē	1	2
8	es	1	2
10	im	1	2
11	is	1	2
15	ōs	1	2

```
17         ū    1                2
[1] "nSgAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
11     um   48               96
7       ō   46               92
2       e   28               56
1       -   25               50
5       m   23               46
3      em   19               38
10      u    4                8
9       s    3                6
4       i    1                2
6       o    1                2
8      ōs    1                2
[1] "All Endings Included"
    Suffix freq Percent_Trials
12     um   48               96
7       ō   46               92
2       e   28               56
1       -   25               50
5       m   23               46
3      em   19               38
10      u   13               26
9       s    3                6
13     us    3                6
6       o    2                4
4       i    1                2
8      ōs    1                2
11      ū    1                2
[1] "SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2       a   50              100
4       e   50              100
1       -   49               98
15     um   49               98
5      em   46               92
10      ō   46               92
3      am   44               88
13      u   29               58
8       m   23               46
6       i    7               14
12      s    3                6
16     us    3                6
9       o    2                4
7      is    1                2
11     ōs    1                2
14      ū    1                2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1       -   50              100
2       a   50              100
6       e   50              100
```

```
21      um      49              98
3       am      46              92
8       em      46              92
16      ō       46              92
19      u       32              64
14      m       25              50
11      i        8              16
15      o        8              16
4       ao       5              10
18      s        4               8
9       eo       3               6
22      us       3               6
10      es       2               4
13      is       2               4
5       as       1               2
7       ē        1               2
12      im       1               2
17      ōs       1               2
20      ū        1               2
```
[1] "1SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      a     50              100
2      am    44               88
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a     50              100
3      am    46               92
4      ao     5               10
1      -      2                4
5      as     1                2
```
[1] "2SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
5      um    48               96
2      ō     46               92
4      u     26               52
1      o      1                2
3      ōs     1                2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
7      um    48               96
4      ō     46               92
6      u     27               54
1      -      9               18
3      o      6               12
2      m      1                2
5      ōs     1                2
```
[1] "3SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e     50              100
1      -     49               98
3      em    46               92
```

```
6      m    23           46
4      i     5           10
7      s     3            6
5      is    1            2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -    50          100
2      e    50          100
3      em   46           92
6      m    23           46
4      i     5           10
7      s     3            6
5      is    1            2
```
[1] "4SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
7      um   42           84
3      ō    32           64
5      u    29           58
8      us    3            6
1      -     1            2
2      o     1            2
4      ōs    1            2
6      ū     1            2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
8      um   44           88
4      ō    32           64
6      u    31           62
1      -     5           10
3      o     4            8
9      us    3            6
2      m     1            2
5      ōs    1            2
7      ū     1            2
```
[1] "5SgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      e     7           14
3      i     3            6
1      -     1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       e   48           96
4       em  41           82
1       -   36           72
7       i    8           16
5       eo   3            6
6       es   2            4
9       is   2            4
11      s    2            4
3       ē    1            2
8       im   1            2
10      m    1            2
```

```
[1] "mSgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2       e    50         100
13     um    47          94
3      em    46          92
8       ō    46          92
1       -    44          88
11      u    29          58
14     us     3           6
4       i     2           4
7       o     2           4
5      is     1           2
6       m     1           2
9      ōs     1           2
10      s     1           2
12      ū     1           2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2       a    50         100
5       e    50         100
20     um    47          94
3      am    46          92
7      em    46          92
15      ō    46          92
1       -    45          90
18      u    30          60
10      i     6          12
4      ao     5          10
8      eo     3           6
21     us     3           6
9      es     2           4
12     is     2           4
13      m     2           4
14      o     2           4
17      s     2           4
6       ē     1           2
11     im     1           2
16     ōs     1           2
19      ū     1           2
[1] "fSgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a    50         100
4       e    47          94
5      em    46          92
1       -    44          88
3      am    44          88
6       i     7          14
7      is     1           2
8       s     1           2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2       a    50         100
```

```
5        e    48              96
7       em    46              92
19      um    46              92
1        -    45              90
3       am    45              90
17       u    29              58
14       ō    26              52
9        i     8              16
13       o     8              16
20      us     3               6
8       es     2               4
11      is     2               4
12       m     2               4
16       s     2               4
4       as     1               2
6        ē     1               2
10      im     1               2
15      ōs     1               2
18       ū     1               2
[1] "nSgNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -    49              98
11      um    48              96
7        ō    46              92
2        e    28              56
5        m    23              46
10       u    21              42
3       em    19              38
9        s     3               6
4        i     2               4
6        o     1               2
8       ōs     1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -    50             100
12      um    48              96
7        ō    46              92
2        e    28              56
10       u    26              52
5        m    23              46
3       em    19              38
9        s     3               6
13      us     3               6
4        i     2               4
6        o     2               4
8       ōs     1               2
11       ū     1               2
[1] "SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a    43              86
8        i    31              62
1        -    21              42
```

```
5         e    15              30
12       is    15              30
4        as    13              26
14        s    13              26
15        u    11              22
9         ī     5              10
17       um     4               8
11       im     3               6
13       īs     3               6
3        am     2               4
7        es     2               4
18       us     2               4
6        em     1               2
10      ies     1               2
16        ū     1               2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2         a    45              90
10        i    31              62
1         -    26              52
6         e    19              38
14       is    15              30
16        s    15              30
5        as    13              26
17        u    12              24
19       um     7              14
11        ī     5              10
9        es     3               6
13       im     3               6
15       īs     3               6
3        ai     2               4
4        am     2               4
8        em     2               4
20       us     2               4
7        ei     1               2
12      ies     1               2
18        ū     1               2
[1] "1SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        a    43              86
4       as    13              26
3       am     2               4
6        s     2               4
1        -     1               2
5       is     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2        a    45              90
5       as    13              26
1        -     3               6
8        s     3               6
3       ai     2               4
4       am     2               4
```

```
6     is    1              2
7     īs    1              2
[1] "2SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      i   25             50
1      -   15             30
10     u    6             12
4      ī    5             10
7     is    5             10
9      s    5             10
6     im    2              4
8     īs    2              4
2      e    1              2
5    ies    1              2
11    um    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      i   25             50
1      -   18             36
9      s    7             14
7     is    6             12
10     u    6             12
4      ī    5             10
6     im    3              6
8     īs    2              4
2      e    1              2
5    ies    1              2
11    um    1              2
[1] "3SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5      i   25             50
1      -   14             28
2      e   14             28
7     is   14             28
9      s    8             16
8     īs    3              6
4     es    2              4
6      ī    2              4
3     em    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5      i   26             52
1      -   15             30
2      e   14             28
7     is   14             28
9      s   10             20
8     īs    3              6
4     es    2              4
6      ī    2              4
3     em    1              2
[1] "4SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```

```
    Suffix freq Percent_Trials
3      i   18             36
1      -   11             22
9      u   11             22
8      s    8             16
6     is    4              8
11    um    4              8
4      ī    3              6
7     īs    2              4
12    us    2              4
2      e    1              2
5    ies    1              2
10     ū    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
3      i   20             40
1      -   15             30
10     u   12             24
9      s    8             16
7     is    7             14
12    um    7             14
4      ī    3              6
6     im    3              6
2      e    2              4
8     īs    2              4
13    us    2              4
5    ies    1              2
11     ū    1              2
[1] "5SgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   15             30
5     is    6             12
7      s    2              4
1      -    1              2
2      e    1              2
4      ī    1              2
6     īs    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
6      i   26             52
2      e   15             30
9     is   13             26
1      -    9             18
11     s    8             16
5     es    3              6
10    īs    3              6
4     em    2              4
7      ī    2              4
3     ei    1              2
8     im    1              2
[1] "mSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
```

```
5        i   31              62
1        -   18              36
2        e   15              30
8       is   14              28
10       s   11              22
11       u   11              22
6        ī    5              10
13      um    4               8
9       īs    3               6
4       es    2               4
14      us    2               4
3       em    1               2
7      ies    1               2
12       ū    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   43              86
10       i   31              62
1        -   22              44
6        e   16              32
14      is   15              30
5       as   12              24
16       s   12              24
17       u   12              24
11       ī    5              10
19      um    5              10
9       es    3               6
15      īs    3               6
3       ai    2               4
4       am    2               4
13      im    2               4
20      us    2               4
7       ei    1               2
8       em    1               2
12     ies    1               2
18       ū    1               2
[1] "fSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   43              86
8        i   24              48
5        e   14              28
10      is   14              28
4       as   13              26
1        -    9              18
12       s    8              16
11      īs    3               6
3       am    2               4
7       es    2               4
9        ī    2               4
6       em    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   44              88
```

```
8         i   29              58
1         -   22              44
5         e   17              34
12       is   15              30
14        s   14              28
4        as   13              26
15        u   11              22
17       um    5              10
7        es    3               6
9         ī    3               6
13       īs    3               6
3        am    2               4
6        em    2               4
18       us    2               4
10      ies    1               2
11       im    1               2
16        ū    1               2
```
[1] "nSgGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
4         i   27              54
1         -   17              34
8        is   11              22
10        s   10              20
2         e    7              14
11        u    6              12
5         ī    5              10
9        īs    3               6
7        im    2               4
3        es    1               2
6       ies    1               2
12       um    1               2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
4         i   28              56
1         -   20              40
8        is   12              24
10        s   11              22
11        u   10              20
2         e    8              16
5         ī    5              10
13       um    5              10
7        im    3               6
9        īs    3               6
14       us    2               4
3        es    1               2
6       ies    1               2
12        ū    1               2
```
[1] "Nom"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2         a   50             100
1         -   49              98
14        u   30              60
```

	Suffix	freq	Percent_Trials
16	um	30	60
13	s	25	50
5	as	14	28
11	is	10	20
7	es	9	18
9	i	8	16
6	e	4	8
4	am	3	6
8	ēs	3	6
17	us	3	6
3	aes	2	4
10	ies	1	2
12	īs	1	2
15	ū	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
1	-	49	98
15	u	31	62
17	um	31	62
14	s	25	50
5	as	17	34
7	es	10	20
9	i	10	20
11	is	10	20
6	e	9	18
4	am	4	8
8	ēs	3	6
18	us	3	6
3	aes	2	4
10	ies	2	4
13	m	2	4
12	īs	1	2
16	ū	1	2

[1] "NomSg"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	48	96
2	a	48	96
10	um	30	60
8	u	27	54
3	am	3	6
11	us	3	6
4	e	2	4
5	i	2	4
6	is	1	2
7	s	1	2
9	ū	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	49	98
2	a	48	96
12	um	31	62
10	u	27	54

```
4        e   7             14
6        i   5             10
3       am   4              8
13      us   3              6
8        m   2              4
9        s   2              4
5       es   1              2
7       is   1              2
11       ū   1              2
[1] "1"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a  50            100
5       am  44             88
7       as  19             38
14       s   5             10
3      aes   4              8
1        -   3              6
9      bus   2              4
12      is   2              4
4       ai   1              2
6      amu   1              2
8      asu   1              2
10       ī   1              2
11    ibus   1              2
13      iu   1              2
15       u   1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a  50            100
5       am  46             92
8       as  22             44
7       ao   5             10
17       s   5             10
1        -   4              8
3      aes   4              8
4       ai   3              6
10     bus   2              4
11       i   2              4
14      is   2              4
6      amu   1              2
9      asu   1              2
12       ī   1              2
13    ibus   1              2
15      īs   1              2
16      iu   1              2
18       u   1              2
[1] "1Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a  50            100
3       am  44             88
4       as  13             26
6        s   2              4
```

```
1      -    1              2
5     is    1              2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a   50            100
4     am   46             92
6     as   14             28
5     ao    5             10
1      -    3              6
9      s    3              6
3     ai    2              4
7     is    1              2
8     īs    1              2
```
[1] "1SgNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      a   48             96
2     am    3              6
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a   48             96
3     am    4              8
1      -    1              2
```
[1] "2"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
20    um   48             96
16     ō   46             92
1      -   37             74
6      i   30             60
19     u   28             56
18     s   24             48
2      a   15             30
10    is   12             24
7      ī    6             12
3     as    3              6
4      e    3              6
5     es    2              4
9     im    2              4
11    īs    2              4
12    iu    2              4
8    ies    1              2
13     m    1              2
14    mu    1              2
15     o    1              2
17    ōs    1              2
21    us    1              2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
20    um   48             96
16     ō   46             92
1      -   39             78
6      i   30             60
19     u   29             58
```

```
18      s    25              50
2       a    15              30
10      is   14              28
7       ī    6               12
15      o    6               12
4       e    4               8
3       as   3               6
9       im   3               6
5       es   2               4
11      īs   2               4
12      iu   2               4
13      m    2               4
8       ies  1               2
14      mu   1               2
17      ōs   1               2
21      us   1               2
```
[1] "2Sg"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
14      um   48              96
10      ō    46              92
13      u    27              54
3       i    25              50
1       -    15              30
4       ī    5               10
7       is   5               10
12      s    5               10
6       im   2               4
8       īs   2               4
2       e    1               2
5       ies  1               2
9       o    1               2
11      ōs   1               2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
15      um   48              96
11      ō    46              92
14      u    28              56
3       i    25              50
1       -    22              44
13      s    7               14
7       is   6               12
10      o    6               12
4       ī    5               10
6       im   3               6
8       īs   2               4
2       e    1               2
5       ies  1               2
9       m    1               2
12      ōs   1               2
```
[1] "2SgNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2       um   30              60
```

```
1       u   25              50
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    um   30              60
2     u   25              50
1     -    1               2
[1] "3"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       e   50             100
1       -   49              98
6      em   46              92
9       i   27              54
16      m   24              48
18      s   22              44
7      es   20              40
13     is   17              34
2       a   14              28
8      ēs   11              22
15     iu    4               8
10      ī    3               6
14     īs    3               6
3      as    2               4
11   ibus    2               4
5     eis    1               2
12    ies    1               2
17     mu    1               2
19      u    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   50             100
4       e   50             100
6      em   46              92
9       i   29              58
16      m   24              48
18      s   22              44
7      es   21              42
13     is   17              34
2       a   16              32
8      ēs   12              24
15     iu    4               8
10      ī    3               6
14     īs    3               6
3      as    2               4
11   ibus    2               4
5     eis    1               2
12    ies    1               2
17     mu    1               2
19      u    1               2
[1] "3Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   50             100
1       -   49              98
```

```
3     em  46            92
5      i  26            52
9      m  23            46
7     is  14            28
10     s   9            18
8     īs   3             6
4     es   2             4
6      ī   2             4
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1      -   50           100
2      e   50           100
3     em   46            92
5      i   27            54
9      m   23            46
7     is   14            28
10     s   11            22
8     īs    3             6
4     es    2             4
6      ī    2             4
```
[1] "3SgNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -   48            96
2      e    2             4
3      i    2             4
4     is    1             2
5      s    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1      -   49            98
2      e    3             6
3      i    2             4
4     is    1             2
5      m    1             2
6      s    1             2
```
[1] "4"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
18    um   42            84
13     ō   32            64
16     u   32            64
1      -   30            60
4      i   25            50
15     s   17            34
7     is   12            24
5      ī    4             8
10    iu    4             8
19    us    4             8
2      e    2             4
8     īs    2             4
3     es    1             2
6    ies    1             2
9    isu    1             2
```

```
11      mu    1            2
12       o    1            2
14      ōs    1            2
17       ū    1            2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
21      um   44            88
19       u   33            66
1        -   32            64
16       ō   32            64
5        i   26            52
18       s   21            42
9       is   14            28
3        e    4            8
6        ī    4            8
12      iu    4            8
15       o    4            8
22      us    4            8
8       im    3            6
10      īs    2            4
2        a    1            2
4       es    1            2
7      ies    1            2
11     isu    1            2
13       m    1            2
14      mu    1            2
17      ōs    1            2
20       ū    1            2
```
[1] "4Sg"
[1] "Endings occuring 10 times or less excluded"
```
    Suffix freq Percent_Trials
14      um   42            84
9        ō   32            64
12       u   30            60
3        i   18            36
1        -   11            22
11       s    8            16
6       is    4            8
4        ī    3            6
15      us    3            6
7       īs    2            4
2        e    1            2
5      ies    1            2
8        o    1            2
10      ōs    1            2
13       ū    1            2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
16      um   44            88
11       ō   32            64
14       u   32            64
3        i   20            40
1        -   16            32
13       s    8            16
```

292

```
7        is     7              14
10        o     4               8
4         ī     3               6
6        im     3               6
17       us     3               6
2         e     2               4
8        īs     2               4
5       ies     1               2
9         m     1               2
12       ōs     1               2
15        ū     1               2
```
[1] "4SgNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      u   24              48
3     um   22              44
4     us    3               6
2      ū    1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3     um   26              52
1      u   24              48
4     us    3               6
2      ū    1               2
```
[1] "5"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
3       e   28              56
6       i   21              42
1       -   18              36
4      es   13              26
10     is   12              24
15      s    9              18
5      ēs    3               6
12     iu    3               6
2       a    2               4
7       ī    2               4
8    ibus    1               2
9     ies    1               2
11     īs    1               2
13      m    1               2
14     mu    1               2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
4       e   48              96
8      em   41              82
1       -   38              76
12      i   28              56
10     es   19              38
23      s   18              36
17     is   17              34
11     ēs    8              16
2       a    4               8
13      ī    4               8
```

```
19    iu    4              8
9     eo    3              6
18    īs    3              6
5     ē     2              4
14    ibus  2              4
15    ies   2              4
16    im    2              4
21    m     2              4
3     as    1              2
6     ei    1              2
7     eis   1              2
20    īu    1              2
22    mu    1              2
```
[1] "5Sg"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	20	40
4	i	18	36
1	-	9	18
6	is	6	12
8	s	3	6
3	es	1	2
5	ī	1	2
7	īs	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	48	96
5	em	41	82
1	-	37	74
8	i	27	54
11	is	14	28
14	s	9	18
7	es	4	8
6	eo	3	6
12	īs	3	6
9	ī	2	4
10	im	2	4
3	ē	1	2
4	ei	1	2
13	m	1	2

[1] "5SgNom"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	34	68
2	e	5	10
4	i	4	8
6	s	2	4
3	es	1	2
5	is	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	36	72
2	e	7	14
4	i	5	10

```
7      s    2              4
3     es    1              2
5     is    1              2
6      m    1              2
[1] "m"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5       e   50            100
1       -   47             94
26     um   47             94
7      em   46             92
21      ō   46             92
10      i   33             66
24      u   33             66
2       a   32             64
23      s   26             52
8      es   20             40
14     is   17             34
9      ēs   11             22
4      as    7             14
11      ī    6             12
17     iu    4              8
27     us    4              8
15     īs    3              6
12   ibus    2              4
13    ies    2              4
20      o    2              4
3      am    1              2
6     eis    1              2
16    isu    1              2
18      m    1              2
19     mu    1              2
22     ōs    1              2
25      ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50            100
11      e   50            100
1       -   48             96
37     um   47             94
5      am   46             92
15     em   46             92
32      ō   46             92
19      i   34             68
35      u   33             66
34      s   27             54
8      as   23             46
17     es   21             42
24     is   18             36
18     ēs   12             24
20      ī    6             12
7      ao    5             10
3     aes    4              8
27     iu    4              8
```

```
38    us    4           8
4     ai    3           6
16    eo    3           6
23    im    3           6
25    īs    3           6
29    m     3           6
10    bus   2           4
21    ibus  2           4
22    ies   2           4
31    o     2           4
6     amu   1           2
9     asu   1           2
12    ē     1           2
13    ei    1           2
14    eis   1           2
26    isu   1           2
28    īu    1           2
30    mu    1           2
33    ōs    1           2
36    ū     1           2
[1] "mSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e    50          100
17     um   47           94
3      em   46           92
12     ō    46           92
1      -    45           90
5      i    31           62
15     u    30           60
8      is   14           28
14     s    12           24
6      ī     5           10
9      īs    3            6
18     us    3            6
4      es    2            4
11     o     2            4
7      ies   1            2
10     m     1            2
13     ōs    1            2
16     ū     1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a    50          100
7      e    50          100
1      -    47           94
26     um   47           94
4      am   46           92
10     em   46           92
21     ō    46           92
13     i    31           62
24     u    31           62
17     is   15           30
6      as   12           24
```

```
23      s    12          24
5      ao    5          10
14      ī     5          10
12     es    4           8
11     eo    3           6
16     im    3           6
18     īs    3           6
27     us    3           6
3      ai    2           4
19      m    2           4
20      o    2           4
8       ē    1           2
9      ei    1           2
15    ies    1           2
22     ōs    1           2
25      ū    1           2
```
[1] "mSgNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      -    44          88
6      u    27          54
8     um    26          52
9     us     3           6
2      e     2           4
3      i     2           4
4     is     1           2
5      s     1           2
7      ū     1           2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a    46          92
1      -    45          90
10     u    27          54
12    um    27          54
4      e     6          12
6      i     5          10
3     am     4           8
13    us     3           6
9      s     2           4
5     es     1           2
7     is     1           2
8      m     1           2
11     ū     1           2
```
[1] "f135Sg"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      a    50         100
5      e    48          96
6     em    46          92
1      -    44          88
3     am    44          88
8      i    25          50
10    is    14          28
4     as    13          26
```

```
12      s    9            18
7      es    3             6
11     īs    3             6
9       ī    2             4
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   50           100
5       e   48            96
7      em   46            92
3      am   45            90
1       -   44            88
9       i   26            52
12     is   15            30
4      as   14            28
14      s   11            22
8      es    4             8
13     īs    3             6
10      ī    2             4
11     im    2             4
6       ē    1             2
```
[1] "m24Sg"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
15     um   47            94
10      ō   46            92
13      u   30            60
3       i   26            52
1       -   18            36
12      s    8            16
7      is    6            12
4       ī    5            10
8      īs    3             6
16     us    3             6
2       e    2             4
9       o    2             4
5     ies    1             2
6      im    1             2
11     ōs    1             2
14      ū    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
15     um   47            94
10      ō   46            92
13      u   31            62
3       i   26            52
1       -   19            38
12      s    8            16
7      is    7            14
4       ī    5            10
2       e    3             6
8      īs    3             6
16     us    3             6
9       o    2             4
5     ies    1             2
```

```
6      im    1            2
11     ōs    1            2
14     ū     1            2
[1] "n24Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
15     um   48           96
10     ō    46           92
3      i    25           50
13     u    22           44
1      -    13           26
4      ī     5           10
7      is    5           10
12     s     5           10
6      im    2            4
8      īs    2            4
2      e     1            2
5      ies   1            2
9      o     1            2
11     ōs    1            2
14     ū     1            2
16     us    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
15     um   48           96
10     ō    46           92
13     u    27           54
3      i    26           52
1      -    18           36
12     s     7           14
7      is    6           12
4      ī     5           10
6      im    3            6
8      īs    3            6
16     us    3            6
2      e     2            4
9      o     2            4
5      ies   1            2
11     ōs    1            2
14     ū     1            2
[1] "m234Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      e    50          100
18     um   47           94
1      -    46           92
3      em   46           92
13     ō    46           92
5      i    31           62
16     u    30           60
9      is   14           28
15     s    12           24
6      ī     5           10
10     īs    3            6
```

	Suffix	freq	Percent_Trials
19	us	3	6
4	es	2	4
12	o	2	4
7	ies	1	2
8	im	1	2
11	m	1	2
14	ōs	1	2
17	ū	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	50	100
1	-	47	94
18	um	47	94
3	em	46	92
13	ō	46	92
5	i	31	62
16	u	31	62
9	is	14	28
15	s	12	24
6	ī	5	10
10	īs	3	6
19	us	3	6
4	es	2	4
12	o	2	4
7	ies	1	2
8	im	1	2
11	m	1	2
14	ōs	1	2
17	ū	1	2

[1] "m2345Sg"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	e	50	100
18	um	47	94
1	-	46	92
3	em	46	92
13	ō	46	92
5	i	31	62
16	u	30	60
9	is	14	28
15	s	12	24
6	ī	5	10
10	īs	3	6
19	us	3	6
4	es	2	4
12	o	2	4
7	ies	1	2
8	im	1	2
11	m	1	2
14	ōs	1	2
17	ū	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	e	50	100

```
1        -   47             94
21      um   47             94
5       em   46             92
16       ō   46             92
8        i   31             62
19       u   31             62
12      is   14             28
18       s   12             24
9        ī    5             10
7       es    4              8
6       eo    3              6
11      im    3              6
13      īs    3              6
22      us    3              6
14       m    2              4
15       o    2              4
3        ē    1              2
4       ei    1              2
10     ies    1              2
17      ōs    1              2
20       ū    1              2
[1] "m1Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   50            100
4     am   46             92
6     as   12             24
5     ao    5             10
1      -    3              6
3     ai    2              4
9      s    2              4
7     is    1              2
8     īs    1              2
[1] "m1SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   46             92
3     am    4              8
1      -    1              2
[1] "m2Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
9       ō   46             92
13     um   45             90
12      u   27             54
3       i   25             50
1       -   14             28
4       ī    5             10
```

```
6      is    5            10
11      s    4             8
7      īs    2             4
2       e    1             2
5     ies    1             2
8       o    1             2
10      ōs    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
9       ō   46            92
13      um   46            92
12       u   27            54
3        i   25            50
1        -   15            30
6       is    6            12
4        ī    5            10
11       s    4             8
7       īs    2             4
2        e    1             2
5      ies    1             2
8        o    1             2
10      ōs    1             2
[1] "m2SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      um   26            52
1       u   25            50
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      um   26            52
1       u   25            50
[1] "m3Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       e   50           100
3      em   46            92
1       -   44            88
5       i   26            52
7      is   14            28
10      s    8            16
8      īs    3             6
4      es    2             4
6       ī    2             4
9       m    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   50           100
3      em   46            92
1       -   45            90
5       i   26            52
7      is   14            28
10      s    8            16
8      īs    3             6
4      es    2             4
```

```
6        ī    2              4
9        m    1              2
[1] "m3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1        -    44             88
2        e    2              4
3        i    2              4
4       is    1              2
5        s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1        -    45             90
2        e    3              6
3        i    2              4
4       is    1              2
5        s    1              2
[1] "m4Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
14      um    42             84
9        ō    32             64
12       u    30             60
3        i    18             36
1        -    11             22
11       s    8              16
6       is    4              8
4        ī    3              6
15      us    3              6
7       īs    2              4
2        e    1              2
5      ies    1              2
8        o    1              2
10      ōs    1              2
13       ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
15      um    42             84
10       ō    32             64
13       u    31             62
3        i    18             36
1        -    14             28
12       s    8              16
7       is    6              12
4        ī    3              6
16      us    3              6
2        e    2              4
8       īs    2              4
5      ies    1              2
6       im    1              2
9        o    1              2
11      ōs    1              2
14       ū    1              2
[1] "m4SgNom"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      u   24             48
3     um   22             44
4     us    3              6
2      ū    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      u   24             48
3     um   24             48
4     us    3              6
2      ū    1              2
[1] "m5Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       e   48             96
5      em   41             82
1       -   37             74
8       i   26             52
11     is   12             24
14      s    8             16
6      eo    3              6
7      es    3              6
12     īs    3              6
9       ī    2              4
10     im    2              4
3       ē    1              2
4      ei    1              2
13      m    1              2
[1] "m5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   35             70
2      e    6             12
4      i    4              8
7      s    2              4
3     es    1              2
5     is    1              2
6      m    1              2
[1] "f"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50            100
10      e   47             94
12     em   46             92
1       -   44             88
5      am   44             88
15      i   27             54
```

	Suffix	freq	Percent_Trials
7	as	19	38
13	es	19	38
19	is	18	36
23	s	18	36
14	ēs	11	22
3	aes	4	8
21	iu	4	8
24	u	4	8
26	um	4	8
16	ī	3	6
20	īs	3	6
9	bus	2	4
17	ibus	2	4
4	ai	1	2
6	amu	1	2
8	asu	1	2
11	eis	1	2
18	ies	1	2
22	mu	1	2
25	ū	1	2
27	us	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	50	100
10	e	48	96
1	-	47	94
13	em	46	92
33	um	46	92
5	am	45	90
16	i	32	64
31	u	32	64
28	ō	26	52
30	s	26	52
14	es	21	42
7	as	20	40
21	is	18	36
15	ēs	12	24
27	o	8	16
17	ī	5	10
3	aes	4	8
23	iu	4	8
34	us	4	8
19	ies	3	6
22	īs	3	6
25	m	3	6
9	bus	2	4
11	ē	2	4
18	ibus	2	4
20	im	2	4
4	ai	1	2
6	amu	1	2
8	asu	1	2
12	eis	1	2
24	īu	1	2

```
26      mu      1               2
29      ōs      1               2
32      ū       1               2
```
[1] "fSg"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a    50          100
5       e    47           94
6      em    46           92
1       -    44           88
3      am    44           88
8       i    25           50
10     is    14           28
4      as    13           26
12      s     8           16
13     um     4            8
7      es     3            6
11     īs     3            6
9       ī     2            4
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a    50          100
5       e    48           96
1       -    46           92
7      em    46           92
22     um    46           92
3      am    45           90
20      u    30           60
9       i    29           58
17      ō    26           52
13     is    15           30
4      as    14           28
19      s    14           28
16      o     8           16
8      es     4            8
10      ī     3            6
14     īs     3            6
23     us     3            6
12     im     2            4
15      m     2            4
6       ē     1            2
11    ies     1            2
18     ōs     1            2
21     ū      1            2
```
[1] "fSgNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2       a    48           96
1       -    44           88
3      am     3            6
4       e     2            4
5       i     2            4
6      is     1            2
7       s     1            2
```

306

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   48          96
1       -   44          88
9       u   26          52
11     um   24          48
4       e    6          12
6       i    5          10
3      am    3           6
12     us    3           6
8       s    2           4
5      es    1           2
7      is    1           2
10      ū    1           2
[1] "f1Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50         100
3      am   44          88
4      as   13          26
6       s    2           4
1       -    1           2
5      is    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50         100
3      am   45          90
4      as   14          28
6       s    3           6
1       -    2           4
5      is    1           2
[1] "f1SgNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       a   48          96
2      am    3           6
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       a   48          96
2      am    3           6
[1] "f2Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
14     um   43          86
13      u   27          54
10      ō   26          52
3       i   21          42
1       -   20          40
9       o    6          12
12      s    6          12
6      is    5          10
```

```
4         ī    3              6
7        īs    2              4
2         e    1              2
5       ies    1              2
8         m    1              2
11       ōs    1              2
[1] "f2SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      u   25             50
3     um   24             48
1      -    1              2
[1] "f3Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   47             94
3     em   46             92
1      -   44             88
5      i   25             50
7     is   13             26
9      s    8             16
8     īs    3              6
4     es    2              4
6      ī    2              4
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   47             94
3     em   46             92
1      -   44             88
5      i   25             50
7     is   14             28
9      s   11             22
8     īs    3              6
4     es    2              4
6      ī    2              4
[1] "f3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   44             88
2      e    2              4
3      i    2              4
4     is    1              2
5      s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   44             88
2      e    2              4
3      i    2              4
4     is    1              2
5      s    1              2
[1] "f4Sg"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
14    um   41            82
12     u   29            58
9      ō   25            50
2      i   16            32
1      -   13            26
11     s    7            14
5     is    6            12
3      ī    3             6
8      o    3             6
15    us    3             6
6     īs    2             4
4    ies    1             2
7      m    1             2
10    ōs    1             2
13     ū    1             2
[1] "f4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     u   23            46
3    um   23            46
4    us    3             6
2     ū    1             2
[1] "f5Sg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   21            42
5     i   19            38
1     -    9            18
7    is    7            14
9     s    3             6
6     ī    2             4
3    em    1             2
4    es    1             2
8    īs    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   46            92
4     em   41            82
1      -   37            74
6      i   25            50
9     is   14            28
11     s    9            18
5     es    4             8
10    īs    3             6
7      ī    2             4
8     im    2             4
```

```
3        ē    1              2
[1] "f5SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   36             72
2      e    6             12
4      i    5             10
6      s    2              4
3     es    1              2
5     is    1              2
[1] "n"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   50            100
24     um   48             96
19      ō   46             92
8       i   29             58
4       e   28             56
16      m   24             48
22      u   24             48
21      s   23             46
5      em   19             38
2       a   18             36
13     is   13             26
9       ī    6             12
6      es    5             10
3      as    3              6
14     īs    3              6
15     iu    3              6
7      ēs    2              4
10   ibus    2              4
12     im    2              4
25     us    2              4
11    ies    1              2
17     mu    1              2
18      o    1              2
20     ōs    1              2
23      ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   50            100
25     um   48             96
20      ō   46             92
8       i   29             58
23      u   29             58
4       e   28             56
22      s   25             50
17      m   24             48
5      em   19             38
2       a   18             36
13     is   15             30
```

```
9     ī    6          12
6     es   5          10
16    iu   4           8
26    us   4           8
3     as   3           6
12    im   3           6
14    īs   3           6
7     ēs   2           4
10   ibus  2           4
19    o    2           4
11    ies  1           2
15    isu  1           2
18    mu   1           2
21    ōs   1           2
24    ū    1           2
```
[1] "nSg"
[1] "Endings occuring 10 times or less excluded"
```
    Suffix freq Percent_Trials
1      -    49          98
17    um    48          96
13    ō     46          92
2     e     28          56
5     i     27          54
11    m     23          46
16    u     22          44
3     em    19          38
9     is    11          22
15    s     10          20
6     ī      5          10
10    īs     3           6
8     im     2           4
4     es     1           2
7     ies    1           2
12    o      1           2
14    ōs     1           2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
1      -    50         100
18    um    48          96
13    ō     46          92
2     e     28          56
5     i     28          56
16    u     27          54
11    m     23          46
3     em    19          38
9     is    12          24
15    s     11          22
6     ī      5          10
8     im     3           6
10    īs     3           6
19    us     3           6
12    o      2           4
4     es     1           2
7     ies    1           2
```

```
14      ōs    1               2
17      ū     1               2
[1] "nSgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -    48              96
5     um    30              60
4      u    20              40
2      i     1               2
3      s     1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -    49              98
7     um    31              62
5      u    24              48
8     us     3               6
2      i     1               2
3      m     1               2
4      s     1               2
6      ū     1               2
[1] "n2Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
14     um    48              96
10      ō    46              92
3       i    25              50
13      u    22              44
1       -    13              26
4       ī     5              10
7      is     5              10
12      s     5              10
6      im     2               4
8      īs     2               4
2       e     1               2
5     ies     1               2
9       o     1               2
11     ōs     1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
14     um    48              96
10      ō    46              92
3       i    25              50
13      u    22              44
1       -    15              30
4       ī     5              10
7      is     5              10
12      s     5              10
6      im     3               6
8      īs     2               4
2       e     1               2
5     ies     1               2
9       o     1               2
11     ōs     1               2
[1] "n2SgNom"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2    um   30           60
1     u   20           40
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    um   30           60
1     u   20           40
[1] "n3Sg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   49           98
2      e   28           56
9      m   23           46
5      i   22           44
3     em   19           38
7     is   11           22
10     s    9           18
8     īs    3            6
4     es    1            2
6      ī    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   50          100
2      e   28           56
5      i   24           48
9      m   23           46
3     em   19           38
7     is   12           24
10     s    9           18
8     īs    3            6
4     es    1            2
6      ī    1            2
[1] "n3SgNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   48           96
2     i    1            2
3     s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   49           98
2     i    1            2
3     m    1            2
4     s    1            2
[1] "n4Sg"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
15    um   42           84
10     ō   32           64
13     u   27           54
```

313

```
3        i    19              38
1        -    10              20
12       s     6              12
7       is     4               8
4        ī     3               6
16      us     3               6
6       im     2               4
8       īs     2               4
2        e     1               2
5      ies     1               2
9        o     1               2
11      ōs     1               2
14       ū     1               2
```
[1] "n4SgNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix   freq   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3     um   26             52
1      u   20             40
4     us    3              6
2      ū    1              2
```
[1] "Acc"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
17     um   49             98
8      em   46             92
4      am   44             88
1       -   37             74
2       a   35             70
13      m   23             46
6       e   22             44
9      es   17             34
14      s   17             34
15      u   15             30
5      as   14             28
10     ēs   11             22
11      i    6             12
12     is    5             10
3     aes    4              8
18     us    2              4
7     eis    1              2
16      ū    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
19     um   49             98
4      am   46             92
9      em   46             92
1       -   38             76
2       a   35             70
6       e   26             52
15      m   23             46
10     es   20             40
```

```
16     s    18            36
17     u    17            34
5     as    14            28
11    ēs    12            24
12     i     7            14
14    is     6            12
3    aes     4             8
7     ē      2             4
20    us     2             4
8    eis     1             2
13    im     1             2
18    ū      1             2
[1] "AccSg"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
9     um    49            98
5     em    46            92
3     am    44            88
6      m    23            46
7      u    10            20
1      -     9            18
2      a     6            12
4      e     3             6
8      ū     1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
12    um    49            98
3     am    46            92
6     em    46            92
9      m    23            46
10     u    11            22
1      -     9            18
2      a     6            12
4      e     5            10
5      ē     1             2
7      i     1             2
8     im     1             2
11     ū     1             2
[1] "1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     am    44            88
1      a     6            12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     am    46            92
1      a     6            12
[1] "2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     um    48            96
1      u     6            12
[1] "All Endings Included"
  Suffix freq Percent_Trials
```

```
4    um   48              96
3     u    6              12
1     -    1               2
2     m    1               2
[1] "3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     em   46              92
4      m   23              46
1      -    9              18
2      e    3               6
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     em   46              92
4      m   23              46
1      -    9              18
2      e    3               6
[1] "4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     um   42              84
1      u    7              14
2      ū    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     um   44              88
1      u    9              18
2      ū    1               2
[1] "5SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     em   41              82
2      e    5              10
1      -    1               2
3      ē    1               2
5      i    1               2
6     im    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     em   41              82
2      e    5              10
1      -    1               2
3      ē    1               2
5      i    1               2
6     im    1               2
[1] "mSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
7     um   47              94
3     em   46              92
5      u    9              18
2      e    3               6
1      -    1               2
4      m    1               2
```

```
6     ū    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
12    um   47             94
3     am   46             92
6     em   46             92
10    u    10             20
4     e    5              10
2     a    4              8
1     -    1              2
5     ē    1              2
7     i    1              2
8     im   1              2
9     m    1              2
11    ū    1              2
[1] "m1SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     am   46             92
1     a    4              8
[1] "m2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     um   45             90
1     u    5              10
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     um   46             92
1     u    5              10
[1] "m3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     em   46             92
2     e    3              6
1     -    1              2
4     m    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     em   46             92
2     e    3              6
1     -    1              2
4     m    1              2
[1] "m4SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     um   42             84
1     u    7              14
2     ū    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     um   42             84
```

```
1      u    8              16
2      ū    1               2
[1] "m5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     em   41              82
2      e    5              10
1      -    1               2
3      ē    1               2
5      i    1               2
6     im    1               2
[1] "fSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     em   46              92
3     am   44              88
2      a    6              12
4      e    3               6
1      -    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
6      em   46              92
12     um   46              92
3      am   45              90
10      u   10              20
2       a    6              12
4       e    5              10
1       -    1               2
5       ē    1               2
7       i    1               2
8      im    1               2
9       m    1               2
11      ū    1               2
[1] "f1SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     am   44              88
1      a    6              12
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     am   45              90
1      a    6              12
[1] "f2SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     um   43              86
3      u    5              10
1      -    1               2
```

```
2      m     1                  2
[1] "f3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     em    46                 92
2      e     3                  6
1      -     1                  2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     em    46                 92
2      e     3                  6
1      -     1                  2
[1] "f4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     um    41                 82
1      u     8                 16
2      ū     1                  2
[1] "f5SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     em    41                 82
2      e     5                 10
1      -     1                  2
3      ē     1                  2
5      i     1                  2
6     im     1                  2
[1] "nSgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5     um    48                 96
3      m    23                 46
2     em    19                 38
1      -     9                 18
4      u     3                  6
[1] "All Endings Included"
  Suffix freq Percent_Trials
6     um    48                 96
3      m    23                 46
2     em    19                 38
1      -     9                 18
4      u     8                 16
5      ū     1                  2
[1] "n2SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     um    48                 96
1      u     3                  6
```

```
[1] "All Endings Included"
  Suffix freq Percent_Trials
2    um   48          96
1     u    3           6
[1] "n3SgAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     m   23          46
2    em   19          38
1     -    9          18
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     m   23          46
2    em   19          38
1     -    9          18
[1] "n4SgAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3    um   42          84
1     u    7          14
2     ū    1           2
[1] "Gen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   38          76
11     i   28          56
1      -   25          50
21     s   17          34
15    is   16          32
6     as   12          24
22     u    7          14
12     ī    6          12
24    um    4           8
16    īs    3           6
18    iu    3           6
14   ies    2           4
25    us    2           4
3     ai    1           2
4     am    1           2
5    amu    1           2
7    asu    1           2
8    bus    1           2
9      e    1           2
10    es    1           2
13  ibus    1           2
17   isu    1           2
19     m    1           2
20    mu    1           2
23     ū    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
```

```
2        a   39             78
12       i   31             62
1        -   29             58
17      is   18             36
23       s   18             36
6       as   14             28
24       u    7             14
13       ī    6             12
26      um    4              8
3       ai    3              6
18      īs    3              6
20      iu    3              6
15     ies    2              4
27      us    2              4
4       am    1              2
5      amu    1              2
7      asu    1              2
8      bus    1              2
9        e    1              2
10      ei    1              2
11      es    1              2
14    ibus    1              2
16      im    1              2
19     isu    1              2
21       m    1              2
22      mu    1              2
25       ū    1              2
```
[1] "GenSg"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2        a   36             72
7        i   27             54
1        -   16             32
10      is   15             30
4       as   12             24
12       s   12             24
13       u    6             12
8        ī    5             10
15      um    4              8
11      īs    3              6
16      us    2              4
3       am    1              2
5        e    1              2
6       es    1              2
9      ies    1              2
14       ū    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2        a   37             74
9        i   28             56
1        -   21             42
13      is   15             30
15       s   14             28
5       as   12             24
```

```
16     u    6            12
10     ī    5            10
18    um    4             8
14    īs    3             6
3     ai    2             4
19    us    2             4
4     am    1             2
6      e    1             2
7     ei    1             2
8     es    1             2
11   ies    1             2
12    im    1             2
17     ū    1             2
```
[1] "1SgGen"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      a   36            72
4     as   12            24
6      s    2             4
1      -    1             2
3     am    1             2
5     is    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a   37            74
5     as   12            24
1      -    3             6
8      s    3             6
3     ai    2             4
4     am    1             2
6     is    1             2
7     īs    1             2
```
[1] "2SgGen"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      i   21            42
1      -   11            22
3      ī    5            10
5     is    5            10
7      s    5            10
6     īs    2             4
4    ies    1             2
8      u    1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      i   22            44
1      -   15            30
6     is    6            12
8      s    6            12
3      ī    5            10
7     īs    2             4
4    ies    1             2
5     im    1             2
9      u    1             2
```

```
[1] "3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      i   22             44
6     is   14             28
1      -    9             18
8      s    8             16
7     īs    3              6
2      e    1              2
3     es    1              2
5      ī    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i   22             44
6     is   14             28
8      s   10             20
1      -    9             18
7     īs    3              6
2      e    1              2
3     es    1              2
5      ī    1              2
[1] "4SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       i   15             30
1       -    7             14
7       s    6             12
8       u    6             12
5      is    4              8
10     um    4              8
3       ī    2              4
6      īs    2              4
11     us    2              4
4     ies    1              2
9       ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       i   18             36
1       -   11             22
8       s    7             14
6      is    6             12
9       u    6             12
11     um    4              8
3       ī    2              4
7      īs    2              4
12     us    2              4
4     ies    1              2
5      im    1              2
10      ū    1              2
[1] "5SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   18             36
5     is   10             20
```

```
7      s    7                14
1      -    3                6
6      īs   2                4
2      e    1                2
4      ī    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      i   23              46
7     is   13              26
9      s    8              16
1      -    6              12
8     īs    3               6
6      ī    2               4
2      e    1               2
3     ei    1               2
4     es    1               2
[1] "mSgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       i   26              52
7      is   14              28
1       -   13              26
9       s   10              20
10      u    6              12
5       ī    5              10
12     um    4               8
8      īs    3               6
13     us    2               4
2       e    1               2
3      es    1               2
6     ies    1               2
11      ū    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   32              64
9       i   27              54
1       -   16              32
12     is   15              30
14      s   11              22
5      as   10              20
15      u    6              12
10      ī    5              10
17     um    4               8
13     īs    3               6
3      ai    2               4
18     us    2               4
4      am    1               2
6       e    1               2
7      ei    1               2
8      es    1               2
11    ies    1               2
16      ū    1               2
[1] "m1SgGen"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
5     as   10             20
1      -    3              6
3     ai    2              4
8      s    2              4
4     am    1              2
6     is    1              2
7     īs    1              2
[1] "m2SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      i   21             42
1      -   11             22
3      ī    5             10
5     is    5             10
7      s    4              8
6     īs    2              4
4    ies    1              2
8      u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      i   21             42
1      -   11             22
5     is    6             12
3      ī    5             10
7      s    4              8
6     īs    2              4
4    ies    1              2
8      u    1              2
[1] "m3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      i   21             42
6     is   14             28
8      s    7             14
1      -    5             10
7     īs    3              6
2      e    1              2
3     es    1              2
5      ī    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i   21             42
6     is   14             28
8      s    7             14
1      -    5             10
7     īs    3              6
2      e    1              2
3     es    1              2
5      ī    1              2
```

```
[1] "m4SgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      i   15             30
1      -    7             14
7      s    6             12
8      u    6             12
5     is    4              8
10    um    4              8
3      ī    2              4
6     īs    2              4
11    us    2              4
4    ies    1              2
9      ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      i   16             32
1      -   10             20
7      s    7             14
5     is    6             12
8      u    6             12
10    um    4              8
3      ī    2              4
6     īs    2              4
11    us    2              4
4    ies    1              2
9      ū    1              2
[1] "m5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
4      i   22             44
6     is   11             22
8      s    7             14
1      -    4              8
7     īs    3              6
2      e    1              2
3     ei    1              2
5      ī    1              2
[1] "fSgGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   36             72
7      i   20             40
9     is   14             28
4     as   12             24
11     s    8             16
1      -    7             14
10    īs    3              6
3     am    1              2
5      e    1              2
6     es    1              2
```

326

```
8         ī    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   37             74
7        i   26             52
1        -   18             36
10      is   15             30
12       s   14             28
4       as   12             24
13       u    5             10
15      um    4              8
8        ī    3              6
11      īs    3              6
16      us    2              4
3       am    1              2
5        e    1              2
6       es    1              2
9      ies    1              2
14       ū    1              2
[1] "f1SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   36             72
4      as   12             24
6       s    2              4
1       -    1              2
3      am    1              2
5      is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   37             74
4      as   12             24
6       s    3              6
1       -    2              4
3      am    1              2
5      is    1              2
[1] "f2SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix           freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       i   19             38
1       -   14             28
5      is    5             10
7       s    5             10
3       ī    3              6
6      īs    2              4
4     ies    1              2
8       u    1              2
[1] "f3SgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4       i   20             40
```

```
6    is   13            26
8     s    7            14
1     -    6            12
7    īs    3             6
2     e    1             2
3    es    1             2
5     ī    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     i   20            40
6    is   14            28
8     s   10            20
1     -    6            12
7    īs    3             6
2     e    1             2
3    es    1             2
5     ī    1             2
[1] "f4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      i   14            28
1      -    8            16
7      s    7            14
5     is    5            10
8      u    5            10
10    um    4             8
6     īs    2             4
11    us    2             4
3      ī    1             2
4    ies    1             2
9      ū    1             2
[1] "f5SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4     i   21            42
6    is   13            26
8     s    8            16
1     -    6            12
7    īs    3             6
5     ī    2             4
2     e    1             2
3    es    1             2
[1] "nSgGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4      i   23            46
1      -   13            26
7     is   11            22
```

```
9       s   10          20
5       ī   5           10
8      īs   3            6
2       e   1            2
3      es   1            2
6     ies   1            2
10      u   1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
4       i   25          50
1       -   15          30
8      is   12          24
10      s   11          22
5       ī   5           10
11      u   5           10
13     um   4            8
9      īs   3            6
14     us   2            4
2       e   1            2
3      es   1            2
6     ies   1            2
7      im   1            2
12      ū   1            2
```
[1] "n2SgGen"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       i   21          42
1       -   11          22
3       ī   5           10
5      is   5           10
7       s   5           10
6      īs   2            4
4     ies   1            2
8       u   1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       i   21          42
1       -   12          24
3       ī   5           10
6      is   5           10
8       s   5           10
7      īs   2            4
4     ies   1            2
5      im   1            2
9       u   1            2
```
[1] "n3SgGen"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
4       i   19          38
6      is   11          22
1       -   8           16
8       s   8           16
7      īs   3            6
2       e   1            2
```

```
3     es    1           2
5      ī    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      i   20          40
6     is   12          24
1      -    8          16
8      s    8          16
7     īs    3           6
2      e    1           2
3     es    1           2
5      ī    1           2
[1] "n4SgGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      i   17          34
1      -    8          16
8      s    5          10
9      u    5          10
6     is    4           8
11    um    4           8
3      ī    2           4
7     īs    2           4
12    us    2           4
4    ies    1           2
5     im    1           2
10     ū    1           2
[1] "Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   43          86
11     i   30          60
1      -   26          52
8      e   17          34
6     as   15          30
20     s   13          26
15    is   12          24
21     u   12          24
12     ī    5          10
10    es    4           8
23    um    4           8
14    im    3           6
17    iu    3           6
4     am    2           4
16    īs    2           4
3     ai    1           2
5    amu    1           2
7    asu    1           2
9     em    1           2
13   ies    1           2
18     m    1           2
```

```
19     mu    1              2
22      ū    1              2
24     us    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   44             88
11      i   31             62
1       -   27             54
8       e   20             40
20      s   16             32
6      as   15             30
15     is   13             26
21      u   13             26
23     um    7             14
12      ī    5             10
10     es    4              8
14     im    3              6
17     iu    3              6
4      am    2              4
9      em    2              4
16     īs    2              4
3      ai    1              2
5     amu    1              2
7     asu    1              2
13    ies    1              2
18      m    1              2
19     mu    1              2
22      ū    1              2
24     us    1              2
[1] "DatSg"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   41             82
8       i   28             56
1       -   19             38
5       e   15             30
14      u   11             22
13      s   10             20
4      as    6             12
11     is    6             12
9       ī    4              8
16     um    4              8
10     im    3              6
3      am    2              4
12     īs    2              4
6      em    1              2
7      es    1              2
15      ū    1              2
17     us    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   43             86
8       i   29             58
1       -   20             40
```

```
5       e   19              38
14      u   12              24
13      s   10              20
11     is    7              14
16     um    7              14
4      as    6              12
9       ī    4               8
10     im    3               6
3      am    2               4
6      em    2               4
7      es    2               4
12     īs    2               4
15      ū    1               2
17     us    1               2
[1] "1SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   41              82
4      as    6              12
3      am    2               4
1       -    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   43              86
4      as    6              12
3      am    2               4
1       -    1               2
[1] "2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       i   22              44
1       -   14              28
9       u    6              12
8       s    5              10
4       ī    4               8
6      is    3               6
5      im    2               4
2       e    1               2
7      īs    1               2
10     um    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       i   22              44
1       -   16              32
8       s    6              12
9       u    6              12
4       ī    4               8
5      im    3               6
6      is    3               6
2       e    1               2
7      īs    1               2
10     um    1               2
[1] "3SgDat"
[1] "Endings occuring 10 times or less excluded"
```

```
   Suffix freq Percent_Trials
5      i   22           44
2      e   14           28
1      -   12           24
7     is    6           12
9      s    6           12
6      ī    2            4
8     īs    2            4
3     em    1            2
4     es    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5      i   23           46
2      e   14           28
1      -   13           26
9      s    7           14
7     is    6           12
6      ī    2            4
8     īs    2            4
3     em    1            2
4     es    1            2
[1] "4SgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      i   14           28
7      u   11           22
1      -    9           18
6      s    5           10
9     um    4            8
4      ī    3            6
5     is    3            6
2      e    1            2
8      ū    1            2
10    us    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      i   16           32
8      u   12           24
1      -   10           20
10    um    7           14
7      s    5           10
6     is    4            8
4      ī    3            6
5     im    3            6
2      e    2            4
9      ū    1            2
11    us    1            2
[1] "5SgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4      i   17           34
2      e   12           24
6     is    6           12
1      -    2            4
```

```
3      es    2                4
5       ī    2                4
8       s    2                4
7      īs    1                2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5       i   21               42
2       e   15               30
8      is    7               14
1       -    4                8
3      em    2                4
4      es    2                4
6       ī    2                4
10      s    2                4
7      im    1                2
9      īs    1                2
[1] "mSgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5       i   28               56
1       -   15               30
2       e   15               30
10      u   11               22
9       s    7               14
7      is    5               10
12     um    4                8
6       ī    3                6
8      īs    2                4
3      em    1                2
4      es    1                2
11      ū    1                2
13     us    1                2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   42               84
8       i   28               56
1       -   17               34
5       e   16               32
14      u   12               24
11     is    7               14
13      s    7               14
4      as    5               10
16     um    5               10
9       ī    4                8
3      am    2                4
7      es    2                4
10     im    2                4
12     īs    2                4
6      em    1                2
15      ū    1                2
17     us    1                2
[1] "m1SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
```

```
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   42             84
4     as    5             10
3     am    2              4
1      -    1              2
[1] "m2SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   22             44
1      -   13             26
8      u    5             10
7      s    4              8
4      ī    3              6
5     is    3              6
2      e    1              2
6     īs    1              2
9     um    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   22             44
1      -   14             28
8      u    6             12
4      ī    4              8
7      s    4              8
5     is    3              6
2      e    1              2
6     īs    1              2
9     um    1              2
[1] "m3SgDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      i   22             44
2      e   14             28
7     is    5             10
1      -    2              4
6      ī    2              4
8     īs    2              4
9      s    2              4
3     em    1              2
4     es    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      i   22             44
2      e   14             28
7     is    6             12
1      -    2              4
6      ī    2              4
8     īs    2              4
9      s    2              4
3     em    1              2
4     es    1              2
[1] "m4SgDat"
```

[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
3	i	14	28
7	u	11	22
1	–	9	18
6	s	5	10
9	um	4	8
4	ī	3	6
5	is	3	6
2	e	1	2
8	ū	1	2
10	us	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
3	i	14	28
8	u	12	24
1	–	9	18
7	s	5	10
10	um	5	10
4	ī	3	6
6	is	3	6
2	e	2	4
5	im	1	2
9	ū	1	2
11	us	1	2

[1] "m5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix   freq   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"

	Suffix	freq	Percent_Trials
5	i	20	40
2	e	12	24
8	is	6	12
1	–	3	6
4	es	2	4
6	ī	2	4
10	s	2	4
3	em	1	2
7	im	1	2
9	īs	1	2

[1] "fSgDat"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	41	82
8	i	21	42
5	e	14	28
4	as	6	12
10	is	6	12
1	–	4	8
3	am	2	4
9	ī	2	4
12	s	2	4
6	em	1	2

```
7       es   1           2
11      īs   1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   42          84
8       i   25          50
1       -   18          36
5       e   17          34
14      u   11          22
11     is    7          14
4      as    6          12
13      s    6          12
16     um    5          10
9       ī    3           6
3      am    2           4
6      em    2           4
7      es    2           4
10     im    1           2
12     īs    1           2
15      ū    1           2
17     us    1           2
[1] "f1SgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   41          82
4      as    6          12
3      am    2           4
1       -    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   42          84
4      as    6          12
3      am    2           4
1       -    1           2
[1] "f2SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3       i   17          34
1       -   15          30
7       s    5          10
8       u    4           8
4       ī    3           6
5      is    3           6
2       e    1           2
6      īs    1           2
9      um    1           2
[1] "f3SgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5       i   21          42
2       e   14          28
```

```
7      is    6              12
1      -     3               6
6      ī     2               4
9      s     2               4
3      em    1               2
4      es    1               2
8      īs    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
5      i    21              42
2      e    14              28
7      is    6              12
1      -     4               8
6      ī     2               4
9      s     2               4
3      em    1               2
4      es    1               2
8      īs    1               2
[1] "f4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      i    14              28
6      u    10              20
1      -     9              18
8      um    5              10
4      is    4               8
5      s     4               8
3      ī     3               6
7      ū     1               2
9      us    1               2
[1] "f5SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
5       i    20              40
2       e    15              30
8      is     7              14
1       -     4               8
4      es     2               4
6       ī     2               4
10      s     2               4
3      em     1               2
7      im     1               2
9      īs     1               2
[1] "nSgDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3       i    23              46
1       -    14              28
```

```
8      s    8           16
2      e    7           14
9      u    6           12
6     is    5           10
4      ī    4            8
5     im    2            4
7     īs    2            4
10    um    1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
3      i   26           52
1      -   16           32
9      u   10           20
8      s    9           18
2      e    8           16
6     is    5           10
11    um    5           10
4      ī    4            8
5     im    3            6
7     īs    2            4
10     ū    1            2
12    us    1            2
```
[1] "n2SgDat"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
3      i   21           42
1      -   10           20
9      u    6           12
4      ī    4            8
8      s    4            8
5     im    2            4
6     is    2            4
2      e    1            2
7     īs    1            2
10    um    1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
3      i   21           42
1      -   12           24
9      u    6           12
4      ī    4            8
8      s    4            8
5     im    3            6
6     is    3            6
2      e    1            2
7     īs    1            2
10    um    1            2
```
[1] "n3SgDat"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
3      i   18           36
1      -   11           22
2      e    7           14
7      s    6           12
```

```
5      is    5            10
6      īs    2             4
4      ī     1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i    20            40
1      -    11            22
2      e     7            14
7      s     7            14
5      is    5            10
6      īs    2             4
4      ī     1             2
[1] "n4SgDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3       i   13             26
8       u   10             20
1       -    8             16
10     um    5             10
7       s    4              8
4       ī    3              6
6      is    3              6
5      im    2              4
2       e    1              2
9       ū    1              2
11     us    1              2
[1] "Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   50            100
6       e   50            100
15      ō   46             92
1       -   30             60
8       i   18             36
17      s   17             34
12     is   12             24
4      as   11             22
18      u    9             18
7      es    8             16
13     iu    4              8
20     um    4              8
21     us    4              8
5     bus    2              4
9       ī    2              4
10   ibus    2              4
14      o    2              4
3      ai    1              2
11    ies    1              2
16     ōs    1              2
19      ū    1              2
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
2        a   50            100
7        e   50            100
19       ō   46             92
1        -   33             66
10       i   20             40
21       s   18             36
22       u   16             32
14      is   13             26
5       as   12             24
9       es    9             18
18       o    8             16
24      um    6             12
4       ao    5             10
15      iu    4              8
25      us    4              8
8       eo    3              6
11       ī    3              6
6      bus    2              4
12    ibus    2              4
3       ai    1              2
13     ies    1              2
16      īu    1              2
17       m    1              2
20      ōs    1              2
23       ū    1              2
[1] "AblSg"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2        a   50            100
3        e   50            100
6        ō   46             92
1        -   22             44
9        u    7             14
11      um    4              8
4        i    3              6
8        s    3              6
12      us    3              6
5        o    2              4
7       ōs    1              2
10       ū    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        a   50            100
5        e   50            100
12       ō   46             92
1        -   28             56
15       u   14             28
11       o    8             16
8        i    6             12
17      um    6             12
3       ao    5             10
6       eo    3              6
14       s    3              6
```

```
18     us    3             6
4      as    1             2
7      es    1             2
9      is    1             2
10      m    1             2
13     ōs    1             2
16      ū    1             2
```
[1] "1SgAbl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1     a    50           100
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2     a    50           100
3    ao     5            10
1     -     1             2
4    as     1             2
```
[1] "2SgAbl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2     ō    46            92
4     u     2             4
1     o     1             2
3    ōs     1             2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
3     ō    46            92
1     -     9            18
5     u     7            14
2     o     6            12
4    ōs     1             2
6    um     1             2
```
[1] "3SgAbl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2     e    50           100
1     -    21            42
3     i     3             6
4     s     3             6
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2     e    50           100
1     -    21            42
3     i     3             6
4     s     3             6
```
[1] "4SgAbl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
3     ō    32            64
5     u     7            14
7    um     4             8
8    us     3             6
1     -     1             2
2     o     1             2
```

```
4      ōs   1              2
6       ū   1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4       ō   32             64
6       u   12             24
8      um    6             12
1       -    5             10
3       o    4              8
9      us    3              6
2       m    1              2
5      ōs    1              2
7       ū    1              2
[1] "5SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       e   40             80
3       i    2              4
2      es    1              2
4      is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       e   45             90
5       i    6             12
3      eo    3              6
1       -    1              2
4      es    1              2
6      is    1              2
[1] "mSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       e   50            100
4       ō   46             92
6       u    7             14
8      um    4              8
9      us    3              6
3       o    2              4
1       -    1              2
5      ōs    1              2
7       ū    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4       e   50            100
10      ō   46             92
2       a   45             90
12      u    8             16
3      ao    5             10
14     um    4              8
5      eo    3              6
15     us    3              6
1       -    2              4
7       i    2              4
9       o    2              4
6      es    1              2
```

```
8        is    1                2
11       ōs    1                2
13       ū     1                2
[1] "m1SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   45              90
3     ao    5              10
1      -    1               2
[1] "m2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      ō   46              92
4      u    2               4
1      o    1               2
3     ōs    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      ō   46              92
4      u    2               4
1      o    1               2
3     ōs    1               2
[1] "m3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e   50             100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      e   50             100
[1] "m4SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      ō   32              64
5      u    7              14
7     um    4               8
8     us    3               6
1      -    1               2
2      o    1               2
4     ōs    1               2
6      ū    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      ō   32              64
5      u    8              16
7     um    4               8
8     us    3               6
1      -    1               2
2      o    1               2
4     ōs    1               2
6      ū    1               2
[1] "m5SgAbl"
```

```
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      e   43             86
2     eo    3              6
4      i    2              4
3     es    1              2
5     is    1              2
[1] "fSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50            100
2      e   47             94
3      i    3              6
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   50            100
4       e   48             96
10      ō   26             52
1       -   11             22
12      u   11             22
9       o    8             16
6       i    6             12
14     um    5             10
15     us    2              4
3      as    1              2
5      es    1              2
7      is    1              2
8       m    1              2
11     ōs    1              2
13      ū    1              2
[1] "f1SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   50            100
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a   50            100
2     as    1              2
[1] "f2SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      ō   26             52
1      -    9             18
5      u    7             14
2      o    6             12
4     ōs    1              2
6     um    1              2
[1] "f3SgAbl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      e   47             94
2      i    3              6
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      e   47             94
2      i    3              6
[1] "f4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      ō   25             50
6      u    9             18
1      -    5             10
8     um    5             10
3      o    3              6
9     us    2              4
2      m    1              2
5     ōs    1              2
7      ū    1              2
[1] "f5SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   43             86
4      i    6             12
1      -    1              2
3     es    1              2
5     is    1              2
[1] "nSgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
5      ō   46             92
2      e   28             56
1      -   21             42
7      s    3              6
8      u    2              4
3      i    1              2
4      o    1              2
6     ōs    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5       ō   46             92
2       e   28             56
1       -   22             44
8       u    6             12
10     um    5             10
7       s    3              6
11     us    3              6
```

```
4      o    2            4
3      i    1            2
6      ōs   1            2
9      ū    1            2
[1] "n2SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      ō   46            92
4      u    2            4
1      o    1            2
3      ōs   1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      ō   46            92
4      u    2            4
1      o    1            2
3      ōs   1            2
[1] "n3SgAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   28            56
1      -   21            42
4      s    3            6
3      i    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      e   28            56
1      -   21            42
4      s    3            6
3      i    1            2
[1] "n4SgAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      ō   32            64
5      u    6            12
7     um    5            10
8     us    3            6
1      -    1            2
2      o    1            2
4      ōs   1            2
6      ū    1            2
[1] "Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   38            76
1       -   35            70
24      s   27            54
10      e   23            46
14      i   21            42
12     es   20            40
7      as   18            36
```

```
18      is   16             32
13      ēs   11             22
25       u    8             16
3      aes    4              8
21      iu    4              8
27      um    3              6
28      us    3              6
9      bus    2              4
15       ī    2              4
16     ibus   2              4
4       ai    1              2
5       am    1              2
6      amu    1              2
8      asu    1              2
11     eis    1              2
17     ies    1              2
19      īs    1              2
20     isu    1              2
22       m    1              2
23      mu    1              2
26       ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   38             76
1        -   35             70
26       s   27             54
15       i   25             50
10       e   24             48
7       as   22             44
13      es   22             44
19      is   17             34
14      ēs   12             24
27       u    9             18
3      aes    4              8
22      iu    4              8
29      um    4              8
16       ī    3              6
30      us    3              6
9      bus    2              4
17     ibus   2              4
18     ies    2              4
4       ai    1              2
5       am    1              2
6      amu    1              2
8      asu    1              2
11       ē    1              2
12     eis    1              2
20      īs    1              2
21     isu    1              2
23      īu    1              2
24       m    1              2
25      mu    1              2
28       ū    1              2
[1] "PlNom,Acc"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   36             72
1        -   35             70
13       s   26             52
5        e   21             42
7       es   19             38
4       as   15             30
8       ēs   11             22
11      is   10             20
9        i    7             14
14       u    6             12
3      aes    4              8
16      um    3              6
17      us    2              4
6      eis    1              2
10     ies    1              2
12      īs    1              2
15       ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   36             72
1        -   35             70
15       s   26             52
6        e   23             46
9       es   21             42
5       as   18             36
10      ēs   12             24
13      is   11             22
11       i    7             14
16       u    7             14
3      aes    4              8
18      um    4              8
12     ies    2              4
19      us    2              4
4       am    1              2
7        ē    1              2
8      eis    1              2
14      īs    1              2
17       ū    1              2
[1] "1PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a   34             68
3      as   15             30
2     aes    4              8
4       s    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a   34             68
5      as   17             34
3     aes    4              8
6       s    2              4
1       -    1              2
```

```
4    am    1              2
```
[1] "2PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	31	62
8	s	18	36
2	a	15	30
4	e	3	6
6	i	3	6
3	as	2	4
5	es	2	4
7	is	2	4
9	us	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	32	64
8	s	20	40
2	a	15	30
4	e	4	8
3	as	3	6
6	i	3	6
7	is	3	6
5	es	2	4
9	us	1	2

[1] "3PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
12	s	21	42
4	e	20	40
6	es	19	38
1	-	18	36
2	a	14	28
7	ēs	11	22
10	is	7	14
3	as	2	4
8	i	2	4
5	eis	1	2
9	ies	1	2
11	īs	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
12	s	22	44
4	e	20	40
6	es	20	40
1	-	18	36
2	a	16	32
7	ēs	12	24
10	is	7	14
3	as	2	4
8	i	2	4
5	eis	1	2
9	ies	1	2
11	īs	1	2

[1] "4PlNom,Acc"

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   22           44
5      s   13           26
3      i    6           12
6      u    6           12
4     is    4            8
8     um    3            6
9     us    2            4
2     es    1            2
7      ū    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   23           46
7      s   15           30
8      u    7           14
5      i    6           12
6     is    5           10
10    um    4            8
11    us    2            4
2      a    1            2
3      e    1            2
4     es    1            2
9      ū    1            2
[1] "5PlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3     es    6           12
1      -    4            8
4     ēs    3            6
2      a    2            4
6     is    2            4
5      i    1            2
7      s    1            2
[1] "All Endings Included"
  Suffix freq Percent_Trials
4      e   18           36
7     es   18           36
13     s   18           36
1      -   15           30
8     ēs    8           16
11    is    7           14
2      a    4            8
3     as    1            2
5      ē    1            2
6    eis    1            2
9      i    1            2
10   ies    1            2
12    īs    1            2
[1] "mPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   34           68
11     s   23           46
```

```
3         e   20            40
5        es   19            38
6        ēs   11            22
9        is   10            20
7         i    7            14
12        u    6            12
2         a    4             8
14       um    3             6
15       us    2             4
4       eis    1             2
8       ies    1             2
10       īs    1             2
13        ū    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1         -   35            70
2         a   34            68
14        s   25            50
6         e   20            40
8        es   20            40
5        as   18            36
9        ēs   12            24
12       is   10            20
10        i    7            14
15        u    7            14
3       aes    4             8
17       um    3             6
18       us    2             4
4        am    1             2
7       eis    1             2
11      ies    1             2
13       īs    1             2
16        ū    1             2
[1] "fPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2         a   34            68
7        es   18            36
5         e   17            34
13        s   16            32
1         -   15            30
4        as   15            30
8        ēs   11            22
11       is    7            14
3       aes    4             8
9         i    2             4
6       eis    1             2
10      ies    1             2
12       īs    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2         a   34            68
1         -   31            62
14        s   24            48
```

```
5      e   22          44
8     es   20          40
4     as   15          30
9     ēs   12          24
12    is   11          22
10     i    7          14
15     u    5          10
3    aes    4           8
17    um    3           6
11   ies    2           4
18    us    2           4
6      ē    1           2
7    eis    1           2
13    īs    1           2
16     ū    1           2
```
[1] "nPlNom,Acc"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1      -   26          52
9      s   20          40
2      a   18          36
4      e    5          10
5     es    4           8
8     is    4           8
7      i    3           6
3     as    2           4
6     ēs    2           4
10    us    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1      -   32          64
9      s   22          44
2      a   18          36
4      e    7          14
8     is    7          14
7      i    5          10
10     u    5          10
5     es    4           8
12    um    4           8
3     as    3           6
6     ēs    2           4
13    us    2           4
11     ū    1           2
```
[1] "PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2      a   37          74
1      -   34          68
7      e   23          46
17     s   21          42
9     es   18          36
11     i   17          34
5     as   16          32
15    is   12          24
```

```
10     ēs   11            22
18      u    7            14
3     aes    4             8
16     iu    4             8
20     um    3             6
21     us    3             6
6     bus    2             4
12      ī    2             4
13   ibus    2             4
4      ai    1             2
8     eis    1             2
14    ies    1             2
19      ū    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   37            74
1       -   35            70
8       e   24            48
20      s   22            44
11     es   21            42
13      i   19            38
6      as   16            32
17     is   13            26
12     ēs   12            24
21      u    8            16
3     aes    4             8
18     iu    4             8
23     um    4             8
14      ī    3             6
24     us    3             6
7     bus    2             4
15   ibus    2             4
4      ai    1             2
5      am    1             2
9       ē    1             2
10    eis    1             2
16    ies    1             2
19     īu    1             2
22     ū     1             2
[1] "1PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   36            72
5      as   16            32
3     aes    4             8
1       -    2             4
6     bus    2             4
11      s    2             4
4      ai    1             2
7       ī    1             2
8     ibus   1             2
9      is    1             2
10     iu    1             2
12      u    1             2
```

354

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   36            72
6     as   16            32
3    aes    4             8
1      -    3             6
7    bus    2             4
13     s    2             4
4     ai    1             2
5     am    1             2
8      i    1             2
9      ī    1             2
10   ibus    1            2
11    is    1             2
12    iu    1             2
14     u    1             2
[1] "2PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   33            66
10     s   18            36
6      i   16            32
2      a   15            30
8     is    7            14
4      e    3             6
3     as    2             4
5     es    2             4
7      ī    2             4
11     u    2             4
9     iu    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   34            68
10     s   18            36
6      i   16            32
2      a   15            30
8     is    8            16
4      e    4             8
3     as    3             6
5     es    2             4
7      ī    2             4
11     u    2             4
9     iu    1             2
[1] "3PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4      e   23            46
6     es   17            34
1      -   16            32
14     s   15            30
2      a   14            28
8      i   14            28
12    is   12            24
7     ēs   11            22
```

```
13     iu    4              8
3      as    2              4
9       ī    2              4
10    ibus    2              4
5      eis    1              2
11     ies    1              2
15      u     1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
4        e   23             46
6       es   19             38
1        -   17             34
14       s   17             34
2        a   16             32
8        i   14             28
7       ēs   12             24
12      is   12             24
13      iu    4              8
3       as    2              4
9        ī    2              4
10     ibus    2              4
5      eis    1              2
11     ies    1              2
15      u     1              2
[1] "4PlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1        -   22             44
7        s   14             28
3        i   11             22
5       is    5             10
8        u    5             10
6       iu    3              6
10      um    3              6
11      us    3              6
4        ī    2              4
2       es    1              2
9        ū    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1        -   24             48
9        s   15             30
5        i   12             24
7       is    9             18
10       u    6             12
12      um    4              8
8       iu    3              6
13      us    3              6
6        ī    2              4
2        a    1              2
3        e    1              2
4       es    1              2
11       ū    1              2
[1] "5PlAcc,Abl"
```

```
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
4     es    6           12
3      e    3            6
1      -    2            4
6     is    2            4
2      a    1            2
5      i    1            2
7      s    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3       e   20           40
6      es   18           36
8       i   13           26
12     is   11           22
7      ēs    8           16
1       -    6           12
2       a    4            8
13     iu    4            8
9       ī    3            6
10   ibus    2            4
15      s    2            4
4       ē    1            2
5     eis    1            2
11    ies    1            2
14     īu    1            2
[1] "mPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   33           66
3       e   21           42
13      s   18           36
5      es   17           34
7       i   17           34
11     is   12           24
6      ēs   11           22
14      u    6           12
12     iu    4            8
2       a    3            6
16     um    3            6
17     us    3            6
8       ī    2            4
9    ibus    2            4
4     eis    1            2
10    ies    1            2
15      ū    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   36           72
1       -   34           68
8       e   22           44
10     es   19           38
12      i   19           38
19      s   18           36
```

```
6      as   16          32
11     ēs   12          24
16     is   12          24
20      u    7          14
3     aes    4           8
17     iu    4           8
22     um    3           6
23     us    3           6
7     bus    2           4
13      ī    2           4
14   ibus    2           4
4      ai    1           2
5      am    1           2
9     eis    1           2
15    ies    1           2
18     īu    1           2
21      ū    1           2
```
[1] "fPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   36          72
7       e   21          42
5      as   16          32
9      es   15          30
11      i   13          26
15     is   12          24
10     ēs   11          22
1       -    6          12
17      s    5          10
3     aes    4           8
16     iu    4           8
6     bus    2           4
12      ī    2           4
13   ibus    2           4
4      ai    1           2
8     eis    1           2
14    ies    1           2
18      u    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   36          72
1       -   30          60
7       e   23          46
10     es   20          40
19      s   18          36
12      i   17          34
5      as   16          32
16     is   13          26
11     ēs   12          24
20      u    6          12
3     aes    4           8
17     iu    4           8
13      ī    3           6
22     um    3           6
```

```
23      us    3              6
6      bus    2              4
14    ibus    2              4
4       ai    1              2
8        ē    1              2
9      eis    1              2
15     ies    1              2
18      īu    1              2
21       ū    1              2
[1] "nPlAcc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   28             56
2        a   18             36
12       s   18             36
7        i   14             28
10      is    8             16
4        e    6             12
5       es    5             10
11      iu    3              6
3       as    2              4
6       ēs    2              4
8        ī    2              4
9     ibus    2              4
13       u    2              4
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   33             66
12       s   20             40
2        a   18             36
7        i   14             28
10      is    9             18
4        e    8             16
13       u    6             12
5       es    5             10
15      um    4              8
3       as    3              6
11      iu    3              6
16      us    3              6
6       ēs    2              4
8        ī    2              4
9     ibus    2              4
14       ū    1              2
[1] "PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   37             74
1        -   35             70
18       s   26             52
7        e   23             46
9       es   20             40
5       as   17             34
11       i   17             34
15      is   13             26
```

359

	Suffix	freq	Percent_Trials
10	ēs	11	22
19	u	8	16
3	aes	4	8
17	iu	4	8
21	um	3	6
22	us	3	6
6	bus	2	4
12	ī	2	4
13	ibus	2	4
4	ai	1	2
8	eis	1	2
14	ies	1	2
16	īs	1	2
20	ū	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	37	74
1	-	35	70
21	s	26	52
8	e	24	48
11	es	22	44
6	as	20	40
13	i	19	38
17	is	14	28
12	ēs	12	24
22	u	9	18
3	aes	4	8
19	iu	4	8
24	um	4	8
14	ī	3	6
25	us	3	6
7	bus	2	4
15	ibus	2	4
16	ies	2	4
4	ai	1	2
5	am	1	2
9	ē	1	2
10	eis	1	2
18	īs	1	2
20	īu	1	2
23	ū	1	2

[1] "1PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	36	72
5	as	17	34
3	aes	4	8
1	-	2	4
6	bus	2	4
11	s	2	4
4	ai	1	2
7	ī	1	2
8	ibus	1	2
9	is	1	2

```
10     iu    1              2
12      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   36             72
6      as   19             38
3     aes    4              8
1       -    3              6
13      s    3              6
7     bus    2              4
4      ai    1              2
5      am    1              2
8       i    1              2
9       ī    1              2
10   ibus    1              2
11     is    1              2
12     iu    1              2
14      u    1              2
[1] "2PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   33             66
10      s   22             44
6       i   16             32
2       a   15             30
8      is    7             14
4       e    3              6
3      as    2              4
5      es    2              4
7       ī    2              4
11      u    2              4
9      iu    1              2
12     us    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   34             68
10      s   22             44
6       i   16             32
2       a   15             30
8      is    8             16
4       e    4              8
3      as    3              6
5      es    2              4
7       ī    2              4
11      u    2              4
9      iu    1              2
12     us    1              2
[1] "3PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       e   23             46
15      s   22             44
6      es   20             40
1       -   19             38
```

```
2      a   14             28
8      i   14             28
12    is   13             26
7     ēs   11             22
14    iu    4              8
3     as    2              4
9      ī    2              4
10   ibus   2              4
5    eis    1              2
11   ies    1              2
13    īs    1              2
16     u    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
4      e   23             46
15     s   22             44
6     es   21             42
1      -   19             38
2      a   16             32
8      i   14             28
12    is   13             26
7     ēs   12             24
14    iu    4              8
3     as    2              4
9      ī    2              4
10   ibus   2              4
5    eis    1              2
11   ies    1              2
13    īs    1              2
16     u    1              2
```
[1] "4PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1      -   22             44
7      s   16             32
3      i   11             22
8      u    6             12
5     is    5             10
6     iu    3              6
10    um    3              6
11    us    3              6
4      ī    2              4
2     es    1              2
9      ū    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1      -   24             48
9      s   18             36
5      i   12             24
7     is    9             18
10     u    7             14
12    um    4              8
8     iu    3              6
13    us    3              6
```

```
6      ī    2              4
2      a    1              2
3      e    1              2
4      es   1              2
11     ū    1              2
```
[1] "5PlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
4      es   11             22
7      is    6             12
1       -    5             10
3       e    3              6
5      ēs    3              6
2       a    2              4
6       i    1              2
8       s    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
4        e   20             40
7       es   19             38
17       s   18             36
1        -   16             32
9        i   13             26
13      is   12             24
8       ēs    8             16
2        a    4              8
15      iu    4              8
10       ī    3              6
11    ibus    2              4
12     ies    2              4
3       as    1              2
5        ē    1              2
6      eis    1              2
14      īs    1              2
16      īu    1              2
```
[1] "mPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1        -   34             68
14       s   24             48
3        e   21             42
5       es   20             40
7        i   17             34
11      is   13             26
6       ēs   11             22
15       u    7             14
2        a    4              8
13      iu    4              8
17      um    3              6
18      us    3              6
8        ī    2              4
9     ibus    2              4
4      eis    1              2
10     ies    1              2
```

```
12      īs     1              2
16       ū     1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2        a    36             72
1        -    35             70
20       s    25             50
8        e    22             44
10      es    21             42
6       as    20             40
12       i    19             38
16      is    13             26
11      ēs    12             24
21       u     8             16
3      aes     4              8
18      iu     4              8
23      um     3              6
24      us     3              6
7      bus     2              4
13       ī     2              4
14    ibus     2              4
4       ai     1              2
5       am     1              2
9      eis     1              2
15     ies     1              2
17      īs     1              2
19      īu     1              2
22       ū     1              2
```
[1] "fPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2        a    36             72
7        e    21             42
9       es    19             38
5       as    17             34
1        -    16             32
18       s    16             32
11       i    13             26
15      is    13             26
10      ēs    11             22
3      aes     4              8
17      iu     4              8
6      bus     2              4
12       ī     2              4
13    ibus     2              4
4       ai     1              2
8      eis     1              2
14     ies     1              2
16      īs     1              2
19       u     1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2        a    36             72
1        -    31             62
```

364

```
20     s    24           48
7      e    23           46
10     es   21           42
5      as   17           34
12     i    17           34
16     is   14           28
11     ēs   12           24
21     u     6           12
3      aes   4            8
18     iu    4            8
13     ī     3            6
23     um    3            6
24     us    3            6
6      bus   2            4
14     ibus  2            4
15     ies   2            4
4      ai    1            2
8      ē     1            2
9      eis   1            2
17     īs    1            2
19     īu    1            2
22     ū     1            2
```
[1] "nPlNom,Acc,Abl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1      -    30           60
12     s    22           44
2      a    18           36
7      i    14           28
10     is    8           16
4      e     6           12
5      es    5           10
11     iu    3            6
3      as    2            4
6      ēs    2            4
8      ī     2            4
9      ibus  2            4
13     u     2            4
14     us    1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1      -    34           68
12     s    24           48
2      a    18           36
7      i    14           28
10     is    9           18
4      e     8           16
13     u     7           14
5      es    5           10
15     um    4            8
3      as    3            6
11     iu    3            6
16     us    3            6
6      ēs    2            4
```

```
8        ī    2              4
9     ibus   2              4
14       ū   1              2
[1] "PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   33             66
1        -   19             38
11       i   19             38
20       s   14             28
6       as   13             26
15      is   12             24
9        e    7             14
10      es    3              6
17      iu    3              6
12       ī    2              4
21       u    2              4
3       ai    1              2
4       am    1              2
5      amu    1              2
7      asu    1              2
8      bus    1              2
13    ibus    1              2
14     ies    1              2
16     isu    1              2
18       m    1              2
19      mu    1              2
22       ū    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   33             66
11       i   23             46
1        -   21             42
20       s   16             32
6       as   14             28
15      is   14             28
9        e    9             18
10      es    3              6
17      iu    3              6
21       u    3              6
12       ī    2              4
3       ai    1              2
4       am    1              2
5      amu    1              2
7      asu    1              2
8      bus    1              2
13    ibus    1              2
14     ies    1              2
16     isu    1              2
18       m    1              2
19      mu    1              2
22       ū    1              2
[1] "1PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
```

```
    Suffix freq Percent_Trials
2       a   33             66
6      as   13             26
9       s    3              6
1       -    1              2
3      ai    1              2
4      am    1              2
5     amu    1              2
7     asu    1              2
8     bus    1              2
10      u    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2       a   33             66
6      as   14             28
1       -    3              6
10      s    3              6
3      ai    1              2
4      am    1              2
5     amu    1              2
7     asu    1              2
8     bus    1              2
9       i    1              2
11      u    1              2
[1] "2PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1       -   17             34
5       i   16             32
11      s   12             24
7      is    8             16
2       a    4              8
4       e    2              4
6       ī    2              4
12      u    2              4
3      as    1              2
8      iu    1              2
9       m    1              2
10     mu    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1       -   19             38
5       i   17             34
11      s   13             26
7      is   10             20
2       a    4              8
4       e    2              4
6       ī    2              4
12      u    2              4
3      as    1              2
8      iu    1              2
9       m    1              2
10     mu    1              2
[1] "3PlGen,Dat"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5       i   17            34
1       -   16            32
13      s   11            22
9      is   10            20
3       e    7            14
2       a    3             6
4      es    3             6
10     iu    3             6
6       ī    2             4
7    ibus    1             2
8     ies    1             2
11      m    1             2
12     mu    1             2
14      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5       i   19            38
1       -   16            32
9      is   11            22
13      s   11            22
3       e    8            16
2       a    3             6
4      es    3             6
10     iu    3             6
6       ī    2             4
7    ibus    1             2
8     ies    1             2
11      m    1             2
12     mu    1             2
14      u    1             2
[1] "4PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3       i   16            32
1       -   12            24
5      is   10            20
9       s    9            18
7      iu    3             6
4       ī    2             4
2       e    1             2
6     isu    1             2
8      mu    1             2
10      ū    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3       i   18            36
1       -   12            24
9       s   12            24
5      is   10            20
7      iu    3             6
4       ī    2             4
2       e    1             2
```

368

```
6     isu    1          2
8     mu     1          2
10    u      1          2
11    ū      1          2
[1] "5PlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4     i     12          24
7     is     7          14
1     -      5          10
11    s      4           8
8     iu     3           6
5     ī      2           4
2     a      1           2
3     e      1           2
6     ies    1           2
9     m      1           2
10    mu     1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5     i     15          30
1     -     11          22
9     is    10          20
13    s     10          20
3     e      8          16
4     es     3           6
10    iu     3           6
6     ī      2           4
2     a      1           2
7     ibus   1           2
8     ies    1           2
11    m      1           2
12    mu     1           2
[1] "mPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5     i     19          38
1     -     16          32
13    s     13          26
9     is    11          22
3     e      7          14
4     es     3           6
11    iu     3           6
6     ī      2           4
2     a      1           2
7     ibus   1           2
8     ies    1           2
10    isu    1           2
12    mu     1           2
14    u      1           2
15    ū      1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2     a     32          64
```

```
11      i   21            42
1       -   17            34
20      s   14            28
6      as   13            26
15     is   11            22
9       e    8            16
10     es    3             6
17     iu    3             6
12      ī    2             4
21      u    2             4
3      ai    1             2
4      am    1             2
5     amu    1             2
7     asu    1             2
8     bus    1             2
13   ibus    1             2
14    ies    1             2
16    isu    1             2
18      m    1             2
19     mu    1             2
22      ū    1             2
[1] "fPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33            66
11      i   16            32
1       -   13            26
6      as   13            26
18      s   11            22
15     is   10            20
9       e    7            14
10     es    3             6
16     iu    3             6
12      ī    2             4
3      ai    1             2
4      am    1             2
5     amu    1             2
7     asu    1             2
8     bus    1             2
13   ibus    1             2
14    ies    1             2
17     mu    1             2
19      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33            66
1       -   20            40
11      i   19            38
19      s   15            30
6      as   14            28
15     is   12            24
9       e    8            16
10     es    3             6
16     iu    3             6
```

```
12      ī    2           4
3       ai   1           2
4       am   1           2
5       amu  1           2
7       asu  1           2
8       bus  1           2
13     ibus  1           2
14     ies   1           2
17      m    1           2
18      mu   1           2
20      u    1           2
21      ū    1           2
[1] "nPlGen,Dat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   17           34
6       i   14           28
13      s   10           20
9      is    8           16
2       a    5           10
4       e    2            4
7       ī    2            4
10     iu    2            4
14      u    2            4
3      as    1            2
5      es    1            2
8    ibus    1            2
11      m    1            2
12     mu    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   18           36
6       i   18           36
9      is   11           22
14      s   11           22
2       a    5           10
11     iu    3            6
4       e    2            4
7       ī    2            4
15      u    2            4
3      as    1            2
5      es    1            2
8    ibus    1            2
10    isu    1            2
12      m    1            2
13     mu    1            2
16      ū    1            2
[1] "NomPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   35           70
1       -   29           58
12      s   25           50
4      as   14           28
```

371

```
10     is   10          20
6      es    9          18
8       i    6          12
13      u    5          10
7      ēs    3           6
3     aes    2           4
5       e    2           4
16     us    2           4
9     ies    1           2
11     īs    1           2
14      ū    1           2
15     um    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   35          70
1       -   30          60
12      s   25          50
4      as   17          34
6      es   10          20
10     is   10          20
8       i    6          12
13      u    6          12
5       e    3           6
7      ēs    3           6
3     aes    2           4
9     ies    2           4
16     us    2           4
11     īs    1           2
14      ū    1           2
15     um    1           2
```
[1] "1Pl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   38          76
7      as   18          36
3     aes    4           8
14      s    4           8
1       -    2           4
9     bus    2           4
4      ai    1           2
5      am    1           2
6     amu    1           2
8     asu    1           2
10      ī    1           2
11   ibus    1           2
12     is    1           2
13     iu    1           2
15      u    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   38          76
7      as   21          42
3     aes    4           8
15      s    4           8
```

```
1     -    3         6
9    bus   2         4
10    i    2         4
4    ai    1         2
5    am    1         2
6    amu   1         2
8    asu   1         2
11    ī    1         2
12   ibus   1         2
13   is    1         2
14   iu    1         2
16    u    1         2
```
[1] "1PlNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1      a   33         66
3     as   14         28
2    aes    2          4
4      s    1          2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
2      a   33         66
4     as   16         32
3    aes    2          4
5      s    2          4
1      -    1          2
```
[1] "2Pl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1       -   33         66
12      s   23         46
6       i   20         40
2       a   15         30
8      is   11         22
3      as    3          6
4       e    3          6
5      es    2          4
7       ī    2          4
9      iu    2          4
13      u    2          4
10      m    1          2
11     mu    1          2
14     us    1          2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1       -   34         68
12      s   24         48
6       i   20         40
2       a   15         30
8      is   13         26
4       e    4          8
3      as    3          6
5      es    2          4
7       ī    2          4
```

373

```
9       iu    2              4
13       u    2              4
10       m    1              2
11      mu    1              2
14      us    1              2
```
[1] "2PlNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1       -   26              52
7       s   17              34
2       a   11              22
4      es    2               4
5       i    2               4
6      is    2               4
3      as    1               2
8      us    1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1       -   27              54
8       s   19              38
2       a   11              22
5      es    2               4
6       i    2               4
7      is    2               4
3      as    1               2
4       e    1               2
9      us    1               2
```
[1] "3Pl"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
4       e   23              46
17      s   22              44
1       -   20              40
6      es   20              40
8       i   18              36
12     is   15              30
2       a   14              28
7      ēs   11              22
14     iu    4               8
3      as    2               4
9       ī    2               4
10   ibus    2               4
5     eis    1               2
11    ies    1               2
13     īs    1               2
15      m    1               2
16     mu    1               2
18      u    1               2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
4       e   23              46
17      s   22              44
6      es   21              42
1       -   20              40
```

```
8       i   19              38
2       a   16              32
12     is   15              30
7      ēs   12              24
14     iu    4               8
3      as    2               4
9       ī    2               4
10   ibus    2               4
5     eis    1               2
11    ies    1               2
13     īs    1               2
15      m    1               2
16     mu    1               2
18      u    1               2
```
[1] "3PlNom"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
11      s   21              42
1       -   17              34
2       a   11              22
5      es    9              18
9      is    7              14
6      ēs    3               6
4       e    2               4
7       i    2               4
3      as    1               2
8     ies    1               2
10     īs    1               2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
11      s   22              44
1       -   17              34
2       a   12              24
5      es   10              20
9      is    7              14
6      ēs    3               6
4       e    2               4
7       i    2               4
3      as    1               2
8     ies    1               2
10     īs    1               2
```
[1] "4Pl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1       -   25              50
4       i   18              36
10      s   16              32
6      is   11              22
11      u    6              12
8      iu    4               8
13     um    3               6
14     us    3               6
5       ī    2               4
2       e    1               2
```

```
3      es    1               2
7     isu    1               2
9      mu    1               2
12      ū    1               2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1       -   26               52
5       i   21               42
11      s   20               40
7      is   13               26
12      u    7               14
9      iu    4                8
14     um    4                8
15     us    3                6
3       e    2                4
6       ī    2                4
2       a    1                2
4      es    1                2
8     isu    1                2
10     mu    1                2
13      ū    1                2
```
[1] "4PlNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1       -   19               38
5       s   13               26
3       i    5               10
6       u    5               10
4      is    4                8
9      us    2                4
2      es    1                2
7       ū    1                2
8      um    1                2
```
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
1       -   20               40
5       s   15               30
6       u    6               12
3       i    5               10
4      is    4                8
9      us    2                4
2      es    1                2
7       ū    1                2
8      um    1                2
```
[1] "5Pl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
4      es   12               24
6       i   12               24
1       -   11               22
3       e    9               18
10     is    9               18
14      s    8               16
5      ēs    3                6
```

```
11     iu    3            6
2      a     2            4
7      ī     2            4
8     ibus   1            2
9     ies    1            2
12     m     1            2
13     mu    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4      e    20           40
7     es    19           38
19     s    18           36
1      -    17           34
9      i    17           34
13    is    15           30
8     ēs     8           16
2      a     4            8
15    iu     4            8
10     ī     3            6
11   ibus    2            4
12   ies     2            4
3     as     1            2
5      ē     1            2
6     eis    1            2
14    īs     1            2
16    īu     1            2
17     m     1            2
18    mu     1            2
[1] "5PlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
8      s    13           26
1      -    10           20
6     is     6           12
3     es     5           10
4     ēs     3            6
2      a     2            4
5      i     1            2
7     īs     1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
11     s    18           36
1      -    15           30
5     es     8           16
9     is     7           14
2      a     3            6
6     ēs     3            6
3     as     1            2
4      e     1            2
7      i     1            2
8     ies    1            2
10    īs     1            2
[1] "mPl"
[1] "Endings occuring 10 times or less excluded"
```

```
     Suffix freq Percent_Trials
1        -   34            68
16       s   25            50
3        e   21            42
7        i   21            42
5       es   20            40
11      is   16            32
6       ēs   11            22
17       u    7            14
2        a    6            12
14      iu    4             8
19      um    3             6
20      us    3             6
8        ī    2             4
9     ibus    2             4
4      eis    1             2
10     ies    1             2
12      īs    1             2
13     isu    1             2
15      mu    1             2
18       ū    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   38            76
1        -   35            70
25       s   26            52
14       i   24            48
7       as   22            44
10       e   22            44
12      es   21            42
18      is   16            32
13      ēs   12            24
26       u    8            16
3      aes    4             8
21      iu    4             8
28      um    3             6
29      us    3             6
9      bus    2             4
15       ī    2             4
16     ibus    2             4
4       ai    1             2
5       am    1             2
6      amu    1             2
8      asu    1             2
11     eis    1             2
17     ies    1             2
19      īs    1             2
20     isu    1             2
22      īu    1             2
23       m    1             2
24      mu    1             2
27       ū    1             2
[1] "mPlNom"
[1] "Endings occuring 10 times or less excluded"
```

```
   Suffix freq Percent_Trials
1      -   27            54
10     s   22            44
8     is   10            20
4     es    8            16
6      i    6            12
11     u    5            10
2      a    4             8
5     ēs    3             6
14    us    2             4
3      e    1             2
7    ies    1             2
9     īs    1             2
12     ū    1             2
13    um    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a   32            64
1      -   28            56
12     s   24            48
4     as   17            34
10    is   10            20
6     es    8            16
8      i    6            12
13     u    6            12
7     ēs    3             6
3    aes    2             4
16    us    2             4
5      e    1             2
9    ies    1             2
11    īs    1             2
14     ū    1             2
15    um    1             2
[1] "f135Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2      a   38            76
10     e   21            42
12    es   19            38
7     as   18            36
14     i   18            36
1      -   17            34
23     s   17            34
18    is   15            30
13    ēs   11            22
3    aes    4             8
20    iu    4             8
9    bus    2             4
15     ī    2             4
16   ibus    2             4
4     ai    1             2
5     am    1             2
6    amu    1             2
8    asu    1             2
```

```
11    eis    1              2
17    ies    1              2
19     īs    1              2
21      m    1              2
22     mu    1              2
24      u    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   38             76
10      e   22             44
13     es   21             42
7      as   19             38
15      i   19             38
25      s   19             38
1       -   18             36
19     is   15             30
14     ēs   12             24
3     aes    4              8
21     iu    4              8
16     ī     3              6
9     bus    2              4
17   ibus    2              4
18    ies    2              4
4      ai    1              2
5      am    1              2
6     amu    1              2
8     asu    1              2
11     ē     1              2
12    eis    1              2
20     īs    1              2
22     īu    1              2
23      m    1              2
24     mu    1              2
26      u    1              2
```
[1] "m24Pl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1       -   34             68
11      s   21             42
5       i   20             40
7      is   13             26
12      u    7             14
2       a    4              8
9      iu    4              8
3       e    3              6
14     um    3              6
15     us    3              6
4      es    2              4
6      ī     2              4
8     isu    1              2
10     mu    1              2
13     ū     1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
```

```
1       -   35              70
11      s   24              48
5       i   22              44
7      is   13              26
12      u    8              16
2       a    4               8
9      iu    4               8
3       e    3               6
14     um    3               6
15     us    3               6
4      es    2               4
6       ī    2               4
8     isu    1               2
10     mu    1               2
13      ū    1               2
[1] "n24Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   31              62
12      s   20              40
6       i   16              32
2       a   15              30
8      is    9              18
3      as    3               6
4       e    2               4
5      es    2               4
7       ī    2               4
13      u    2               4
9      iu    1               2
10      m    1               2
11     mu    1               2
14      ū    1               2
15     us    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   35              70
13      s   22              44
6       i   20              40
2       a   15              30
8      is   12              24
14      u    7              14
10     iu    4               8
16     um    4               8
3      as    3               6
17     us    3               6
4       e    2               4
5      es    2               4
7       ī    2               4
9     isu    1               2
11      m    1               2
12     mu    1               2
15      ū    1               2
[1] "m234Pl"
[1] "Endings occuring 10 times or less excluded"
```

```
    Suffix freq Percent_Trials
1        -   34            68
16       s   26            52
3        e   21            42
7        i   21            42
5       es   20            40
11      is   16            32
6       ēs   11            22
17       u    7            14
2        a    4             8
14      iu    4             8
19      um    3             6
20      us    3             6
8        ī    2             4
9     ibus    2             4
4      eis    1             2
10     ies    1             2
12      īs    1             2
13     isu    1             2
15      mu    1             2
18       ū    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   35            70
16       s   26            52
7        i   23            46
3        e   22            44
5       es   20            40
11      is   16            32
6       ēs   12            24
17       u    8            16
2        a    4             8
14      iu    4             8
19      um    3             6
20      us    3             6
8        ī    2             4
9     ibus    2             4
4      eis    1             2
10     ies    1             2
12      īs    1             2
13     isu    1             2
15      mu    1             2
18       ū    1             2
[1] "m2345Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   34            68
16       s   26            52
3        e   21            42
7        i   21            42
5       es   20            40
11      is   16            32
6       ēs   11            22
17       u    7            14
```

```
2       a    4           8
14     iu    4           8
19     um    3           6
20     us    3           6
8       ī    2           4
9    ibus    2           4
4     eis    1           2
10    ies    1           2
12     īs    1           2
13    isu    1           2
15     mu    1           2
18      ū    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   35          70
19      s   26          52
8       i   23          46
4       e   22          44
6      es   21          42
12     is   16          32
7      ēs   12          24
20      u    8          16
2       a    6          12
15     iu    4           8
22     um    3           6
23     us    3           6
9       ī    2           4
10   ibus    2           4
3      as    1           2
5     eis    1           2
11    ies    1           2
13     īs    1           2
14    isu    1           2
16     īu    1           2
17      m    1           2
18     mu    1           2
21      ū    1           2
[1] "m1Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   38          76
7      as   21          42
3     aes    4           8
1       -    3           6
15      s    3           6
9     bus    2           4
10      i    2           4
4      ai    1           2
5      am    1           2
6     amu    1           2
8     asu    1           2
```

```
11      ī     1              2
12   ibus    1              2
13     is    1              2
14     iu    1              2
16      u    1              2
[1] "m1PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a   32             64
4     as   16             32
3    aes    2              4
5      s    2              4
1      -    1              2
[1] "m2Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   31             62
10      s   21             42
5       i   20             40
7      is   11             22
2       a    4              8
3       e    3              6
4      es    2              4
6       ī    2              4
8      iu    2              4
9      mu    1              2
11      u    1              2
12     us    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   33             66
10      s   23             46
5       i   20             40
7      is   11             22
2       a    4              8
3       e    3              6
4      es    2              4
6       ī    2              4
8      iu    2              4
9      mu    1              2
11      u    1              2
12     us    1              2
[1] "m2PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   24             48
6      s   16             32
2      a    4              8
3     es    2              4
4      i    2              4
5     is    2              4
```

```
7    us   1          2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   25         50
6     s   18         36
2     a    4          8
3    es    2          4
4     i    2          4
5    is    2          4
7    us    1          2
[1] "m3Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      e   21         42
5     es   19         38
7      i   18         36
15     s   17         34
1      -   16         32
11    is   15         30
6     ēs   11         22
13    iu    4          8
8      ī    2          4
9   ibus    2          4
2      a    1          2
4    eis    1          2
10   ies    1          2
12    īs    1          2
14    mu    1          2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      e   22         44
5     es   19         38
15     s   19         38
7      i   18         36
1      -   16         32
11    is   15         30
6     ēs   12         24
13    iu    4          8
2      a    2          4
8      ī    2          4
9   ibus    2          4
4    eis    1          2
10   ies    1          2
12    īs    1          2
14    mu    1          2
[1] "m3PlNom"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
10     s   17         34
1      -   13         26
4     es    7         14
8     is    7         14
5     ēs    3          6
6      i    2          4
```

```
2       a   1           2
3       e   1           2
7     ies   1           2
9      īs   1           2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
10       s   19           38
1        -   13           26
4       es    7           14
8       is    7           14
5       ēs    3            6
6        i    2            4
2        a    1            2
3        e    1            2
7      ies    1            2
9       īs    1            2
```
[1] "m4Pl"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1        -   25           50
4        i   18           36
10       s   16           32
6       is   11           22
11       u    6           12
8       iu    4            8
13      um    3            6
14      us    3            6
5        ī    2            4
2        e    1            2
3       es    1            2
7      isu    1            2
9       mu    1            2
12       ū    1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1        -   25           50
4        i   20           40
10       s   17           34
6       is   11           22
11       u    7           14
8       iu    4            8
13      um    3            6
14      us    3            6
5        ī    2            4
2        e    1            2
3       es    1            2
7      isu    1            2
9       mu    1            2
12       ū    1            2
```
[1] "m4PlNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1       -   18           36
5       s   13           26
```

```
3     i    5            10
6     u    5            10
4    is    4             8
9    us    2             4
2    es    1             2
7     ū    1             2
8    um    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   19            38
5     s   14            28
6     u    6            12
3     i    5            10
4    is    4             8
9    us    2             4
2    es    1             2
7     ū    1             2
8    um    1             2
[1] "m5Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
4      e   19            38
6     es   17            34
8      i   16            32
1      -   15            30
18     s   15            30
12    is   14            28
7     ēs    7            14
2      a    4             8
14    iu    4             8
9      ī    2             4
10   ibus   2             4
3     as    1             2
5    eis    1             2
11   ies    1             2
13    īs    1             2
15    īu    1             2
16     m    1             2
17    mu    1             2
[1] "m5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
10     s   15            30
1      -   13            26
5     es    6            12
8     is    6            12
2      a    3             6
6     ēs    3             6
```

```
3      as   1            2
4       e   1            2
7       i   1            2
9      īs   1            2
[1] "fPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a  38           76
10      e  21           42
1       -  19           38
12     es  19           38
14      i  19           38
7      as  18           36
22      s  18           36
18     is  15           30
13     ēs  11           22
3     aes   4            8
20     iu   4            8
9     bus   2            4
15      ī   2            4
16   ibus   2            4
4      ai   1            2
5      am   1            2
6     amu   1            2
8     asu   1            2
11    eis   1            2
17    ies   1            2
19     īs   1            2
21     mu   1            2
23      u   1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a  38           76
1       -  32           64
25      s  25           50
10      e  23           46
15      i  22           44
13     es  21           42
7      as  19           38
19     is  15           30
14     ēs  12           24
26      u   6           12
3     aes   4            8
21     iu   4            8
16      ī   3            6
28     um   3            6
29     us   3            6
9     bus   2            4
17   ibus   2            4
18    ies   2            4
4      ai   1            2
5      am   1            2
6     amu   1            2
8     asu   1            2
```

```
11       ē    1            2
12     eis    1            2
20      īs    1            2
22      īu    1            2
23       m    1            2
24      mu    1            2
27       ū    1            2
```
[1] "fPlNom"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	33	66
11	s	16	32
4	as	14	28
1	-	12	24
5	es	8	16
9	is	7	14
6	ēs	3	6
3	aes	2	4
7	i	2	4
8	ies	1	2
10	īs	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
2	a	33	66
1	-	27	54
12	s	24	48
4	as	14	28
10	is	10	20
6	es	9	18
8	i	6	12
13	u	4	8
7	ēs	3	6
3	aes	2	4
9	ies	2	4
16	us	2	4
5	e	1	2
11	īs	1	2
14	ū	1	2
15	um	1	2

[1] "f1Pl"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
2	a	38	76
7	as	18	36
3	aes	4	8
14	s	4	8
1	-	2	4
9	bus	2	4
4	ai	1	2
5	am	1	2
6	amu	1	2
8	asu	1	2
10	ī	1	2
11	ibus	1	2

```
12     is    1              2
13     iu    1              2
15      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   38             76
7      as   19             38
3     aes    4              8
15      s    4              8
1       -    2              4
9     bus    2              4
4      ai    1              2
5      am    1              2
6     amu    1              2
8     asu    1              2
10      i    1              2
11      ī    1              2
12   ibus    1              2
13     is    1              2
14     iu    1              2
16      u    1              2
[1] "f1PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   33             66
3     as   14             28
2    aes    2              4
4      s    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      a   33             66
3     as   14             28
2    aes    2              4
4      s    1              2
[1] "f2Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   30             60
10      s   20             40
5       i   19             38
7      is    9             18
2       a    4              8
3       e    4              8
4      es    2              4
6       ī    2              4
8      iu    2              4
9      mu    1              2
11      u    1              2
12     us    1              2
[1] "f2PlNom"
[1] "Endings occuring 10 times or less excluded"
```

```
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   23             46
7      s   16             32
2      a    3              6
4     es    2              4
5      i    2              4
6     is    2              4
3      e    1              2
8     us    1              2
[1] "f3Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3       e   21             42
5      es   19             38
7       i   18             36
15      s   17             34
1       -   16             32
11     is   15             30
6      ēs   11             22
13     iu    4              8
8       ī    2              4
9    ibus    2              4
2       a    1              2
4     eis    1              2
10    ies    1              2
12     īs    1              2
14     mu    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3       e   21             42
5      es   20             40
7       i   19             38
15      s   18             36
1       -   16             32
11     is   15             30
6      ēs   12             24
13     iu    4              8
8       ī    2              4
9    ibus    2              4
2       a    1              2
4     eis    1              2
10    ies    1              2
12     īs    1              2
14     mu    1              2
[1] "f3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
9      s   16             32
1      -   12             24
3     es    8             16
7     is    7             14
```

```
4    ēs   3          6
5     i   2          4
2     a   1          2
6   ies   1          2
8    īs   1          2
[1] "All Endings Included"
  Suffix freq Percent_Trials
9     s  18         36
1     -  12         24
3    es   9         18
7    is   7         14
4    ēs   3          6
5     i   2          4
2     a   1          2
6   ies   1          2
8    īs   1          2
[1] "f4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -  24         48
5      i  18         36
10     s  16         32
7     is  11         22
11     u   5         10
8     iu   4          8
13    um   3          6
14    us   3          6
3      e   2          4
6      ī   2          4
2      a   1          2
4     es   1          2
9     mu   1          2
12     ū   1          2
[1] "f4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -  19         38
5      s  13         26
3      i   5         10
4     is   4          8
6      u   4          8
9     us   2          4
2     es   1          2
7      ū   1          2
8     um   1          2
[1] "f5Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
```

```
4      es  13            26
6       i  13            26
1       -  11            22
3       e   9            18
10     is   9            18
14      s   8            16
2       a   3             6
5      ēs   3             6
11     iu   3             6
7       ī   2             4
8    ibus   1             2
9     ies   1             2
12      m   1             2
13     mu   1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3       e  20            40
6      es  19            38
18      s  18            36
1       -  17            34
8       i  17            34
12     is  15            30
7      ēs   8            16
14     iu   4             8
2       a   3             6
9       ī   3             6
10   ibus   2             4
11    ies   2             4
4       ē   1             2
5     eis   1             2
13     īs   1             2
15     īu   1             2
16      m   1             2
17     mu   1             2
[1] "f5PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
9       s  18            36
1       -  15            30
3      es   8            16
7      is   7            14
2       a   3             6
4      ēs   3             6
5       i   1             2
6     ies   1             2
8      īs   1             2
[1] "nPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -  31            62
14      s  22            44
```

```
2       a   18          36
7       i   17          34
10     is   11          22
4       e    7          14
5      es    5          10
3      as    3           6
11     iu    3           6
6      ēs    2           4
8       ī    2           4
9    ibus    2           4
15      u    2           4
12      m    1           2
13     mu    1           2
16     us    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1       -   35          70
15      s   24          48
7       i   20          40
2       a   18          36
10     is   13          26
4       e    9          18
16      u    7          14
5      es    5          10
12     iu    4           8
18     um    4           8
3      as    3           6
19     us    3           6
6      ēs    2           4
8       ī    2           4
9    ibus    2           4
11    isu    1           2
13      m    1           2
14     mu    1           2
17      ū    1           2
```
[1] "nPlNom"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
1       -   22          44
8       s   19          38
2       a   14          28
7      is    4           8
5      es    3           6
3      as    2           4
6       i    2           4
4       e    1           2
9      us    1           2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1       -   28          56
8       s   21          42
2       a   15          30
7      is    7          14
6       i    4           8
```

```
9        u     4            8
5       es     3            6
3       as     2            4
12      us     2            4
4        e     1            2
10       ū     1            2
11      um     1            2
```
[1] "n2Pl"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	31	62
12	s	20	40
6	i	16	32
2	a	15	30
8	is	8	16
3	as	3	6
4	e	2	4
5	es	2	4
7	ī	2	4
13	u	2	4
9	iu	1	2
10	m	1	2
11	mu	1	2
14	us	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	31	62
12	s	20	40
6	i	16	32
2	a	15	30
8	is	9	18
3	as	3	6
4	e	2	4
5	es	2	4
7	ī	2	4
13	u	2	4
9	iu	1	2
10	m	1	2
11	mu	1	2
14	us	1	2

[1] "n2PlNom"
[1] "Endings occuring 10 times or less excluded"

	Suffix	freq	Percent_Trials
1	-	21	42
7	s	16	32
2	a	11	22
3	as	1	2
4	es	1	2
5	i	1	2
6	is	1	2
8	us	1	2

[1] "All Endings Included"

	Suffix	freq	Percent_Trials
1	-	21	42

```
7      s    16            32
2      a    11            22
3      as    1             2
4      es    1             2
5       i    1             2
6      is    1             2
8      us    1             2
[1] "n3Pl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   19            38
14       s   17            34
7        i   15            30
2        a   14            28
10      is   10            20
4        e    5            10
5       es    5            10
11      iu    3             6
3       as    2             4
6       ēs    2             4
8        ī    2             4
9     ibus    2             4
12       m    1             2
13      mu    1             2
15       u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
14       s   20            40
1        -   19            38
2        a   15            30
7        i   15            30
10      is   11            22
4        e    8            16
5       es    5            10
11      iu    3             6
3       as    2             4
6       ēs    2             4
8        ī    2             4
9     ibus    2             4
12       m    1             2
13      mu    1             2
15       u    1             2
[1] "n3PlNom"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
8        s   17            34
1        -   13            26
2        a   11            22
7       is    4             8
5       es    3             6
3       as    1             2
4        e    1             2
6        i    1             2
[1] "All Endings Included"
```

```
  Suffix freq Percent_Trials
8     s   18            36
1     -   13            26
2     a   12            24
7    is    4             8
5    es    3             6
3    as    1             2
4     e    1             2
6     i    1             2
[1] "n4Pl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   26            52
4      i   19            38
10     s   17            34
6     is    9            18
11     u    5            10
8     iu    4             8
13    um    4             8
14    us    3             6
5      ī    2             4
2      e    1             2
3     es    1             2
7    isu    1             2
9     mu    1             2
12     ū    1             2
[1] "n4PlNom"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   20            40
5      s   14            28
3      i    4             8
6      u    4             8
4     is    3             6
9     us    2             4
2     es    1             2
7      ū    1             2
8     um    1             2
[1] "AccPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   34            68
2      a   34            68
5      e   21            42
7     es   17            34
11     s   17            34
4     as   14            28
8     ēs   11            22
```

```
9      i   6            12
10     is  5            10
12     u   5            10
3     aes  4             8
14     um  3             6
15     us  2             4
6     eis  1             2
13     ū   1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -  35            70
2       a  34            68
6       e  23            46
9      es  20            40
13      s  18            36
5      as  14            28
10     ēs  12            24
11      i   6            12
12     is   6            12
14      u   6            12
3     aes   4             8
16     um   4             8
17     us   2             4
4      am   1             2
7       ē   1             2
8     eis   1             2
15      ū   1             2
[1] "1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       a  32            64
3      as  14            28
2     aes   4             8
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       a  32            64
5      as  14            28
3     aes   4             8
1       -   1             2
4      am   1             2
[1] "2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1       -  31            62
2       a  15            30
8       s  13            26
4       e   3             6
3      as   2             4
5      es   1             2
6       i   1             2
7      is   1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -  32            64
```

```
2     a   15          30
8     s   13          26
4     e    4           8
3    as    3           6
5    es    2           4
6     i    2           4
7    is    2           4
[1] "3PlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       e   20          40
6      es   16          32
2       a   14          28
10      s   14          28
7      ēs   11          22
1       -   10          20
3      as    2           4
8       i    2           4
9      is    2           4
5     eis    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4       e   20          40
6      es   18          36
2       a   16          32
10      s   14          28
7      ēs   12          24
1       -   11          22
3      as    2           4
8       i    2           4
9      is    2           4
5     eis    1           2
[1] "4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   21          42
5      s   11          22
6      u    5          10
3      i    4           8
4     is    3           6
8     um    3           6
9     us    2           4
2     es    1           2
7      ū    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   22          44
7       s   12          24
8       u    6          12
5       i    4           8
6      is    4           8
10     um    4           8
11     us    2           4
2       a    1           2
```

```
3        e    1              2
4       es    1              2
9        ū    1              2
```
[1] "5PlAcc"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
3        e   14             28
5       es   14             28
6       ēs    7             14
1        -    3              6
2        a    2              4
8       is    2              4
4      eis    1              2
7        i    1              2
9        s    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
3        e   18             36
6       es   17             34
7       ēs    8             16
1        -    4              8
2        a    4              8
9       is    2              4
4        ē    1              2
5      eis    1              2
8        i    1              2
10       s    1              2
```
[1] "mPlAcc"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
1        -   33             66
3        e   20             40
5       es   16             32
9        s   14             28
6       ēs   11             22
7        i    6             12
10       u    5             10
8       is    4              8
2        a    3              6
12      um    3              6
13      us    2              4
4      eis    1              2
11       ū    1              2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
1        -   34             68
2        a   32             64
6        e   20             40
8       es   18             36
5       as   14             28
12       s   14             28
9       ēs   12             24
10       i    6             12
13       u    6             12
```

```
11    is    5           10
3     aes   4            8
15    um    3            6
16    us    2            4
4     am    1            2
7     eis   1            2
14     ū    1            2
[1] "m1PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2     a   32             64
5    as   14             28
3   aes    4              8
1     -    1              2
4    am    1              2
[1] "m2PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1     -   29             58
7     s   13             26
2     a    3              6
3     e    3              6
4    es    1              2
5     i    1              2
6    is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1     -   30             60
7     s   13             26
2     a    3              6
3     e    3              6
4    es    1              2
5     i    1              2
6    is    1              2
[1] "m3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2     e   19             38
4    es   15             30
5    ēs   11             22
1     -    4              8
6     i    2              4
8     s    2              4
3   eis    1              2
7    is    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3     e   19             38
5    es   15             30
6    ēs   12             24
1     -    4              8
```

```
7      i    2          4
9      s    2          4
2      a    1          2
4    eis    1          2
8     is    1          2
[1] "m4PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      -   21          42
5      s   11          22
6      u    5          10
3      i    4           8
4     is    3           6
8     um    3           6
9     us    2           4
2     es    1           2
7      ū    1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   21          42
5      s   11          22
6      u    6          12
3      i    4           8
4     is    3           6
8     um    3           6
9     us    2           4
2     es    1           2
7      ū    1           2
[1] "m5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      e   17          34
5     es   15          30
6     ēs    7          14
1      -    3           6
2      a    3           6
8     is    2           4
4    eis    1           2
7      i    1           2
9      s    1           2
[1] "fPlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   32          64
5       e   17          34
4      as   14          28
7      es   14          28
8      ēs   11          22
3     aes    4           8
1       -    3           6
9       i    2           4
```

```
10     is    2               4
11      s    2               4
6     eis    1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   32               64
1       -   29               58
5       e   22               44
8      es   19               38
4      as   14               28
12      s   13               26
9      ēs   12               24
10      i    6               12
11     is    6               12
13      u    5               10
3     aes    4                8
15     um    3                6
16     us    2                4
6       ē    1                2
7     eis    1                2
14      ū    1                2
[1] "f1PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
1      a   32               64
3     as   14               28
2    aes    4                8
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      a   32               64
3     as   14               28
2    aes    4                8
[1] "f2PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   26               52
7      s   12               24
2      a    3                6
3      e    3                6
4     es    2                4
5      i    2                4
6     is    2                4
[1] "f3PlAcc"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      e   17               34
4     es   14               28
5     ēs   11               22
1      -    3                6
6      i    2                4
7     is    2                4
```

```
8      s    2           4
3    eis   1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      e   18          36
4     es   15          30
5     ēs   12          24
1      -    3           6
6      i    2           4
7     is    2           4
8      s    2           4
3    eis    1           2
[1] "f4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1      -   18          36
7      s   11          22
8      u    5          10
5      i    4           8
6     is    4           8
10    um    3           6
11    us    2           4
2      a    1           2
3      e    1           2
4     es    1           2
9      ū    1           2
[1] "f5PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      e   17          34
6     es   17          34
7     ēs    8          16
1      -    4           8
2      a    3           6
9     is    2           4
4      ē    1           2
5    eis    1           2
8      i    1           2
10     s    1           2
[1] "nPlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1      -   22          44
2      a   18          36
9      s   15          30
4      e    5          10
5     es    4           8
3     as    2           4
```

```
6       ēs    2              4
7        i    2              4
8       is    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   30             60
2        a   18             36
9        s   16             32
4        e    7             14
5       es    4              8
7        i    4              8
10       u    4              8
12      um    4              8
3       as    3              6
8       is    3              6
6       ēs    2              4
13      us    2              4
11       ū    1              2
[1] "n2PlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   20             40
2        a   15             30
6        s   11             22
3       as    2              4
4       es    1              2
5        i    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   22             44
2        a   15             30
6        s   12             24
3       as    3              6
4       es    1              2
5        i    1              2
[1] "n3PlAcc"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2        a   14             28
9        s   13             26
1        -    9             18
4        e    5             10
5       es    3              6
3       as    2              4
6       ēs    2              4
7        i    1              2
8       is    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a   15             30
9        s   13             26
1        -   10             20
4        e    7             14
5       es    4              8
```

```
3     as    2           4
6     ēs    2           4
7      i    1           2
8     is    1           2
[1] "n4PlAcc"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1      -   22           44
5      s   11           22
6      u    4            8
8     um    4            8
3      i    3            6
4     is    2            4
9     us    2            4
2     es    1            2
7      ū    1            2
[1] "GenPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33           66
1       -   19           38
10      i   18           36
19      s   13           26
14     is   12           24
6      as    8           16
16     iu    3            6
11      ī    2            4
20      u    2            4
3      ai    1            2
4      am    1            2
5     amu    1            2
7     asu    1            2
8     bus    1            2
9       e    1            2
12   ibus    1            2
13    ies    1            2
15    isu    1            2
17      m    1            2
18     mu    1            2
21      ū    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33           66
1       -   21           42
10      i   20           40
19      s   16           32
14     is   14           28
6      as   10           20
16     iu    3            6
20      u    3            6
11      ī    2            4
```

```
3      ai   1          2
4      am   1          2
5     amu   1          2
7     asu   1          2
8     bus   1          2
9       e   1          2
12   ibus   1          2
13    ies   1          2
15    isu   1          2
17      m   1          2
18     mu   1          2
21      ū   1          2
[1] "1PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33         66
6      as    8         16
9       s    3          6
1       -    1          2
3      ai    1          2
4      am    1          2
5     amu    1          2
7     asu    1          2
8     bus    1          2
10      u    1          2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33         66
6      as   10         20
1       -    3          6
10      s    3          6
3      ai    1          2
4      am    1          2
5     amu    1          2
7     asu    1          2
8     bus    1          2
9       i    1          2
11      u    1          2
[1] "2PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   17         34
4       i   16         32
10      s   12         24
6      is    8         16
2       a    3          6
5       ī    2          4
11      u    2          4
3       e    1          2
7      iu    1          2
8       m    1          2
9      mu    1          2
[1] "All Endings Included"
   Suffix freq Percent_Trials
```

```
1      -    19             38
5      i    16             32
11     s    12             24
7     is     9             18
2      a     3              6
6      ī     2              4
12     u     2              4
3     as     1              2
4      e     1              2
8     iu     1              2
9      m     1              2
10    mu     1              2
[1] "3PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4      i    16             32
1      -    14             28
8     is    10             20
12     s     9             18
2      a     3              6
9     iu     3              6
5      ī     2              4
3      e     1              2
6   ibus     1              2
7    ies     1              2
10     m     1              2
11    mu     1              2
13     u     1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4      i    16             32
1      -    15             30
12     s    11             22
8     is    10             20
2      a     3              6
9     iu     3              6
5      ī     2              4
3      e     1              2
6   ibus     1              2
7    ies     1              2
10     m     1              2
11    mu     1              2
13     u     1              2
[1] "4PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      i    16             32
4     is    10             20
1      -     9             18
8      s     8             16
3      ī     2              4
6     iu     2              4
5    isu     1              2
7     mu     1              2
```

```
9       ū    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        i   17             34
8        s   12             24
1        -   10             20
4       is   10             20
6       iu    3              6
3        ī    2              4
5      isu    1              2
7       mu    1              2
9        u    1              2
10       ū    1              2
[1] "5PlGen"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
4        i   13             26
8       is    8             16
11       s    7             14
1        -    6             12
9       iu    3              6
5        ī    2              4
2        a    1              2
3        e    1              2
6     ibus    1              2
7      ies    1              2
10      mu    1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
4        i   15             30
1        -   11             22
8       is   10             20
12       s   10             20
9       iu    3              6
5        ī    2              4
2        a    1              2
3        e    1              2
6     ibus    1              2
7      ies    1              2
10       m    1              2
11      mu    1              2
[1] "mPlGen"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
3        i   18             36
1        -   14             28
11       s   12             24
7       is   11             22
9       iu    3              6
4        ī    2              4
2        e    1              2
5     ibus    1              2
6      ies    1              2
8      isu    1              2
```

```
10      mu      1               2
12       u      1               2
13       ū      1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a     30              60
10       i     19              38
1        -     15              30
19       s     14              28
14      is     11              22
6       as      9              18
16      iu      3               6
11       ī      2               4
20       u      2               4
3       ai      1               2
4       am      1               2
5      amu      1               2
7      asu      1               2
8      bus      1               2
9        e      1               2
12     ibus     1               2
13     ies      1               2
15     isu      1               2
17       m      1               2
18      mu      1               2
21       ū      1               2
[1] "m1PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2        a     29              58
6       as      9              18
1        -      3               6
10       s      3               6
3       ai      1               2
4       am      1               2
5      amu      1               2
7      asu      1               2
8      bus      1               2
9        i      1               2
11       u      1               2
[1] "m2PlGen"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3        i     16              32
8        s     12              24
1        -     11              22
5       is      8              16
4        ī      2               4
2        e      1               2
6       iu      1               2
7       mu      1               2
```

```
9      u     1                2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
4       i    16               32
9       s    12               24
1       -    11               22
6      is     8               16
5       ī     2                4
2       a     1                2
3       e     1                2
7      iu     1                2
8      mu     1                2
10      u     1                2
```
[1] "m3PlGen"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
3       i    16               32
1       -     9               18
7      is     9               18
10      s     8               16
8      iu     3                6
4       ī     2                4
2       e     1                2
5    ibus     1                2
6     ies     1                2
9      mu     1                2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
3       i    16               32
1       -     9               18
7      is     9               18
10      s     9               18
8      iu     3                6
4       ī     2                4
2       e     1                2
5    ibus     1                2
6     ies     1                2
9      mu     1                2
```
[1] "m4PlGen"
[1] "Endings occuring 10 times or less excluded"
```
  Suffix freq Percent_Trials
2      i    16               32
4     is    10               20
1      -     9               18
8      s     8               16
3      ī     2                4
6     iu     2                4
5    isu     1                2
7     mu     1                2
9      ū     1                2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       i    16               32
1       -    10               20
```

```
4       is   10            20
8        s   10            20
6       iu    3             6
3        ī    2             4
5      isu    1             2
7       mu    1             2
9        u    1             2
10       ū    1             2
```
[1] "m5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix   freq   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
4       i   15            30
8      is    9            18
1       -    8            16
12      s    7            14
9      iu    3             6
5       ī    2             4
2       a    1             2
3       e    1             2
6    ibus    1             2
7     ies    1             2
10      m    1             2
11     mu    1             2
```
[1] "fPlGen"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
2       a   33            66
10      i   16            32
1       -   10            20
14     is   10            20
17      s    9            18
6      as    8            16
15     iu    3             6
11      ī    2             4
3      ai    1             2
4      am    1             2
5     amu    1             2
7     asu    1             2
8     bus    1             2
9       e    1             2
12   ibus    1             2
13    ies    1             2
16     mu    1             2
18      u    1             2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   33            66
1       -   19            38
10      i   18            36
18      s   15            30
14     is   12            24
```

```
6      as   10          20
15     iu    3           6
11      ī    2           4
3      ai    1           2
4      am    1           2
5     amu    1           2
7     asu    1           2
8     bus    1           2
9       e    1           2
12   ibus    1           2
13    ies    1           2
16      m    1           2
17     mu    1           2
19      u    1           2
20      ū    1           2
[1] "f1PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   33          66
6      as    8          16
9       s    3           6
1       -    1           2
3      ai    1           2
4      am    1           2
5     amu    1           2
7     asu    1           2
8     bus    1           2
10      u    1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   33          66
6      as   10          20
9       s    3           6
1       -    2           4
3      ai    1           2
4      am    1           2
5     amu    1           2
7     asu    1           2
8     bus    1           2
10      u    1           2
[1] "f2PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   13          26
3       i   13          26
8       s   12          24
5      is    6          12
4       ī    2           4
2       e    1           2
6      iu    1           2
7      mu    1           2
```

```
9    u    1              2
[1] "f3PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
3      i    15            30
7     is    10            20
1      -     9            18
10     s     8            16
8     iu     3             6
4      ī     2             4
2      e     1             2
5   ibus     1             2
6    ies     1             2
9     mu     1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
3      i    16            32
7     is    10            20
10     s    10            20
1      -     9            18
8     iu     3             6
4      ī     2             4
2      e     1             2
5   ibus     1             2
6    ies     1             2
9     mu     1             2
[1] "f4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      i    16            32
7      s    11            22
1      -     9            18
4     is     8            16
5     iu     3             6
3      ī     2             4
6     mu     1             2
8      ū     1             2
[1] "f5PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
4      i    13            26
1      -    11            22
8     is    10            20
12     s    10            20
9     iu     3             6
5      ī     2             4
2      a     1             2
3      e     1             2
```

```
6    ibus    1           2
7     ies    1           2
10      m    1           2
11     mu    1           2
[1] "nPlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   17           34
4       i   12           24
11      s   10           20
7      is    8           16
2       a    3            6
5       ī    2            4
8      iu    2            4
12      u    2            4
3       e    1            2
6    ibus    1            2
9       m    1            2
10     mu    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   18           36
5       i   18           36
8      is   11           22
13      s   11           22
2       a    4            8
10     iu    3            6
6       ī    2            4
14      u    2            4
3      as    1            2
4       e    1            2
7    ibus    1            2
9     isu    1            2
11      m    1            2
12     mu    1            2
15      ū    1            2
[1] "n2PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   17           34
4       i   11           22
9       s   10           20
6      is    5           10
2       a    2            4
5       ī    2            4
10      u    2            4
3       e    1            2
7       m    1            2
8      mu    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   17           34
5       i   11           22
10      s   10           20
```

```
7      is    6              12
2       a    3               6
6       ī    2               4
11      u    2               4
3      as    1               2
4       e    1               2
8       m    1               2
9      mu    1               2
[1] "n3PlGen"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -   14             28
3        i   11             22
6       is    8             16
10       s    8             16
2        a    3              6
4        ī    2              4
7       iu    2              4
5     ibus    1              2
8        m    1              2
9       mu    1              2
11       u    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
1       -   15             30
3       i   13             26
6      is    8             16
10      s    8             16
2       a    3              6
4       ī    2              4
7      iu    2              4
5    ibus    1              2
8       m    1              2
9      mu    1              2
11      u    1              2
[1] "n4PlGen"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
2       i   17             34
1       -   10             20
4      is    9             18
8       s    9             18
6      iu    3              6
3       ī    2              4
5     isu    1              2
7      mu    1              2
9       ū    1              2
[1] "DatPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   31             62
```

```
10     i  19          38
1      -  18          36
6     as  13          26
17     s  11          22
13    is  10          20
8      e   7          14
9     es   3           6
14    iu   3           6
11     ī   2           4
18     u   2           4
3     ai   1           2
4     am   1           2
5    amu   1           2
7    asu   1           2
12   ies   1           2
15     m   1           2
16    mu   1           2
19     ū   1           2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2      a  31          62
10     i  21          42
1      -  19          38
17     s  14          28
6     as  13          26
13    is  11          22
8      e   9          18
9     es   3           6
14    iu   3           6
11     ī   2           4
18     u   2           4
3     ai   1           2
4     am   1           2
5    amu   1           2
7    asu   1           2
12   ies   1           2
15     m   1           2
16    mu   1           2
19     ū   1           2
[1] "1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2      a  31          62
6     as  13          26
1      -   1           2
3     ai   1           2
4     am   1           2
5    amu   1           2
7    asu   1           2
8      s   1           2
9      u   1           2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2      a  31          62
```

```
6     as    13              26
1      -     2               4
8      s     2               4
3     ai     1               2
4     am     1               2
5    amu     1               2
7    asu     1               2
9      u     1               2
[1] "2PlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -    17              34
5       i    15              30
11      s    10              20
7      is     6              12
2       a     4               8
4       e     2               4
6       ī     2               4
12      u     2               4
3      as     1               2
8      iu     1               2
9       m     1               2
10     mu     1               2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -    18              36
5       i    17              34
11      s    12              24
7      is     8              16
2       a     4               8
4       e     2               4
6       ī     2               4
12      u     2               4
3      as     1               2
8      iu     1               2
9       m     1               2
10     mu     1               2
[1] "3PlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5       i    17              34
1       -    16              32
8      is     9              18
12      s     9              18
3       e     7              14
2       a     3               6
4      es     3               6
9      iu     3               6
6       ī     2               4
7     ies     1               2
10      m     1               2
11     mu     1               2
13      u     1               2
[1] "All Endings Included"
```

```
    Suffix freq Percent_Trials
5       i   19             38
1       -   16             32
8      is   11             22
12      s   10             20
3       e    8             16
2       a    3              6
4      es    3              6
9      iu    3              6
6       ī    2              4
7     ies    1              2
10      m    1              2
11     mu    1              2
13      u    1              2
[1] "4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       i   16             32
1       -   11             22
5      is    8             16
8       s    8             16
6      iu    3              6
4       ī    2              4
2       e    1              2
7      mu    1              2
9       ū    1              2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       i   17             34
1       -   11             22
8       s   10             20
5      is    8             16
6      iu    3              6
4       ī    2              4
2       e    1              2
7      mu    1              2
9       ū    1              2
[1] "5PlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
5        i   12             24
3        e    7             14
8       is    7             14
1        -    4              8
11       s    4              8
4       es    3              6
9       iu    3              6
6        ī    2              4
2        a    1              2
7      ies    1              2
10      mu    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
5        i   15             30
```

```
3       e    8           16
8      is    8           16
1       -    7           14
12      s    5           10
4      es    3            6
9      iu    3            6
6       ī    2            4
2       a    1            2
7     ies    1            2
10      m    1            2
11     mu    1            2
```
[1] "mPlDat"
[1] "Endings occuring 10 times or less excluded"
```
   Suffix freq Percent_Trials
5       i   19           38
1       -   14           28
11      s   10           20
8      is    9           18
3       e    7           14
4      es    3            6
9      iu    3            6
6       ī    2            4
2       a    1            2
7     ies    1            2
10     mu    1            2
12      u    1            2
13      ū    1            2
```
[1] "All Endings Included"
```
   Suffix freq Percent_Trials
2       a   31           62
10      i   20           40
1       -   15           30
6      as   12           24
17      s   12           24
13     is    9           18
8       e    8           16
9      es    3            6
14     iu    3            6
11      ī    2            4
3      ai    1            2
4      am    1            2
5     amu    1            2
7     asu    1            2
12    ies    1            2
15      m    1            2
16     mu    1            2
18      u    1            2
19      ū    1            2
```
[1] "m1PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix   freq   Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
```
  Suffix freq Percent_Trials
```

```
2      a   31             62
6     as   12             24
1      -    2              4
8      s    2              4
3     ai    1              2
4     am    1              2
5    amu    1              2
7    asu    1              2
9      u    1              2
[1] "m2PlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       i   15             30
1       -   14             28
9       s   10             20
6      is    6             12
5       ī    2              4
2       a    1              2
3       e    1              2
7      iu    1              2
8      mu    1              2
10      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4       i   16             32
1       -   14             28
9       s   12             24
6      is    8             16
3       e    2              4
5       ī    2              4
2       a    1              2
7      iu    1              2
8      mu    1              2
10      u    1              2
[1] "m3PlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       i   17             34
7      is    8             16
1       -    7             14
2       e    7             14
10      s    4              8
3      es    3              6
8      iu    3              6
5       ī    2              4
6     ies    1              2
9      mu    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4       i   18             36
7      is    9             18
2       e    8             16
1       -    7             14
10      s    5             10
```

```
3      es   3                6
8      iu   3                6
5       ī   2                4
6     ies   1                2
9      mu   1                2
[1] "m4PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3      i   16               32
1      -   11               22
5     is    8               16
8      s    8               16
6     iu    3                6
4      ī    2                4
2      e    1                2
7     mu    1                2
9      ū    1                2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   17               34
1      -   11               22
8      s    9               18
5     is    8               16
6     iu    3                6
4      ī    2                4
2      e    1                2
7     mu    1                2
9      ū    1                2
[1] "m5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
5       i   15               30
8      is    8               16
3       e    7               14
1       -    4                8
12      s    4                8
4      es    3                6
9      iu    3                6
6       ī    2                4
2       a    1                2
7     ies    1                2
10      m    1                2
11     mu    1                2
[1] "fPlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2       a   31               62
10      i   14               28
6      as   13               26
13     is    9               18
1       -    8               16
```

```
8        e    7              14
16       s    5              10
9       es    3               6
14      iu    3               6
11       ī    2               4
3       ai    1               2
4       am    1               2
5      amu    1               2
7      asu    1               2
12     ies    1               2
15      mu    1               2
17       u    1               2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2        a   31              62
10       i   19              38
1        -   17              34
6       as   13              26
17       s   13              26
13      is   11              22
8        e    8              16
9       es    3               6
14      iu    3               6
11       ī    2               4
3       ai    1               2
4       am    1               2
5      amu    1               2
7      asu    1               2
12     ies    1               2
15       m    1               2
16      mu    1               2
18       u    1               2
19       ū    1               2
[1] "f1PlDat"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
2        a   31              62
6       as   13              26
1        -    1               2
3       ai    1               2
4       am    1               2
5      amu    1               2
7      asu    1               2
8        s    1               2
9        u    1               2
[1] "All Endings Included"
  Suffix freq Percent_Trials
2        a   31              62
6       as   13              26
1        -    1               2
3       ai    1               2
4       am    1               2
5      amu    1               2
7      asu    1               2
```

```
8      s    1              2
9      u    1              2
[1] "f2PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   13             26
4       i   13             26
9       s   10             20
6      is    6             12
3       e    2              4
5       ī    2              4
2       a    1              2
7      iu    1              2
8      mu    1              2
10      u    1              2
[1] "f3PlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       i   14             28
7      is    9             18
1       -    7             14
2       e    7             14
10      s    4              8
3      es    3              6
8      iu    3              6
5       ī    2              4
6     ies    1              2
9      mu    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4       i   16             32
7      is   10             20
1       -    7             14
2       e    7             14
10      s    6             12
3      es    3              6
8      iu    3              6
5       ī    2              4
6     ies    1              2
9      mu    1              2
[1] "f4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq           Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   16             32
1      -   10             20
8      s    9             18
5     is    7             14
6     iu    3              6
```

```
4        ī     2                4
2        e     1                2
7       mu     1                2
9        ū     1                2
[1] "f5PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
5        i    14               28
3        e     8               16
8       is     8               16
1        -     7               14
12       s     5               10
4       es     3                6
9       iu     3                6
6        ī     2                4
2        a     1                2
7      ies     1                2
10       m     1                2
11      mu     1                2
[1] "nPlDat"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1        -    15               30
6        i    14               28
12       s    10               20
8       is     7               14
2        a     5               10
4        e     2                4
7        ī     2                4
9       iu     2                4
13       u     2                4
3       as     1                2
5       es     1                2
10       m     1                2
11      mu     1                2
[1] "All Endings Included"
   Suffix freq Percent_Trials
6        i    17               34
1        -    15               30
12       s    10               20
8       is     9               18
2        a     5               10
9       iu     3                6
4        e     2                4
7        ī     2                4
13       u     2                4
3       as     1                2
5       es     1                2
10       m     1                2
11      mu     1                2
14       ū     1                2
```

```
[1]  "n2PlDat"
[1]  "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   15          30
5       i   12          24
10      s   10          20
7      is    5          10
2       a    4           8
4       e    2           4
6       ī    2           4
11      u    2           4
3      as    1           2
8       m    1           2
9      mu    1           2
[1]  "All Endings Included"
   Suffix freq Percent_Trials
1       -   15          30
5       i   12          24
10      s   10          20
7      is    5          10
2       a    4           8
4       e    2           4
6       ī    2           4
11      u    2           4
3      as    1           2
8       m    1           2
9      mu    1           2
[1]  "n3PlDat"
[1]  "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   15          30
4       i   12          24
10      s    8          16
6      is    6          12
2       a    3           6
5       ī    2           4
7      iu    2           4
3      es    1           2
8       m    1           2
9      mu    1           2
11      u    1           2
[1]  "All Endings Included"
   Suffix freq Percent_Trials
1       -   15          30
5       i   13          26
11      s    8          16
7      is    7          14
2       a    3           6
6       ī    2           4
8      iu    2           4
3       e    1           2
4      es    1           2
9       m    1           2
10     mu    1           2
```

```
12      u   1             2
[1] "n4PlDat"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
3      i   16            32
1      -   11            22
5     is    8            16
8      s    8            16
6     iu    3             6
4      ī    2             4
2      e    1             2
7     mu    1             2
9      ū    1             2
[1] "AblPl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   31            62
1       -   17            34
8       i   17            34
14      s   17            34
12     is   12            24
4      as   11            22
7      es    8            16
6       e    7            14
13     iu    4             8
15      u    4             8
5     bus    2             4
9       ī    2             4
10   ibus    2             4
18     us    2             4
3      ai    1             2
11    ies    1             2
16      ū    1             2
17     um    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   31            62
8       i   19            38
1       -   18            36
15      s   18            36
12     is   13            26
4      as   11            22
7      es    9            18
6       e    7            14
13     iu    4             8
16      u    4             8
9       ī    3             6
5     bus    2             4
10   ibus    2             4
19     us    2             4
3      ai    1             2
```

```
11    ies    1              2
14     īu    1              2
17     ū    1              2
18     um    1              2
[1] "1PlAbl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
2      a    31             62
4     as    11             22
1      -     2              4
5    bus     2              4
10     s     2              4
3     ai     1              2
6      ī     1              2
7    ibus    1              2
8     is     1              2
9     iu     1              2
11     u     1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
2      a    31             62
4     as    11             22
1      -     2              4
5    bus     2              4
11     s     2              4
3     ai     1              2
6      i     1              2
7      ī     1              2
8    ibus    1              2
9     is     1              2
10    iu     1              2
12     u     1              2
[1] "2PlAbl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
5      i    15             30
9      s    15             30
1      -    14             28
7     is     7             14
2      a     2              4
3      e     2              4
6      ī     2              4
10     u     2              4
4     es     1              2
8     iu     1              2
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      -    15             30
5      i    15             30
9      s    15             30
7     is     8             16
2      a     2              4
3      e     2              4
6      ī     2              4
```

```
10       u    2             4
4        es   1             2
8        iu   1             2
```
[1] "3PlAbl"
[1] "Endings occuring 10 times or less excluded"
```
    Suffix freq Percent_Trials
5        i   14            28
1        -   13            26
9       is   12            24
11       s    9            18
4       es    8            16
3        e    7            14
10      iu    4             8
2        a    2             4
6        ī    2             4
7     ibus    2             4
8      ies    1             2
12       u    1             2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
5        i   14            28
1        -   13            26
9       is   12            24
11       s   11            22
4       es    8            16
3        e    7            14
10      iu    4             8
2        a    3             6
6        ī    2             4
7     ibus    2             4
8      ies    1             2
12       u    1             2
```
[1] "4PlAbl"
[1] "Endings occuring 10 times or less excluded"
```
    Suffix freq Percent_Trials
1        -   12            24
6        s   12            24
2        i   10            20
4       is    5            10
5       iu    3             6
3        ī    2             4
7        u    2             4
10      us    2             4
8        ū    1             2
9       um    1             2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
1        -   13            26
6        s   13            26
2        i   11            22
4       is    9            18
5       iu    3             6
3        ī    2             4
7        u    2             4
```

```
10      us      2               4
8        ū      1               2
9       um      1               2
```
[1] "5PlAbl"
[1] "Endings occuring 10 times or less excluded"
```
    Suffix freq Percent_Trials
5        i   10              20
9       is   10              20
4       es    7              14
3        e    6              12
10      iu    3               6
1        -    2               4
6        ī    2               4
7     ibus    2               4
2        a    1               2
8      ies    1               2
11       s    1               2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
5        i   13              26
9       is   11              22
3        e    7              14
4       es    7              14
1        -    4               8
10      iu    4               8
6        ī    3               6
7     ibus    2               4
12       s    2               4
2        a    1               2
8      ies    1               2
11      īu    1               2
```
[1] "mPlAbl"
[1] "Endings occuring 10 times or less excluded"
```
    Suffix freq Percent_Trials
4        i   17              34
10       s   15              30
1        -   13              26
8       is   12              24
3       es    7              14
2        e    6              12
9       iu    4               8
11       u    3               6
5        ī    2               4
6     ibus    2               4
14      us    2               4
7      ies    1               2
12       ū    1               2
13      um    1               2
```
[1] "All Endings Included"
```
    Suffix freq Percent_Trials
2        a   31              62
8        i   19              38
15       s   16              32
1        -   14              28
```

```
12     is   12            24
4      as   11            22
7      es    8            16
6       e    7            14
13     iu    4             8
16      u    3             6
5     bus    2             4
9       ī    2             4
10   ibus    2             4
19     us    2             4
3      ai    1             2
11    ies    1             2
14     īu    1             2
17      ū    1             2
18     um    1             2
[1] "m1PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix        freq        Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   31            62
4      as   11            22
5     bus    2             4
1       -    1             2
3      ai    1             2
6       i    1             2
7       ī    1             2
8    ibus    1             2
9      is    1             2
10     iu    1             2
11      s    1             2
12      u    1             2
[1] "m2PlAbl"
[1] "Endings occuring 10 times or less excluded"
  Suffix freq Percent_Trials
3       i   14            28
7       s   14            28
1       -   11            22
5      is    7            14
2       e    2             4
4       ī    2             4
6      iu    1             2
8       u    1             2
[1] "All Endings Included"
  Suffix freq Percent_Trials
3       i   15            30
7       s   15            30
1       -   12            24
5      is    7            14
2       e    2             4
4       ī    2             4
6      iu    1             2
8       u    1             2
```

```
[1] "m3PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       i   13            26
8      is   12            24
3      es    7            14
2       e    6            12
9      iu    4             8
1       -    2             4
5       ī    2             4
6    ibus    2             4
10      s    2             4
7     ies    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
4       i   13            26
8      is   12            24
2       e    7            14
3      es    7            14
9      iu    4             8
1       -    2             4
5       ī    2             4
6    ibus    2             4
10      s    2             4
7     ies    1             2
[1] "m4PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -   12            24
6       s   12            24
2       i   10            20
4      is    5            10
5      iu    3             6
3       ī    2             4
7       u    2             4
10     us    2             4
8       ū    1             2
9      um    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -   12            24
6       s   12            24
2       i   11            22
4      is    5            10
5      iu    3             6
3       ī    2             4
7       u    2             4
10     us    2             4
8       ū    1             2
9      um    1             2
[1] "m5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
```

```
[1] "All Endings Included"
   Suffix freq Percent_Trials
5       i   12             24
9      is   11             22
4      es    7             14
3       e    6             12
10     iu    3              6
1       -    2              4
6       ī    2              4
7    ibus    2              4
12      s    2              4
2       a    1              2
8     ies    1              2
11     īu    1              2
[1] "fPlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   31             62
8       i   13             26
12     is   12             24
4      as   11             22
6       e    7             14
7      es    7             14
1       -    4              8
13     iu    4              8
14      s    4              8
5     bus    2              4
9       ī    2              4
10   ibus    2              4
3      ai    1              2
11    ies    1              2
15      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   31             62
1       -   17             34
8       i   16             32
15      s   15             30
12     is   13             26
4      as   11             22
7      es    8             16
6       e    7             14
13     iu    4              8
9       ī    3              6
16      u    3              6
5     bus    2              4
10   ibus    2              4
19     us    2              4
3      ai    1              2
11    ies    1              2
14     īu    1              2
17      ū    1              2
18     um    1              2
[1] "f1PlAbl"
```

```
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
2       a   31            62
4      as   11            22
1       -    2             4
5     bus    2             4
10      s    2             4
3      ai    1             2
6       ī    1             2
7    ibus    1             2
8      is    1             2
9      iu    1             2
11      u    1             2
[1] "All Endings Included"
   Suffix freq Percent_Trials
2       a   31            62
4      as   11            22
1       -    2             4
5     bus    2             4
11      s    2             4
3      ai    1             2
6       i    1             2
7       ī    1             2
8    ibus    1             2
9      is    1             2
10     iu    1             2
12      u    1             2
[1] "f2PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
  Suffix freq Percent_Trials
7       s   14            28
3       i   13            26
1       -   10            20
5      is    7            14
2       e    2             4
4       ī    2             4
6      iu    1             2
8       u    1             2
[1] "f3PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
4       i   13            26
8      is   12            24
2       e    7            14
3      es    7            14
9      iu    4             8
1       -    2             4
5       ī    2             4
6    ibus    2             4
10      s    2             4
7     ies    1             2
```

```
[1] "All Endings Included"
    Suffix freq Percent_Trials
4      i   13          26
8     is   12          24
2      e    7          14
3     es    7          14
9     iu    4           8
1      -    2           4
5      ī    2           4
6   ibus    2           4
10     s    2           4
7    ies    1           2
[1] "f4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
    Suffix freq Percent_Trials
1      -   12          24
6      s   11          22
4     is    9          18
2      i    8          16
5     iu    3           6
3      ī    2           4
7      u    2           4
10    us    2           4
8      ū    1           2
9     um    1           2
[1] "f5PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix          freq          Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
    Suffix freq Percent_Trials
5      i   13          26
9     is   11          22
3      e    7          14
4     es    7          14
1      -    4           8
10    iu    4           8
6      ī    3           6
7   ibus    2           4
12     s    2           4
2      a    1           2
8    ies    1           2
11    īu    1           2
[1] "nPlAbl"
[1] "Endings occuring 10 times or less excluded"
    Suffix freq Percent_Trials
1      -   14          28
10     s   14          28
5      i   13          26
8     is    8          16
2      a    3           6
```

```
9      iu    3            6
6       ī    2            4
7    ibus    2            4
11      u    2            4
3       e    1            2
4      es    1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
10      s    17           34
1       -    16           32
5       i    14           28
8      is     9           18
11      u     4            8
2       a     3            6
9      iu     3            6
6       ī     2            4
7    ibus     2            4
14     us     2            4
3       e     1            2
4      es     1            2
12      ū     1            2
13     um     1            2
[1] "n2PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
9       s    14           28
1       -    13           26
5       i    12           24
7      is     6           12
2       a     2            4
6       ī     2            4
10      u     2            4
3       e     1            2
4      es     1            2
8      iu     1            2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1       -    14           28
9       s    14           28
5       i    12           24
7      is     6           12
2       a     2            4
6       ī     2            4
10      u     2            4
3       e     1            2
4      es     1            2
8      iu     1            2
[1] "n3PlAbl"
[1] "Endings occuring 10 times or less excluded"
   Suffix freq Percent_Trials
1       -    13           26
4       i    12           24
9       s     8           16
7      is     7           14
```

```
8      iu    3              6
2       a    2              4
5       ī    2              4
6    ibus    2              4
3      es    1              2
10      u    1              2
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   13             26
4        i   12             24
9        s   11             22
7       is    8             16
2        a    3              6
8       iu    3              6
5        ī    2              4
6     ibus    2              4
3       es    1              2
10       u    1              2
[1] "n4PlAbl"
[1] "Endings occuring 10 times or less excluded"
[1] Suffix         freq         Percent_Trials
<0 rows> (or 0-length row.names)
[1] "All Endings Included"
   Suffix freq Percent_Trials
1        -   13             26
6        s   12             24
2        i   10             20
4       is    4              8
5       iu    3              6
3        ī    2              4
7        u    2              4
10      us    2              4
8        ū    1              2
9       um    1              2


[1] "mSg and nSg fully match 86% of the time"

[1] "mPl and nPl fully match 82% of the time"

[1] "nPl and fSg fully match 0% of the time"

[1] "Endings that overlap are  in trials "

[1] "nPl and fPl fully match 0% of the time"

[1] "Endings that overlap are  in trials "

[1] "mPl and fSg fully match 0% of the time"

[1] "Endings that overlap are  in trials "

[1] "mPl and fPl fully match 0% of the time"
```

[1] "Endings that overlap are in trials "

[1] "mSg and nSg at least partially match 96% of the time"

[1] "mPl and nPl at least partially match 98% of the time"

[1] "fSg and nPl at least partially match 8% of the time"

[1] "Endings that overlap are a,a,a,a in trials 9,19,41,48"

[1] "fPl and nPl at least partially match 12% of the time"

[1] "Endings that overlap are a,s,a,u,a,a in trials 9,17,19,26,41,48"

[1] "fSg and mPl at least partially match 2% of the time"

[1] "Endings that overlap are a in trials 41"

[1] "fPl and mPl at least partially match 6% of the time"

[1] "Endings that overlap are s,u,a in trials 17,26,41"

[1] "fPl, mPl, and nPl at least partially match 6% of the time"

[1] "Endings that overlap are s,u,a in trials 17,26,41"

[1] "38 percent of trials contain fPl (135) ending in -as. Those trials are 1,2,3,4,5,7,12,16,17,18,21,:

[1] "6 percent of trials contain nPl ending in -as. Those trials are 4,7,34"

[1] "0 percent of trials contain mPl (234) ending in -as. Those trials are "

[1] "2 percent of trials contain mPl (2345) ending in -as. Those trials are 45"

[1] "0 percent of trials contain fPl (135) ending in -os. Those trials are "

[1] "0 percent of trials contain nPl ending in -os. Those trials are "

[1] "0 percent of trials contain mPl (234) ending in -os. Those trials are "

[1] "0 percent of trials contain mPl (2345) ending in -os. Those trials are "

[1] "78 percent of trials contain fPl ending in -s. Those trials are 1,2,3,4,5,6,7,8,11,12,14,15,16,17,:

[1] "60 percent of trials contain nPl ending in -s. Those trials are 1,2,3,4,5,7,8,12,14,15,16,17,18,20

[1] "78 percent of trials contain mPl ending in -s. Those trials are 1,2,3,4,5,6,7,8,11,12,14,15,16,17,:

[1] "76 percent of trials contain fPl (135) ending in -a. Those trials are 4,6,8,9,10,11,13,14,15,16,18

[1] "36 percent of trials contain nPl ending in -a. Those trials are 9,11,13,15,19,23,25,26,29,32,39,41

[1] "8 percent of trials contain mPl (234) ending in -a. Those trials are 9,26,41,45"

[1] "12 percent of trials contain mPl (2345) ending in -a. Those trials are 9,19,26,41,45,50"

[1] "0 percent of trials contain fPl (1) ending in -e. Those trials are "

[1] "44 percent of trials contain fPl (135) ending in -e. Those trials are 6,7,9,10,13,14,15,20,23,24,26

[1] "16 percent of trials contain nPl (3) ending in -e. Those trials are 9,14,15,20,26,27,41,43"

[1] "4 percent of trials contain nPl (24) ending in -e. Those trials are 9,23"

[1] "18 percent of trials contain nPl ending in -e. Those trials are 9,14,15,20,23,26,27,41,43"

[1] "44 percent of trials contain mPl (3) ending in -e. Those trials are 6,7,9,10,13,14,15,20,23,24,26,

[1] "6 percent of trials contain mPl (24) ending in -e. Those trials are 7,9,23"

[1] "44 percent of trials contain mPl (234) ending in -e. Those trials are 6,7,9,10,13,14,15,20,23,24,26

[1] "44 percent of trials contain mPl (2345) ending in -e. Those trials are 6,7,9,10,13,14,15,20,23,24,2

[1] "100 percent of trials contain fSg (1) ending in -a. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13

[1] "0 percent of trials contain fSg (5) ending in -a. Those trials are "

[1] "0 percent of trials contain fSg (3) ending in -a. Those trials are "

[1] "0 percent of trials contain nSg ending in -a. Those trials are 9,11,13,15,19,23,25,26,29,32,39,41,

[1] "0 percent of trials contain mSg (234) ending in -a. Those trials are "

[1] "0 percent of trials contain mSg (2345) ending in -a. Those trials are "

[1] "0 percent of trials contain fSg (1) ending in -o. Those trials are "

[1] "4 percent of trials contain nSg ending in -o. Those trials are "

[1] "4 percent of trials contain mSg (24) ending in -o. Those trials are 7,17"

[1] "10 percent of trials contain mSg (2345) ending in -o. Those trials are 1,7,17,28,49"

[1] "0 percent of trials contain fSg (1) ending in -e. Those trials are "

[1] "96 percent of trials contain fSg (135) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13

[1] "56 percent of trials contain nSg (3) ending in -e. Those trials are 1,3,4,7,8,9,12,13,14,15,18,19,2

[1] "4 percent of trials contain nSg (24) ending in -e. Those trials are 14,23"

[1] "56 percent of trials contain nSg ending in -e. Those trials are 1,3,4,7,8,9,12,13,14,15,18,19,20,2

[1] "100 percent of trials contain mSg (3) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,13

[1] "6 percent of trials contain mSg (24) ending in -e. Those trials are 1,14,23"

[1] "100 percent of trials contain mSg (234) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12,

[1] "100 percent of trials contain mSg (2345) ending in -e. Those trials are 1,2,3,4,5,6,7,8,9,10,11,12

[1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 36"

[1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 60"

[1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 2"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 6"

[1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 6"

[1] "Max Endings only"

[1] "Percent of trials containing fPl -as, mPl -os, and nPl -os: 0"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -s: 10"

[1] "Percent of trials containing fPl -s, mPl -s, and nPl -s: 24"

[1] "Percent of trials containing fPl -as, mPl s, and nPl -a: 0"

[1] "Percent of trials containing fPl -as, mPl -s, and nPl -as: 0"

[1] "Percent of trials containing fPl -as, mPl -as, and nPl -as: 0"