


Cubic Equation, group *Alpha* α -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 - x^2 + 2x = 0$??? -1
 (b) $x^3 + x^2 - x - 1 = 0$??? -1
 (c) $-8x^3 + 46x^2 - 75x + 27 = 0$??? $19/4$
 (d) $x^3 - 8x^2 - 11x + 18 = 0$. ??? . -10
 (e) ??? vyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Alpha* α -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $6x^3 + 36x^2 + 48x = 0$.. ??? .. -6
 (b) $x^3 + x^2 - 25x - 25 = 0$.. ??? .. -1
 (c) $8x^3 - 34x^2 + 40x - 8 = 0$??? $17/4$
 (d) $8x^3 - 29x^2 + 31x - 10 = 0$??? $-3/8$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Alpha* α -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-3x^3 - 3x^2 + 18x = 0$... ??? ... -1
 (b) $-x^3 - 3x^2 + x + 3 = 0$??? 3
 (c) $-14x^3 - 36x^2 + 26x + 24 = 0$??? $24/7$
 (d) $6x^3 + 37x^2 + 66x + 35 = 0$??? $-17/6$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group *Alpha* α -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $4x^3 - 12x^2 - 40x = 0$... ??? ... 3
 (b) $4x^3 + 24x^2 - 4x - 24 = 0$??? -4
 (c) $4x^3 + 2x^2 - 44x + 48 = 0$??? $-1/2$
 (d) $-4x^3 + 14x^2 - 8x - 8 = 0$??? $7/2$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Beta* β -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + 6x^2 - 7x = 0$??? -8
 (b) $3x^3 + 6x^2 - 39x + 30 = 0$.. ??? .. -2
 (c) $-25x^3 - 55x^2 + 10x + 40 = 0$??? $-11/5$
 (d) $9x^3 + 9x^2 - 10x - 8 = 0$... ??? ... $1/3$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Beta* β -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 + 10x^2 - 12x = 0$.. ??? .. -5
 (b) $x^3 + 3x^2 - 4 = 0$??? -5
 (c) $-2x^3 + 6x^2 + 44x - 48 = 0$??? 11
 (d) $-x^3 + 6x^2 + 13x - 42 = 0$. ??? . 2
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Beta* β -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 5x^2 - 4x = 0$??? 5
 (b) $-3x^3 + 3x^2 + 48x - 48 = 0$. ??? . -7
 (c) $54x^3 - 45x^2 - 18x + 9 = 0$. ??? . $11/6$
 (d) $-20x^3 + 46x^2 + 40x + 6 = 0$??? $33/10$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group *Beta* β -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 20x^2 + 48x = 0$??? 2
 (b) $2x^3 - 4x^2 - 22x + 24 = 0$.. ??? .. 2
 (c) $10x^3 + 56x^2 - 30x - 36 = 0$??? $-28/5$
 (d) $49x^3 - 63x^2 - 21x + 35 = 0$??? $-5/7$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Gamma* γ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - x^2 - 2x = 0$??? 1
 (b) $-2x^3 - 12x^2 + 2x + 60 = 0$. ??? . -6
 (c) $-18x^3 + 60x^2 - 26x - 16 = 0$??? $10/3$
 (d) $9x^3 - 6x^2 - 5x + 2 = 0$??? 0
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group *Gamma* γ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 2x^2 + 15x = 0$... ??? ... 8
 (b) $2x^3 + 10x^2 + 6x - 18 = 0$??? -5
 (c) $2x^3 + 4x^2 - 42x + 36 = 0$??? -4
 (d) $-6x^3 + 18x^2 - 18x + 6 = 0$??? 1
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

2.



Braille letter


Cubic Equation, group *Gamma* γ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $4x^3 + 16x^2 - 20x = 0$. ??? . -4
 (b) $2x^3 + 8x^2 - 22x + 12 = 0$??? 8
 (c) $18x^3 + 42x^2 - 24 = 0$. ??? . $-7/3$
 (d) $4x^3 + 22x^2 + 4x - 30 = 0$??? $9/2$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Gamma* γ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 6x^2 + 5x = 0$??? 6
 (b) $x^3 - 8x^2 + 17x - 10 = 0$??? -2
 (c) $8x^3 - 20x^2 - 16x + 12 = 0$??? $3/2$
 (d) $16x^3 + 20x^2 - 2x - 6 = 0$??? $1/4$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group *Delta* δ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 + 4x^2 + 2x = 0$??? -2
 (b) $-x^3 + 3x^2 + 4x - 12 = 0$.. ??? .. 3
 (c) $6x^3 + 28x^2 + 14x - 8 = 0$. ??? . $10/3$
 (d) $-12x^3 - 22x^2 + 6x + 4 = 0$??? $-17/6$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group *Delta* δ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $4x^3 - 20x^2 - 24x = 0$... ??? ... 5
 (b) $x^3 - 2x^2 - 4x + 8 = 0$.. ??? .. -2
 (c) $-2x^3 + 13x^2 - 3x - 18 = 0$??? $7/2$
 (d) $6x^3 - 17x^2 - 18x + 45 = 0$??? $-1/6$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Delta* δ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 - 2x^2 + 3x = 0$??? -4
 (b) $-x^3 - 4x^2 + 11x + 30 = 0$.. ??? .. -4
 (c) $-10x^3 - 44x^2 + 34x + 20 = 0$??? $-22/5$
 (d) $12x^3 + 19x^2 + 8x + 1 = 0$. ??? . $-13/12$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Delta* δ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 6x^2 + 7x = 0$??? 6
 (b) $-x^3 - 8x^2 + 4x + 32 = 0$??? -12
 (c) $10x^3 + 2x^2 - 10x - 2 = 0$. ??? . $1/5$
 (d) $9x^3 + 30x^2 + 12x - 24 = 0$??? $-14/3$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group *Epsilon* ϵ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 + 8x^2 + 10x = 0$??? 4
 (b) $x^3 - 4x^2 + 5x - 2 = 0$??? 4
 (c) $-36x^3 - 20x^2 + 36x + 20 = 0$??? $-5/9$
 (d) $-18x^3 + 27x^2 - 10x + 1 = 0$. ??? . $5/6$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group *Epsilon* ϵ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-3x^3 - 21x^2 - 18x = 0$. ??? . -7
 (b) $x^3 + 6x^2 - x - 6 = 0$??? 6
 (c) $-4x^3 - 8x^2 + 44x + 48 = 0$??? -2
 (d) $-x^3 - 8x^2 - x + 42 = 0$. ??? . -12
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Epsilon* ϵ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 - 8x^2 - 6x = 0$.. ??? .. -4
 (b) $3x^3 + 12x^2 - 3x - 12 = 0$. ??? . 4
 (c) $4x^3 - 26x^2 + 34x + 24 = 0$??? $13/2$
 (d) $-6x^3 - 4x^2 + 24x + 16 = 0$??? $2/3$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group *Epsilon* ϵ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 5x^2 + 24x = 0$??? 5
 (b) $x^3 - 6x^2 - x + 6 = 0$??? 4
 (c) $12x^3 + 30x^2 - 12x - 30 = 0$??? $-5/2$
 (d) $-6x^3 - 12x^2 + 6x + 12 = 0$. ??? . 2
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Zeta* ζ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 + 18x^2 + 40x = 0$??? -9
 (b) $-7x^3 + 7x^2 + 7x - 7 = 0$... ??? ... 1
 (c) $-40x^3 + 48x^2 + 40x - 48 = 0$??? $16/5$
 (d) $6x^3 + 26x^2 + 32x + 8 = 0$. ??? . $-11/3$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Zeta* ζ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 4x^2 + 3x = 0$??? 4
 (b) $-x^3 + 4x^2 + 11x + 6 = 0$. ??? . -8
 (c) $7x^3 + 12x^2 - 60x + 16 = 0$??? $-40/7$
 (d) $-6x^3 + 8x^2 + 34x - 12 = 0$??? $2/3$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Zeta* ζ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-3x^3 - 3x^2 + 18x = 0$... ??? ... -1
 (b) $5x^3 + 20x^2 - 55x + 30 = 0$. ??? . -6
 (c) $x^3 + x^2 - 26x + 24 = 0$... ??? ... -1
 (d) $-10x^3 + x^2 + 46x + 35 = 0$??? $-49/10$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Zeta* ζ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + 3x^2 - 40x = 0$??? -3
 (b) $-2x^3 - 8x^2 + 8x + 32 = 0$.. ??? .. 0
 (c) $-24x^3 + 96x^2 - 120x + 48 = 0$??? 2
 (d) $10x^3 - 38x^2 - 20x + 48 = 0$??? $-21/5$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group *Eta* η -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 2x^2 - 8x = 0$??? 6
 (b) $2x^3 + 8x^2 - 58x + 48 = 0$. ??? . -4
 (c) $-3x^3 + 16x^2 + 13x - 6 = 0$??? $16/3$
 (d) $-10x^3 + 9x^2 + 4x - 3 = 0$??? $-1/10$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Eta* η -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + 9x^2 + 20x = 0$??? 1
 (b) $-x^3 + 7x + 6 = 0$??? 0
 (c) $-12x^3 + 2x^2 + 12x - 2 = 0$??? $13/6$
 (d) $6x^3 - 48x^2 - 6x + 48 = 0$. ??? . 10
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

2.



Braille letter


Cubic Equation, group *Eta* η -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 - 8x^2 + 10x = 0$... ??? ... 6
 (b) $3x^3 - 15x^2 + 6x + 24 = 0$. ??? . 5
 (c) $x^3 - 2x^2 - 41x + 42 = 0$.. ??? .. 2
 (d) $5x^3 - 37x^2 + 74x - 24 = 0$??? $33/5$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Eta* η -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 8x^2 - 7x = 0$??? 8
 (b) $-x^3 + 11x^2 - 32x + 28 = 0$. ??? . -3
 (c) $12x^3 - 29x^2 - 18x + 56 = 0$??? $-13/12$
 (d) $-4x^3 + 27x^2 + 39x + 8 = 0$. ??? . $29/4$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group *Theta* θ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 6x^2 - 8x = 0$??? 3
 (b) $-x^3 + 3x^2 + 4x - 12 = 0$... ??? ... 3
 (c) $-12x^3 - 20x^2 + 12x + 20 = 0$??? $-5/3$
 (d) $16x^3 + 16x^2 - 16x - 16 = 0$. ??? . -1
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group *Theta* θ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 5x^2 + 6x = 0$??? 5
 (b) $-x^3 + 6x^2 - 11x + 6 = 0$... ??? ... 2
 (c) $-20x^3 + 42x^2 + 50x + 12 = 0$??? $21/10$
 (d) $10x^3 - 28x^2 - 46x - 8 = 0$. ??? . $16/5$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Theta* θ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 2x = 0$??? 0
 (b) $2x^3 + 14x^2 + 30x + 18 = 0$. ??? . -1
 (c) $12x^3 + 16x^2 - 53x + 21 = 0$??? $-4/3$
 (d) $14x^3 + 27x^2 + 16x + 3 = 0$??? $-13/14$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group *Theta* θ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-5x^3 - 10x^2 - 5x = 0$... ??? ... -2
 (b) $-3x^3 - 24x^2 - 15x + 42 = 0$??? -4
 (c) $-6x^3 - 30x^2 - 42x - 18 = 0$??? -3
 (d) $10x^3 + 2x^2 - 10x - 2 = 0$??? $-11/5$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Iota* ι -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $7x^3 - 35x^2 + 28x = 0$??? 5
 (b) $5x^3 + 20x^2 - 35x - 50 = 0$. ??? . -4
 (c) $-12x^3 + 20x^2 + 16x - 16 = 0$??? $-7/3$
 (d) $-9x^3 - 15x^2 + 36x + 60 = 0$. ??? . $5/3$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Iota* ι -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 6x^2 + 4x = 0$??? 3
 (b) $2x^3 + 4x^2 - 2x - 4 = 0$??? 0
 (c) $-32x^3 - 56x^2 + 12x + 36 = 0$??? $-13/4$
 (d) $12x^3 - 62x^2 + 106x - 60 = 0$??? $11/6$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Iota* ι -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-3x^3 + 3x^2 + 6x = 0$... ??? ... -3
 (b) $-2x^3 - 14x^2 + 2x + 14 = 0$??? -7
 (c) $12x^3 - 10x^2 - 26x - 4 = 0$??? $5/6$
 (d) $-x^3 - x^2 + 25x + 25 = 0$??? -11
 (e) ??? vyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Iota* ι -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-3x^3 - 12x^2 - 12x = 0$... ??? ... -4
 (b) $-x^3 - 3x^2 + 6x + 8 = 0$... ??? ... 5
 (c) $6x^3 - 40x^2 + 72x - 32 = 0$. ??? . $16/3$
 (d) $-3x^3 - 12x^2 + 45x + 54 = 0$??? -10
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group *Kappa* κ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 + 2x^2 + 24x = 0$.. ??? .. 1
 (b) $-x^3 - 7x^2 - 7x + 15 = 0$??? -1
 (c) $12x^3 - 32x^2 - 4x + 40 = 0$??? $8/3$
 (d) $-3x^3 - x^2 + 12x + 4 = 0$??? $1/3$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Kappa* κ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 10x^2 - 9x = 0$??? 10
 (b) $-3x^3 - 18x^2 - 27x - 12 = 0$??? -4
 (c) $-32x^3 + 32x^2 + 32x - 32 = 0$??? -1
 (d) $35x^3 - 54x^2 - 33x + 56 = 0$??? $-44/35$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Kappa* κ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + x^2 + 2x = 0$??? 1
 (b) $-x^3 + x^2 + 26x + 24 = 0$??? -11
 (c) $-6x^3 + 6x^2 + 24x - 24 = 0$??? 1
 (d) $5x^3 - 21x^2 - 2x + 24 = 0$??? $-19/5$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Kappa* κ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $3x^3 - 12x = 0$??? 0
 (b) $x^3 - 7x^2 + 16x - 12 = 0$??? 1
 (c) $32x^3 - 24x^2 - 32x + 24 = 0$. ??? . $-5/4$
 (d) $-21x^3 + 58x^2 - 49x + 12 = 0$??? $40/21$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group *Lambda* λ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 12x^2 + 10x = 0$??? 6
 (b) $-4x^3 - 32x^2 - 68x - 40 = 0$. ??? . -8
 (c) $-24x^3 - 45x^2 + 33x + 54 = 0$??? -15/8
 (d) $-5x^3 - 8x^2 + 57x + 36 = 0$. ??? . -8/5
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group *Lambda* λ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 11x^2 - 30x = 0$??? 11
 (b) $-x^3 + x^2 + 4x - 4 = 0$... ??? ... -1
 (c) $-35x^3 - 40x^2 + 35x + 40 = 0$??? -8/7
 (d) $12x^3 + 70x^2 + 114x + 56 = 0$??? 7/6
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Lambda* λ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 4x = 0$??? 0
 (b) $-x^3 - 6x^2 + x + 6 = 0$... ??? ... -6
 (c) $5x^3 + 2x^2 - 17x - 14 = 0$. ??? . -2/5
 (d) $20x^3 - 59x^2 + 32x + 12 = 0$??? 69/20
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group *Lambda* λ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-4x^3 + 16x^2 - 12x = 0$... ??? ... 4
 (b) $x^3 - 2x^2 - x + 2 = 0$??? 4
 (c) $6x^3 - 3x^2 - 54x + 27 = 0$. ??? . 1/2
 (d) $4x^3 + 37x^2 + 88x + 60 = 0$??? -27/4
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

4.



Braille letter

Cubic Equation, group $Mu \mu$ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $x^3 + 8x^2 + 7x = 0$??? -8

(b) $x^3 + x^2 - x - 1 = 0$... ??? ... -1


(c) $6x^3 + 23x^2 + 14x - 3 = 0$??? -23/6

(d) $6x^3 - 21x^2 + 6x + 9 = 0$. ??? . 9/2

(e) ??? nevyfarbite

(f) ??? nevyfarbite

1.



Braille letter

Cubic Equation, group $Mu \mu$ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $-x^3 + 3x^2 - 2x = 0$... ??? ... 3

(b) $x^3 - 6x^2 - 19x + 24 = 0$??? -10


(c) $-2x^3 - x^2 + 7x + 6 = 0$. ??? . 3/2

(d) $4x^3 + 12x^2 + 11x + 3 = 0$??? 0

(e) ??? nevyfarbite

(f) ??? nevyfarbite

2.



Braille letter

Cubic Equation, group $Mu \mu$ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $x^3 - 6x^2 + 9x = 0$??? 6

(b) $3x^3 + 3x^2 - 12x - 12 = 0$.. ??? .. 1


(c) $-6x^3 - 21x^2 + 21x + 36 = 0$??? -7/2

(d) $6x^3 - 14x^2 - 24x + 56 = 0$??? -5/3

(e) ??? vyfarbite

(f) ??? vyfarbite

3.



Braille letter

Cubic Equation, group $Mu \mu$ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $-x^3 - 4x^2 - 3x = 0$??? -4

(b) $x^3 - 13x + 12 = 0$??? -6


(c) $18x^3 - 57x^2 + 6x + 9 = 0$. ??? . 23/6

(d) $18x^3 + 21x^2 - 24x - 15 = 0$??? 13/6

(e) ??? vyfarbite

(f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group $Nu \nu$ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 + 4x^2 + 6x = 0$??? 2
 (b) $-x^3 - 11x^2 - 38x - 40 = 0$??? -11
 (c) $12x^3 + 66x^2 + 24x - 30 = 0$??? $-11/2$
 (d) $-12x^3 - 22x^2 + 40x - 6 = 0$??? $-13/6$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group $Nu \nu$ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 + 8x^2 + 6x = 0$??? -4
 (b) $-x^3 - x^2 + 4x + 4 = 0$... ??? ... -5
 (c) $-14x^3 - 3x^2 + 12x + 5 = 0$??? $11/14$
 (d) $-16x^3 + 28x^2 + 14x - 12 = 0$??? $13/4$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group $Nu \nu$ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 8x^2 + 12x = 0$??? 8
 (b) $x^3 + x^2 - 14x - 24 = 0$... ??? ... 5
 (c) $-18x^3 + 9x^2 + 59x - 10 = 0$??? $23/6$
 (d) $-6x^3 + 26x^2 - 26x + 6 = 0$??? $7/3$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group $Nu \nu$ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $5x^3 - 25x^2 + 20x = 0$??? 5
 (b) $x^3 + 9x^2 + 26x + 24 = 0$.. ??? .. -9
 (c) $36x^3 - 12x^2 - 36x + 12 = 0$??? $-1/3$
 (d) $-8x^3 + 8x^2 + 2x - 2 = 0$.. ??? .. 0
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group $Xi \xi$ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 + 12x^2 - 18x = 0$... ??? ... 6
 (b) $2x^3 + 8x^2 - 38x + 28 = 0$.. ??? .. -4
 (c) $-14x^3 + 28x^2 + 98x + 56 = 0$??? -6
 (d) $12x^3 - 4x^2 - 76x - 60 = 0$. ??? . $7/3$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group $Xi \xi$ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 22x^2 + 56x = 0$??? 3
 (b) $2x^3 - 8x^2 - 14x + 20 = 0$.. ??? .. 4
 (c) $4x^3 + 16x^2 + 20x + 8 = 0$.. ??? .. -2
 (d) $-15x^3 - 47x^2 - 5x + 3 = 0$??? $-53/15$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

2.



Braille letter


Cubic Equation, group $Xi \xi$ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 6x^2 + 9x = 0$??? 6
 (b) $-5x^3 + 5x^2 + 50x + 40 = 0$.. ??? .. 1
 (c) $-16x^3 - 16x^2 + 44x + 24 = 0$??? -1
 (d) $-2x^3 - 13x^2 + 10x + 21 = 0$??? $-13/2$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group $Xi \xi$ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + x^2 + 20x = 0$??? 1
 (b) $x^3 - 6x^2 + 3x + 10 = 0$.. ??? .. -4
 (c) $6x^3 + 16x^2 - 30x + 8 = 0$??? $-10/3$
 (d) $3x^3 - 20x^2 + 27x - 10 = 0$??? $-10/3$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

4.



Braille letter

Cubic Equation, group *Omicron o* -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $6x^3 + 24x^2 + 18x = 0$.. ??? .. -4

(b) $x^3 - 7x - 6 = 0$??? 0


(c) $9x^3 - 15x^2 - 42x + 48 = 0$??? $5/3$

(d) $18x^3 - 27x^2 - 17x - 2 = 0$??? $11/6$

(e) ??? nevyfarbite

(f) ??? vyfarbite

1.



Braille letter

Cubic Equation, group *Omicron o* -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $-x^3 + 2x^2 + 3x = 0$??? 2

(b) $-x^3 + x^2 + 4x - 4 = 0$.. ??? .. 5


(c) $-5x^3 + 13x^2 - 11x + 3 = 0$??? $7/5$

(d) $8x^3 - 28x^2 - 56x - 20 = 0$??? $9/2$

(e) ??? nevyfarbite

(f) ??? nevyfarbite

2.



Braille letter

Cubic Equation, group *Omicron o* -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $-2x^3 + 2x^2 + 24x = 0$... ??? ... 1

(b) $-2x^3 + 2x^2 + 10x + 6 = 0$. ??? . 1


(c) $3x^3 + 21x^2 + 48x + 36 = 0$??? -1

(d) $20x^3 - 39x^2 - 3x + 2 = 0$??? $49/20$

(e) ??? vyfarbite

(f) ??? vyfarbite

3.



Braille letter

Cubic Equation, group *Omicron o* -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

(a) $-2x^3 - 2x^2 + 12x = 0$.. ??? .. -1

(b) $x^3 - 5x^2 - 17x + 21 = 0$.. ??? .. 3


(c) $12x^3 - 40x^2 - 92x - 40 = 0$??? $14/3$

(d) $-8x^3 - 18x^2 - 12x - 2 = 0$??? $-7/4$

(e) ??? vyfarbite

(f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group $Pi \pi$ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 - 6x^2 + 20x = 0$.. ??? .. -3
 (b) $-3x^3 - 3x^2 + 51x - 45 = 0$??? -3
 (c) $-6x^3 + 20x^2 - 18x + 4 = 0$??? $-2/3$
 (d) $18x^3 - 33x^2 - 60x - 9 = 0$??? $13/6$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group $Pi \pi$ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-3x^3 + 3x^2 + 6x = 0$... ??? ... 1
 (b) $x^3 + 12x^2 + 29x + 18 = 0$??? -12
 (c) $2x^3 + 14x^2 - 8x - 56 = 0$. ??? . 7
 (d) $3x^3 - 9x^2 - 39x + 45 = 0$. ??? . 1
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group $Pi \pi$ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 + 2x^2 - 40x = 0$... ??? ... -1
 (b) $2x^3 + 18x^2 + 46x + 30 = 0$. ??? . 1
 (c) $20x^3 - 20x^2 - 35x - 10 = 0$??? 2
 (d) $24x^3 - 63x^2 + 21x + 18 = 0$??? $5/8$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group $Pi \pi$ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $5x^3 - 45x = 0$??? 6
 (b) $-x^3 - 4x^2 + 15x + 18 = 0$??? -4
 (c) $-8x^3 + 12x^2 + 36x - 40 = 0$??? $3/2$
 (d) $12x^3 - 45x^2 + 24x + 9 = 0$??? $7/4$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Rho* ρ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-3x^3 - 3x^2 + 6x = 0$... ??? ... -1
 (b) $-3x^3 - 27x^2 + 3x + 27 = 0$??? -9
 (c) $4x^3 + 20x^2 + 8x - 32 = 0$. ??? . -7
 (d) $-10x^3 + 2x^2 + 10x - 2 = 0$??? $-1/5$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Rho* ρ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $7x^3 - 7x^2 - 14x = 0$??? -3
 (b) $3x^3 + 18x^2 + 9x - 30 = 0$.. ??? .. -6
 (c) $-14x^3 - 31x^2 - 22x - 5 = 0$??? $-17/14$
 (d) $24x^3 + 73x^2 + 56x + 12 = 0$??? $-55/24$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

2.



Braille letter


Cubic Equation, group *Rho* ρ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $4x^3 + 24x^2 - 28x = 0$... ??? ... -6
 (b) $-8x^3 + 8x^2 + 32x - 32 = 0$. ??? . 1
 (c) $-2x^3 - x^2 + 5x - 2 = 0$.. ??? .. $7/2$
 (d) $-6x^3 + 23x^2 + 45x - 50 = 0$??? $13/6$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Rho* ρ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $3x^3 + 3x^2 - 6x = 0$??? -3
 (b) $-3x^3 + 21x^2 - 12x - 36 = 0$. ??? . 7
 (c) $14x^3 - 9x^2 - 50x + 48 = 0$. ??? . $9/14$
 (d) $-16x^3 - 12x^2 + 36x - 8 = 0$??? $-5/4$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Sigma* σ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 7x^2 + 12x = 0$??? 7
 (b) $-x^3 - 2x^2 + 19x + 20 = 0$??? -2
 (c) $4x^3 - 18x^2 + 24x - 8 = 0$??? $9/2$
 (d) $5x^3 - 49x^2 + 35x + 9 = 0$??? $49/5$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group *Sigma* σ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-7x^3 + 28x^2 - 21x = 0$... ??? ... 2
 (b) $-2x^3 - 18x^2 - 52x - 48 = 0$??? -9
 (c) $4x^3 - 16x^2 + 4x + 24 = 0$.. ??? .. 0
 (d) $3x^3 + 11x^2 - 6x - 8 = 0$. ??? . $13/3$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

2.



Braille letter


Cubic Equation, group *Sigma* σ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 - 10x^2 + 12x = 0$. ??? . -5
 (b) $x^3 + 3x^2 - 9x - 27 = 0$.. ??? .. 3
 (c) $15x^3 - 2x^2 - 11x - 2 = 0$??? $2/15$
 (d) $4x^3 - 20x^2 + 28x - 12 = 0$??? 3
 (e) ??? vyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Sigma* σ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + 11x^2 + 30x = 0$. ??? . -11
 (b) $4x^3 + 8x^2 - 52x + 40 = 0$??? 8
 (c) $6x^3 + 11x^2 - 3x - 2 = 0$??? $-7/6$
 (d) $6x^3 - 18x + 12 = 0$.. ??? .. -2
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Tau* τ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 8x^2 + 16x = 0$??? 8
 (b) $2x^3 - 12x^2 + 6x + 20 = 0$... ??? ... 6
 (c) $-15x^3 + 16x^2 + 44x - 32 = 0$??? $16/15$
 (d) $5x^3 + 30x^2 + 55x + 30 = 0$.. ??? .. -2
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group *Tau* τ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 5x^2 + 6x = 0$??? 5
 (b) $-x^3 + x^2 + 9x - 9 = 0$.. ??? .. -1
 (c) $16x^3 - 38x^2 + 2x + 20 = 0$??? $-13/8$
 (d) $-6x^3 + 15x^2 + 18x - 27 = 0$??? $11/2$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Tau* τ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + 3x^2 - 4x = 0$??? -5
 (b) $x^3 + 6x^2 + 9x + 4 = 0$... ??? ... -6
 (c) $4x^3 - 2x^2 - 10x - 4 = 0$.. ??? .. $3/2$
 (d) $-5x^3 + 11x^2 + 61x + 45 = 0$??? $29/5$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

3.



Braille letter


Cubic Equation, group *Tau* τ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 20x^2 + 32x = 0$??? 10
 (b) $-5x^3 + 45x^2 - 100x + 60 = 0$??? -3
 (c) $6x^3 - 48x^2 - 6x + 48 = 0$.. ??? .. 8
 (d) $10x^3 + 21x^2 + 5x - 6 = 0$. ??? . $9/10$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter

Cubic Equation, group *Upsilon v* -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 6x^2 - 5x = 0$... ??? ... -4
- (b) $3x^3 - 9x^2 - 3x + 9 = 0$.. ??? .. 3
- (c) $24x^3 - 42x^2 + 12x + 6 = 0$??? $7/4$
- (d) $-4x^3 - 20x^2 - 12x + 36 = 0$??? 1
- (e) ??? vyfarbite
- (f) ??? vyfarbite

1.

a

f

b

e

c

d

Braille letter

Cubic Equation, group *Upsilon v* -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 5x^2 - 6x = 0$??? 1
- (b) $2x^3 - 4x^2 - 62x - 56 = 0$.. ??? .. 2
- (c) $16x^3 - 30x^2 - 22x + 36 = 0$??? $33/8$
- (d) $4x^3 - 21x^2 + 2x + 15 = 0$. ??? . $27/4$
- (e) ??? nevyfarbite
- (f) ??? vyfarbite

2.

a

f

b

e

c

d

Braille letter

Cubic Equation, group *Upsilon v* -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 - 2x^2 + 8x = 0$??? -2
- (b) $x^3 - 6x^2 - x + 30 = 0$... ??? ... -4
- (c) $6x^3 + 3x^2 - 15x + 6 = 0$. ??? . $-1/2$
- (d) $-6x^3 - 26x^2 - 32x - 8 = 0$??? $-11/3$
- (e) ??? nevyfarbite
- (f) ??? vyfarbite

3.

a

f

b

e

c

d

Braille letter

Cubic Equation, group *Upsilon v* -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 - 4x^2 + 6x = 0$.. ??? .. -2
- (b) $-x^3 + 7x^2 - 7x - 15 = 0$??? -3
- (c) $3x^3 - 30x^2 + 81x - 54 = 0$??? -2
- (d) $4x^3 - 5x^2 - 37x - 28 = 0$??? $19/4$
- (e) ??? vyfarbite
- (f) ??? nevyfarbite

4.

a

f

b

e

c

d

Braille letter


Cubic Equation, group Φ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + 2x^2 - 3x = 0$... ??? ... -2
 (b) $2x^3 - 12x^2 + 22x - 12 = 0$??? 6
 (c) $15x^3 + 28x^2 + 7x - 6 = 0$??? $8/15$
 (d) $x^3 + 6x^2 - 19x - 24 = 0$??? -4
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

1.



Braille letter


Cubic Equation, group Φ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + x^2 - 20x = 0$??? -1
 (b) $-2x^3 - 6x^2 + 50x - 42 = 0$. ??? . 11
 (c) $-12x^3 - 18x^2 + 18x + 12 = 0$??? $-1/2$
 (d) $18x^3 + 36x^2 - 2x - 4 = 0$.. ??? .. $-4/3$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group Φ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-2x^3 + 2x^2 + 12x = 0$... ??? ... 1
 (b) $-5x^3 + 15x - 10 = 0$... ??? ... -2
 (c) $-12x^3 + 24x^2 - 15x + 3 = 0$??? 1
 (d) $-12x^3 + 14x^2 + 2x - 4 = 0$??? $13/6$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group Φ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 + 8x^2 - 10x = 0$??? -4
 (b) $x^3 + 3x^2 - x - 3 = 0$??? -5
 (c) $10x^3 + 29x^2 + 9x - 18 = 0$??? $-41/10$
 (d) $-4x^3 - 39x^2 - 83x - 42 = 0$??? $-33/4$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Chi* χ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 - 5x^2 + 4x = 0$??? 3
 (b) $2x^3 + 18x^2 + 22x - 42 = 0$. ??? . -9
 (c) $14x^3 - 66x^2 + 36x + 16 = 0$??? $37/7$
 (d) $-4x^3 + 23x^2 - 13x - 60 = 0$??? $-9/4$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Chi* χ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 16x^2 + 30x = 0$??? 8
 (b) $-5x^3 - 25x^2 - 40x - 20 = 0$??? -1
 (c) $12x^3 + 42x^2 + 42x + 12 = 0$??? $-5/2$
 (d) $-7x^3 + 33x^2 - 32x - 12 = 0$??? $37/7$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

2.



Braille letter


Cubic Equation, group *Chi* χ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 - 7x^2 - 10x = 0$.. ??? .. -7
 (b) $2x^3 - 20x^2 + 62x - 60 = 0$. ??? . 0
 (c) $-2x^3 - x^2 + 50x + 25 = 0$??? $1/2$
 (d) $4x^3 - 30x^2 + 12x + 14 = 0$??? $11/2$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group *Chi* χ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $4x^3 + 8x^2 - 12x = 0$??? -2
 (b) $-x^3 - 9x^2 - 20x - 12 = 0$. ??? . -5
 (c) $54x^3 + 81x^2 + 21x - 6 = 0$??? $-11/6$
 (d) $-2x^3 + 15x^2 - 24x - 16 = 0$??? $17/2$
 (e) ??? nevyfarbite
 (f) ??? nevyfarbite

4.



Braille letter


Cubic Equation, group $Psi \psi$ -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 + 3x^2 - 2x = 0$??? 3
 (b) $3x^3 - 3x^2 - 3x + 3 = 0$.. ??? .. 1
 (c) $10x^3 + 25x^2 + 20x + 5 = 0$??? $-3/2$
 (d) $4x^3 - 23x^2 + 26x + 8 = 0$. ??? . $7/4$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group $Psi \psi$ -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $3x^3 + 18x^2 + 15x = 0$... ??? ... -6
 (b) $2x^3 - 10x^2 + 4x + 16 = 0$.. ??? .. 7
 (c) $-16x^3 + 36x^2 + 40x - 12 = 0$??? $7/4$
 (d) $-4x^3 - 34x^2 - 10x + 48 = 0$??? $15/2$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group $Psi \psi$ -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-5x^3 + 5x^2 + 10x = 0$... ??? ... 1
 (b) $-2x^3 + 4x^2 + 10x - 12 = 0$??? -4
 (c) $8x^3 - 62x - 30 = 0$??? 5
 (d) $3x^3 + 16x^2 + x - 20 = 0$. ??? . $14/3$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group $Psi \psi$ -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $2x^3 - 8x^2 + 8x = 0$??? 0
 (b) $2x^3 + 10x^2 - 44x + 32 = 0$??? -5
 (c) $6x^3 - 9x^2 - 69x - 54 = 0$. ??? . $3/2$
 (d) $-28x^3 + 68x^2 - 8x - 32 = 0$??? $3/7$
 (e) ??? vyfarbite
 (f) ??? vyfarbite

4.



Braille letter


Cubic Equation, group *Omega* ω -i

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $-x^3 - 4x^2 + 5x = 0$??? -6
 (b) $-x^3 + 10x^2 - 29x + 20 = 0$. ??? . 10
 (c) $4x^3 - 6x^2 - 16x - 6 = 0$.. ??? .. $3/2$
 (d) $-4x^3 + 23x^2 - 5x - 50 = 0$??? $-17/4$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

1.



Braille letter


Cubic Equation, group *Omega* ω -ii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $3x^3 - 6x^2 + 3x = 0$??? 2
 (b) $2x^3 - 18x^2 + 40x - 24 = 0$??? 9
 (c) $-2x^3 + 8x^2 + 22x - 60 = 0$??? 0
 (d) $-4x^3 + 4x^2 + 29x - 15 = 0$??? 6
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

2.



Braille letter


Cubic Equation, group *Omega* ω -iii

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $x^3 + 8x^2 + 12x = 0$??? -8
 (b) $-x^3 - 12x^2 - 27x + 40 = 0$??? -2
 (c) $18x^3 - 15x^2 - 9x + 6 = 0$.. ??? .. $5/6$
 (d) $-12x^3 + 18x^2 + 18x - 12 = 0$??? $1/2$
 (e) ??? vyfarbite
 (f) ??? nevyfarbite

3.



Braille letter


Cubic Equation, group *Omega* ω -iv

Name:

(a), (b), (c), (d) Calculate the sum of the roots of the equation.
(Count multiple roots in the sum according to their multiplicity.)

- (a) $5x^3 - 10x^2 - 15x = 0$??? 2
 (b) $x^3 + 2x^2 - x - 2 = 0$??? -2
 (c) $-12x^3 - 45x^2 - 24x + 9 = 0$??? $-15/4$
 (d) $3x^3 + 20x^2 - 9x - 14 = 0$. ??? . $-26/3$
 (e) ??? nevyfarbite
 (f) ??? vyfarbite

4.



Braille letter

Cubic Equation (solutions)

α	$i : G$	(a) $-1\checkmark$	(b) $-1\checkmark$	(c) $23/4\textbf{x}$	(d) $8\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$ii : R$	(a) $-6\checkmark$	(b) $-1\checkmark$	(c) $17/4\checkmark$	(d) $29/8\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iii : A$	(a) $-1\checkmark$	(b) $-3\textbf{x}$	(c) $-18/7\textbf{x}$	(d) $-37/6\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$iv : Y$	(a) $3\checkmark$	(b) $-6\textbf{x}$	(c) $-1/2\checkmark$	(d) $7/2\checkmark$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
β	$i : S$	(a) $-6\textbf{x}$	(b) $-2\checkmark$	(c) $-11/5\checkmark$	(d) $-1\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
	$ii : E$	(a) $-5\checkmark$	(b) $-3\textbf{x}$	(c) $3\textbf{x}$	(d) $6\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iii : A$	(a) $5\checkmark$	(b) $1\textbf{x}$	(c) $5/6\textbf{x}$	(d) $23/10\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$iv : T$	(a) $10\textbf{x}$	(b) $2\checkmark$	(c) $-28/5\checkmark$	(d) $9/7\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
γ	$i : L$	(a) $1\checkmark$	(b) $-6\checkmark$	(c) $10/3\checkmark$	(d) $2/3\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$ii : I$	(a) $2\textbf{x}$	(b) $-5\checkmark$	(c) $-2\textbf{x}$	(d) $3\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
	$iii : N$	(a) $-4\checkmark$	(b) $-4\textbf{x}$	(c) $-7/3\checkmark$	(d) $-11/2\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$iv : E$	(a) $6\checkmark$	(b) $8\textbf{x}$	(c) $5/2\textbf{x}$	(d) $-5/4\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
δ	$i : B$	(a) $-2\checkmark$	(b) $3\checkmark$	(c) $-14/3\textbf{x}$	(d) $-11/6\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$ii : A$	(a) $5\checkmark$	(b) $2\textbf{x}$	(c) $13/2\textbf{x}$	(d) $17/6\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$iii : S$	(a) $-2\textbf{x}$	(b) $-4\checkmark$	(c) $-22/5\checkmark$	(d) $-19/12\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
	$iv : E$	(a) $6\checkmark$	(b) $-8\textbf{x}$	(c) $-1/5\textbf{x}$	(d) $-10/3\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
ϵ	$i : R$	(a) $4\checkmark$	(b) $4\checkmark$	(c) $-5/9\checkmark$	(d) $3/2\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$ii : O$	(a) $-7\checkmark$	(b) $-6\textbf{x}$	(c) $-2\checkmark$	(d) $-8\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iii : O$	(a) $-4\checkmark$	(b) $-4\textbf{x}$	(c) $13/2\checkmark$	(d) $-2/3\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iv : M$	(a) $5\checkmark$	(b) $6\textbf{x}$	(c) $-5/2\checkmark$	(d) $-2\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
ζ	$i : G$	(a) $-9\checkmark$	(b) $1\checkmark$	(c) $6/5\textbf{x}$	(d) $-13/3\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$ii : A$	(a) $4\checkmark$	(b) $4\textbf{x}$	(c) $-12/7\textbf{x}$	(d) $4/3\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$iii : M$	(a) $-1\checkmark$	(b) $-4\textbf{x}$	(c) $-1\checkmark$	(d) $1/10\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
	$iv : E$	(a) $-3\checkmark$	(b) $-4\textbf{x}$	(c) $4\textbf{x}$	(d) $19/5\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
η	$i : S$	(a) $2\textbf{x}$	(b) $-4\checkmark$	(c) $16/3\checkmark$	(d) $9/10\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
	$ii : I$	(a) $-9\textbf{x}$	(b) $0\checkmark$	(c) $1/6\textbf{x}$	(d) $8\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
	$iii : T$	(a) $-4\textbf{x}$	(b) $5\checkmark$	(c) $2\checkmark$	(d) $37/5\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$iv : E$	(a) $8\checkmark$	(b) $11\textbf{x}$	(c) $29/12\textbf{x}$	(d) $27/4\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
θ	$i : W$	(a) $3\checkmark$	(b) $3\checkmark$	(c) $-5/3\checkmark$	(d) $-1\checkmark$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$ii : O$	(a) $5\checkmark$	(b) $6\textbf{x}$	(c) $21/10\checkmark$	(d) $14/5\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iii : O$	(a) $0\checkmark$	(b) $-7\textbf{x}$	(c) $-4/3\checkmark$	(d) $-27/14\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iv : D$	(a) $-2\checkmark$	(b) $-8\textbf{x}$	(c) $-5\textbf{x}$	(d) $-1/5\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
ι	$i : G$	(a) $5\checkmark$	(b) $-4\checkmark$	(c) $5/3\textbf{x}$	(d) $-5/3\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$ii : A$	(a) $3\checkmark$	(b) $-2\textbf{x}$	(c) $-7/4\textbf{x}$	(d) $31/6\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$iii : T$	(a) $1\textbf{x}$	(b) $-7\checkmark$	(c) $5/6\checkmark$	(d) $-1\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$iv : E$	(a) $-4\checkmark$	(b) $-3\textbf{x}$	(c) $20/3\textbf{x}$	(d) $-4\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
κ	$i : N$	(a) $1\checkmark$	(b) $-7\textbf{x}$	(c) $8/3\checkmark$	(d) $-1/3\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$ii : A$	(a) $10\checkmark$	(b) $-6\textbf{x}$	(c) $1\textbf{x}$	(d) $54/35\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$iii : M$	(a) $1\checkmark$	(b) $1\textbf{x}$	(c) $1\checkmark$	(d) $21/5\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\checkmark$
	$iv : E$	(a) $0\checkmark$	(b) $7\textbf{x}$	(c) $3/4\textbf{x}$	(d) $58/21\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
λ	$i : W$	(a) $6\checkmark$	(b) $-8\checkmark$	(c) $-15/8\checkmark$	(d) $-8/5\checkmark$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$ii : O$	(a) $11\checkmark$	(b) $1\textbf{x}$	(c) $-8/7\checkmark$	(d) $-35/6\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iii : R$	(a) $0\checkmark$	(b) $-6\checkmark$	(c) $-2/5\checkmark$	(d) $59/20\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\textbf{x}$
	$iv : K$	(a) $4\checkmark$	(b) $2\textbf{x}$	(c) $1/2\checkmark$	(d) $-37/4\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
μ	$i : L$	(a) $-8\checkmark$	(b) $-1\checkmark$	(c) $-23/6\checkmark$	(d) $7/2\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$ii : A$	(a) $3\checkmark$	(b) $6\textbf{x}$	(c) $-1/2\textbf{x}$	(d) $-3\textbf{x}$	(e) $vyfarbite\textbf{x}$	(f) $vyfarbite\textbf{x}$
	$iii : N$	(a) $6\checkmark$	(b) $-1\textbf{x}$	(c) $-7/2\checkmark$	(d) $7/3\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$
	$iv : D$	(a) $-4\checkmark$	(b) $0\textbf{x}$	(c) $19/6\textbf{x}$	(d) $-7/6\textbf{x}$	(e) $vyfarbite\checkmark$	(f) $vyfarbite\checkmark$

Cubic Equation (solutions)

ν	$i : \mathbf{L}$	(a) 2✓	(b) −11✓	(c) $-11/2✓$	(d) $-11/6\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
	$ii : \mathbf{E}$	(a) −4✓	(b) −1 $\mathbf{X}$	(c) $-3/14\mathbf{X}$	(d) $7/4\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iii : \mathbf{A}$	(a) 8✓	(b) −1 $\mathbf{X}$	(c) $1/2\mathbf{X}$	(d) $13/3\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
	$iv : \mathbf{F}$	(a) 5✓	(b) −9✓	(c) $1/3\mathbf{X}$	(d) 1 $\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
ξ	$i : \mathbf{F}$	(a) 6✓	(b) −4✓	(c) 2 $\mathbf{X}$	(d) $1/3\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$ii : \mathbf{I}$	(a) 11 $\mathbf{X}$	(b) 4✓	(c) −4 $\mathbf{X}$	(d) $-47/15\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$iii : \mathbf{V}$	(a) 6✓	(b) 1✓	(c) −1✓	(d) $-13/2✓$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
	$iv : \mathbf{E}$	(a) 1✓	(b) 6 $\mathbf{X}$	(c) $-8/3\mathbf{X}$	(d) $20/3\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
σ	$i : \mathbf{P}$	(a) −4✓	(b) 0✓	(c) $5/3✓$	(d) $3/2\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$ii : \mathbf{A}$	(a) 2✓	(b) 1 $\mathbf{X}$	(c) $13/5\mathbf{X}$	(d) $7/2\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
	$iii : \mathbf{G}$	(a) 1✓	(b) 1✓	(c) −7 $\mathbf{X}$	(d) $39/20\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
	$iv : \mathbf{E}$	(a) −1✓	(b) 5 $\mathbf{X}$	(c) $10/3\mathbf{X}$	(d) $-9/4\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
π	$i : \mathbf{C}$	(a) −3✓	(b) −1 $\mathbf{X}$	(c) $10/3\mathbf{X}$	(d) $11/6\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$ii : \mathbf{H}$	(a) 1✓	(b) −12✓	(c) −7 $\mathbf{X}$	(d) 3 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iii : \mathbf{A}$	(a) −1✓	(b) −9 $\mathbf{X}$	(c) 1 $\mathbf{X}$	(d) $21/8\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
	$iv : \mathbf{T}$	(a) 0 $\mathbf{X}$	(b) −4✓	(c) $3/2✓$	(d) $15/4\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
ρ	$i : \mathbf{G}$	(a) −1✓	(b) −9✓	(c) −5 $\mathbf{X}$	(d) $1/5\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
	$ii : \mathbf{I}$	(a) 1 $\mathbf{X}$	(b) −6✓	(c) $-31/14\mathbf{X}$	(d) $-73/24\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$iii : \mathbf{F}$	(a) −6✓	(b) 1✓	(c) $-1/2\mathbf{X}$	(d) $23/6\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$iv : \mathbf{T}$	(a) −1 $\mathbf{X}$	(b) 7✓	(c) $9/14✓$	(d) $-3/4\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
σ	$i : \mathbf{W}$	(a) 7✓	(b) −2✓	(c) $9/2✓$	(d) $49/5✓$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$ii : \mathbf{I}$	(a) 4 $\mathbf{X}$	(b) −9✓	(c) 4 $\mathbf{X}$	(d) $-11/3\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$iii : \mathbf{N}$	(a) −5✓	(b) −3 $\mathbf{X}$	(c) $2/15✓$	(d) 5 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
	$iv : \mathbf{D}$	(a) −11✓	(b) −2 $\mathbf{X}$	(c) $-11/6\mathbf{X}$	(d) 0 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
τ	$i : \mathbf{R}$	(a) 8✓	(b) 6✓	(c) $16/15✓$	(d) −6 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$ii : \mathbf{A}$	(a) 5✓	(b) 1 $\mathbf{X}$	(c) $19/8\mathbf{X}$	(d) $5/2\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
	$iii : \mathbf{I}$	(a) −3 $\mathbf{X}$	(b) −6✓	(c) $1/2\mathbf{X}$	(d) $11/5\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$iv : \mathbf{N}$	(a) 10✓	(b) 9 $\mathbf{X}$	(c) 8✓	(d) $-21/10\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
v	$i : \mathbf{T}$	(a) 6 $\mathbf{X}$	(b) 3✓	(c) $7/4✓$	(d) −5 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
	$ii : \mathbf{I}$	(a) 5 $\mathbf{X}$	(b) 2✓	(c) $15/8\mathbf{X}$	(d) $21/4\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$iii : \mathbf{M}$	(a) −2✓	(b) 6 $\mathbf{X}$	(c) $-1/2✓$	(d) $-13/3\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$iv : \mathbf{E}$	(a) −2✓	(b) 7 $\mathbf{X}$	(c) 10 $\mathbf{X}$	(d) $5/4\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
ϕ	$i : \mathbf{H}$	(a) −2✓	(b) 6✓	(c) $-28/15\mathbf{X}$	(d) −6 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$ii : \mathbf{E}$	(a) −1✓	(b) −3 $\mathbf{X}$	(c) $-3/2\mathbf{X}$	(d) −2 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iii : \mathbf{A}$	(a) 1✓	(b) 0 $\mathbf{X}$	(c) 2 $\mathbf{X}$	(d) $7/6\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
	$iv : \mathbf{D}$	(a) −4✓	(b) −3 $\mathbf{X}$	(c) $-29/10\mathbf{X}$	(d) $-39/4\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
χ	$i : \mathbf{I}$	(a) 5 $\mathbf{X}$	(b) −9✓	(c) $33/7\mathbf{X}$	(d) $23/4\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$ii : \mathbf{D}$	(a) 8✓	(b) −5 $\mathbf{X}$	(c) $-7/2\mathbf{X}$	(d) $33/7\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
	$iii : \mathbf{E}$	(a) −7✓	(b) 10 $\mathbf{X}$	(c) $-1/2\mathbf{X}$	(d) $15/2\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iv : \mathbf{A}$	(a) −2✓	(b) −9 $\mathbf{X}$	(c) $-3/2\mathbf{X}$	(d) $15/2\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite\mathbf{X}$
ψ	$i : \mathbf{F}$	(a) 3✓	(b) 1✓	(c) $-5/2\mathbf{X}$	(d) $23/4\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$ii : \mathbf{E}$	(a) −6✓	(b) 5 $\mathbf{X}$	(c) $9/4\mathbf{X}$	(d) $-17/2\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iii : \mathbf{E}$	(a) 1✓	(b) 2 $\mathbf{X}$	(c) 0 $\mathbf{X}$	(d) $-16/3\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iv : \mathbf{T}$	(a) 4 $\mathbf{X}$	(b) −5✓	(c) $3/2✓$	(d) $17/7\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite✓$
ω	$i : \mathbf{S}$	(a) −4 $\mathbf{X}$	(b) 10✓	(c) $3/2✓$	(d) $23/4\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$
	$ii : \mathbf{H}$	(a) 2✓	(b) 9✓	(c) 4 $\mathbf{X}$	(d) 1 $\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iii : \mathbf{O}$	(a) −8✓	(b) −12 $\mathbf{X}$	(c) $5/6✓$	(d) $3/2\mathbf{X}$	(e) $vyfarbite✓$	(f) $vyfarbite\mathbf{X}$
	$iv : \mathbf{P}$	(a) 2✓	(b) −2✓	(c) $-15/4✓$	(d) $-20/3\mathbf{X}$	(e) $vyfarbite\mathbf{X}$	(f) $vyfarbite✓$