

Domain of a Function, group *Alpha* α -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-2x+3}{9x+7}$??? $\mathbb{R} \setminus \{7/9\}$

(b) $f(x) = \frac{1}{-x^3-7x^2+36}$??? $\mathbb{R} \setminus \{2, -6, -3\}$


(c) $f(x) = 3\sqrt{-3x-3}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = 6 \ln(-3x-1)$??? $x < -1/3$

(f) $f(x) = \ln(x^2+7x+10)$??? $x \in (-\infty, -5) \cup (-2, \infty)$

1.



Braille letter

Domain of a Function, group *Alpha* α -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-6}{-3x-5}$??? $\mathbb{R} \setminus \{5/3\}$

(b) $f(x) = \frac{1}{x^3-10x^2+19x+30}$.. ??? .. $\mathbb{R} \setminus \{5, -1, 6\}$


(c) $f(x) = -\sqrt{2x-6}$??? $x \geq -3$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in (0, 3)$

(e) $f(x) = -5 \ln(2x+7)$??? $x < -7/2$

(f) $f(x) = \ln(x^2+5x+4)$??? $x \in (-\infty, -4) \cup (-1, \infty)$

2.



Braille letter

Domain of a Function, group *Alpha* α -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x+8}{4x+5}$??? $\mathbb{R} \setminus \{-5/4\}$

(b) $f(x) = \frac{1}{-x^3+3x^2+x-3}$??? $\mathbb{R} \setminus \{1, 2, 3\}$


(c) $f(x) = 6\sqrt{-3x-3}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = -4 \ln(-6x-1)$??? $x < 1/6$

(f) $f(x) = \ln(x^2-4x-32)$??? $x \in (-\infty, -4) \cup (8, \infty)$

3.



Braille letter

Domain of a Function, group *Alpha* α -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x+3}{-6x-6}$??? $\mathbb{R} \setminus \{-1\}$

(b) $f(x) = \frac{1}{-x^3-2x^2+55x+56}$??? $\mathbb{R} \setminus \{-7, 1, 7\}$


(c) $f(x) = -4\sqrt{-2x-3}$??? $x \leq 3/2$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in \langle 0, 2 \rangle$

(e) $f(x) = 5 \ln(-5x-1)$??? $x < -1/5$

(f) $f(x) = \ln(x^2-9x+14)$??? $x \in (2, 7)$

4.



Braille letter

Domain of a Function, group *Beta* β -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-6}{5x+1}$??? $\mathbb{R} \setminus \{-1/5\}$

(b) $f(x) = \frac{1}{-x^3-5x^2-2x+8}$??? $\mathbb{R} \setminus \{1, -4, 4\}$


(c) $f(x) = 3\sqrt{3x-8}$??? $x \geq -8/3$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in (0, 3)$

(e) $f(x) = 7 \ln(-6x-5)$??? $x < 5/6$

(f) $f(x) = \ln(x^2+x-12)$... ??? ... $x \in (-4, 3)$

1.



Braille letter

Domain of a Function, group *Beta* β -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{5x-2}{7x+4}$??? $\mathbb{R} \setminus \{-4/7\}$

(b) $f(x) = \frac{1}{x^3-6x^2+9x-4}$??? $\mathbb{R} \setminus \{1, 4\}$


(c) $f(x) = -2\sqrt{-9x+4}$??? $x \leq 4/9$

(d) $f(x) = \sqrt{-x^2+x}$... ??? ... $x \in \langle -1, 0 \rangle$

(e) $f(x) = -\ln(-2x+3)$... ??? ... $x < 3/2$

(f) $f(x) = \ln(x^2-6x-16)$??? $x \in (-2, 8)$

2.



Braille letter

Domain of a Function, group *Beta* β -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x+3}{-4x+2}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-2x^3-18x^2-40x-24}$??? $\mathbb{R} \setminus \{0, -2, 6\}$


(c) $f(x) = -2\sqrt{9x+2}$??? $x \leq -2/9$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in (-2, 0)$

(e) $f(x) = -2 \ln(-5x+1)$??? $x < 1/5$

(f) $f(x) = \ln(x^2+10x+25)$... ??? ... $x \in (-5, -5)$

3.



Braille letter

Domain of a Function, group *Beta* β -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x-1}{4x+1}$??? $\mathbb{R} \setminus \{-1/4\}$

(b) $f(x) = \frac{1}{-x^3+10x^2-33x+36}$??? $\mathbb{R} \setminus \{1, 3, -4\}$


(c) $f(x) = 4\sqrt{-2x-1}$??? $x \geq -1/2$

(d) $f(x) = \sqrt{-x^2-7x}$??? $x \in \langle 0, 7 \rangle$

(e) $f(x) = 4 \ln(-5x-8)$??? $x < 8/5$

(f) $f(x) = \ln(x^2+2x+1)$??? $x \in (-1, -1)$

4.



Braille letter

Domain of a Function, group *Gamma* γ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x+5}{x-2}$??? $\mathbb{R} \setminus \{2\}$

(b) $f(x) = \frac{1}{4x^3+24x^2+44x+24}$??? $\mathbb{R} \setminus \{-3, -2, -1\}$


(c) $f(x) = 6\sqrt{-2x+9}$??? $x \geq 9/2$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = 2\ln(-2x-2)$??? $x > -1$

(f) $f(x) = \ln(x^2+7x+10)$??? $x \in (-5, -2)$

1.



Braille letter

Domain of a Function, group *Gamma* γ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x-3}{-4x-8}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{-x^3-5x^2-2x+8}$??? $\mathbb{R} \setminus \{-4, -3, -1\}$


(c) $f(x) = -4\sqrt{5x+3}$??? $x \geq -3/5$

(d) $f(x) = \sqrt{-x^2+6x}$??? $x \in (0, 6)$

(e) $f(x) = \ln(-7x-5)$??? $x < -5/7$

(f) $f(x) = \ln(x^2-2x-24)$??? $x \in (-4, 6)$

2.



Braille letter

Domain of a Function, group *Gamma* γ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x-7}{4x+3}$??? $\mathbb{R} \setminus \{-3/4\}$

(b) $f(x) = \frac{1}{3x^3-24x^2+27x+54}$??? $\mathbb{R} \setminus \{1, 5, 6\}$


(c) $f(x) = -6\sqrt{7x+1}$??? $x \leq -1/7$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = 2\ln(5x+3)$??? $x > -3/5$

(f) $f(x) = \ln(x^2-7x+6)$??? $x \in (-\infty, 1) \cup (6, \infty)$

3.



Braille letter

Domain of a Function, group *Gamma* γ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-6}{-x-2}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{x^3-2x^2-11x+12}$... ??? ... $\mathbb{R} \setminus \{2, -3, -1\}$


(c) $f(x) = 4\sqrt{-4x-5}$??? $x \leq -5/4$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = 3\ln(x+3)$??? $x > -3$

(f) $f(x) = \ln(x^2+10x+24)$??? $x \in (-\infty, -6) \cup (-4, \infty)$

4.



Braille letter

Domain of a Function, group *Delta* δ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x+2}{-6x-4}$??? $\mathbb{R} \setminus \{2/3\}$

(b) $f(x) = \frac{1}{x^3+3x^2-22x-24}$. ??? . $\mathbb{R} \setminus \{-6, 4, -1\}$


(c) $f(x) = -8\sqrt{8x+5}$??? $x \geq -5/8$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = 6 \ln(-6x+2)$??? $x > 1/3$

(f) $f(x) = \ln(x^2+x-12)$??? $x \in (-\infty, -4) \cup (3, \infty)$

1.



Braille letter

Domain of a Function, group *Delta* δ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x+2}{x-1}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{-2x^3+14x+12}$??? $\mathbb{R} \setminus \{3, -2, -1\}$


(c) $f(x) = -2\sqrt{-2x+8}$??? $x \geq 4$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in (-5, 0)$

(e) $f(x) = \ln(-2x+2)$??? $x < 1$

(f) $f(x) = \ln(x^2+3x+2)$.. ??? .. $x \in (-2, -1)$

2.



Braille letter

Domain of a Function, group *Delta* δ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{2x+2}{-2x+3}$??? $\mathbb{R} \setminus \{3/2\}$

(b) $f(x) = \frac{1}{-x^3+8x^2-20x+16}$??? $\mathbb{R} \setminus \{2, 6, -2\}$


(c) $f(x) = 4\sqrt{-5x+8}$??? $x \leq 8/5$

(d) $f(x) = \sqrt{-x^2+4x}$??? $x \in \langle -4, 0 \rangle$

(e) $f(x) = -8 \ln(6x+3)$??? $x > -1/2$

(f) $f(x) = \ln(x^2-25)$??? $x \in (-5, 5)$

3.



Braille letter

Domain of a Function, group *Delta* δ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-4}{-7x-5}$... ??? ... $\mathbb{R} \setminus \{-5/7\}$

(b) $f(x) = \frac{1}{3x^3-9x^2+12}$??? $\mathbb{R} \setminus \{2, -1\}$


(c) $f(x) = 5\sqrt{9x+3}$??? $x \geq -1/3$

(d) $f(x) = \sqrt{-x^2+x}$... ??? ... $x \in \langle 0, 1 \rangle$

(e) $f(x) = 4 \ln(-2x+4)$... ??? ... $x < 2$

(f) $f(x) = \ln(x^2-9x+20)$??? $x \in (4, 5)$

4.



Braille letter

Domain of a Function, group *Epsilon* € -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{7x-2}{7x+4}$??? $\mathbb{R} \setminus \{-4/7\}$

(b) $f(x) = \frac{1}{x^3-7x+6}$??? $\mathbb{R} \setminus \{3, -3, -2\}$

(c) $f(x) = -3\sqrt{-5x-5}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = -2\ln(5x-4)$??? $x > -4/5$

(f) $f(x) = \ln(x^2-3x+2)$??? $x \in (-\infty, 1) \cup (2, \infty)$

1.

a f

b e

c d

Braille letter

Domain of a Function, group *Epsilon* € -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x+2}{-5x-1}$??? $\mathbb{R} \setminus \{-1/5\}$

(b) $f(x) = \frac{1}{3x^3+9x^2+9x+3}$??? $\mathbb{R} \setminus \{1, -1\}$

(c) $f(x) = \sqrt{x+2}$??? $x \geq 2$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in (-1, 0)$

(e) $f(x) = -2\ln(2x+3)$??? $x > 3/2$

(f) $f(x) = \ln(x^2+3x-4)$.. ??? .. $x \in (-4, 1)$

2.

a f

b e

c d

Braille letter

Domain of a Function, group *Epsilon* € -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x+1}{-3x-1}$??? $\mathbb{R} \setminus \{1/3\}$

(b) $f(x) = \frac{1}{5x^3+15x^2-45x+25}$.. ??? .. $\mathbb{R} \setminus \{1, -5\}$

(c) $f(x) = -6\sqrt{-5x+5}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2+6x}$??? $x \in (0, 6)$

(e) $f(x) = -3\ln(-5x-3)$??? $x < 3/5$

(f) $f(x) = \ln(x^2+3x+2)$??? $x \in (-\infty, -2) \cup (-1, \infty)$

3.

a f

b e

c d

Braille letter

Domain of a Function, group *Epsilon* € -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-2x+3}{x+6}$??? $\mathbb{R} \setminus \{-6\}$

(b) $f(x) = \frac{1}{x^3+4x^2-4x-16}$??? $\mathbb{R} \setminus \{2, -4, -2\}$

(c) $f(x) = -\sqrt{-7x-2}$??? $x \leq -2/7$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = -2\ln(-x-1)$??? $x < 1$

(f) $f(x) = \ln(x^2-2x-63)$... ??? ... $x \in (-7, 9)$

4.

a f

b e

c d

Braille letter

Domain of a Function, group *Zeta* ζ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x-3}{-4x+3}$??? $\mathbb{R} \setminus \{3/4\}$

(b) $f(x) = \frac{1}{2x^3 - 16x^2 + 10x + 28}$. ??? . $\mathbb{R} \setminus \{2, -1, 7\}$


(c) $f(x) = -5\sqrt{2x-2}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2 + 9x}$??? $x \in \langle -9, 0 \rangle$

(e) $f(x) = 6 \ln(-6x-3)$??? $x > -1/2$

(f) $f(x) = \ln(x^2 + 2x + 1)$??? $x \in (-\infty, -1) \cup (-1, \infty)$

1.



Braille letter

Domain of a Function, group *Zeta* ζ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{8x-2}{-4x-7}$??? $\mathbb{R} \setminus \{-7/4\}$

(b) $f(x) = \frac{1}{-6x^3 - 18x^2 + 24}$??? $\mathbb{R} \setminus \{-4, -2, -1\}$


(c) $f(x) = -3\sqrt{-3x-8}$??? $x \geq -8/3$

(d) $f(x) = \sqrt{-x^2 + 5x}$??? $x \in \langle -5, 0 \rangle$

(e) $f(x) = 2 \ln(-3x-2)$??? $x < -2/3$

(f) $f(x) = \ln(x^2 + 3x + 2)$... ??? ... $x \in (-2, -1)$

2.



Braille letter

Domain of a Function, group *Zeta* ζ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x-2}{-2x-3}$??? $\mathbb{R} \setminus \{-3/2\}$

(b) $f(x) = \frac{1}{-2x^3 + 4x^2 + 10x - 12}$??? $\mathbb{R} \setminus \{1, 2\}$


(c) $f(x) = 4\sqrt{x+1}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2 + 7x}$??? $x \in (0, 7)$

(e) $f(x) = 2 \ln(-5x-8)$??? $x < 8/5$

(f) $f(x) = \ln(x^2 - 1)$??? $x \in (-1, 1)$

3.



Braille letter

Domain of a Function, group *Zeta* ζ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-6}{4x+3}$??? $\mathbb{R} \setminus \{-3/4\}$

(b) $f(x) = \frac{1}{-3x^3 + 6x^2 + 3x - 6}$??? $\mathbb{R} \setminus \{-1, -2\}$


(c) $f(x) = -3\sqrt{6x-6}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2 + 9x}$??? $x \in (0, 9)$

(e) $f(x) = 3 \ln(-x+5)$??? $x < -5$

(f) $f(x) = \ln(x^2 + 5x + 6)$... ??? ... $x \in (-3, -2)$

4.



Braille letter

Domain of a Function, group *Eta η* -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x+3}{-6x-8}$??? $\mathbb{R} \setminus \{-4/3\}$

(b) $f(x) = \frac{1}{3x^3+12x^2+3x-18}$??? $\mathbb{R} \setminus \{1, -3, -2\}$


(c) $f(x) = \sqrt{3x+5}$??? $x \geq -5/3$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle -5, 0 \rangle$

(e) $f(x) = 3 \ln(-3x+5)$??? $x < 5/3$

(f) $f(x) = \ln(x^2+5x-6)$??? $x \in (-6, 1)$

1.



Braille letter

Domain of a Function, group *Eta η* -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{8x-3}{-7x-5}$??? $\mathbb{R} \setminus \{-5/7\}$

(b) $f(x) = \frac{1}{3x^3-15x^2-3x+15}$??? $\mathbb{R} \setminus \{1, -5, -2\}$


(c) $f(x) = 2\sqrt{2x-6}$??? $x \geq 3$

(d) $f(x) = \sqrt{-x^2-6x}$??? $x \in \langle 0, 6 \rangle$

(e) $f(x) = -\ln(-5x+8)$??? $x < 8/5$

(f) $f(x) = \ln(x^2+2x-3)$??? $x \in (-3, 1)$

2.



Braille letter

Domain of a Function, group *Eta η* -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{2x-2}{6x-9}$??? $\mathbb{R} \setminus \{3/2\}$

(b) $f(x) = \frac{1}{-x^3+2x^2+4x-8}$??? $\mathbb{R} \setminus \{0, -2\}$


(c) $f(x) = 3\sqrt{x-2}$??? $x \geq 2$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = \ln(x+2)$??? $x > -2$

(f) $f(x) = \ln(x^2-8x+15)$.. ??? .. $x \in (3, 5)$

3.



Braille letter

Domain of a Function, group *Eta η* -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x+8}{4x+6}$??? $\mathbb{R} \setminus \{-3/2\}$

(b) $f(x) = \frac{1}{-x^3+x^2+5x+3}$. ??? . $\mathbb{R} \setminus \{1, 2, -1\}$


(c) $f(x) = -5\sqrt{-4x+3}$??? $x \leq -3/4$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = 7 \ln(-9x+6)$??? $x < 2/3$

(f) $f(x) = \ln(x^2-5x+6)$??? $x \in (-\infty, 2) \cup (3, \infty)$

4.



Braille letter

Domain of a Function, group *Theta* θ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-2x+5}{6x-3}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{x^3 - 14x^2 + 51x - 54}$??? $\mathbb{R} \setminus \{9, 2, 3\}$


(c) $f(x) = 5\sqrt{5x+6}$??? $x \geq -6/5$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = -8\ln(-2x-4)$??? $x < 2$

(f) $f(x) = \ln(x^2+x-42)$... ??? ... $x \in (-7, 6)$

1.



Braille letter

Domain of a Function, group *Theta* θ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x+4}{-3x-1}$??? $\mathbb{R} \setminus \{1/3\}$

(b) $f(x) = \frac{1}{3x^3 + 15x^2 + 21x + 9}$. ??? . $\mathbb{R} \setminus \{-3, -1\}$


(c) $f(x) = 3\sqrt{x-6}$??? $x \leq 6$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in (-5, 0)$

(e) $f(x) = -\ln(-2x+7)$??? $x > 7/2$

(f) $f(x) = \ln(x^2-10x+24)$??? $x \in (-\infty, 4) \cup (6, \infty)$

2.



Braille letter

Domain of a Function, group *Theta* θ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-9x+7}{-3x+2}$??? $\mathbb{R} \setminus \{2/3\}$

(b) $f(x) = \frac{1}{-4x^3 - 28x^2 - 56x - 32}$??? $\mathbb{R} \setminus \{-4, -2, -1\}$


(c) $f(x) = -2\sqrt{-2x-7}$??? $x \geq -7/2$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in (0, 2)$

(e) $f(x) = 6\ln(-2x-6)$??? $x > -3$

(f) $f(x) = \ln(x^2+8x+12)$??? $x \in (-\infty, -6) \cup (-2, \infty)$

3.



Braille letter

Domain of a Function, group *Theta* θ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x-1}{4x+2}$... ??? ... $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{x^3 - 13x + 12}$??? $\mathbb{R} \setminus \{3, 4, -1\}$


(c) $f(x) = -3\sqrt{-2x+4}$... ??? ... $x \leq -2$

(d) $f(x) = \sqrt{-x^2+4x}$... ??? ... $x \in (0, 4)$

(e) $f(x) = -4\ln(-9x-1)$.. ??? .. $x < -1/9$

(f) $f(x) = \ln(x^2-11x+24)$??? $x \in (3, 8)$

4.



Braille letter

Domain of a Function, group *Iota* ι -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x+3}{3x-6}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{4x^3 + 28x^2 + 28x - 60}$??? $\mathbb{R} \setminus \{1, -5, -3\}$


(c) $f(x) = -5\sqrt{-x-5}$??? $x \leq 5$

(d) $f(x) = \sqrt{-x^2 + x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = \ln(8x+7)$??? $x < -7/8$

(f) $f(x) = \ln(x^2 + 2x - 15)$??? $x \in (-\infty, -5) \cup (3, \infty)$

1.



Braille letter

Domain of a Function, group *Iota* ι -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x-6}{7x-6}$??? $\mathbb{R} \setminus \{6/7\}$

(b) $f(x) = \frac{1}{x^3 + x^2 - 9x - 9}$.. ??? .. $\mathbb{R} \setminus \{1, 2, -3\}$


(c) $f(x) = -4\sqrt{-4x+5}$??? $x \leq -5/4$

(d) $f(x) = \sqrt{-x^2 - 5x}$??? $x \in (-5, 0)$

(e) $f(x) = 3\ln(-7x-5)$??? $x < -5/7$

(f) $f(x) = \ln(x^2 - 8x + 7)$??? $x \in (-\infty, 1) \cup (7, \infty)$

2.



Braille letter

Domain of a Function, group *Iota* ι -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-6x-1}{-4x+7}$??? $\mathbb{R} \setminus \{7/4\}$

(b) $f(x) = \frac{1}{-x^3 - 2x^2 + 5x + 6}$??? $\mathbb{R} \setminus \{-1, -2\}$


(c) $f(x) = \sqrt{-x+8}$??? $x \geq 8$

(d) $f(x) = \sqrt{-x^2 - 9x}$??? $x \in \langle 0, 9 \rangle$

(e) $f(x) = -5\ln(-8x+2)$??? $x < 1/4$

(f) $f(x) = \ln(x^2 + x - 6)$??? $x \in (-3, 2)$

3.



Braille letter

Domain of a Function, group *Iota* ι -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x-1}{6x-3}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-3x^3 + 15x^2 - 6x - 24}$??? $\mathbb{R} \setminus \{1, 2\}$


(c) $f(x) = -\sqrt{2x-2}$??? $x \geq -1$

(d) $f(x) = \sqrt{-x^2 + x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = 6\ln(-x-2)$??? $x > -2$

(f) $f(x) = \ln(x^2 - 2x - 8)$... ??? ... $x \in (-2, 4)$

4.



Braille letter

Domain of a Function, group *Kappa* κ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-3x-2}{-8x+4}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{2x^3-20x^2+34x+56}$. ??? . $\mathbb{R} \setminus \{4, -1, 7\}$


(c) $f(x) = 2\sqrt{2x-4}$??? $x \geq -2$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = \ln(-5x+3)$??? $x > 3/5$

(f) $f(x) = \ln(x^2-3x-10)$??? $x \in (-\infty, -2) \cup (5, \infty)$

1.



Braille letter

Domain of a Function, group *Kappa* κ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{8x-3}{-4x-9}$??? $\mathbb{R} \setminus \{-9/4\}$

(b) $f(x) = \frac{1}{2x^3-6x^2-20x+48}$??? $\mathbb{R} \setminus \{4, -4, -2\}$


(c) $f(x) = \sqrt{-4x+6}$??? $x \leq 3/2$

(d) $f(x) = \sqrt{-x^2-9x}$??? $x \in (-9, 0)$

(e) $f(x) = -4\ln(3x-2)$??? $x > 2/3$

(f) $f(x) = \ln(x^2-5x+6)$??? $x \in (2, 3)$

2.



Braille letter

Domain of a Function, group *Kappa* κ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-2x-3}{-5x-1}$??? $\mathbb{R} \setminus \{-1/5\}$

(b) $f(x) = \frac{1}{3x^3+18x^2+33x+18}$??? $\mathbb{R} \setminus \{1, -3, -1\}$


(c) $f(x) = -4\sqrt{-4x+6}$??? $x \leq 3/2$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = -7\ln(2x+2)$??? $x > -1$

(f) $f(x) = \ln(x^2-x-2)$??? $x \in (-1, 2)$

3.



Braille letter

Domain of a Function, group *Kappa* κ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x-2}{-2x-8}$??? $\mathbb{R} \setminus \{4\}$

(b) $f(x) = \frac{1}{x^3-4x^2-11x-6}$.. ??? .. $\mathbb{R} \setminus \{-1, 6\}$


(c) $f(x) = \sqrt{-2x+2}$??? $x \leq 1$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in \langle 0, 2 \rangle$

(e) $f(x) = -3\ln(4x+2)$??? $x > -1/2$

(f) $f(x) = \ln(x^2-3x+2)$??? $x \in (-\infty, 1) \cup (2, \infty)$

4.



Braille letter

Domain of a Function, group *Lambda* λ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-2x+4}{-5x+8}$??? $\mathbb{R} \setminus \{8/5\}$

(b) $f(x) = \frac{1}{-x^3+12x^2-47x+60}$??? $\mathbb{R} \setminus \{3, -5\}$

(c) $f(x) = 2\sqrt{x+2}$??? $x \leq -2$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = -2\ln(4x+5)$??? $x > -5/4$

(f) $f(x) = \ln(x^2+9x+18)$.. ??? .. $x \in (-6, -3)$

1.

a f

b e

c d

Braille letter

Domain of a Function, group *Lambda* λ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{9x-6}{3x+3}$??? $\mathbb{R} \setminus \{-1\}$

(b) $f(x) = \frac{1}{3x^3+12x^2+15x+6}$.. ??? .. $\mathbb{R} \setminus \{1, 2, -1\}$

(c) $f(x) = 5\sqrt{7x-4}$??? $x \geq -4/7$

(d) $f(x) = \sqrt{-x^2-9x}$??? $x \in \langle 0, 9 \rangle$

(e) $f(x) = 6\ln(-4x-5)$??? $x < -5/4$

(f) $f(x) = \ln(x^2+4x+4)$??? $x \in (-\infty, -2) \cup (-2, \infty)$

2.

a f

b e

c d

Braille letter

Domain of a Function, group *Lambda* λ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-7x-3}{6x-4}$??? $\mathbb{R} \setminus \{2/3\}$

(b) $f(x) = \frac{1}{-x^3-x^2+9x+9}$.. ??? .. $\mathbb{R} \setminus \{3, -3, -1\}$

(c) $f(x) = 9\sqrt{-4x-2}$??? $x \geq -1/2$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = -5\ln(-7x+8)$??? $x < 8/7$

(f) $f(x) = \ln(x^2+4x-12)$??? $x \in (-\infty, -6) \cup (2, \infty)$

3.

a f

b e

c d

Braille letter

Domain of a Function, group *Lambda* λ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{5x+9}{2x-1}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-2x^3-16x^2-22x+40}$??? $\mathbb{R} \setminus \{1, 5, -3\}$

(c) $f(x) = 3\sqrt{5x+8}$??? $x \geq 8/5$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = 5\ln(-2x+4)$??? $x < 2$

(f) $f(x) = \ln(x^2-5x+6)$??? $x \in (2, 3)$

4.

a f

b e

c d

Braille letter

Domain of a Function, group $Mu \mu$ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{5x-1}{-7x-3}$??? $\mathbb{R} \setminus \{3/7\}$

(b) $f(x) = \frac{1}{2x^3-6x+4}$??? $\mathbb{R} \setminus \{1, -2\}$


(c) $f(x) = 6\sqrt{-3x+1}$??? $x \leq 1/3$

(d) $f(x) = \sqrt{-x^2-6x}$??? $x \in (-6, 0)$

(e) $f(x) = \ln(2x-2)$??? $x < 1$

(f) $f(x) = \ln(x^2+2x-24)$??? $x \in (-\infty, -6) \cup (4, \infty)$

1.



Braille letter

Domain of a Function, group $Mu \mu$ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-3x-1}{-5x-1}$??? $\mathbb{R} \setminus \{-1/5\}$

(b) $f(x) = \frac{1}{-x^3+2x^2+41x-42}$??? $\mathbb{R} \setminus \{3, 6, 7\}$


(c) $f(x) = -7\sqrt{2x+6}$??? $x \geq 3$

(d) $f(x) = \sqrt{-x^2-7x}$??? $x \in \langle 0, 7 \rangle$

(e) $f(x) = -4\ln(-3x+7)$??? $x < -7/3$

(f) $f(x) = \ln(x^2-2x+1)$??? $x \in (1, 1)$

2.



Braille letter

Domain of a Function, group $Mu \mu$ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-8}{-2x-1}$... ??? ... $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{6x^3-18x+12}$??? $\mathbb{R} \setminus \{1, -2\}$


(c) $f(x) = 2\sqrt{-8x-8}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2-3x}$... ??? ... $x \in \langle 0, 3 \rangle$

(e) $f(x) = -8\ln(-x-1)$... ??? ... $x < 1$

(f) $f(x) = \ln(x^2-x-2)$??? $x \in (-1, 2)$

3.



Braille letter

Domain of a Function, group $Mu \mu$ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-2}{2x-5}$??? $\mathbb{R} \setminus \{5/2\}$

(b) $f(x) = \frac{1}{x^3-4x^2-x+4}$??? $\mathbb{R} \setminus \{-4, -1\}$


(c) $f(x) = -7\sqrt{-x+1}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = -2\ln(-x+1)$??? $x < 1$

(f) $f(x) = \ln(x^2+5x+6)$. ??? . $x \in (-3, -2)$

4.



Braille letter

Domain of a Function, group $Nu \nu$ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{8x+1}{-8x+4}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{x^3-7x-6}$??? $\mathbb{R} \setminus \{3, -1, -2\}$


(c) $f(x) = \sqrt{2x-5}$??? $x \geq 5/2$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = 2 \ln(x+1)$??? $x > -1$

(f) $f(x) = \ln(x^2-4x-12)$??? $x \in (-\infty, -2) \cup (6, \infty)$

1.



Braille letter

Domain of a Function, group $Nu \nu$ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x+4}{-9x-5}$??? $\mathbb{R} \setminus \{-5/9\}$

(b) $f(x) = \frac{1}{4x^3+8x^2-4x-8}$??? $\mathbb{R} \setminus \{2, 3, -1\}$


(c) $f(x) = 2\sqrt{3x+1}$??? $x \geq -1/3$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = -8 \ln(-2x+3)$??? $x < 3/2$

(f) $f(x) = \ln(x^2-4x+4)$??? $x \in (2, 2)$

2.



Braille letter

Domain of a Function, group $Nu \nu$ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-4}{4x-2}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-x^3+2x^2+13x+10}$??? $\mathbb{R} \setminus \{5, -1, -2\}$


(c) $f(x) = -\sqrt{5x-2}$??? $x \geq 2/5$

(d) $f(x) = \sqrt{-x^2+5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = -8 \ln(-4x-4)$??? $x < -1$

(f) $f(x) = \ln(x^2-13x+42)$??? $x \in (6, 7)$

3.



Braille letter

Domain of a Function, group $Nu \nu$ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-7x+1}{-7x-2}$??? $\mathbb{R} \setminus \{-2/7\}$

(b) $f(x) = \frac{1}{x^3+11x^2+34x+24}$. ??? . $\mathbb{R} \setminus \{-5, 4, -1\}$


(c) $f(x) = 6\sqrt{-5x-2}$??? $x \leq -2/5$

(d) $f(x) = \sqrt{-x^2+7x}$??? $x \in (0, 7)$

(e) $f(x) = -4 \ln(-2x+3)$??? $x < 3/2$

(f) $f(x) = \ln(x^2+2x-15)$??? $x \in (-\infty, -5) \cup (3, \infty)$

4.



Braille letter

Domain of a Function, group $Xi \xi$ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-9x+2}{-6x+1}$??? $\mathbb{R} \setminus \{1/6\}$

(b) $f(x) = \frac{1}{-3x^3+3x^2+3x-3}$??? $\mathbb{R} \setminus \{1, 2\}$


(c) $f(x) = 3\sqrt{-3x+3}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2+6x}$??? $x \in \langle -6, 0 \rangle$

(e) $f(x) = -\ln(5x-3)$??? $x < 3/5$

(f) $f(x) = \ln(x^2+3x-10)$. ??? . $x \in (-5, 2)$

1.



Braille letter

Domain of a Function, group $Xi \xi$ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x+3}{4x+8}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{x^3-5x^2-x+5}$??? $\mathbb{R} \setminus \{1, 5, -1\}$


(c) $f(x) = 2\sqrt{x-1}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2+7x}$??? $x \in \langle -7, 0 \rangle$

(e) $f(x) = -4\ln(4x-3)$??? $x > 3/4$

(f) $f(x) = \ln(x^2+11x+30)$??? $x \in (-6, -5)$

2.



Braille letter

Domain of a Function, group $Xi \xi$ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-5x-2}{-4x-8}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{-x^3+13x^2-52x+60}$??? $\mathbb{R} \setminus \{-2, 6, 7\}$


(c) $f(x) = 3\sqrt{-5x-1}$??? $x \leq -1/5$

(d) $f(x) = \sqrt{-x^2+4x}$??? $x \in \langle -4, 0 \rangle$

(e) $f(x) = \ln(-2x-7)$??? $x > -7/2$

(f) $f(x) = \ln(x^2-9)$.. ??? .. $x \in (-\infty, -3) \cup (3, \infty)$

3.



Braille letter

Domain of a Function, group $Xi \xi$ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x+8}{-x-5}$??? $\mathbb{R} \setminus \{-5\}$

(b) $f(x) = \frac{1}{-4x^3+20x^2-28x+12}$??? $\mathbb{R} \setminus \{1, 3, -3\}$


(c) $f(x) = -5\sqrt{9x-6}$??? $x \geq 2/3$

(d) $f(x) = \sqrt{-x^2+4x}$??? $x \in \langle 0, 4 \rangle$

(e) $f(x) = 5\ln(-4x-6)$??? $x < -3/2$

(f) $f(x) = \ln(x^2-6x-7)$??? $x \in (-\infty, -1) \cup (7, \infty)$

4.



Braille letter

Domain of a Function, group *Omicron o* -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{5x + 3}{-5x - 4}$??? $\mathbb{R} \setminus \{-4/5\}$

(b) $f(x) = \frac{1}{2x^3 + 20x^2 + 34x + 16}$??? $\mathbb{R} \setminus \{-8, -1\}$


(c) $f(x) = 6\sqrt{x + 3}$??? $x \geq -3$

(d) $f(x) = \sqrt{-x^2 + 9x}$??? $x \in (0, 9)$

(e) $f(x) = -6 \ln(-x - 2)$??? $x < 2$

(f) $f(x) = \ln(x^2 - x - 2)$??? $x \in (-\infty, -1) \cup (2, \infty)$

1.



Braille letter

Domain of a Function, group *Omicron o* -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x - 6}{3x + 1}$??? $\mathbb{R} \setminus \{-1/3\}$

(b) $f(x) = \frac{1}{3x^3 - 12x^2 - 9x + 54}$??? $\mathbb{R} \setminus \{2, 3\}$


(c) $f(x) = 7\sqrt{-x + 2}$??? $x \geq 2$

(d) $f(x) = \sqrt{-x^2 - 5x}$??? $x \in (-5, 0)$

(e) $f(x) = -8 \ln(-3x + 3)$??? $x < -1$

(f) $f(x) = \ln(x^2 + 4x + 3)$. ??? . $x \in (-3, -1)$

2.



Braille letter

Domain of a Function, group *Omicron o* -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-3x - 4}{2x + 9}$??? $\mathbb{R} \setminus \{9/2\}$

(b) $f(x) = \frac{1}{-4x^3 - 20x^2 - 12x + 36}$... ??? ... $\mathbb{R} \setminus \{1, -3\}$


(c) $f(x) = -7\sqrt{-x + 3}$??? $x \leq 3$

(d) $f(x) = \sqrt{-x^2 - 2x}$??? $x \in (-2, 0)$

(e) $f(x) = 2 \ln(2x - 1)$??? $x > 1/2$

(f) $f(x) = \ln(x^2 + 10x + 24)$??? $x \in (-\infty, -6) \cup (-4, \infty)$

3.



Braille letter

Domain of a Function, group *Omicron o* -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x + 4}{-x - 8}$??? $\mathbb{R} \setminus \{-8\}$

(b) $f(x) = \frac{1}{-3x^3 + 39x + 36}$??? $\mathbb{R} \setminus \{4, -3, -1\}$


(c) $f(x) = 2\sqrt{8x + 1}$??? $x \geq 1/8$

(d) $f(x) = \sqrt{-x^2 - 6x}$??? $x \in \langle 0, 6 \rangle$

(e) $f(x) = 6 \ln(-9x + 2)$??? $x < 2/9$

(f) $f(x) = \ln(x^2 - 7x + 12)$... ??? ... $x \in (3, 4)$

4.



Braille letter

Domain of a Function, group $Pi \pi$ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{2x-9}{3x-6}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{4x^3-28x+24}$... ??? ... $\mathbb{R} \setminus \{1, 2, -3\}$


(c) $f(x) = -4\sqrt{-4x-2}$??? $x \leq -1/2$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = -7 \ln(-7x-5)$??? $x < 5/7$

(f) $f(x) = \ln(x^2-2x+1)$??? $x \in (-\infty, 1) \cup (1, \infty)$

1.



Braille letter

Domain of a Function, group $Pi \pi$ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{5x+2}{6x+5}$??? $\mathbb{R} \setminus \{-5/6\}$

(b) $f(x) = \frac{1}{x^3+9x^2+26x+24}$??? $\mathbb{R} \setminus \{-6, 3, -2\}$


(c) $f(x) = -5\sqrt{-3x-2}$??? $x \leq 2/3$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in (0, 1)$

(e) $f(x) = -2 \ln(x+8)$??? $x > 8$

(f) $f(x) = \ln(x^2-4x-5)$??? $x \in (-1, 5)$

2.



Braille letter

Domain of a Function, group $Pi \pi$ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{7x+5}{-2x+1}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-x^3+21x+20}$??? $\mathbb{R} \setminus \{-3, 5, 1\}$


(c) $f(x) = -\sqrt{3x+8}$??? $x \geq -8/3$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in (0, 1)$

(e) $f(x) = -5 \ln(4x+9)$??? $x > -9/4$

(f) $f(x) = \ln(x^2-13x+36)$??? $x \in (-\infty, 4) \cup (9, \infty)$

3.



Braille letter

Domain of a Function, group $Pi \pi$ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-9x-3}{6x-1}$??? $\mathbb{R} \setminus \{1/6\}$

(b) $f(x) = \frac{1}{2x^3-10x^2-66x-54}$. ??? . $\mathbb{R} \setminus \{0, 9, 3\}$


(c) $f(x) = \sqrt{-5x-1}$??? $x \leq 1/5$

(d) $f(x) = \sqrt{-x^2-4x}$??? $x \in \langle 0, 4 \rangle$

(e) $f(x) = \ln(-6x-7)$??? $x < -7/6$

(f) $f(x) = \ln(x^2-10x+25)$??? $x \in (-\infty, 5) \cup (5, \infty)$

4.



Braille letter

Domain of a Function, group *Rho* ρ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-2}{x+7}$??? $\mathbb{R} \setminus \{-7\}$

(b) $f(x) = \frac{1}{x^3-6x^2-x+6}$??? $\mathbb{R} \setminus \{1, -1, 6\}$


(c) $f(x) = -\sqrt{x-2}$??? $x \leq 2$

(d) $f(x) = \sqrt{-x^2-8x}$??? $x \in (-8, 0)$

(e) $f(x) = 4 \ln(-9x-5)$??? $x < -5/9$

(f) $f(x) = \ln(x^2-2x-3)$.. ??? .. $x \in (-1, 3)$

1.



Braille letter

Domain of a Function, group *Rho* ρ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-1}{-2x+3}$??? $\mathbb{R} \setminus \{3/2\}$

(b) $f(x) = \frac{1}{2x^3-38x-60}$??? $\mathbb{R} \setminus \{2, 4, -3\}$


(c) $f(x) = -3\sqrt{-5x+2}$??? $x \leq 2/5$

(d) $f(x) = \sqrt{-x^2-6x}$??? $x \in \langle 0, 6 \rangle$

(e) $f(x) = 7 \ln(7x+3)$??? $x > -3/7$

(f) $f(x) = \ln(x^2-13x+36)$. ??? . $x \in (4, 9)$

2.



Braille letter

Domain of a Function, group *Rho* ρ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{5x+3}{3x+6}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{-2x^3+2x^2+32x-32}$. ??? . $\mathbb{R} \setminus \{1, 4, -4\}$


(c) $f(x) = -7\sqrt{-x-6}$??? $x \leq -6$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = 7 \ln(7x+2)$??? $x > 2/7$

(f) $f(x) = \ln(x^2+6x+8)$??? $x \in (-\infty, -4) \cup (-2, \infty)$

3.



Braille letter

Domain of a Function, group *Rho* ρ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{7x+1}{-3x-1}$??? $\mathbb{R} \setminus \{-1/3\}$

(b) $f(x) = \frac{1}{-x^3+8x^2-19x+12}$??? $\mathbb{R} \setminus \{3, 4, -3\}$


(c) $f(x) = 5\sqrt{5x-1}$??? $x \leq 1/5$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = 6 \ln(-6x+5)$??? $x < 5/6$

(f) $f(x) = \ln(x^2+5x+6)$... ??? ... $x \in (-3, -2)$

4.



Braille letter

Domain of a Function, group *Sigma* σ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x+5}{-6x+1}$??? $\mathbb{R} \setminus \{-1/6\}$

(b) $f(x) = \frac{1}{x^3 - 3x^2 - x + 3}$. ??? . $\mathbb{R} \setminus \{1, 3, -1\}$


(c) $f(x) = 6\sqrt{2x+3}$??? $x \geq -3/2$

(d) $f(x) = \sqrt{-x^2 - 4x}$??? $x \in (-4, 0)$

(e) $f(x) = 3 \ln(-x+9)$??? $x < -9$

(f) $f(x) = \ln(x^2 - 1)$??? $x \in (-\infty, -1) \cup (1, \infty)$

1.



Braille letter

Domain of a Function, group *Sigma* σ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-6}{3x+1}$??? $\mathbb{R} \setminus \{1/3\}$

(b) $f(x) = \frac{1}{x^3 + 2x^2 - 11x - 12}$.. ??? .. $\mathbb{R} \setminus \{3, -4, -1\}$


(c) $f(x) = 5\sqrt{2x-3}$??? $x \geq 3/2$

(d) $f(x) = \sqrt{-x^2 - 5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = -5 \ln(3x-1)$??? $x > 1/3$

(f) $f(x) = \ln(x^2 + 8x + 12)$??? $x \in (-\infty, -6) \cup (-2, \infty)$

2.



Braille letter

Domain of a Function, group *Sigma* σ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{8x+8}{x-7}$??? $\mathbb{R} \setminus \{7\}$

(b) $f(x) = \frac{1}{x^3 + 3x^2 - 6x - 8}$??? $\mathbb{R} \setminus \{1, 2, -3\}$


(c) $f(x) = -6\sqrt{x+5}$??? $x \geq 5$

(d) $f(x) = \sqrt{-x^2 + 2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = 2 \ln(-2x-5)$??? $x > -5/2$

(f) $f(x) = \ln(x^2 - 4x - 5)$.. ??? .. $x \in (-1, 5)$

3.



Braille letter

Domain of a Function, group *Sigma* σ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-3x+1}{3x+2}$??? $\mathbb{R} \setminus \{-2/3\}$

(b) $f(x) = \frac{1}{-2x^3 + 26x + 24}$??? $\mathbb{R} \setminus \{4, -3, -1\}$


(c) $f(x) = 3\sqrt{-2x-8}$??? $x \leq -4$

(d) $f(x) = \sqrt{-x^2 - 4x}$??? $x \in \langle 0, 4 \rangle$

(e) $f(x) = 2 \ln(3x+6)$??? $x > -2$

(f) $f(x) = \ln(x^2 - 2x - 3)$... ??? ... $x \in (-1, 3)$

4.



Braille letter

Domain of a Function, group *Tau* τ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x+6}{-3x-2}$??? $\mathbb{R} \setminus \{-2/3\}$

(b) $f(x) = \frac{1}{x^3+2x^2-x-2}$??? $\mathbb{R} \setminus \{1, -1, -2\}$


(c) $f(x) = 3\sqrt{-6x+5}$??? $x \leq 5/6$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in (0, 2)$

(e) $f(x) = 8 \ln(x-1)$??? $x > 1$

(f) $f(x) = \ln(x^2+7x+12)$. ??? . $x \in (-4, -3)$

1.



Braille letter

Domain of a Function, group *Tau* τ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{2x+6}{8x+3}$??? $\mathbb{R} \setminus \{3/8\}$

(b) $f(x) = \frac{1}{-4x^3-20x^2+4x+20}$??? $\mathbb{R} \setminus \{1, -5, -1\}$


(c) $f(x) = 3\sqrt{-6x+7}$??? $x \geq 7/6$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in (0, 2)$

(e) $f(x) = -3 \ln(8x+6)$??? $x > 3/4$

(f) $f(x) = \ln(x^2+6x+9)$??? $x \in (-\infty, -3) \cup (-3, \infty)$

2.



Braille letter

Domain of a Function, group *Tau* τ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x-3}{4x-8}$??? $\mathbb{R} \setminus \{2\}$

(b) $f(x) = \frac{1}{2x^3-2x^2-2x+2}$??? $\mathbb{R} \setminus \{1, 2\}$


(c) $f(x) = 2\sqrt{-2x+7}$??? $x \leq 7/2$

(d) $f(x) = \sqrt{-x^2-7x}$??? $x \in (-7, 0)$

(e) $f(x) = 3 \ln(-3x-1)$??? $x < -1/3$

(f) $f(x) = \ln(x^2-3x-18)$??? $x \in (-\infty, -3) \cup (6, \infty)$

3.



Braille letter

Domain of a Function, group *Tau* τ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x+1}{-x-9}$??? $\mathbb{R} \setminus \{-9\}$

(b) $f(x) = \frac{1}{-x^3-14x^2-39x+54}$??? $\mathbb{R} \setminus \{-7, -1, -9\}$


(c) $f(x) = -2\sqrt{4x-5}$??? $x \geq -5/4$

(d) $f(x) = \sqrt{-x^2+4x}$??? $x \in (0, 4)$

(e) $f(x) = 4 \ln(x+3)$??? $x > -3$

(f) $f(x) = \ln(x^2+x-12)$??? $x \in (-4, 3)$

4.



Braille letter

Domain of a Function, group *Upsilon v* -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{5x+8}{6x-2}$??? $\mathbb{R} \setminus \{1/3\}$

(b) $f(x) = \frac{1}{-x^3+7x^2-4x-12}$.. ??? .. $\mathbb{R} \setminus \{1, 2, -6\}$

(c) $f(x) = -4\sqrt{7x-4}$??? $x \leq 4/7$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = -4 \ln(x-5)$??? $x > -5$

(f) $f(x) = \ln(x^2-5x-24)$??? $x \in (-\infty, -3) \cup (8, \infty)$

1.

a f

b e

c d

Braille letter

Domain of a Function, group *Upsilon v* -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{6x-4}{x+4}$??? $\mathbb{R} \setminus \{-4\}$

(b) $f(x) = \frac{1}{-x^3-2x^2+41x+42}$??? $\mathbb{R} \setminus \{-7, -1, 6\}$

(c) $f(x) = -\sqrt{-7x-3}$??? $x \leq -3/7$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in (0, 2)$

(e) $f(x) = 7 \ln(x-1)$??? $x > -1$

(f) $f(x) = \ln(x^2-5x+4)$??? $x \in (1, 4)$

2.

a f

b e

c d

Braille letter

Domain of a Function, group *Upsilon v* -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{9x-3}{3x+3}$??? $\mathbb{R} \setminus \{-1\}$

(b) $f(x) = \frac{1}{-2x^3+12x^2-24x+16}$??? $\mathbb{R} \setminus \{2, 4, -2\}$

(c) $f(x) = 3\sqrt{x-1}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = -7 \ln(x+2)$??? $x < -2$

(f) $f(x) = \ln(x^2+2x-48)$??? $x \in (-8, 6)$

3.

a f

b e

c d

Braille letter

Domain of a Function, group *Upsilon v* -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-2x+6}{-5x+3}$??? $\mathbb{R} \setminus \{3/5\}$

(b) $f(x) = \frac{1}{-x^3+4x^2+4x-16}$??? $\mathbb{R} \setminus \{2, 4, -2\}$

(c) $f(x) = -3\sqrt{-3x-4}$??? $x \leq 4/3$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = 5 \ln(-2x-5)$??? $x < 5/2$

(f) $f(x) = \ln(x^2-6x+8)$??? $x \in (2, 4)$

4.

a f

b e

c d

Braille letter

Domain of a Function, group *Phi* ϕ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-6x+2}{-4x-4}$??? $\mathbb{R} \setminus \{-1\}$

(b) $f(x) = \frac{1}{x^3-3x^2-25x-21}$??? $\mathbb{R} \setminus \{-3, -1, 7\}$


(c) $f(x) = 3\sqrt{4x+4}$??? $x \geq -1$

(d) $f(x) = \sqrt{-x^2+7x}$??? $x \in \langle -7, 0 \rangle$

(e) $f(x) = -3\ln(x-1)$??? $x > 1$

(f) $f(x) = \ln(x^2-3x+2)$??? $x \in (1, 2)$

1.



Braille letter

Domain of a Function, group *Phi* ϕ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-6}{2x+1}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{x^3+7x^2+8x-16}$??? $\mathbb{R} \setminus \{-6, -4, -1\}$


(c) $f(x) = 6\sqrt{-2x-5}$??? $x \leq -5/2$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = 4\ln(x-2)$??? $x > -2$

(f) $f(x) = \ln(x^2+2x-3)$??? $x \in (-3, 1)$

2.



Braille letter

Domain of a Function, group *Phi* ϕ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-4x-6}{-7x+7}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{x^3-5x^2+2x+8}$??? $\mathbb{R} \setminus \{2, 4, -1\}$


(c) $f(x) = 5\sqrt{5x+5}$??? $x \geq -1$

(d) $f(x) = \sqrt{-x^2+9x}$??? $x \in (0, 9)$

(e) $f(x) = -7\ln(-4x-3)$??? $x < 3/4$

(f) $f(x) = \ln(x^2-3x-10)$.. ??? .. $x \in (-2, 5)$

3.



Braille letter

Domain of a Function, group *Phi* ϕ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-2}{2x+7}$??? $\mathbb{R} \setminus \{-7/2\}$

(b) $f(x) = \frac{1}{-2x^3+14x^2-28x+16}$??? $\mathbb{R} \setminus \{1, -4\}$


(c) $f(x) = 8\sqrt{x-7}$??? $x \geq -7$

(d) $f(x) = \sqrt{-x^2+6x}$??? $x \in (0, 6)$

(e) $f(x) = -7\ln(-4x+8)$??? $x < 2$

(f) $f(x) = \ln(x^2-7x+12)$??? $x \in (3, 4)$

4.



Braille letter

Domain of a Function, group *Chi* χ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-5x+6}{7x+1}$??? $\mathbb{R} \setminus \{-1/7\}$

(b) $f(x) = \frac{1}{-3x^3 - 21x^2 - 33x - 15}$??? $\mathbb{R} \setminus \{0, 1, -5\}$


(c) $f(x) = -9\sqrt{3x+7}$??? $x \geq -7/3$

(d) $f(x) = \sqrt{-x^2 - 5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = -7\ln(4x+7)$??? $x > -7/4$

(f) $f(x) = \ln(x^2 - 9x + 20)$??? $x \in (-\infty, 4) \cup (5, \infty)$

1.



Braille letter

Domain of a Function, group *Chi* χ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x-7}{-3x-3}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{-x^3 - 9x^2 - 26x - 24}$??? $\mathbb{R} \setminus \{-4, -3, -2\}$


(c) $f(x) = 2\sqrt{-3x+1}$??? $x \geq 1/3$

(d) $f(x) = \sqrt{-x^2 - 6x}$??? $x \in (-6, 0)$

(e) $f(x) = -\ln(-2x+2)$??? $x < -1$

(f) $f(x) = \ln(x^2 - 3x + 2)$. ??? . $x \in (-\infty, 1) \cup (2, \infty)$

2.



Braille letter

Domain of a Function, group *Chi* χ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-3x-9}{-5x-3}$??? $\mathbb{R} \setminus \{-3/5\}$

(b) $f(x) = \frac{1}{2x^3 - 4x^2 - 2x + 4}$??? $\mathbb{R} \setminus \{3, -1\}$


(c) $f(x) = -5\sqrt{x-7}$??? $x \geq 7$

(d) $f(x) = \sqrt{-x^2 - 3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = -2\ln(-3x-5)$??? $x < -5/3$

(f) $f(x) = \ln(x^2 - 3x - 10)$??? $x \in (-\infty, -2) \cup (5, \infty)$

3.



Braille letter

Domain of a Function, group *Chi* χ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-4}{-4x-7}$??? $\mathbb{R} \setminus \{-7/4\}$

(b) $f(x) = \frac{1}{x^3 + 4x^2 - 11x - 30}$??? $\mathbb{R} \setminus \{-7, 2, 3\}$


(c) $f(x) = \sqrt{x+1}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2 - 7x}$??? $x \in \langle 0, 7 \rangle$

(e) $f(x) = -9\ln(-2x-2)$??? $x < -1$

(f) $f(x) = \ln(x^2 + x - 6)$??? $x \in (-3, 2)$

4.



Braille letter

Domain of a Function, group *Psi* ψ -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-6x-3}{2x-2}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{-x^3+3x^2+6x-8}$??? $\mathbb{R} \setminus \{1, 4, -2\}$


(c) $f(x) = -9\sqrt{-6x-2}$??? $x \leq -1/3$

(d) $f(x) = \sqrt{-x^2-8x}$??? $x \in \langle 0, 8 \rangle$

(e) $f(x) = 5 \ln(-8x+1)$??? $x < 1/8$

(f) $f(x) = \ln(x^2-2x-8)$... ??? ... $x \in (-2, 4)$

1.



Braille letter

Domain of a Function, group *Psi* ψ -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{4x-2}{-4x+4}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{-2x^3-2x^2+2x+2}$??? $\mathbb{R} \setminus \{0, -1\}$


(c) $f(x) = -6\sqrt{-3x+3}$??? $x \leq 1$

(d) $f(x) = \sqrt{-x^2+5x}$??? $x \in (0, 5)$

(e) $f(x) = 5 \ln(-5x+6)$??? $x < 6/5$

(f) $f(x) = \ln(x^2+10x+24)$. ??? . $x \in (-6, -4)$

2.



Braille letter

Domain of a Function, group *Psi* ψ -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{x-2}{-5x-7}$??? $\mathbb{R} \setminus \{-7/5\}$

(b) $f(x) = \frac{1}{-x^3+2x^2+4x-8}$??? $\mathbb{R} \setminus \{2, -4, -2\}$


(c) $f(x) = -3\sqrt{2x+5}$??? $x \geq 5/2$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = 5 \ln(6x+4)$??? $x > 2/3$

(f) $f(x) = \ln(x^2-3x+2)$??? $x \in (1, 2)$

3.



Braille letter

Domain of a Function, group *Psi* ψ -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{8x-3}{4x-3}$??? $\mathbb{R} \setminus \{3/4\}$

(b) $f(x) = \frac{1}{-3x^3-21x^2-48x-36}$. ??? . $\mathbb{R} \setminus \{3, -2, -1\}$


(c) $f(x) = -\sqrt{-5x-4}$??? $x \geq -4/5$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = -\ln(-3x+2)$??? $x < 2/3$

(f) $f(x) = \ln(x^2+16x+64)$??? $x \in (-\infty, -8) \cup (-8, \infty)$

4.



Braille letter

Domain of a Function, group *Omega* ω -i

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-9x-3}{-x+4}$??? $\mathbb{R} \setminus \{4\}$

(b) $f(x) = \frac{1}{2x^3+6x^2-2x-6}$??? $\mathbb{R} \setminus \{1, -3, -1\}$


(c) $f(x) = 5\sqrt{2x+4}$??? $x \geq -2$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = \ln(x-4)$??? $x < 4$

(f) $f(x) = \ln(x^2-8x+12)$??? $x \in (2, 6)$

1.



Braille letter

Domain of a Function, group *Omega* ω -ii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{2x-4}{-x+2}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{3x^3+6x^2-21x+12}$. ??? . $\mathbb{R} \setminus \{1, -4\}$


(c) $f(x) = -8\sqrt{-5x+9}$??? $x \leq -9/5$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = -2\ln(-2x-9)$??? $x > -9/2$

(f) $f(x) = \ln(x^2-5x+6)$??? $x \in (-\infty, 2) \cup (3, \infty)$

2.



Braille letter

Domain of a Function, group *Omega* ω -iii

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{3x-2}{-4x-3}$??? $\mathbb{R} \setminus \{-3/4\}$

(b) $f(x) = \frac{1}{3x^3-30x^2+87x-60}$. ??? . $\mathbb{R} \setminus \{4, -1\}$


(c) $f(x) = 5\sqrt{-4x-4}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2+7x}$??? $x \in \langle -7, 0 \rangle$

(e) $f(x) = -8\ln(8x-3)$??? $x > 3/8$

(f) $f(x) = \ln(x^2-5x-6)$??? $x \in (-\infty, -1) \cup (6, \infty)$

3.



Braille letter

Domain of a Function, group *Omega* ω -iv

Name:

(a), (b), (c), (d), (e), (f) Find the domain of the given function.

(a) $f(x) = \frac{-x-3}{-x+4}$??? $\mathbb{R} \setminus \{4\}$

(b) $f(x) = \frac{1}{-2x^3-4x^2+26x-20}$??? $\mathbb{R} \setminus \{0, -5, -2\}$


(c) $f(x) = -\sqrt{-7x+1}$??? $x \leq -1/7$

(d) $f(x) = \sqrt{-x^2-7x}$??? $x \in (-7, 0)$

(e) $f(x) = 3\ln(x-1)$??? $x > 1$

(f) $f(x) = \ln(x^2-11x+24)$??? $x \in (3, 8)$

4.



Braille letter

Domain of a Function (solutions)

α	$i : \mathbf{T}$	(a) $\mathbb{R} \setminus \{-7/9\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{2, -6, -3\} \checkmark$	(c) $x \leq -1 \checkmark$	(d) $x \in \langle -3, 0 \rangle \mathbf{X}$	(e) $x <^{-1/3} \checkmark$	(f) $x \in (-\infty, -5) \cup (-2, \infty) \checkmark$
	$ii : \mathbf{I}$	(a) $\mathbb{R} \setminus \{-5/3\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{5, -1, 6\} \checkmark$	(c) $x \geq 3 \mathbf{X}$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x >^{-7/2} \mathbf{X}$	(f) $x \in (-\infty, -4) \cup (-1, \infty) \checkmark$
	$iii : \mathbf{M}$	(a) $\mathbb{R} \setminus \{-5/4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3, -1\} \mathbf{X}$	(c) $x \leq -1 \checkmark$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x <^{-1/6} \mathbf{X}$	(f) $x \in (-\infty, -4) \cup (8, \infty) \checkmark$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-1\} \checkmark$	(b) $\mathbb{R} \setminus \{-8, -1, 7\} \mathbf{X}$	(c) $x \leq^{-3/2} \mathbf{X}$	(d) $x \in \langle -2, 0 \rangle \mathbf{X}$	(e) $x <^{-1/5} \checkmark$	(f) $x \in (-\infty, 2) \cup (7, \infty) \mathbf{X}$
β	$i : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-1/5\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -4, -2\} \mathbf{X}$	(c) $x \geq^{8/3} \mathbf{X}$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x <^{-5/6} \mathbf{X}$	(f) $x \in (-\infty, -4) \cup (3, \infty) \mathbf{X}$
	$ii : \mathbf{R}$	(a) $\mathbb{R} \setminus \{-4/7\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4\} \checkmark$	(c) $x \leq^{4/9} \checkmark$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x <^{3/2} \checkmark$	(f) $x \in (-\infty, -2) \cup (8, \infty) \mathbf{X}$
	$iii : \mathbf{E}$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{-6, -2, -1\} \mathbf{X}$	(c) $x \geq^{-2/9} \mathbf{X}$	(d) $x \in \langle -2, 0 \rangle \mathbf{X}$	(e) $x <^{1/5} \checkmark$	(f) $x \in (-\infty, -5) \cup (-5, \infty) \mathbf{X}$
	$iv : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-1/4\} \checkmark$	(b) $\mathbb{R} \setminus \{3, 4\} \mathbf{X}$	(c) $x \leq^{-1/2} \mathbf{X}$	(d) $x \in \langle -7, 0 \rangle \mathbf{X}$	(e) $x <^{-8/5} \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (-1, \infty) \mathbf{X}$
γ	$i : \mathbf{B}$	(a) $\mathbb{R} \setminus \{2\} \checkmark$	(b) $\mathbb{R} \setminus \{-3, -2, -1\} \checkmark$	(c) $x \leq^{9/2} \mathbf{X}$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x <^{-1} \mathbf{X}$	(f) $x \in (-\infty, -5) \cup (-2, \infty) \mathbf{X}$
	$ii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -4, -2\} \mathbf{X}$	(c) $x \geq^{-3/5} \checkmark$	(d) $x \in \langle 0, 6 \rangle \mathbf{X}$	(e) $x <^{-5/7} \checkmark$	(f) $x \in (-\infty, -4) \cup (6, \infty) \mathbf{X}$
	$iii : \mathbf{D}$	(a) $\mathbb{R} \setminus \{-3/4\} \checkmark$	(b) $\mathbb{R} \setminus \{3, 6, -1\} \mathbf{X}$	(c) $x \geq^{-1/7} \mathbf{X}$	(d) $x \in \langle -3, 0 \rangle \mathbf{X}$	(e) $x >^{-3/5} \checkmark$	(f) $x \in (-\infty, 1) \cup (6, \infty) \checkmark$
	$iv : \mathbf{Y}$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4, -3\} \mathbf{X}$	(c) $x \leq^{-5/4} \checkmark$	(d) $x \in \langle 0, 3 \rangle \checkmark$	(e) $x >^{-3} \checkmark$	(f) $x \in (-\infty, -6) \cup (-4, \infty) \checkmark$
δ	$i : \mathbf{S}$	(a) $\mathbb{R} \setminus \{-2/3\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{-6, 4, -1\} \checkmark$	(c) $x \geq^{-5/8} \checkmark$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x <^{1/3} \mathbf{X}$	(f) $x \in (-\infty, -4) \cup (3, \infty) \checkmark$
	$ii : \mathbf{H}$	(a) $\mathbb{R} \setminus \{1\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -2, -1\} \checkmark$	(c) $x \leq 4 \mathbf{X}$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x < 1 \checkmark$	(f) $x \in (-\infty, -2) \cup (-1, \infty) \mathbf{X}$
	$iii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{3/2\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 4\} \mathbf{X}$	(c) $x \leq^{8/5} \checkmark$	(d) $x \in \langle 0, 4 \rangle \mathbf{X}$	(e) $x >^{-1/2} \checkmark$	(f) $x \in (-\infty, -5) \cup (5, \infty) \mathbf{X}$
	$iv : \mathbf{W}$	(a) $\mathbb{R} \setminus \{-5/7\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -1\} \checkmark$	(c) $x \geq^{-1/3} \checkmark$	(d) $x \in \langle 0, 1 \rangle \checkmark$	(e) $x < 2 \checkmark$	(f) $x \in (-\infty, 4) \cup (5, \infty) \mathbf{X}$
ϵ	$i : \mathbf{M}$	(a) $\mathbb{R} \setminus \{-4/7\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, -3\} \mathbf{X}$	(c) $x \leq -1 \checkmark$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x >^{4/5} \mathbf{X}$	(f) $x \in (-\infty, 1) \cup (2, \infty) \checkmark$
	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-1/5\} \checkmark$	(b) $\mathbb{R} \setminus \{-1\} \mathbf{X}$	(c) $x \geq^{-2} \mathbf{X}$	(d) $x \in \langle -1, 0 \rangle \mathbf{X}$	(e) $x >^{-3/2} \mathbf{X}$	(f) $x \in (-\infty, -4) \cup (1, \infty) \mathbf{X}$
	$iii : \mathbf{I}$	(a) $\mathbb{R} \setminus \{-1/3\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, -5\} \checkmark$	(c) $x \leq 1 \mathbf{X}$	(d) $x \in \langle 0, 6 \rangle \mathbf{X}$	(e) $x <^{-3/5} \mathbf{X}$	(f) $x \in (-\infty, -2) \cup (-1, \infty) \checkmark$
	$iv : \mathbf{L}$	(a) $\mathbb{R} \setminus \{-6\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -4, -2\} \checkmark$	(c) $x \leq^{-2/7} \checkmark$	(d) $x \in \langle -1, 0 \rangle \mathbf{X}$	(e) $x <^{-1} \mathbf{X}$	(f) $x \in (-\infty, -7) \cup (9, \infty) \mathbf{X}$
ζ	$i : \mathbf{P}$	(a) $\mathbb{R} \setminus \{3/4\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -1, 7\} \checkmark$	(c) $x \geq 1 \checkmark$	(d) $x \in \langle 0, 9 \rangle \mathbf{X}$	(e) $x <^{-1/2} \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (-1, \infty) \checkmark$
	$ii : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-7/4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -2\} \mathbf{X}$	(c) $x \leq^{-8/3} \mathbf{X}$	(d) $x \in \langle 0, 5 \rangle \mathbf{X}$	(e) $x <^{-2/3} \checkmark$	(f) $x \in (-\infty, -2) \cup (-1, \infty) \mathbf{X}$
	$iii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-3/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3, -2\} \mathbf{X}$	(c) $x \geq^{-1} \mathbf{X}$	(d) $x \in \langle 0, 7 \rangle \mathbf{X}$	(e) $x <^{-8/5} \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (1, \infty) \mathbf{X}$
	$iv : \mathbf{K}$	(a) $\mathbb{R} \setminus \{-3/4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, -1\} \mathbf{X}$	(c) $x \geq 1 \checkmark$	(d) $x \in \langle 0, 9 \rangle \mathbf{X}$	(e) $x < 5 \mathbf{X}$	(f) $x \in (-\infty, -3) \cup (-2, \infty) \mathbf{X}$
η	$i : \mathbf{W}$	(a) $\mathbb{R} \setminus \{-4/3\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -3, -2\} \checkmark$	(c) $x \geq^{-5/3} \checkmark$	(d) $x \in \langle -5, 0 \rangle \checkmark$	(e) $x <^{5/3} \checkmark$	(f) $x \in (-\infty, -6) \cup (1, \infty) \mathbf{X}$
	$ii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{-5/7\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 5, -1\} \mathbf{X}$	(c) $x \geq 3 \checkmark$	(d) $x \in \langle -6, 0 \rangle \mathbf{X}$	(e) $x <^{8/5} \checkmark$	(f) $x \in (-\infty, -3) \cup (1, \infty) \mathbf{X}$
	$iii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{3/2\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -2\} \mathbf{X}$	(c) $x \geq 2 \checkmark$	(d) $x \in \langle 0, 2 \rangle \mathbf{X}$	(e) $x >^{-2} \checkmark$	(f) $x \in (-\infty, 3) \cup (5, \infty) \mathbf{X}$
	$iv : \mathbf{D}$	(a) $\mathbb{R} \setminus \{-3/2\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -1\} \mathbf{X}$	(c) $x \leq^{3/4} \mathbf{X}$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x <^{2/3} \checkmark$	(f) $x \in (-\infty, 2) \cup (3, \infty) \checkmark$
θ	$i : \mathbf{L}$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{9, 2, 3\} \checkmark$	(c) $x \geq^{-6/5} \checkmark$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x <^{-2} \mathbf{X}$	(f) $x \in (-\infty, -7) \cup (6, \infty) \mathbf{X}$
	$ii : \mathbf{I}$	(a) $\mathbb{R} \setminus \{-1/3\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{-3, -1\} \checkmark$	(c) $x \geq 6 \mathbf{X}$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x <^{7/2} \mathbf{X}$	(f) $x \in (-\infty, 4) \cup (6, \infty) \checkmark$
	$iii : \mathbf{F}$	(a) $\mathbb{R} \setminus \{2/3\} \checkmark$	(b) $\mathbb{R} \setminus \{-4, -2, -1\} \checkmark$	(c) $x \leq^{-7/2} \mathbf{X}$	(d) $x \in \langle 0, 2 \rangle \mathbf{X}$	(e) $x <^{-3} \mathbf{X}$	(f) $x \in (-\infty, -6) \cup (-2, \infty) \checkmark$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3, -4\} \mathbf{X}$	(c) $x \leq 2 \mathbf{X}$	(d) $x \in \langle 0, 4 \rangle \mathbf{X}$	(e) $x <^{-1/9} \checkmark$	(f) $x \in (-\infty, 3) \cup (8, \infty) \mathbf{X}$
ι	$i : \mathbf{I}$	(a) $\mathbb{R} \setminus \{2\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, -5, -3\} \checkmark$	(c) $x \leq^{-5} \mathbf{X}$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x >^{-7/8} \mathbf{X}$	(f) $x \in (-\infty, -5) \cup (3, \infty) \checkmark$
	$ii : \mathbf{D}$	(a) $\mathbb{R} \setminus \{6/7\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -3, -1\} \mathbf{X}$	(c) $x \leq^{5/4} \mathbf{X}$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x <^{-5/7} \checkmark$	(f) $x \in (-\infty, 1) \cup (7, \infty) \checkmark$
	$iii : \mathbf{E}$	(a) $\mathbb{R} \setminus \{7/4\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -3, -1\} \mathbf{X}$	(c) $x \leq 8 \mathbf{X}$	(d) $x \in \langle -9, 0 \rangle \mathbf{X}$	(e) $x <^{1/4} \checkmark$	(f) $x \in (-\infty, -3) \cup (2, \infty) \mathbf{X}$
	$iv : \mathbf{A}$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 4, -1\} \mathbf{X}$	(c) $x \geq 1 \mathbf{X}$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x <^{-2} \mathbf{X}$	(f) $x \in (-\infty, -2) \cup (4, \infty) \mathbf{X}$
κ	$i : \mathbf{F}$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{4, -1, 7\} \checkmark$	(c) $x \geq 2 \mathbf{X}$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x <^{3/5} \mathbf{X}$	(f) $x \in (-\infty, -2) \cup (5, \infty) \checkmark$
	$ii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{-9/4\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 4, -3\} \mathbf{X}$	(c) $x \leq^{3/2} \checkmark$	(d) $x \in \langle -9, 0 \rangle \mathbf{X}$	(e) $x >^{2/3} \checkmark$	(f) $x \in (-\infty, 2) \cup (3, \infty) \mathbf{X}$
	$iii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{-1/5\} \checkmark$	(b) $\mathbb{R} \setminus \{-3, -2, -1\} \mathbf{X}$	(c) $x \leq^{3/2} \checkmark$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x >^{-1} \checkmark$	(f) $x \in (-\infty, -1) \cup (2, \infty) \mathbf{X}$
	$iv : \mathbf{T}$	(a) $\mathbb{R} \setminus \{-4\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{-1, 6\} \checkmark$	(c) $x \leq 1 \checkmark$	(d) $x \in \langle -2, 0 \rangle \mathbf{X}$	(e) $x >^{-1/2} \checkmark$	(f) $x \in (-\infty, 1) \cup (2, \infty) \checkmark$
λ	$i : \mathbf{E}$	(a) $\mathbb{R} \setminus \{8/5\} \checkmark$	(b) $\mathbb{R} \setminus \{3, 4, 5\} \mathbf{X}$	(c) $x \geq^{-2} \mathbf{X}$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x >^{-5/4} \checkmark$	(f) $x \in (-\infty, -6) \cup (-3, \infty) \mathbf{X}$
	$ii : \mathbf{D}$	(a) $\mathbb{R} \setminus \{-1\} \checkmark$	(b) $\mathbb{R} \setminus \{-1, -2\} \mathbf{X}$	(c) $x \geq^{4/7} \mathbf{X}$	(d) $x \in \langle -9, 0 \rangle \mathbf{X}$	(e) $x <^{-5/4} \checkmark$	(f) $x \in (-\infty, -2) \cup (-2, \infty) \checkmark$
	$iii : \mathbf{G}$	(a) $\mathbb{R} \setminus \{2/3\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -3, -1\} \checkmark$	(c) $x \leq^{-1/2} \mathbf{X}$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x <^{8/7} \checkmark$	(f) $x \in (-\infty, -6) \cup (2, \infty) \checkmark$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -5, -4\} \mathbf{X}$	(c) $x \geq^{-8/5} \mathbf{X}$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x < 2 \checkmark$	(f) $x \in (-\infty, 2) \cup (3, \infty) \mathbf{X}$
μ	$i : \mathbf{S}$	(a) $\mathbb{R} \setminus \{-3/7\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, -2\} \checkmark$	(c) $x \leq^{1/3} \checkmark$	(d) $x \in \langle -6, 0 \rangle \mathbf{X}$	(e) $x > 1 \mathbf{X}$	(f) $x \in (-\infty, -6) \cup (4, \infty) \checkmark$
	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-1/5\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -6, 7\} \mathbf{X}$	(c) $x \geq^{-3} \mathbf{X}$	(d) $x \in \langle -7, 0 \rangle \mathbf{X}$	(e) $x <^{7/3} \mathbf{X}$	(f) $x \in (-\infty, 1) \cup (1, \infty) \mathbf{X}$
	$iii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{-1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -2\} \checkmark$	(c) $x \leq^{-1} \checkmark$	(d) $x \in \langle -3, 0 \rangle \mathbf{X}$	(e) $x <^{-1} \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (2, \infty) \mathbf{X}$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{5/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4, -1\} \mathbf{X}$	(c) $x \leq 1 \mathbf{X}$	(d) $x \in \langle -3, 0 \rangle \mathbf{X}$	(e) $x < 1 \checkmark$	(f) $x \in (-\infty, -3) \cup (-2, \infty) \mathbf{X}$

Domain of a Function (solutions)

ν	$i : \mathbf{T}$	(a) $\mathbb{R} \setminus \{1/2\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{3, -1, -2\} \checkmark$	(c) $x \geq 5/2 \checkmark$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x > -1 \checkmark$	(f) $x \in (-\infty, -2) \cup (6, \infty) \checkmark$
	$ii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{-5/9\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1, -2\} \mathbf{X}$	(c) $x \geq -1/3 \checkmark$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x < 3/2 \checkmark$	(f) $x \in (-\infty, 2) \cup (2, \infty) \mathbf{X}$
	$iii : \mathbf{W}$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{5, -1, -2\} \checkmark$	(c) $x \geq 2/5 \checkmark$	(d) $x \in \langle 0, 5 \rangle \checkmark$	(e) $x < -1 \checkmark$	(f) $x \in (-\infty, 6) \cup (7, \infty) \mathbf{X}$
	$iv : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-2/7\} \checkmark$	(b) $\mathbb{R} \setminus \{-6, -4, -1\} \mathbf{X}$	(c) $x \leq -2/5 \checkmark$	(d) $x \in \langle 0, 7 \rangle \mathbf{X}$	(e) $x < 3/2 \checkmark$	(f) $x \in (-\infty, -5) \cup (3, \infty) \checkmark$
ξ	$i : \mathbf{A}$	(a) $\mathbb{R} \setminus \{1/6\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1\} \mathbf{X}$	(c) $x \leq 1 \mathbf{X}$	(d) $x \in \langle 0, 6 \rangle \mathbf{X}$	(e) $x > 3/5 \mathbf{X}$	(f) $x \in (-\infty, -5) \cup (2, \infty) \mathbf{X}$
	$ii : \mathbf{R}$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 5, -1\} \checkmark$	(c) $x \geq 1 \checkmark$	(d) $x \in \langle 0, 7 \rangle \mathbf{X}$	(e) $x > 3/4 \checkmark$	(f) $x \in (-\infty, -6) \cup (-5, \infty) \mathbf{X}$
	$iii : \mathbf{M}$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 5, 6\} \mathbf{X}$	(c) $x \leq -1/5 \checkmark$	(d) $x \in \langle 0, 4 \rangle \mathbf{X}$	(e) $x < -7/2 \mathbf{X}$	(f) $x \in (-\infty, -3) \cup (3, \infty) \checkmark$
	$iv : \mathbf{Y}$	(a) $\mathbb{R} \setminus \{-5\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3\} \mathbf{X}$	(c) $x \geq 2/3 \checkmark$	(d) $x \in \langle 0, 4 \rangle \checkmark$	(e) $x < -3/2 \checkmark$	(f) $x \in (-\infty, -1) \cup (7, \infty) \checkmark$
ϕ	$i : \mathbf{P}$	(a) $\mathbb{R} \setminus \{-4/5\} \checkmark$	(b) $\mathbb{R} \setminus \{-8, -1\} \checkmark$	(c) $x \geq -3 \checkmark$	(d) $x \in \langle 0, 9 \rangle \mathbf{X}$	(e) $x < -2 \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (2, \infty) \checkmark$
	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-1/3\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -2\} \mathbf{X}$	(c) $x \leq 2 \mathbf{X}$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x < 1 \mathbf{X}$	(f) $x \in (-\infty, -3) \cup (-1, \infty) \mathbf{X}$
	$iii : \mathbf{T}$	(a) $\mathbb{R} \setminus \{-9/2\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, -3\} \checkmark$	(c) $x \leq 3 \checkmark$	(d) $x \in \langle -2, 0 \rangle \mathbf{X}$	(e) $x > 1/2 \checkmark$	(f) $x \in (-\infty, -6) \cup (-4, \infty) \checkmark$
	$iv : \mathbf{H}$	(a) $\mathbb{R} \setminus \{-8\} \checkmark$	(b) $\mathbb{R} \setminus \{4, -3, -1\} \checkmark$	(c) $x \geq -1/8 \mathbf{X}$	(d) $x \in \langle -6, 0 \rangle \mathbf{X}$	(e) $x < 2/9 \checkmark$	(f) $x \in (-\infty, 3) \cup (4, \infty) \mathbf{X}$
π	$i : \mathbf{S}$	(a) $\mathbb{R} \setminus \{2\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, 2, -3\} \checkmark$	(c) $x \leq -1/2 \checkmark$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x < -5/7 \mathbf{X}$	(f) $x \in (-\infty, 1) \cup (1, \infty) \checkmark$
	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-5/6\} \checkmark$	(b) $\mathbb{R} \setminus \{-4, -3, -2\} \mathbf{X}$	(c) $x \leq -2/3 \mathbf{X}$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x > -8 \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (5, \infty) \mathbf{X}$
	$iii : \mathbf{N}$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{-4, 5, -1\} \mathbf{X}$	(c) $x \geq -8/3 \checkmark$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x > -9/4 \checkmark$	(f) $x \in (-\infty, 4) \cup (9, \infty) \checkmark$
	$iv : \mathbf{D}$	(a) $\mathbb{R} \setminus \{1/6\} \checkmark$	(b) $\mathbb{R} \setminus \{9, -3, -1\} \mathbf{X}$	(c) $x \leq -1/5 \mathbf{X}$	(d) $x \in \langle -4, 0 \rangle \mathbf{X}$	(e) $x < -7/6 \checkmark$	(f) $x \in (-\infty, 5) \cup (5, \infty) \checkmark$
ρ	$i : \mathbf{H}$	(a) $\mathbb{R} \setminus \{-7\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1, 6\} \checkmark$	(c) $x \geq 2 \mathbf{X}$	(d) $x \in \langle -8, 0 \rangle \mathbf{X}$	(e) $x < -5/9 \checkmark$	(f) $x \in (-\infty, -1) \cup (3, \infty) \mathbf{X}$
	$ii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{3/2\} \checkmark$	(b) $\mathbb{R} \setminus \{5, -3, -2\} \mathbf{X}$	(c) $x \leq 2/5 \checkmark$	(d) $x \in \langle -6, 0 \rangle \mathbf{X}$	(e) $x > -3/7 \checkmark$	(f) $x \in (-\infty, 4) \cup (9, \infty) \mathbf{X}$
	$iii : \mathbf{P}$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4, -4\} \checkmark$	(c) $x \leq -6 \checkmark$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x > -2/7 \mathbf{X}$	(f) $x \in (-\infty, -4) \cup (-2, \infty) \checkmark$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-1/3\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3, 4\} \mathbf{X}$	(c) $x \geq 1/5 \mathbf{X}$	(d) $x \in \langle 0, 3 \rangle \mathbf{X}$	(e) $x < 5/6 \checkmark$	(f) $x \in (-\infty, -3) \cup (-2, \infty) \mathbf{X}$
σ	$i : \mathbf{S}$	(a) $\mathbb{R} \setminus \{1/6\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, 3, -1\} \checkmark$	(c) $x \geq -3/2 \checkmark$	(d) $x \in \langle -4, 0 \rangle \mathbf{X}$	(e) $x < 9 \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (1, \infty) \checkmark$
	$ii : \mathbf{T}$	(a) $\mathbb{R} \setminus \{-1/3\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{3, -4, -1\} \checkmark$	(c) $x \geq 3/2 \checkmark$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x > 1/3 \checkmark$	(f) $x \in (-\infty, -6) \cup (-2, \infty) \checkmark$
	$iii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{7\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -4, -1\} \mathbf{X}$	(c) $x \geq -5 \mathbf{X}$	(d) $x \in \langle 0, 2 \rangle \mathbf{X}$	(e) $x < -5/2 \mathbf{X}$	(f) $x \in (-\infty, -1) \cup (5, \infty) \mathbf{X}$
	$iv : \mathbf{R}$	(a) $\mathbb{R} \setminus \{-2/3\} \checkmark$	(b) $\mathbb{R} \setminus \{4, -3, -1\} \checkmark$	(c) $x \leq -4 \checkmark$	(d) $x \in \langle -4, 0 \rangle \mathbf{X}$	(e) $x > -2 \checkmark$	(f) $x \in (-\infty, -1) \cup (3, \infty) \mathbf{X}$
τ	$i : \mathbf{W}$	(a) $\mathbb{R} \setminus \{-2/3\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1, -2\} \checkmark$	(c) $x \leq 5/6 \checkmark$	(d) $x \in \langle 0, 2 \rangle \checkmark$	(e) $x > 1 \checkmark$	(f) $x \in (-\infty, -4) \cup (-3, \infty) \mathbf{X}$
	$ii : \mathbf{I}$	(a) $\mathbb{R} \setminus \{-3/8\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, -5, -1\} \checkmark$	(c) $x \leq 7/6 \mathbf{X}$	(d) $x \in \langle 0, 2 \rangle \mathbf{X}$	(e) $x > -3/4 \mathbf{X}$	(f) $x \in (-\infty, -3) \cup (-3, \infty) \checkmark$
	$iii : \mathbf{N}$	(a) $\mathbb{R} \setminus \{2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1\} \mathbf{X}$	(c) $x \leq 7/2 \checkmark$	(d) $x \in \langle -7, 0 \rangle \mathbf{X}$	(e) $x < -1/3 \checkmark$	(f) $x \in (-\infty, -3) \cup (6, \infty) \checkmark$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-9\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -6, -9\} \mathbf{X}$	(c) $x \geq 5/4 \mathbf{X}$	(d) $x \in \langle 0, 4 \rangle \mathbf{X}$	(e) $x > -3 \checkmark$	(f) $x \in (-\infty, -4) \cup (3, \infty) \mathbf{X}$
v	$i : \mathbf{C}$	(a) $\mathbb{R} \setminus \{1/3\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -1, 6\} \mathbf{X}$	(c) $x \geq 4/7 \mathbf{X}$	(d) $x \in \langle -1, 0 \rangle \mathbf{X}$	(e) $x > 5 \mathbf{X}$	(f) $x \in (-\infty, -3) \cup (8, \infty) \checkmark$
	$ii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{-4\} \checkmark$	(b) $\mathbb{R} \setminus \{-7, -1, 6\} \checkmark$	(c) $x \leq -3/7 \checkmark$	(d) $x \in \langle 0, 2 \rangle \mathbf{X}$	(e) $x > 1 \mathbf{X}$	(f) $x \in (-\infty, 1) \cup (4, \infty) \mathbf{X}$
	$iii : \mathbf{U}$	(a) $\mathbb{R} \setminus \{-1\} \checkmark$	(b) $\mathbb{R} \setminus \{2\} \mathbf{X}$	(c) $x \geq 1 \checkmark$	(d) $x \in \langle -2, 0 \rangle \checkmark$	(e) $x > -2 \mathbf{X}$	(f) $x \in (-\infty, -8) \cup (6, \infty) \mathbf{X}$
	$iv : \mathbf{B}$	(a) $\mathbb{R} \setminus \{3/5\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 4, -2\} \checkmark$	(c) $x \leq -4/3 \mathbf{X}$	(d) $x \in \langle -1, 0 \rangle \mathbf{X}$	(e) $x < -5/2 \mathbf{X}$	(f) $x \in (-\infty, 2) \cup (4, \infty) \mathbf{X}$
ϕ	$i : \mathbf{R}$	(a) $\mathbb{R} \setminus \{-1\} \checkmark$	(b) $\mathbb{R} \setminus \{-3, -1, 7\} \checkmark$	(c) $x \geq -1 \checkmark$	(d) $x \in \langle 0, 7 \rangle \mathbf{X}$	(e) $x > 1 \checkmark$	(f) $x \in (-\infty, 1) \cup (2, \infty) \mathbf{X}$
	$ii : \mathbf{U}$	(a) $\mathbb{R} \setminus \{-1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -4\} \mathbf{X}$	(c) $x \leq -5/2 \checkmark$	(d) $x \in \langle -2, 0 \rangle \checkmark$	(e) $x > 2 \mathbf{X}$	(f) $x \in (-\infty, -3) \cup (1, \infty) \mathbf{X}$
	$iii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{1\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 4, -1\} \checkmark$	(c) $x \geq -1 \checkmark$	(d) $x \in \langle 0, 9 \rangle \mathbf{X}$	(e) $x < -3/4 \mathbf{X}$	(f) $x \in (-\infty, -2) \cup (5, \infty) \mathbf{X}$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-7/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, 4\} \mathbf{X}$	(c) $x \geq 7 \mathbf{X}$	(d) $x \in \langle 0, 6 \rangle \mathbf{X}$	(e) $x < 2 \checkmark$	(f) $x \in (-\infty, 3) \cup (4, \infty) \mathbf{X}$
χ	$i : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-1/7\} \checkmark$	(b) $\mathbb{R} \setminus \{-5, -1\} \mathbf{X}$	(c) $x \geq -7/3 \checkmark$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x > -7/4 \checkmark$	(f) $x \in (-\infty, 4) \cup (5, \infty) \checkmark$
	$ii : \mathbf{I}$	(a) $\mathbb{R} \setminus \{-1\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{-4, -3, -2\} \checkmark$	(c) $x \leq 1/3 \mathbf{X}$	(d) $x \in \langle -6, 0 \rangle \mathbf{X}$	(e) $x < 1 \mathbf{X}$	(f) $x \in (-\infty, 1) \cup (2, \infty) \checkmark$
	$iii : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-3/5\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, -1\} \mathbf{X}$	(c) $x \geq 7 \checkmark$	(d) $x \in \langle -3, 0 \rangle \mathbf{X}$	(e) $x < -5/3 \checkmark$	(f) $x \in (-\infty, -2) \cup (5, \infty) \checkmark$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-7/4\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -2, -5\} \mathbf{X}$	(c) $x \geq -1 \mathbf{X}$	(d) $x \in \langle -7, 0 \rangle \mathbf{X}$	(e) $x < -1 \checkmark$	(f) $x \in (-\infty, -3) \cup (2, \infty) \mathbf{X}$
ψ	$i : \mathbf{R}$	(a) $\mathbb{R} \setminus \{1\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4, -2\} \checkmark$	(c) $x \leq -1/3 \checkmark$	(d) $x \in \langle -8, 0 \rangle \mathbf{X}$	(e) $x < 1/8 \checkmark$	(f) $x \in (-\infty, -2) \cup (4, \infty) \mathbf{X}$
	$ii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{1\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1\} \mathbf{X}$	(c) $x \leq 1 \checkmark$	(d) $x \in \langle 0, 5 \rangle \mathbf{X}$	(e) $x < 6/5 \checkmark$	(f) $x \in (-\infty, -6) \cup (-4, \infty) \mathbf{X}$
	$iii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-7/5\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -2\} \mathbf{X}$	(c) $x \geq -5/2 \mathbf{X}$	(d) $x \in \langle 0, 1 \rangle \mathbf{X}$	(e) $x > -2/3 \mathbf{X}$	(f) $x \in (-\infty, 1) \cup (2, \infty) \mathbf{X}$
	$iv : \mathbf{D}$	(a) $\mathbb{R} \setminus \{3/4\} \checkmark$	(b) $\mathbb{R} \setminus \{-3, -2\} \mathbf{X}$	(c) $x \leq -4/5 \mathbf{X}$	(d) $x \in \langle -3, 0 \rangle \mathbf{X}$	(e) $x < 2/3 \checkmark$	(f) $x \in (-\infty, -8) \cup (-8, \infty) \checkmark$
ω	$i : \mathbf{L}$	(a) $\mathbb{R} \setminus \{4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -3, -1\} \checkmark$	(c) $x \geq -2 \checkmark$	(d) $x \in \langle -1, 0 \rangle \mathbf{X}$	(e) $x > 4 \mathbf{X}$	(f) $x \in (-\infty, 2) \cup (6, \infty) \mathbf{X}$
	$ii : \mathbf{I}$	(a) $\mathbb{R} \setminus \{2\} \mathbf{X}$	(b) $\mathbb{R} \setminus \{1, -4\} \checkmark$	(c) $x \leq 9/5 \mathbf{X}$	(d) $x \in \langle -5, 0 \rangle \mathbf{X}$	(e) $x < -9/2 \mathbf{X}$	(f) $x \in (-\infty, 2) \cup (3, \infty) \checkmark$
	$iii : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-3/4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4, 5\} \mathbf{X}$	(c) $x \leq -1 \checkmark$	(d) $x \in \langle 0, 7 \rangle \mathbf{X}$	(e) $x > 3/8 \checkmark$	(f) $x \in (-\infty, -1) \cup (6, \infty) \checkmark$
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, -5\} \mathbf{X}$	(c) $x \leq 1/7 \mathbf{X}$	(d) $x \in \langle -7, 0 \rangle \mathbf{X}$	(e) $x > 1 \checkmark$	(f) $x \in (-\infty, 3) \cup (8, \infty) \mathbf{X}$