

Definičný obor funkcie, skupina *Alpha* α -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x+1}{-8x-1}$??? $\mathbb{R} \setminus \{-1/8\}$

(b) $f(x) = \frac{1}{-x^3+3x^2+22x-24}$??? $\mathbb{R} \setminus \{1, -4, 6\}$


(c) $f(x) = 3\sqrt{2x+1}$??? $x \geq -1/2$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = -6 \ln(-6x-1)$??? $x > -1/6$

(f) $f(x) = \ln(x^2-2x-3)$??? $x \in (-1, 3)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Alpha* α -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x-9}{-3x+6}$??? $\mathbb{R} \setminus \{2\}$

(b) $f(x) = \frac{1}{-3x^3+24x^2-57x+36}$??? $\mathbb{R} \setminus \{1, 3, 4\}$


(c) $f(x) = -6\sqrt{3x-5}$??? $x \geq 5/3$

(d) $f(x) = \sqrt{-x^2-9x}$??? $x \in (-9, 0)$

(e) $f(x) = -3 \ln(7x-3)$??? $x < 3/7$

(f) $f(x) = \ln(x^2+x-30)$??? $x \in (-6, 5)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Alpha* α -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-4x+4}{2x-1}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-x^3-7x^2-4x+12}$??? $\mathbb{R} \setminus \{-6, 2, -1\}$


(c) $f(x) = \sqrt{-6x-1}$??? $x \geq -1/6$

(d) $f(x) = \sqrt{-x^2-4x}$??? $x \in \langle 0, 4 \rangle$

(e) $f(x) = \ln(3x-2)$??? $x < 2/3$

(f) $f(x) = \ln(x^2+4x-5)$??? $x \in (-\infty, -5) \cup (1, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Alpha* α -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x+1}{7x-1}$??? $\mathbb{R} \setminus \{-1/7\}$

(b) $f(x) = \frac{1}{-4x^3+12x^2+52x-60}$??? $\mathbb{R} \setminus \{1, 5, -3\}$


(c) $f(x) = 8\sqrt{-5x+2}$??? $x \geq 2/5$

(d) $f(x) = \sqrt{-x^2-4x}$??? $x \in (-4, 0)$

(e) $f(x) = -8 \ln(5x+6)$??? $x < -6/5$

(f) $f(x) = \ln(x^2+8x+7)$??? $x \in (-\infty, -7) \cup (-1, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Beta* β -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{6x+3}{-x+4}$??? $\mathbb{R} \setminus \{-4\}$

(b) $f(x) = \frac{1}{x^3+7x^2+11x+5}$??? $\mathbb{R} \setminus \{-5, -1\}$


(c) $f(x) = 3\sqrt{-2x+5}$??? $x \leq 5/2$

(d) $f(x) = \sqrt{-x^2-6x}$??? $x \in \langle 0, 6 \rangle$

(e) $f(x) = -5 \ln(-4x-4)$??? $x > -1$

(f) $f(x) = \ln(x^2+9x+18)$??? $x \in (-\infty, -6) \cup (-3, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Beta* β -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-9x-2}{-2x+3}$??? $\mathbb{R} \setminus \{3/2\}$

(b) $f(x) = \frac{1}{x^3-5x^2-22x+56}$??? $\mathbb{R} \setminus \{9, 2, 4\}$


(c) $f(x) = -4\sqrt{-8x+1}$??? $x \leq -1/8$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = -6 \ln(5x+3)$??? $x < -3/5$

(f) $f(x) = \ln(x^2+9x+18)$. ??? . $x \in (-6, -3)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Beta* β -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-7x-9}{7x+3}$??? $\mathbb{R} \setminus \{-3/7\}$

(b) $f(x) = \frac{1}{x^3+12x^2+35x+24}$.. ??? .. $\mathbb{R} \setminus \{3, -1, -9\}$


(c) $f(x) = -9\sqrt{4x+2}$??? $x \geq -1/2$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in (-5, 0)$

(e) $f(x) = 8 \ln(-9x+8)$??? $x < 8/9$

(f) $f(x) = \ln(x^2+7x+10)$??? $x \in (-\infty, -5) \cup (-2, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Beta* β -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{3x+6}{-4x-3}$??? $\mathbb{R} \setminus \{-3/4\}$

(b) $f(x) = \frac{1}{-2x^3-18x^2-48x-40}$??? $\mathbb{R} \setminus \{-6, 2, -2\}$


(c) $f(x) = 2\sqrt{-3x+6}$??? $x \geq 2$

(d) $f(x) = \sqrt{-x^2+5x}$??? $x \in (0, 5)$

(e) $f(x) = -9 \ln(3x+5)$??? $x > -5/3$

(f) $f(x) = \ln(x^2+8x+7)$??? $x \in (-7, -1)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Gamma* γ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x-2}{-6x+2}$??? $\mathbb{R} \setminus \{1/3\}$

(b) $f(x) = \frac{1}{x^3-21x+20}$??? $\mathbb{R} \setminus \{1, 3, 5\}$


(c) $f(x) = 6\sqrt{-3x-2}$??? $x \leq -2/3$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = -2\ln(-5x+3)$??? $x > 3/5$

(f) $f(x) = \ln(x^2-8x-9)$??? $x \in (-\infty, -1) \cup (9, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Gamma* γ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{5x+5}{2x-3}$??? $\mathbb{R} \setminus \{3/2\}$

(b) $f(x) = \frac{1}{-x^3-10x^2-19x+30}$??? $\mathbb{R} \setminus \{-6, -1\}$


(c) $f(x) = -\sqrt{-7x-6}$??? $x \geq -6/7$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = 2\ln(2x+7)$??? $x > 7/2$

(f) $f(x) = \ln(x^2+9x+18)$... ??? ... $x \in (-6, -3)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Gamma* γ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x-3}{2x-8}$??? $\mathbb{R} \setminus \{4\}$

(b) $f(x) = \frac{1}{-2x^3-18x^2-40x-24}$??? $\mathbb{R} \setminus \{1, -6, -4\}$


(c) $f(x) = 2\sqrt{6x-1}$??? $x \geq 1/6$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in (0, 2)$

(e) $f(x) = -\ln(-x-1)$??? $x > -1$

(f) $f(x) = \ln(x^2-4x-12)$??? $x \in (-\infty, -2) \cup (6, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Gamma* γ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-3x+9}{-5x+5}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{-2x^3-18x^2-28x+48}$??? $\mathbb{R} \setminus \{-6, -1\}$


(c) $f(x) = -5\sqrt{8x-2}$??? $x \leq 1/4$

(d) $f(x) = \sqrt{-x^2-8x}$??? $x \in \langle 0, 8 \rangle$

(e) $f(x) = -\ln(-9x-5)$??? $x < 5/9$

(f) $f(x) = \ln(x^2-4x-45)$??? $x \in (-5, 9)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Delta* δ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x-6}{4x+8}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{-4x^3-12x^2+16x+48}$??? $\mathbb{R} \setminus \{-5, -2\}$


(c) $f(x) = -4\sqrt{-8x+1}$??? $x \leq 1/8$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = -4 \ln(x-6)$??? $x < 6$

(f) $f(x) = \ln(x^2+3x-54)$??? $x \in (-9, 6)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Delta* δ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x+5}{-2x+2}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{x^3-7x^2+14x-8}$??? $\mathbb{R} \setminus \{1, 2, 4\}$


(c) $f(x) = 5\sqrt{x-5}$??? $x \geq 5$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = -\ln(-4x+4)$??? $x < 1$

(f) $f(x) = \ln(x^2-4x-5)$.. ??? .. $x \in (-1, 5)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Delta* δ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x-1}{7x-2}$??? $\mathbb{R} \setminus \{2/7\}$

(b) $f(x) = \frac{1}{5x^3+20x^2-35x-50}$??? $\mathbb{R} \setminus \{-5, -2\}$


(c) $f(x) = 7\sqrt{x+4}$??? $x \leq -4$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = -\ln(x-1)$??? $x > -1$

(f) $f(x) = \ln(x^2-3x-4)$??? $x \in (-1, 4)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Delta* δ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x+2}{-x+2}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{x^3+12x^2+44x+48}$??? $\mathbb{R} \setminus \{2, -6, -5\}$


(c) $f(x) = -\sqrt{6x+8}$??? $x \leq -4/3$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = \ln(x-7)$??? $x > 7$

(f) $f(x) = \ln(x^2-16x+63)$??? $x \in (-\infty, 7) \cup (9, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Epsilon* ϵ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-8x-2}{-7x+6}$??? $\mathbb{R} \setminus \{-6/7\}$

(b) $f(x) = \frac{1}{2x^3-12x^2+18x-8}$??? $\mathbb{R} \setminus \{1, 4\}$


(c) $f(x) = 6\sqrt{5x-5}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2-4x}$??? $x \in (-4, 0)$

(e) $f(x) = 4 \ln(7x+1)$??? $x > -1/7$

(f) $f(x) = \ln(x^2+4x+4)$??? $x \in (-\infty, -2) \cup (-2, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Epsilon* ϵ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x+4}{4x+2}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{2x^3-6x^2-32x-24}$??? $\mathbb{R} \setminus \{-2, 6, -1\}$


(c) $f(x) = -5\sqrt{-3x+3}$??? $x \leq 1$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in (-1, 0)$

(e) $f(x) = -\ln(-5x-2)$??? $x > -2/5$

(f) $f(x) = \ln(x^2-8x+12)$??? $x \in (2, 6)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Epsilon* ϵ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-6x-2}{x-1}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{x^3-6x^2-4x+24}$??? $\mathbb{R} \setminus \{-6, 4, -2\}$


(c) $f(x) = 3\sqrt{-4x-1}$??? $x \geq -1/4$

(d) $f(x) = \sqrt{-x^2-9x}$??? $x \in \langle 0, 9 \rangle$

(e) $f(x) = -4 \ln(-3x-2)$??? $x > -2/3$

(f) $f(x) = \ln(x^2-4x+4)$??? $x \in (2, 2)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Epsilon* ϵ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-5x-2}{-x+5}$??? $\mathbb{R} \setminus \{5\}$

(b) $f(x) = \frac{1}{-x^3-12x^2-29x-18}$??? $\mathbb{R} \setminus \{-8, 1, -2\}$


(c) $f(x) = \sqrt{x-9}$??? $x \geq 9$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in (-2, 0)$

(e) $f(x) = -2 \ln(-2x-2)$??? $x < 1$

(f) $f(x) = \ln(x^2+6x+5)$??? $x \in (-5, -1)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Zeta* ζ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-5x-2}{-5x+4}$??? $\mathbb{R} \setminus \{4/5\}$

(b) $f(x) = \frac{1}{4x^3 - 20x^2 + 28x - 12}$??? $\mathbb{R} \setminus \{1, 3\}$


(c) $f(x) = -7\sqrt{3x+3}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2+8x}$??? $x \in (0, 8)$

(e) $f(x) = 5 \ln(-4x-8)$??? $x < -2$

(f) $f(x) = \ln(x^2 - 4x - 45)$.. ??? .. $x \in (-5, 9)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Zeta* ζ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x+9}{-2x-4}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{-2x^3 - 16x^2 - 10x + 28}$??? $\mathbb{R} \setminus \{3, -2, 7\}$


(c) $f(x) = 4\sqrt{x+3}$??? $x \leq -3$

(d) $f(x) = \sqrt{-x^2+5x}$??? $x \in \langle -5, 0 \rangle$

(e) $f(x) = -\ln(3x-6)$??? $x > -2$

(f) $f(x) = \ln(x^2 - 9x + 14)$??? $x \in (2, 7)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Zeta* ζ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{5x-5}{-4x+5}$??? $\mathbb{R} \setminus \{5/4\}$

(b) $f(x) = \frac{1}{-x^3 - x^2 + 9x + 9}$??? $\mathbb{R} \setminus \{-4, -3, -1\}$


(c) $f(x) = -\sqrt{-x+5}$??? $x \leq -5$

(d) $f(x) = \sqrt{-x^2+7x}$??? $x \in (0, 7)$

(e) $f(x) = -3 \ln(-3x+7)$??? $x < 7/3$

(f) $f(x) = \ln(x^2 - 1)$. ??? . $x \in (-\infty, -1) \cup (1, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Zeta* ζ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-5x-2}{x-9}$??? $\mathbb{R} \setminus \{9\}$

(b) $f(x) = \frac{1}{-x^3 + 6x^2 + x - 6}$??? $\mathbb{R} \setminus \{1, 4\}$


(c) $f(x) = -8\sqrt{-4x+5}$??? $x \leq 5/4$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = 7 \ln(-7x-4)$??? $x < -4/7$

(f) $f(x) = \ln(x^2 - 8x - 9)$??? $x \in (-\infty, -1) \cup (9, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Eta* η -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x-1}{-3x+8}$??? $\mathbb{R} \setminus \{8/3\}$

(b) $f(x) = \frac{1}{2x^3 - 18x^2 + 40x - 24}$??? $\mathbb{R} \setminus \{1, 2, 6\}$


(c) $f(x) = 7\sqrt{-5x+5}$??? $x \leq 1$

(d) $f(x) = \sqrt{-x^2+5x}$??? $x \in \langle -5, 0 \rangle$

(e) $f(x) = -6 \ln(4x+2)$??? $x > -1/2$

(f) $f(x) = \ln(x^2 - 3x - 28)$... ??? ... $x \in (-4, 7)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Eta* η -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x+2}{-8x+7}$??? $\mathbb{R} \setminus \{7/8\}$

(b) $f(x) = \frac{1}{-3x^3 - 6x^2 + 33x + 36}$??? $\mathbb{R} \setminus \{1, 3, -3\}$


(c) $f(x) = \sqrt{-2x-2}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2+9x}$??? $x \in \langle -9, 0 \rangle$

(e) $f(x) = 3 \ln(-4x-2)$??? $x < -1/2$

(f) $f(x) = \ln(x^2 - 8x + 16)$??? $x \in (4, 4)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Eta* η -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x-8}{2x-1}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-2x^3 - 12x^2 - 22x - 12}$??? $\mathbb{R} \setminus \{-3, -2, -1\}$


(c) $f(x) = 4\sqrt{-x-6}$??? $x \leq -6$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in (-5, 0)$

(e) $f(x) = -6 \ln(9x+1)$??? $x > 1/9$

(f) $f(x) = \ln(x^2 - 8x + 7)$.. ??? .. $x \in (-\infty, 1) \cup (7, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Eta* η -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-5x+4}{9x+5}$??? $\mathbb{R} \setminus \{-5/9\}$

(b) $f(x) = \frac{1}{-x^3 + 6x^2 - 11x + 6}$??? $\mathbb{R} \setminus \{2, 3, -3\}$


(c) $f(x) = -3\sqrt{x-6}$??? $x \leq 6$

(d) $f(x) = \sqrt{-x^2+4x}$??? $x \in (0, 4)$

(e) $f(x) = 6 \ln(x+3)$??? $x > 3$

(f) $f(x) = \ln(x^2 - 2x - 15)$... ??? ... $x \in (-3, 5)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Theta* θ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{3x-1}{9x-6}$??? $\mathbb{R} \setminus \{-2/3\}$

(b) $f(x) = \frac{1}{x^3+8x^2+11x-20}$. ??? . $\mathbb{R} \setminus \{-4, 5, -1\}$


(c) $f(x) = 5\sqrt{x+1}$??? $x \geq -1$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = -9 \ln(-6x+8)$??? $x < -4/3$

(f) $f(x) = \ln(x^2-13x+42)$??? $x \in (-\infty, 6) \cup (7, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Theta* θ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x+7}{2x+4}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{x^3+8x^2+9x-18}$??? $\mathbb{R} \setminus \{1, -6, -3\}$


(c) $f(x) = -\sqrt{2x+2}$??? $x \geq -1$

(d) $f(x) = \sqrt{-x^2-8x}$??? $x \in \langle 0, 8 \rangle$

(e) $f(x) = -\ln(5x-6)$??? $x < 6/5$

(f) $f(x) = \ln(x^2+9x+8)$... ??? ... $x \in (-8, -1)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Theta* θ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{8x+3}{-4x-1}$??? $\mathbb{R} \setminus \{-1/4\}$

(b) $f(x) = \frac{1}{-2x^3-8x^2+30x+36}$??? $\mathbb{R} \setminus \{1, -6\}$


(c) $f(x) = 5\sqrt{7x-2}$??? $x \leq 2/7$

(d) $f(x) = \sqrt{-x^2-4x}$??? $x \in \langle 0, 4 \rangle$

(e) $f(x) = -4 \ln(9x+1)$??? $x > -1/9$

(f) $f(x) = \ln(x^2-8x+15)$??? $x \in (3, 5)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Theta* θ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x+2}{-9x-7}$??? $\mathbb{R} \setminus \{7/9\}$

(b) $f(x) = \frac{1}{2x^3-62x-60}$??? $\mathbb{R} \setminus \{-5, 6, -1\}$


(c) $f(x) = 4\sqrt{-6x-7}$??? $x \leq -7/6$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in \langle 0, 2 \rangle$

(e) $f(x) = -2 \ln(2x-6)$??? $x > 3$

(f) $f(x) = \ln(x^2+4x+4)$??? $x \in (-\infty, -2) \cup (-2, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Iota* ι -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{7x+1}{3x-6}$??? $\mathbb{R} \setminus \{2\}$

(b) $f(x) = \frac{1}{x^3+6x^2-x-6}$??? $\mathbb{R} \setminus \{1, -6, -1\}$


(c) $f(x) = -\sqrt{-5x+7}$??? $x \leq -7/5$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = -3 \ln(4x-4)$??? $x > 1$

(f) $f(x) = \ln(x^2-7x+10)$... ??? ... $x \in (2, 5)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Iota* ι -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-4x-1}{x+5}$??? $\mathbb{R} \setminus \{-5\}$

(b) $f(x) = \frac{1}{-2x^3+20x^2-62x+60}$??? $\mathbb{R} \setminus \{2, -5\}$


(c) $f(x) = 3\sqrt{4x+1}$??? $x \leq -1/4$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = -8 \ln(3x+9)$??? $x < -3$

(f) $f(x) = \ln(x^2-8x+15)$??? $x \in (3, 5)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Iota* ι -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{4x+2}{-5x+2}$??? $\mathbb{R} \setminus \{2/5\}$

(b) $f(x) = \frac{1}{-x^3+3x^2+6x-8}$??? $\mathbb{R} \setminus \{1, 2\}$


(c) $f(x) = -8\sqrt{x+1}$??? $x \geq -1$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = -5 \ln(4x+4)$??? $x > -1$

(f) $f(x) = \ln(x^2-8x-9)$??? $x \in (-\infty, -1) \cup (9, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Iota* ι -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{8x+9}{-5x+3}$??? $\mathbb{R} \setminus \{3/5\}$

(b) $f(x) = \frac{1}{-x^3-3x^2+6x+8}$??? $\mathbb{R} \setminus \{1, 3, -4\}$


(c) $f(x) = 7\sqrt{-5x+4}$??? $x \geq 4/5$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = \ln(-5x+9)$??? $x > 9/5$

(f) $f(x) = \ln(x^2+2x-3)$... ??? ... $x \in (-3, 1)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Kappa* κ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x-3}{2x-6}$??? $\mathbb{R} \setminus \{3\}$

(b) $f(x) = \frac{1}{-x^3 + 11x^2 - 38x + 40}$??? $\mathbb{R} \setminus \{4, -2\}$


(c) $f(x) = 3\sqrt{3x-5}$??? $x \geq 5/3$

(d) $f(x) = \sqrt{-x^2 - 5x}$??? $x \in (-5, 0)$

(e) $f(x) = -\ln(-9x-6)$??? $x < -2/3$

(f) $f(x) = \ln(x^2 - 7x - 8)$??? $x \in (-1, 8)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Kappa* κ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x+3}{-3x+8}$??? $\mathbb{R} \setminus \{8/3\}$

(b) $f(x) = \frac{1}{2x^3 + 4x^2 - 10x - 12}$??? $\mathbb{R} \setminus \{2, -3, -1\}$


(c) $f(x) = -5\sqrt{2x+5}$??? $x \geq -5/2$

(d) $f(x) = \sqrt{-x^2 + 5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = -\ln(2x+4)$??? $x > 2$

(f) $f(x) = \ln(x^2 - 8x + 12)$??? $x \in (2, 6)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Kappa* κ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-3x-2}{-2x-1}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{3x^3 + 6x^2 - 3x - 6}$??? $\mathbb{R} \setminus \{1, 2\}$


(c) $f(x) = 5\sqrt{6x-8}$??? $x \leq 4/3$

(d) $f(x) = \sqrt{-x^2 + 2x}$... ??? ... $x \in \langle -2, 0 \rangle$

(e) $f(x) = 2\ln(-6x-2)$??? $x < 1/3$

(f) $f(x) = \ln(x^2 + 5x + 4)$??? $x \in (-4, -1)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Kappa* κ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-4x+2}{2x-1}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-3x^3 + 18x^2 - 36x + 24}$??? $\mathbb{R} \setminus \{0, 2, -2\}$


(c) $f(x) = 5\sqrt{-3x-4}$??? $x \geq -4/3$

(d) $f(x) = \sqrt{-x^2 + 2x}$??? $x \in (0, 2)$

(e) $f(x) = -9\ln(6x-4)$??? $x > 2/3$

(f) $f(x) = \ln(x^2 - 1)$.. ??? .. $x \in (-\infty, -1) \cup (1, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Lambda* λ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{4x+4}{-3x+1}$??? $\mathbb{R} \setminus \{-1/3\}$

(b) $f(x) = \frac{1}{-3x^3+18x^2-9x-30}$. ??? . $\mathbb{R} \setminus \{2, 5, -1\}$


(c) $f(x) = -6\sqrt{5x-3}$??? $x \geq -3/5$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in (-2, 0)$

(e) $f(x) = \ln(-6x-4)$??? $x > -2/3$

(f) $f(x) = \ln(x^2+8x+7)$??? $x \in (-\infty, -7) \cup (-1, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Lambda* λ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x+1}{-2x-3}$??? $\mathbb{R} \setminus \{-3/2\}$

(b) $f(x) = \frac{1}{-x^3-8x^2-13x-6}$??? $\mathbb{R} \setminus \{-6, -1\}$


(c) $f(x) = -2\sqrt{-2x+5}$??? $x \leq 5/2$

(d) $f(x) = \sqrt{-x^2+6x}$??? $x \in \langle 0, 6 \rangle$

(e) $f(x) = -7\ln(7x-4)$??? $x < 4/7$

(f) $f(x) = \ln(x^2-x-20)$??? $x \in (-4, 5)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Lambda* λ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{9x-4}{-9x-5}$??? $\mathbb{R} \setminus \{-5/9\}$

(b) $f(x) = \frac{1}{2x^3-6x^2+6x-2}$??? $\mathbb{R} \setminus \{1, -1\}$


(c) $f(x) = -2\sqrt{-6x-4}$??? $x \geq -2/3$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in (-2, 0)$

(e) $f(x) = -\ln(4x+4)$??? $x < -1$

(f) $f(x) = \ln(x^2-2x-8)$.. ??? .. $x \in (-2, 4)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Lambda* λ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x-2}{x+4}$??? $\mathbb{R} \setminus \{-4\}$

(b) $f(x) = \frac{1}{2x^3-4x^2-26x-20}$??? $\mathbb{R} \setminus \{1, -4, 5\}$


(c) $f(x) = -2\sqrt{4x-3}$??? $x \geq 3/4$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = -\ln(-6x-1)$??? $x < -1/6$

(f) $f(x) = \ln(x^2-x-2)$??? $x \in (-\infty, -1) \cup (2, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina $Mu \mu$ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x+1}{-8x+9}$??? $\mathbb{R} \setminus \{9/8\}$

(b) $f(x) = \frac{1}{x^3+x^2-16x-16}$??? $\mathbb{R} \setminus \{1, 3, -4\}$


(c) $f(x) = 7\sqrt{-2x-5}$??? $x \leq 5/2$

(d) $f(x) = \sqrt{-x^2-8x}$??? $x \in (-8, 0)$

(e) $f(x) = \ln(2x-2)$??? $x > 1$

(f) $f(x) = \ln(x^2-2x-8)$... ??? ... $x \in (-2, 4)$

1.



Braillove písmeno

Definičný obor funkcie, skupina $Mu \mu$ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-5x+4}{6x+2}$??? $\mathbb{R} \setminus \{-1/3\}$

(b) $f(x) = \frac{1}{x^3-7x^2-21x+27}$??? $\mathbb{R} \setminus \{9, -3, 1\}$


(c) $f(x) = -5\sqrt{3x-5}$??? $x \geq 5/3$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in (0, 1)$

(e) $f(x) = -3\ln(3x+4)$??? $x < -4/3$

(f) $f(x) = \ln(x^2-4x+3)$??? $x \in (1, 3)$

2.



Braillove písmeno

Definičný obor funkcie, skupina $Mu \mu$ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x-3}{-5x-3}$??? $\mathbb{R} \setminus \{-3/5\}$

(b) $f(x) = \frac{1}{-x^3+5x^2+x-5}$??? $\mathbb{R} \setminus \{0, 5, -1\}$


(c) $f(x) = 9\sqrt{-2x-8}$??? $x \leq 4$

(d) $f(x) = \sqrt{-x^2+5x}$??? $x \in (0, 5)$

(e) $f(x) = -8\ln(-9x-2)$??? $x > -2/9$

(f) $f(x) = \ln(x^2+x-2)$... ??? ... $x \in (-2, 1)$

3.



Braillove písmeno

Definičný obor funkcie, skupina $Mu \mu$ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x+6}{-7x-3}$??? $\mathbb{R} \setminus \{-3/7\}$

(b) $f(x) = \frac{1}{-6x^3+6x^2+6x-6}$??? $\mathbb{R} \setminus \{1, -2, -1\}$


(c) $f(x) = -\sqrt{x+5}$??? $x \geq -5$

(d) $f(x) = \sqrt{-x^2+4x}$??? $x \in (0, 4)$

(e) $f(x) = 8\ln(x+7)$??? $x > -7$

(f) $f(x) = \ln(x^2-6x+8)$??? $x \in (-\infty, 2) \cup (4, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina $Nu \nu$ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{3x+7}{-3x+1}$??? $\mathbb{R} \setminus \{1/3\}$

(b) $f(x) = \frac{1}{6x^3+12x^2-78x+60}$.. ??? .. $\mathbb{R} \setminus \{2, 3, 5\}$


(c) $f(x) = 3\sqrt{7x+3}$??? $x \geq 3/7$

(d) $f(x) = \sqrt{-x^2+7x}$??? $x \in \langle 0, 7 \rangle$

(e) $f(x) = -3 \ln(-9x+4)$??? $x > 4/9$

(f) $f(x) = \ln(x^2-4x-45)$??? $x \in (-\infty, -5) \cup (9, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina $Nu \nu$ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x-9}{x+9}$??? $\mathbb{R} \setminus \{-9\}$

(b) $f(x) = \frac{1}{-x^3+16x^2-69x+54}$??? $\mathbb{R} \setminus \{8, 6, -1\}$


(c) $f(x) = -5\sqrt{-3x-7}$??? $x \leq 7/3$

(d) $f(x) = \sqrt{-x^2-8x}$??? $x \in (-8, 0)$

(e) $f(x) = -\ln(6x+4)$??? $x > -2/3$

(f) $f(x) = \ln(x^2+2x-35)$??? $x \in (-7, 5)$

2.



Braillove písmeno

Definičný obor funkcie, skupina $Nu \nu$ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{9x+1}{4x-5}$??? $\mathbb{R} \setminus \{5/4\}$

(b) $f(x) = \frac{1}{x^3-2x^2-19x+20}$??? $\mathbb{R} \setminus \{1, -4, 5\}$


(c) $f(x) = 9\sqrt{-8x+8}$??? $x \leq 1$

(d) $f(x) = \sqrt{-x^2-6x}$??? $x \in (-6, 0)$

(e) $f(x) = -\ln(2x+6)$??? $x > 3$

(f) $f(x) = \ln(x^2-7x+6)$??? $x \in (1, 6)$

3.



Braillove písmeno

Definičný obor funkcie, skupina $Nu \nu$ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{5x+7}{-9x-5}$??? $\mathbb{R} \setminus \{-5/9\}$

(b) $f(x) = \frac{1}{-4x^3+20x^2-8x-32}$??? $\mathbb{R} \setminus \{1, 2, 3\}$


(c) $f(x) = -8\sqrt{4x-1}$??? $x \geq 1/4$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in (-5, 0)$

(e) $f(x) = 2 \ln(4x+8)$??? $x > -2$

(f) $f(x) = \ln(x^2-3x+2)$??? $x \in (1, 2)$

4.



Braillove písmeno

Definičný obor funkcie, skupina Xi ξ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-4x-4}{-5x-4}$??? $\mathbb{R} \setminus \{-4/5\}$

(b) $f(x) = \frac{1}{-3x^3+15x^2+3x-15}$??? $\mathbb{R} \setminus \{1, -5, -2\}$


(c) $f(x) = 2\sqrt{8x-1}$??? $x \leq 1/8$

(d) $f(x) = \sqrt{-x^2-7x}$??? $x \in (-7, 0)$

(e) $f(x) = -4 \ln(-2x+3)$??? $x < 3/2$

(f) $f(x) = \ln(x^2-49)$??? $x \in (-7, 7)$

1.



Braillove písmeno

Definičný obor funkcie, skupina Xi ξ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{7x-2}{-5x+8}$??? $\mathbb{R} \setminus \{8/5\}$

(b) $f(x) = \frac{1}{x^3-9x^2+14x+24}$.. ??? .. $\mathbb{R} \setminus \{4, -1, 6\}$


(c) $f(x) = \sqrt{-5x+1}$??? $x \leq 1/5$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in (-2, 0)$

(e) $f(x) = -3 \ln(x+2)$??? $x < -2$

(f) $f(x) = \ln(x^2+2x+1)$??? $x \in (-\infty, -1) \cup (-1, \infty)$

2.



Braillove písmeno

Definičný obor funkcie, skupina Xi ξ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x+4}{-6x+4}$??? $\mathbb{R} \setminus \{2/3\}$

(b) $f(x) = \frac{1}{-2x^3+2x^2+50x-50}$??? $\mathbb{R} \setminus \{-5, 4, -1\}$


(c) $f(x) = \sqrt{3x-1}$??? $x \geq 1/3$

(d) $f(x) = \sqrt{-x^2-4x}$??? $x \in \langle 0, 4 \rangle$

(e) $f(x) = 3 \ln(2x+4)$??? $x > -2$

(f) $f(x) = \ln(x^2+7x+6)$??? $x \in (-6, -1)$

3.



Braillove písmeno

Definičný obor funkcie, skupina Xi ξ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x-4}{-6x-2}$??? $\mathbb{R} \setminus \{1/3\}$

(b) $f(x) = \frac{1}{2x^3-20x^2+46x-28}$. ??? . $\mathbb{R} \setminus \{1, 2, 7\}$


(c) $f(x) = -9\sqrt{-x-5}$??? $x \leq -5$

(d) $f(x) = \sqrt{-x^2+2x}$??? $x \in (0, 2)$

(e) $f(x) = 7 \ln(-9x+2)$??? $x < -2/9$

(f) $f(x) = \ln(x^2+x-12)$??? $x \in (-\infty, -4) \cup (3, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Omicron o* -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

- (a) $f(x) = \frac{-4x + 2}{-x + 7}$??? $\mathbb{R} \setminus \{-7\}$
- (b) $f(x) = \frac{1}{-2x^3 - 8x^2 + 22x + 60}$. ??? . $\mathbb{R} \setminus \{3, -5, -2\}$
- (c) $f(x) = 4\sqrt{2x + 5}$??? $x \leq -5/2$
- (d) $f(x) = \sqrt{-x^2 + 3x}$??? $x \in \langle -3, 0 \rangle$
- (e) $f(x) = 6 \ln (-3x + 5)$??? $x < 5/3$
- (f) $f(x) = \ln (x^2 + 8x + 15)$??? $x \in (-\infty, -5) \cup (-3, \infty)$

1.

a

f

b

e

c

d

Braillove písmeno

Definičný obor funkcie, skupina *Omicron o* -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

- (a) $f(x) = \frac{6x + 8}{-x - 2}$??? $\mathbb{R} \setminus \{-2\}$
- (b) $f(x) = \frac{1}{-2x^3 - 22x^2 - 64x - 56}$??? $\mathbb{R} \setminus \{2, -5, -2\}$
- (c) $f(x) = -\sqrt{6x - 1}$??? $x \leq 1/6$
- (d) $f(x) = \sqrt{-x^2 - x}$??? $x \in \langle 0, 1 \rangle$
- (e) $f(x) = -2 \ln (7x + 8)$??? $x > 8/7$
- (f) $f(x) = \ln (x^2 + 3x - 10)$??? $x \in (-5, 2)$

2.

a

f

b

e

c

d

Braillove písmeno

Definičný obor funkcie, skupina *Omicron o* -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

- (a) $f(x) = \frac{8x - 4}{-5x - 1}$??? $\mathbb{R} \setminus \{-1/5\}$
- (b) $f(x) = \frac{1}{x^3 - 4x^2 - 11x - 6}$??? $\mathbb{R} \setminus \{1, 5, -1\}$
- (c) $f(x) = -3\sqrt{7x + 3}$??? $x \geq -3/7$
- (d) $f(x) = \sqrt{-x^2 - 4x}$??? $x \in (-4, 0)$
- (e) $f(x) = -\ln (-x + 9)$??? $x < 9$
- (f) $f(x) = \ln (x^2 + 9x + 20)$??? $x \in (-\infty, -5) \cup (-4, \infty)$

3.

a

f

b

e

c

d

Braillove písmeno

Definičný obor funkcie, skupina *Omicron o* -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

- (a) $f(x) = \frac{-5x + 4}{7x + 1}$??? $\mathbb{R} \setminus \{-1/7\}$
- (b) $f(x) = \frac{1}{x^3 - 4x^2 + 5x - 2}$??? $\mathbb{R} \setminus \{1, 2, -2\}$
- (c) $f(x) = 2\sqrt{3x - 1}$??? $x \geq -1/3$
- (d) $f(x) = \sqrt{-x^2 - x}$??? $x \in (-1, 0)$
- (e) $f(x) = -5 \ln (x - 3)$??? $x < 3$
- (f) $f(x) = \ln (x^2 - 11x + 30)$.. ??? .. $x \in (5, 6)$

4.

a

f

b

e

c

d

Braillove písmeno

Definičný obor funkcie, skupina $Pi \pi$ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x+7}{-2x+3}$??? $\mathbb{R} \setminus \{3/2\}$

(b) $f(x) = \frac{1}{-5x^3+15x-10}$??? $\mathbb{R} \setminus \{1, 2, -1\}$


(c) $f(x) = -2\sqrt{4x-7}$??? $x \geq -7/4$

(d) $f(x) = \sqrt{-x^2-7x}$??? $x \in \langle -7, 0 \rangle$

(e) $f(x) = 5 \ln(5x+4)$??? $x > 4/5$

(f) $f(x) = \ln(x^2+2x-15)$??? $x \in (-\infty, -5) \cup (3, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina $Pi \pi$ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x+1}{-6x+3}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{-2x^3-14x^2-14x+30}$??? $\mathbb{R} \setminus \{-7, -3, -1\}$


(c) $f(x) = \sqrt{8x+3}$??? $x \leq -3/8$

(d) $f(x) = \sqrt{-x^2-6x}$??? $x \in (-6, 0)$

(e) $f(x) = 6 \ln(-6x-1)$??? $x < -1/6$

(f) $f(x) = \ln(x^2-8x+12)$??? $x \in (2, 6)$

2.



Braillove písmeno

Definičný obor funkcie, skupina $Pi \pi$ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-3x+4}{5x+9}$??? $\mathbb{R} \setminus \{9/5\}$

(b) $f(x) = \frac{1}{-3x^3-27x^2-45x-21}$??? $\mathbb{R} \setminus \{-7, -1\}$


(c) $f(x) = -5\sqrt{8x+1}$??? $x \geq -1/8$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in (-1, 0)$

(e) $f(x) = 2 \ln(-2x+6)$??? $x > 3$

(f) $f(x) = \ln(x^2-1)$.. ??? .. $x \in (-\infty, -1) \cup (1, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina $Pi \pi$ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x-1}{7x-4}$??? $\mathbb{R} \setminus \{4/7\}$

(b) $f(x) = \frac{1}{x^3-7x^2+15x-9}$??? $\mathbb{R} \setminus \{1, 3\}$


(c) $f(x) = 2\sqrt{-2x+2}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = -3 \ln(3x+3)$??? $x > -1$

(f) $f(x) = \ln(x^2+13x+36)$??? $x \in (-9, -4)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Rho* ρ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{3x+6}{-2x-4}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{-3x^3 - 12x^2 + 3x + 12}$??? $\mathbb{R} \setminus \{-6, -1\}$


(c) $f(x) = -8\sqrt{5x+2}$??? $x \geq 2/5$

(d) $f(x) = \sqrt{-x^2 + 4x}$??? $x \in \langle -4, 0 \rangle$

(e) $f(x) = 4 \ln(3x+9)$??? $x > 3$

(f) $f(x) = \ln(x^2 + 10x + 24)$... ??? ... $x \in (-6, -4)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Rho* ρ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x+4}{x+9}$??? $\mathbb{R} \setminus \{9\}$

(b) $f(x) = \frac{1}{5x^3 - 5x^2 - 5x + 5}$... ??? ... $\mathbb{R} \setminus \{1, -1\}$


(c) $f(x) = -6\sqrt{8x-7}$??? $x \geq 7/8$

(d) $f(x) = \sqrt{-x^2 + 2x}$??? $x \in \langle -2, 0 \rangle$

(e) $f(x) = 5 \ln(x+7)$??? $x > -7$

(f) $f(x) = \ln(x^2 - 8x + 12)$??? $x \in (-\infty, 2) \cup (6, \infty)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Rho* ρ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x-7}{2x-8}$??? $\mathbb{R} \setminus \{4\}$

(b) $f(x) = \frac{1}{2x^3 - 18x^2 + 22x + 42}$??? $\mathbb{R} \setminus \{1, 3, 5\}$


(c) $f(x) = 7\sqrt{8x-4}$??? $x \geq 1/2$

(d) $f(x) = \sqrt{-x^2 + 5x}$??? $x \in \langle -5, 0 \rangle$

(e) $f(x) = 8 \ln(-6x+7)$??? $x < 7/6$

(f) $f(x) = \ln(x^2 + 3x - 4)$??? $x \in (-4, 1)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Rho* ρ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{3x-6}{-6x-2}$??? $\mathbb{R} \setminus \{-1/3\}$

(b) $f(x) = \frac{1}{-x^3 - 6x^2 + 7x + 60}$??? $\mathbb{R} \setminus \{3, -4, -5\}$


(c) $f(x) = 6\sqrt{-8x-2}$??? $x \leq -1/4$

(d) $f(x) = \sqrt{-x^2 + 8x}$??? $x \in (0, 8)$

(e) $f(x) = -3 \ln(-2x+1)$??? $x > 1/2$

(f) $f(x) = \ln(x^2 - 2x - 3)$??? $x \in (-1, 3)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Sigma* σ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-3x+8}{-x-3}$??? $\mathbb{R} \setminus \{-3\}$

(b) $f(x) = \frac{1}{x^3-9x^2+8x+60}$??? $\mathbb{R} \setminus \{5, -2, 6\}$


(c) $f(x) = -\sqrt{-3x-1}$??? $x \leq -1/3$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in (0, 1)$

(e) $f(x) = -3 \ln(7x+2)$??? $x > -2/7$

(f) $f(x) = \ln(x^2-1)$??? $x \in (-1, 1)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Sigma* σ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{4x+6}{x+2}$??? $\mathbb{R} \setminus \{-2\}$

(b) $f(x) = \frac{1}{-3x^3+9x+6}$??? $\mathbb{R} \setminus \{1, 2, -3\}$


(c) $f(x) = -3\sqrt{-5x-6}$??? $x \leq 6/5$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = -2 \ln(5x+2)$... ??? ... $x > -2/5$

(f) $f(x) = \ln(x^2+3x+2)$??? $x \in (-2, -1)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Sigma* σ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x+3}{2x+1}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{2x^3+6x^2-2x-6}$.. ??? .. $\mathbb{R} \setminus \{1, -3, -1\}$


(c) $f(x) = 6\sqrt{6x-2}$??? $x \geq 1/3$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in \langle 0, 2 \rangle$

(e) $f(x) = -5 \ln(3x-1)$??? $x < 1/3$

(f) $f(x) = \ln(x^2+7x+6)$??? $x \in (-\infty, -6) \cup (-1, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Sigma* σ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-6x-2}{-2x-1}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{-x^3+2x^2+11x-12}$??? $\mathbb{R} \setminus \{1, -5, -4\}$


(c) $f(x) = -4\sqrt{-2x+5}$??? $x \geq 5/2$

(d) $f(x) = \sqrt{-x^2+4x}$??? $x \in (0, 4)$

(e) $f(x) = -3 \ln(-2x+2)$??? $x < -1$

(f) $f(x) = \ln(x^2+3x-10)$??? $x \in (-5, 2)$

4.



Braillove písmeno

Definičný obor funkcie, skupina $Tau \tau$ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-6x+2}{6x-3}$??? $\mathbb{R} \setminus \{1/2\}$

(b) $f(x) = \frac{1}{2x^3-8x^2+2x+12}$??? $\mathbb{R} \setminus \{3, -3, -2\}$


(c) $f(x) = \sqrt{-5x-6}$??? $x \geq -6/5$

(d) $f(x) = \sqrt{-x^2+7x}$??? $x \in \langle -7, 0 \rangle$

(e) $f(x) = -4 \ln(-8x+3)$??? $x < 3/8$

(f) $f(x) = \ln(x^2-6x+5)$??? $x \in (-\infty, 1) \cup (5, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina $Tau \tau$ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{4x+1}{-6x-8}$??? $\mathbb{R} \setminus \{-4/3\}$

(b) $f(x) = \frac{1}{-5x^3-10x^2+5x+10}$??? $\mathbb{R} \setminus \{1, -2, -1\}$


(c) $f(x) = -5\sqrt{x-9}$??? $x \geq 9$

(d) $f(x) = \sqrt{-x^2+6x}$??? $x \in \langle -6, 0 \rangle$

(e) $f(x) = -2 \ln(-2x-1)$??? $x < -1/2$

(f) $f(x) = \ln(x^2-2x-15)$??? $x \in (-3, 5)$

2.



Braillove písmeno

Definičný obor funkcie, skupina $Tau \tau$ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x-4}{-3x-4}$??? $\mathbb{R} \setminus \{-4/3\}$

(b) $f(x) = \frac{1}{-2x^3+18x^2-52x+48}$??? $\mathbb{R} \setminus \{2, -4\}$


(c) $f(x) = -\sqrt{x+6}$??? $x \geq 6$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in (-3, 0)$

(e) $f(x) = -\ln(-2x-7)$??? $x > -7/2$

(f) $f(x) = \ln(x^2-3x+2)$??? $x \in (1, 2)$

3.



Braillove písmeno

Definičný obor funkcie, skupina $Tau \tau$ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{5x-8}{-5x-4}$??? $\mathbb{R} \setminus \{-4/5\}$

(b) $f(x) = \frac{1}{x^3-x^2-x+1}$??? $\mathbb{R} \setminus \{3, -1\}$


(c) $f(x) = -3\sqrt{2x-7}$??? $x \geq 7/2$

(d) $f(x) = \sqrt{-x^2-2x}$... ??? ... $x \in \langle 0, 2 \rangle$

(e) $f(x) = -\ln(-8x-1)$.. ??? .. $x > -1/8$

(f) $f(x) = \ln(x^2+3x+2)$??? $x \in (-2, -1)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Upsilon v* -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{x+1}{-4x+3}$??? $\mathbb{R} \setminus \{3/4\}$

(b) $f(x) = \frac{1}{-x^3-4x^2+19x-14}$??? $\mathbb{R} \setminus \{1, 2, -7\}$


(c) $f(x) = \sqrt{2x+4}$??? $x \geq 2$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in \langle 0, 5 \rangle$

(e) $f(x) = 3 \ln(4x+5)$??? $x > -5/4$

(f) $f(x) = \ln(x^2-6x+5)$??? $x \in (-\infty, 1) \cup (5, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Upsilon v* -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{5x+5}{7x+2}$??? $\mathbb{R} \setminus \{-2/7\}$

(b) $f(x) = \frac{1}{-x^3+13x-12}$??? $\mathbb{R} \setminus \{0, 3, 4\}$


(c) $f(x) = -4\sqrt{4x-6}$??? $x \geq 3/2$

(d) $f(x) = \sqrt{-x^2+9x}$... ??? ... $x \in (0, 9)$

(e) $f(x) = -2 \ln(-x-4)$... ??? ... $x < -4$

(f) $f(x) = \ln(x^2-3x+2)$. ??? . $x \in (1, 2)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Upsilon v* -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-5x+1}{-6x+1}$??? $\mathbb{R} \setminus \{1/6\}$

(b) $f(x) = \frac{1}{-4x^3+52x-48}$??? $\mathbb{R} \setminus \{1, 3, -4\}$


(c) $f(x) = 6\sqrt{-3x-2}$??? $x \leq -2/3$

(d) $f(x) = \sqrt{-x^2-2x}$??? $x \in \langle 0, 2 \rangle$

(e) $f(x) = -4 \ln(-4x-1)$... ??? ... $x > -1/4$

(f) $f(x) = \ln(x^2+4x-5)$.. ??? .. $x \in (-5, 1)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Upsilon v* -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x-1}{4x+2}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{x^3+4x^2-20x-48}$. ??? . $\mathbb{R} \setminus \{-6, 4, -2\}$


(c) $f(x) = -5\sqrt{-6x+4}$??? $x \leq -2/3$

(d) $f(x) = \sqrt{-x^2-7x}$??? $x \in \langle 0, 7 \rangle$

(e) $f(x) = -8 \ln(-7x-8)$??? $x < 8/7$

(f) $f(x) = \ln(x^2-13x+42)$??? $x \in (-\infty, 6) \cup (7, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina Φ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{4x+2}{x+4}$??? $\mathbb{R} \setminus \{4\}$

(b) $f(x) = \frac{1}{-x^3+13x^2-47x+35}$. ??? . $\mathbb{R} \setminus \{1, 5, 7\}$


(c) $f(x) = 4\sqrt{-x+2}$??? $x \leq 2$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle 0, 3 \rangle$

(e) $f(x) = -6 \ln(4x+3)$??? $x > -3/4$

(f) $f(x) = \ln(x^2-7x+12)$??? $x \in (-\infty, 3) \cup (4, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina Φ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-3x+1}{3x+1}$??? $\mathbb{R} \setminus \{-1/3\}$

(b) $f(x) = \frac{1}{-4x^3-8x^2+20x+24}$??? $\mathbb{R} \setminus \{3, -1\}$


(c) $f(x) = 8\sqrt{-2x-4}$??? $x \geq -2$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = 2 \ln(-6x+4)$??? $x > 2/3$

(f) $f(x) = \ln(x^2+5x-14)$... ??? ... $x \in (-7, 2)$

2.



Braillove písmeno

Definičný obor funkcie, skupina Φ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{4x-4}{-8x-1}$??? $\mathbb{R} \setminus \{-1/8\}$

(b) $f(x) = \frac{1}{-2x^3-4x^2+2x+4}$. ??? . $\mathbb{R} \setminus \{1, 2, -3\}$


(c) $f(x) = -3\sqrt{x+4}$??? $x \geq -4$

(d) $f(x) = \sqrt{-x^2+8x}$??? $x \in \langle 0, 8 \rangle$

(e) $f(x) = -\ln(6x-6)$??? $x > -1$

(f) $f(x) = \ln(x^2-10x+21)$??? $x \in (-\infty, 3) \cup (7, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina Φ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-7x-6}{-5x+2}$??? $\mathbb{R} \setminus \{-2/5\}$

(b) $f(x) = \frac{1}{-3x^3+6x^2+39x+30}$??? $\mathbb{R} \setminus \{5, -2, -1\}$


(c) $f(x) = 4\sqrt{-3x-4}$??? $x \geq -4/3$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle -1, 0 \rangle$

(e) $f(x) = -2 \ln(-7x-8)$??? $x > -8/7$

(f) $f(x) = \ln(x^2-3x-4)$??? $x \in (-\infty, -1) \cup (4, \infty)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Chi* χ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-x-3}{3x+7}$??? $\mathbb{R} \setminus \{-7/3\}$

(b) $f(x) = \frac{1}{-3x^3 - 3x^2 + 27x + 27}$??? $\mathbb{R} \setminus \{1, 3, -5\}$


(c) $f(x) = 5\sqrt{-2x-3}$??? $x \geq -3/2$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in (0, 3)$

(e) $f(x) = -6\ln(6x-1)$??? $x > 1/6$

(f) $f(x) = \ln(x^2 - 11x + 24)$??? $x \in (-\infty, 3) \cup (8, \infty)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Chi* χ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{2x-5}{-5x+2}$??? $\mathbb{R} \setminus \{2/5\}$

(b) $f(x) = \frac{1}{x^3 - 6x^2 + 11x - 6}$??? $\mathbb{R} \setminus \{1, 4, -3\}$


(c) $f(x) = 6\sqrt{6x-5}$??? $x \geq 5/6$

(d) $f(x) = \sqrt{-x^2-x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = -6\ln(3x+5)$??? $x > -5/3$

(f) $f(x) = \ln(x^2 - x - 2)$... ??? ... $x \in (-1, 2)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Chi* χ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-4x-2}{-2x-1}$??? $\mathbb{R} \setminus \{-1/2\}$

(b) $f(x) = \frac{1}{-4x^3 - 20x^2 - 32x - 16}$??? $\mathbb{R} \setminus \{0, 1, -2\}$


(c) $f(x) = 3\sqrt{-3x-7}$??? $x \leq -7/3$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = -4\ln(9x-2)$??? $x < 2/9$

(f) $f(x) = \ln(x^2 - 2x - 8)$??? $x \in (-\infty, -2) \cup (4, \infty)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Chi* χ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{4x+8}{-4x-5}$??? $\mathbb{R} \setminus \{-5/4\}$

(b) $f(x) = \frac{1}{2x^3 - 4x^2 - 2x + 4}$??? $\mathbb{R} \setminus \{1, -1\}$


(c) $f(x) = -3\sqrt{x-6}$??? $x \geq -6$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in (0, 3)$

(e) $f(x) = 2\ln(-8x+9)$??? $x < -9/8$

(f) $f(x) = \ln(x^2 + 7x - 8)$.. ??? .. $x \in (-8, 1)$

4.



Braillove písmeno

Definičný obor funkcie, skupina $Psi \psi$ -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-5x+4}{-6x+9}$??? $\mathbb{R} \setminus \{3/2\}$

(b) $f(x) = \frac{1}{-x^3+x^2+16x+20}$??? $\mathbb{R} \setminus \{5, -2\}$


(c) $f(x) = -8\sqrt{2x-2}$??? $x \geq 1$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = \ln(x-2)$??? $x > -2$

(f) $f(x) = \ln(x^2+x-2)$... ??? ... $x \in (-2, 1)$

1.



Braillove písmeno

Definičný obor funkcie, skupina $Psi \psi$ -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x+2}{2x+6}$??? $\mathbb{R} \setminus \{-3\}$

(b) $f(x) = \frac{1}{-x^3-6x^2+x+30}$??? $\mathbb{R} \setminus \{3, -5, 4\}$


(c) $f(x) = \sqrt{-x+6}$??? $x \geq 6$

(d) $f(x) = \sqrt{-x^2+x}$??? $x \in \langle 0, 1 \rangle$

(e) $f(x) = -7 \ln(-5x-9)$??? $x < 9/5$

(f) $f(x) = \ln(x^2+10x+16)$. ??? . $x \in (-8, -2)$

2.



Braillove písmeno

Definičný obor funkcie, skupina $Psi \psi$ -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{6x+3}{3x-6}$??? $\mathbb{R} \setminus \{2\}$

(b) $f(x) = \frac{1}{-2x^3+8x^2-10x+4}$??? $\mathbb{R} \setminus \{1, 2\}$


(c) $f(x) = 9\sqrt{x+1}$??? $x \leq -1$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in (-3, 0)$

(e) $f(x) = 6 \ln(-5x+1)$??? $x < 1/5$

(f) $f(x) = \ln(x^2+10x+25)$??? $x \in (-5, -5)$

3.



Braillove písmeno

Definičný obor funkcie, skupina $Psi \psi$ -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-4x-4}{-x+2}$??? $\mathbb{R} \setminus \{2\}$

(b) $f(x) = \frac{1}{x^3+x^2-21x-45}$??? $\mathbb{R} \setminus \{-5, -4, -3\}$


(c) $f(x) = -5\sqrt{4x+3}$??? $x \leq -3/4$

(d) $f(x) = \sqrt{-x^2+6x}$??? $x \in \langle -6, 0 \rangle$

(e) $f(x) = 5 \ln(-3x+3)$??? $x > 1$

(f) $f(x) = \ln(x^2-12x+36)$??? $x \in (6, 6)$

4.



Braillove písmeno

Definičný obor funkcie, skupina *Omega* ω -i

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-7x-1}{2x+7}$??? $\mathbb{R} \setminus \{-7/2\}$

(b) $f(x) = \frac{1}{x^3+3x^2-x-3}$??? $\mathbb{R} \setminus \{-1, -2\}$


(c) $f(x) = -\sqrt{4x+6}$??? $x \geq -3/2$

(d) $f(x) = \sqrt{-x^2-3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = 5 \ln(5x-1)$??? $x > -1/5$

(f) $f(x) = \ln(x^2+5x-14)$. ??? . $x \in (-7, 2)$

1.



Braillove písmeno

Definičný obor funkcie, skupina *Omega* ω -ii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x+4}{-7x-8}$??? $\mathbb{R} \setminus \{-8/7\}$

(b) $f(x) = \frac{1}{-3x^3-24x^2-51x-30}$??? $\mathbb{R} \setminus \{1, -5, -4\}$


(c) $f(x) = -\sqrt{2x+1}$??? $x \geq 1/2$

(d) $f(x) = \sqrt{-x^2-5x}$??? $x \in (-5, 0)$

(e) $f(x) = 8 \ln(-5x+1)$??? $x > 1/5$

(f) $f(x) = \ln(x^2-25)$.. ??? .. $x \in (-\infty, -5) \cup (5, \infty)$

2.



Braillove písmeno

Definičný obor funkcie, skupina *Omega* ω -iii

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{-2x-4}{-2x-5}$??? $\mathbb{R} \setminus \{-5/2\}$

(b) $f(x) = \frac{1}{3x^3-9x^2-18x+24}$??? $\mathbb{R} \setminus \{1, 4, -2\}$


(c) $f(x) = 4\sqrt{-3x+4}$??? $x \geq 4/3$

(d) $f(x) = \sqrt{-x^2+5x}$??? $x \in \langle -5, 0 \rangle$

(e) $f(x) = -\ln(-x-5)$??? $x < -5$

(f) $f(x) = \ln(x^2-6x-27)$... ??? ... $x \in (-3, 9)$

3.



Braillove písmeno

Definičný obor funkcie, skupina *Omega* ω -iv

Meno:

(a), (b), (c), (d), (e), (f) Nájdite definičný obor funkcie.

(a) $f(x) = \frac{3x+3}{3x-3}$??? $\mathbb{R} \setminus \{1\}$

(b) $f(x) = \frac{1}{2x^3+6x^2-26x-30}$??? $\mathbb{R} \setminus \{1, 3, -4\}$


(c) $f(x) = -8\sqrt{x+1}$??? $x \geq -1$

(d) $f(x) = \sqrt{-x^2+3x}$??? $x \in \langle -3, 0 \rangle$

(e) $f(x) = 8 \ln(2x+1)$??? $x > -1/2$

(f) $f(x) = \ln(x^2+6x-7)$??? $x \in (-7, 1)$

4.



Braillove písmeno

Definičný obor funkcie (riešenia)

α	$i : \mathbf{V}$	(a) $\mathbb{R} \setminus \{-1/8\}$ ✓	(b) $\mathbb{R} \setminus \{1, -4, 6\}$ ✓	(c) $x \geq -1/2$ ✓	(d) $x \in \langle -1, 0 \rangle$ ✓	(e) $x < -1/6$ ✗	(f) $x \in (-\infty, -1) \cup (3, \infty)$ ✗
	$ii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{2\}$ ✓	(b) $\mathbb{R} \setminus \{1, 3, 4\}$ ✓	(c) $x \geq 5/3$ ✓	(d) $x \in \langle -9, 0 \rangle$ ✗	(e) $x > 3/7$ ✗	(f) $x \in (-\infty, -6) \cup (5, \infty)$ ✗
	$iii : \mathbf{C}$	(a) $\mathbb{R} \setminus \{1/2\}$ ✓	(b) $\mathbb{R} \setminus \{1, -6, -2\}$ ✗	(c) $x \leq -1/6$ ✗	(d) $x \in \langle -4, 0 \rangle$ ✗	(e) $x > 2/3$ ✗	(f) $x \in (-\infty, -5) \cup (1, \infty)$ ✓
	$iv : \mathbf{I}$	(a) $\mathbb{R} \setminus \{1/7\}$ ✗	(b) $\mathbb{R} \setminus \{1, 5, -3\}$ ✓	(c) $x \leq 2/5$ ✗	(d) $x \in \langle -4, 0 \rangle$ ✗	(e) $x > -6/5$ ✗	(f) $x \in (-\infty, -7) \cup (-1, \infty)$ ✓
	$iv : \mathbf{S}$	(a) $\mathbb{R} \setminus \{4\}$ ✗	(b) $\mathbb{R} \setminus \{-5, -1\}$ ✓	(c) $x \leq 5/2$ ✓	(d) $x \in \langle -6, 0 \rangle$ ✗	(e) $x < -1$ ✗	(f) $x \in (-\infty, -6) \cup (-3, \infty)$ ✓
β	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{3/2\}$ ✓	(b) $\mathbb{R} \setminus \{2, -4, 7\}$ ✗	(c) $x \leq 1/8$ ✗	(d) $x \in \langle 0, 3 \rangle$ ✗	(e) $x > -3/5$ ✗	(f) $x \in (-\infty, -6) \cup (-3, \infty)$ ✗
	$iii : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-3/7\}$ ✓	(b) $\mathbb{R} \setminus \{-8, -3, -1\}$ ✗	(c) $x \geq -1/2$ ✓	(d) $x \in \langle -5, 0 \rangle$ ✗	(e) $x < 8/9$ ✓	(f) $x \in (-\infty, -5) \cup (-2, \infty)$ ✓
	$iv : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-3/4\}$ ✓	(b) $\mathbb{R} \setminus \{-5, -2\}$ ✗	(c) $x \leq 2$ ✗	(d) $x \in \langle 0, 5 \rangle$ ✗	(e) $x > -5/3$ ✓	(f) $x \in (-\infty, -7) \cup (-1, \infty)$ ✗
	$i : \mathbf{M}$	(a) $\mathbb{R} \setminus \{1/3\}$ ✓	(b) $\mathbb{R} \setminus \{1, -5, 4\}$ ✗	(c) $x \leq -2/3$ ✓	(d) $x \in \langle 0, 2 \rangle$ ✗	(e) $x < 3/5$ ✗	(f) $x \in (-\infty, -1) \cup (9, \infty)$ ✓
	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{3/2\}$ ✓	(b) $\mathbb{R} \setminus \{1, -6, -5\}$ ✗	(c) $x \leq -6/7$ ✗	(d) $x \in \langle 0, 1 \rangle$ ✗	(e) $x > -7/2$ ✗	(f) $x \in (-\infty, -6) \cup (-3, \infty)$ ✗
γ	$iii : \mathbf{M}$	(a) $\mathbb{R} \setminus \{4\}$ ✓	(b) $\mathbb{R} \setminus \{-6, -2, -1\}$ ✗	(c) $x \geq 1/6$ ✓	(d) $x \in \langle 0, 2 \rangle$ ✗	(e) $x < -1$ ✗	(f) $x \in (-\infty, -2) \cup (6, \infty)$ ✓
	$iv : \mathbf{A}$	(a) $\mathbb{R} \setminus \{1\}$ ✓	(b) $\mathbb{R} \setminus \{1, -6, -4\}$ ✗	(c) $x \geq 1/4$ ✗	(d) $x \in \langle -8, 0 \rangle$ ✗	(e) $x < -5/9$ ✗	(f) $x \in (-\infty, -5) \cup (9, \infty)$ ✗
	$i : \mathbf{K}$	(a) $\mathbb{R} \setminus \{-2\}$ ✓	(b) $\mathbb{R} \setminus \{2, -3, -2\}$ ✗	(c) $x \leq 1/8$ ✓	(d) $x \in \langle -1, 0 \rangle$ ✗	(e) $x > 6$ ✗	(f) $x \in (-\infty, -9) \cup (6, \infty)$ ✗
	$ii : \mathbf{R}$	(a) $\mathbb{R} \setminus \{1\}$ ✓	(b) $\mathbb{R} \setminus \{1, 2, 4\}$ ✓	(c) $x \geq 5$ ✓	(d) $x \in \langle 0, 2 \rangle$ ✗	(e) $x < 1$ ✓	(f) $x \in (-\infty, -1) \cup (5, \infty)$ ✗
	$iii : \mathbf{Á}$	(a) $\mathbb{R} \setminus \{2/7\}$ ✓	(b) $\mathbb{R} \setminus \{2, -5, -1\}$ ✗	(c) $x \geq -4$ ✗	(d) $x \in \langle 0, 3 \rangle$ ✓	(e) $x > 1$ ✗	(f) $x \in (-\infty, -1) \cup (4, \infty)$ ✗
δ	$iv : \mathbf{Ĺ}$	(a) $\mathbb{R} \setminus \{2\}$ ✗	(b) $\mathbb{R} \setminus \{-6, -4, -2\}$ ✗	(c) $x \geq -4/3$ ✗	(d) $x \in \langle 0, 1 \rangle$ ✓	(e) $x > 7$ ✓	(f) $x \in (-\infty, 7) \cup (9, \infty)$ ✓
	$i : \mathbf{T}$	(a) $\mathbb{R} \setminus \{6/7\}$ ✗	(b) $\mathbb{R} \setminus \{1, 4\}$ ✓	(c) $x \geq 1$ ✓	(d) $x \in \langle -4, 0 \rangle$ ✗	(e) $x > -1/7$ ✓	(f) $x \in (-\infty, -2) \cup (-2, \infty)$ ✓
	$ii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{-1/2\}$ ✓	(b) $\mathbb{R} \setminus \{-2, 6, -1\}$ ✓	(c) $x \leq 1$ ✓	(d) $x \in \langle -1, 0 \rangle$ ✗	(e) $x < -2/5$ ✗	(f) $x \in (-\infty, 2) \cup (6, \infty)$ ✗
	$iii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{1\}$ ✓	(b) $\mathbb{R} \setminus \{2, -2, 6\}$ ✗	(c) $x \leq -1/4$ ✗	(d) $x \in \langle -9, 0 \rangle$ ✗	(e) $x < -2/3$ ✗	(f) $x \in (-\infty, 2) \cup (2, \infty)$ ✗
	$iv : \mathbf{K}$	(a) $\mathbb{R} \setminus \{5\}$ ✓	(b) $\mathbb{R} \setminus \{-1, -2, -9\}$ ✗	(c) $x \geq 9$ ✓	(d) $x \in \langle -2, 0 \rangle$ ✗	(e) $x < -1$ ✗	(f) $x \in (-\infty, -5) \cup (-1, \infty)$ ✗
ϵ	$i : \mathbf{H}$	(a) $\mathbb{R} \setminus \{4/5\}$ ✓	(b) $\mathbb{R} \setminus \{1, 3\}$ ✓	(c) $x \geq -1$ ✗	(d) $x \in \langle 0, 8 \rangle$ ✗	(e) $x < -2$ ✓	(f) $x \in (-\infty, -5) \cup (9, \infty)$ ✗
	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-2\}$ ✓	(b) $\mathbb{R} \setminus \{1, -7, -2\}$ ✗	(c) $x \geq -3$ ✗	(d) $x \in \langle 0, 5 \rangle$ ✗	(e) $x > 2$ ✗	(f) $x \in (-\infty, 2) \cup (7, \infty)$ ✗
	$iii : \mathbf{D}$	(a) $\mathbb{R} \setminus \{5/4\}$ ✓	(b) $\mathbb{R} \setminus \{3, -3, -1\}$ ✗	(c) $x \leq 5$ ✗	(d) $x \in \langle 0, 7 \rangle$ ✗	(e) $x < 7/3$ ✓	(f) $x \in (-\infty, -1) \cup (1, \infty)$ ✓
	$iv : \mathbf{Y}$	(a) $\mathbb{R} \setminus \{9\}$ ✓	(b) $\mathbb{R} \setminus \{1, 6, -1\}$ ✗	(c) $x \leq 5/4$ ✓	(d) $x \in \langle 0, 1 \rangle$ ✓	(e) $x < -4/7$ ✓	(f) $x \in (-\infty, -1) \cup (9, \infty)$ ✓
	$i : \mathbf{R}$	(a) $\mathbb{R} \setminus \{8/3\}$ ✓	(b) $\mathbb{R} \setminus \{1, 2, 6\}$ ✓	(c) $x \leq 1$ ✓	(d) $x \in \langle 0, 5 \rangle$ ✗	(e) $x > -1/2$ ✓	(f) $x \in (-\infty, -4) \cup (7, \infty)$ ✗
η	$ii : \mathbf{O}$	(a) $\mathbb{R} \setminus \{7/8\}$ ✓	(b) $\mathbb{R} \setminus \{3, -4, -1\}$ ✗	(c) $x \leq -1$ ✓	(d) $x \in \langle 0, 9 \rangle$ ✗	(e) $x < -1/2$ ✓	(f) $x \in (-\infty, 4) \cup (4, \infty)$ ✗
	$iii : \mathbf{P}$	(a) $\mathbb{R} \setminus \{1/2\}$ ✓	(b) $\mathbb{R} \setminus \{-3, -2, -1\}$ ✓	(c) $x \leq -6$ ✓	(d) $x \in \langle -5, 0 \rangle$ ✗	(e) $x > -1/9$ ✗	(f) $x \in (-\infty, 1) \cup (7, \infty)$ ✓
	$iv : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-5/9\}$ ✓	(b) $\mathbb{R} \setminus \{1, 2, 3\}$ ✗	(c) $x \geq 6$ ✗	(d) $x \in \langle 0, 4 \rangle$ ✗	(e) $x > -3$ ✗	(f) $x \in (-\infty, -3) \cup (5, \infty)$ ✗
	$i : \mathbf{Ú}$	(a) $\mathbb{R} \setminus \{2/3\}$ ✗	(b) $\mathbb{R} \setminus \{1, -5, -4\}$ ✗	(c) $x \geq -1$ ✓	(d) $x \in \langle -1, 0 \rangle$ ✓	(e) $x < 4/3$ ✗	(f) $x \in (-\infty, 6) \cup (7, \infty)$ ✓
	$ii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{-2\}$ ✓	(b) $\mathbb{R} \setminus \{1, -6, -3\}$ ✓	(c) $x \geq -1$ ✓	(d) $x \in \langle -8, 0 \rangle$ ✗	(e) $x > 6/5$ ✗	(f) $x \in (-\infty, -8) \cup (-1, \infty)$ ✗
θ	$iii : \mathbf{E}$	(a) $\mathbb{R} \setminus \{-1/4\}$ ✓	(b) $\mathbb{R} \setminus \{-6, 3, -1\}$ ✗	(c) $x \geq 2/7$ ✗	(d) $x \in \langle -4, 0 \rangle$ ✗	(e) $x > -1/9$ ✓	(f) $x \in (-\infty, 3) \cup (5, \infty)$ ✗
	$iv : \mathbf{T}$	(a) $\mathbb{R} \setminus \{-7/9\}$ ✗	(b) $\mathbb{R} \setminus \{-5, 6, -1\}$ ✓	(c) $x \leq -7/6$ ✓	(d) $x \in \langle -2, 0 \rangle$ ✗	(e) $x > 3$ ✓	(f) $x \in (-\infty, -2) \cup (-2, \infty)$ ✓
	$i : \mathbf{H}$	(a) $\mathbb{R} \setminus \{2\}$ ✓	(b) $\mathbb{R} \setminus \{1, -6, -1\}$ ✓	(c) $x \leq 7/5$ ✗	(d) $x \in \langle 0, 2 \rangle$ ✗	(e) $x > 1$ ✓	(f) $x \in (-\infty, 2) \cup (5, \infty)$ ✗
	$ii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-5\}$ ✓	(b) $\mathbb{R} \setminus \{2, 3, 5\}$ ✗	(c) $x \geq -1/4$ ✗	(d) $x \in \langle -3, 0 \rangle$ ✗	(e) $x > -3$ ✗	(f) $x \in (-\infty, 3) \cup (5, \infty)$ ✗
	$iii : \mathbf{N}$	(a) $\mathbb{R} \setminus \{2/5\}$ ✓	(b) $\mathbb{R} \setminus \{1, 4, -2\}$ ✗	(c) $x \geq -1$ ✓	(d) $x \in \langle -1, 0 \rangle$ ✗	(e) $x > -1$ ✓	(f) $x \in (-\infty, -1) \cup (9, \infty)$ ✓
ι	$iv : \mathbf{A}$	(a) $\mathbb{R} \setminus \{3/5\}$ ✓	(b) $\mathbb{R} \setminus \{2, -4, -1\}$ ✗	(c) $x \leq 4/5$ ✗	(d) $x \in \langle 0, 1 \rangle$ ✗	(e) $x < 9/5$ ✗	(f) $x \in (-\infty, -3) \cup (1, \infty)$ ✗
	$i : \mathbf{O}$	(a) $\mathbb{R} \setminus \{3\}$ ✓	(b) $\mathbb{R} \setminus \{2, 4, 5\}$ ✗	(c) $x \geq 5/3$ ✓	(d) $x \in \langle -5, 0 \rangle$ ✗	(e) $x < -2/3$ ✓	(f) $x \in (-\infty, -1) \cup (8, \infty)$ ✗
	$ii : \mathbf{V}$	(a) $\mathbb{R} \setminus \{8/3\}$ ✓	(b) $\mathbb{R} \setminus \{2, -3, -1\}$ ✓	(c) $x \geq -5/2$ ✓	(d) $x \in \langle 0, 5 \rangle$ ✓	(e) $x > -2$ ✗	(f) $x \in (-\infty, 2) \cup (6, \infty)$ ✗
	$iii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-1/2\}$ ✓	(b) $\mathbb{R} \setminus \{1, -1, -2\}$ ✗	(c) $x \geq 4/3$ ✗	(d) $x \in \langle 0, 2 \rangle$ ✗	(e) $x < -1/3$ ✗	(f) $x \in (-\infty, -4) \cup (-1, \infty)$ ✗
	$iv : \mathbf{D}$	(a) $\mathbb{R} \setminus \{1/2\}$ ✓	(b) $\mathbb{R} \setminus \{2\}$ ✗	(c) $x \leq -4/3$ ✗	(d) $x \in \langle 0, 2 \rangle$ ✗	(e) $x > 2/3$ ✓	(f) $x \in (-\infty, -1) \cup (1, \infty)$ ✓
κ	$i : \mathbf{I}$	(a) $\mathbb{R} \setminus \{1/3\}$ ✗	(b) $\mathbb{R} \setminus \{2, 5, -1\}$ ✓	(c) $x \geq 3/5$ ✗	(d) $x \in \langle -2, 0 \rangle$ ✗	(e) $x < -2/3$ ✗	(f) $x \in (-\infty, -7) \cup (-1, \infty)$ ✓
	$ii : \mathbf{V}$	(a) $\mathbb{R} \setminus \{-3/2\}$ ✓	(b) $\mathbb{R} \setminus \{-6, -1\}$ ✓	(c) $x \leq 5/2$ ✓	(d) $x \in \langle 0, 6 \rangle$ ✓	(e) $x > 4/7$ ✗	(f) $x \in (-\infty, -4) \cup (5, \infty)$ ✗
	$iii : \mathbf{A}$	(a) $\mathbb{R} \setminus \{-5/9\}$ ✓	(b) $\mathbb{R} \setminus \{1\}$ ✗	(c) $x \leq -2/3$ ✗	(d) $x \in \langle -2, 0 \rangle$ ✗	(e) $x > -1$ ✗	(f) $x \in (-\infty, -2) \cup (4, \infty)$ ✗
	$iv : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-4\}$ ✓	(b) $\mathbb{R} \setminus \{5, -2, -1\}$ ✗	(c) $x \geq 3/4$ ✓	(d) $x \in \langle -1, 0 \rangle$ ✗	(e) $x < -1/6$ ✓	(f) $x \in (-\infty, -1) \cup (2, \infty)$ ✓
	$i : \mathbf{E}$	(a) $\mathbb{R} \setminus \{9/8\}$ ✓	(b) $\mathbb{R} \setminus \{-4, 4, -1\}$ ✗	(c) $x \leq -5/2$ ✗	(d) $x \in \langle -8, 0 \rangle$ ✗	(e) $x > 1$ ✓	(f) $x \in (-\infty, -2) \cup (4, \infty)$ ✗
λ	$ii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{-1/3\}$ ✓	(b) $\mathbb{R} \setminus \{9, -3, 1\}$ ✓	(c) $x \geq 5/3$ ✓	(d) $x \in \langle 0, 1 \rangle$ ✗	(e) $x > -4/3$ ✗	(f) $x \in (-\infty, 1) \cup (3, \infty)$ ✗
	$iii : \mathbf{Á}$	(a) $\mathbb{R} \setminus \{-3/5\}$ ✓	(b) $\mathbb{R} \setminus \{1, 5, -1\}$ ✗	(c) $x \leq -4$ ✗	(d) $x \in \langle 0, 5 \rangle$ ✓	(e) $x < -2/9$ ✗	(f) $x \in (-\infty, -2) \cup (1, \infty)$ ✗
	$iv : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-3/7\}$ ✓	(b) $\mathbb{R} \setminus \{1, -1\}$ ✗	(c) $x \geq -5$ ✓	(d) $x \in \langle 0, 4 \rangle$ ✗	(e) $x > -7$ ✓	(f) $x \in (-\infty, 2) \cup (4, \infty)$ ✓
	$i : \mathbf{E}$	(a) $\mathbb{R} \setminus \{9/8\}$ ✓	(b) $\mathbb{R} \setminus \{-4, 4, -1\}$ ✗	(c) $x \leq -5/2$ ✗	(d) $x \in \langle -8, 0 \rangle$ ✗	(e) $x > 1$ ✓	(f) $x \in (-\infty, -2) \cup (4, \infty)$ ✗
	$ii : \mathbf{L}$	(a) $\mathbb{R} \setminus \{-1/3\}$ ✓	(b) $\mathbb{R} \setminus \{9, -3, 1\}$ ✓	(c) $x \geq 5/3$ ✓	(d) $x \in \langle 0, 1 \rangle$ ✗	(e) $x > -4/3$ ✗	(f) $x \in (-\infty, 1) \cup (3, \infty)$ ✗
μ	$iii : \mathbf{Á}$	(a) $\mathbb{R} \setminus \{-3/5\}$ ✓	(b) $\mathbb{R} \setminus \{1, 5, -1\}$ ✗	(c) $x \leq -4$ ✗	(d) $x \in \langle 0, 5 \rangle$ ✓	(e) $x < -2/9$ ✗	(f) $x \in (-\infty, -2) \cup (1, \infty)$ ✗
	$iv : \mathbf{N}$	(a) $\mathbb{R} \setminus \{-3/7\}$ ✓	(b) $\mathbb{R} \setminus \{1, -1\}$ ✗	(c) $x \geq -5$ ✓	(d) $x \in \langle 0, 4 \rangle$ ✗	(e) $x > -7$ ✓	(f) $x \in (-\infty, 2) \cup (4, \infty)$ ✓

Definičný obor funkcie (riešenia)

$\boxed{\nu}$	$i : \check{C}$	(a) $\mathbb{R} \setminus \{1/3\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, -5\} \times$	(c) $x \geq -3/7 \times$	(d) $x \in \langle 0, 7 \rangle \checkmark$	(e) $x < 4/9 \times$	(f) $x \in (-\infty, -5) \cup (9, \infty) \checkmark$
	$ii : E$	(a) $\mathbb{R} \setminus \{-9\} \checkmark$	(b) $\mathbb{R} \setminus \{9, 6, 1\} \times$	(c) $x \leq -7/3 \times$	(d) $x \in \langle -8, 0 \rangle \times$	(e) $x > -2/3 \checkmark$	(f) $x \in (-\infty, -7) \cup (5, \infty) \times$
	$iii : L$	(a) $\mathbb{R} \setminus \{5/4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -4, 5\} \checkmark$	(c) $x \leq 1 \checkmark$	(d) $x \in \langle -6, 0 \rangle \times$	(e) $x > -3 \times$	(f) $x \in (-\infty, 1) \cup (6, \infty) \times$
	$iv : O$	(a) $\mathbb{R} \setminus \{-5/9\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 4, -1\} \times$	(c) $x \geq 1/4 \checkmark$	(d) $x \in \langle -5, 0 \rangle \times$	(e) $x > -2 \checkmark$	(f) $x \in (-\infty, 1) \cup (2, \infty) \times$
$\boxed{\xi}$	$i : E$	(a) $\mathbb{R} \setminus \{-4/5\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 5, -1\} \times$	(c) $x \geq 1/8 \times$	(d) $x \in \langle -7, 0 \rangle \times$	(e) $x < 3/2 \checkmark$	(f) $x \in (-\infty, -7) \cup (7, \infty) \times$
	$ii : P$	(a) $\mathbb{R} \setminus \{8/5\} \checkmark$	(b) $\mathbb{R} \setminus \{4, -1, 6\} \checkmark$	(c) $x \leq 1/5 \checkmark$	(d) $x \in \langle -2, 0 \rangle \times$	(e) $x > -2 \times$	(f) $x \in (-\infty, -1) \cup (-1, \infty) \checkmark$
	$iii : O$	(a) $\mathbb{R} \setminus \{2/3\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -5, 5\} \times$	(c) $x \geq 1/3 \checkmark$	(d) $x \in \langle -4, 0 \rangle \times$	(e) $x > -2 \checkmark$	(f) $x \in (-\infty, -6) \cup (-1, \infty) \times$
	$iv : S$	(a) $\mathbb{R} \setminus \{-1/3\} \times$	(b) $\mathbb{R} \setminus \{1, 2, 7\} \checkmark$	(c) $x \leq -5 \checkmark$	(d) $x \in \langle 0, 2 \rangle \times$	(e) $x < 2/9 \times$	(f) $x \in (-\infty, -4) \cup (3, \infty) \checkmark$
$\boxed{o}$	$i : J$	(a) $\mathbb{R} \setminus \{7\} \times$	(b) $\mathbb{R} \setminus \{3, -5, -2\} \checkmark$	(c) $x \geq -5/2 \times$	(d) $x \in \langle 0, 3 \rangle \times$	(e) $x < 5/3 \checkmark$	(f) $x \in (-\infty, -5) \cup (-3, \infty) \checkmark$
	$ii : A$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{-7, -2\} \times$	(c) $x \geq 1/6 \times$	(d) $x \in \langle -1, 0 \rangle \times$	(e) $x > -8/7 \times$	(f) $x \in (-\infty, -5) \cup (2, \infty) \times$
	$iii : N$	(a) $\mathbb{R} \setminus \{-1/5\} \checkmark$	(b) $\mathbb{R} \setminus \{-1, 6\} \times$	(c) $x \geq -3/7 \checkmark$	(d) $x \in \langle -4, 0 \rangle \times$	(e) $x < 9 \checkmark$	(f) $x \in (-\infty, -5) \cup (-4, \infty) \checkmark$
	$iv : A$	(a) $\mathbb{R} \setminus \{-1/7\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2\} \times$	(c) $x \geq 1/3 \times$	(d) $x \in \langle -1, 0 \rangle \times$	(e) $x > 3 \times$	(f) $x \in (-\infty, 5) \cup (6, \infty) \times$
$\boxed{\pi}$	$i : \check{C}$	(a) $\mathbb{R} \setminus \{3/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -2\} \times$	(c) $x \geq 7/4 \times$	(d) $x \in \langle -7, 0 \rangle \checkmark$	(e) $x > -4/5 \times$	(f) $x \in (-\infty, -5) \cup (3, \infty) \checkmark$
	$ii : E$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -5, -3\} \times$	(c) $x \geq -3/8 \times$	(d) $x \in \langle -6, 0 \rangle \times$	(e) $x < -1/6 \checkmark$	(f) $x \in (-\infty, 2) \cup (6, \infty) \times$
	$iii : S$	(a) $\mathbb{R} \setminus \{-9/5\} \times$	(b) $\mathbb{R} \setminus \{-7, -1\} \checkmark$	(c) $x \geq -1/8 \checkmark$	(d) $x \in \langle -1, 0 \rangle \times$	(e) $x < 3 \times$	(f) $x \in (-\infty, -1) \cup (1, \infty) \checkmark$
	$iv : \check{T}$	(a) $\mathbb{R} \setminus \{4/7\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3\} \checkmark$	(c) $x \leq 1 \times$	(d) $x \in \langle -1, 0 \rangle \checkmark$	(e) $x > -1 \checkmark$	(f) $x \in (-\infty, -9) \cup (-4, \infty) \times$
$\boxed{\rho}$	$i : A$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -4, -1\} \times$	(c) $x \geq -2/5 \times$	(d) $x \in \langle 0, 4 \rangle \times$	(e) $x > -3 \times$	(f) $x \in (-\infty, -6) \cup (-4, \infty) \times$
	$ii : T$	(a) $\mathbb{R} \setminus \{-9\} \times$	(b) $\mathbb{R} \setminus \{1, -1\} \checkmark$	(c) $x \geq 7/8 \times$	(d) $x \in \langle 0, 2 \rangle \times$	(e) $x > -7 \checkmark$	(f) $x \in (-\infty, 2) \cup (6, \infty) \checkmark$
	$iii : O$	(a) $\mathbb{R} \setminus \{4\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -1, 7\} \times$	(c) $x \geq 1/2 \checkmark$	(d) $x \in \langle 0, 5 \rangle \times$	(e) $x < 7/6 \checkmark$	(f) $x \in (-\infty, -4) \cup (1, \infty) \times$
	$iv : L$	(a) $\mathbb{R} \setminus \{-1/3\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -4, -5\} \checkmark$	(c) $x \leq -1/4 \checkmark$	(d) $x \in \langle 0, 8 \rangle \times$	(e) $x < 1/2 \times$	(f) $x \in (-\infty, -1) \cup (3, \infty) \times$
$\boxed{\sigma}$	$i : R$	(a) $\mathbb{R} \setminus \{-3\} \checkmark$	(b) $\mathbb{R} \setminus \{5, -2, 6\} \checkmark$	(c) $x \leq -1/3 \checkmark$	(d) $x \in \langle 0, 1 \rangle \times$	(e) $x > -2/7 \checkmark$	(f) $x \in (-\infty, -1) \cup (1, \infty) \times$
	$ii : E$	(a) $\mathbb{R} \setminus \{-2\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -1\} \times$	(c) $x \leq -6/5 \times$	(d) $x \in \langle -3, 0 \rangle \times$	(e) $x > -2/5 \checkmark$	(f) $x \in (-\infty, -2) \cup (-1, \infty) \times$
	$iii : P$	(a) $\mathbb{R} \setminus \{-1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -3, -1\} \checkmark$	(c) $x \geq 1/3 \checkmark$	(d) $x \in \langle -2, 0 \rangle \times$	(e) $x > 1/3 \times$	(f) $x \in (-\infty, -6) \cup (-1, \infty) \checkmark$
	$iv : A$	(a) $\mathbb{R} \setminus \{-1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4, -3\} \times$	(c) $x \leq 5/2 \times$	(d) $x \in \langle 0, 4 \rangle \times$	(e) $x < 1 \times$	(f) $x \in (-\infty, -5) \cup (2, \infty) \times$
$\boxed{\tau}$	$i : D$	(a) $\mathbb{R} \setminus \{1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 3, -1\} \times$	(c) $x \leq -6/5 \times$	(d) $x \in \langle 0, 7 \rangle \times$	(e) $x < 3/8 \checkmark$	(f) $x \in (-\infty, 1) \cup (5, \infty) \checkmark$
	$ii : R$	(a) $\mathbb{R} \setminus \{-4/3\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -2, -1\} \checkmark$	(c) $x \geq 9 \checkmark$	(d) $x \in \langle 0, 6 \rangle \times$	(e) $x < -1/2 \checkmark$	(f) $x \in (-\infty, -3) \cup (5, \infty) \times$
	$iii : A$	(a) $\mathbb{R} \setminus \{-4/3\} \checkmark$	(b) $\mathbb{R} \setminus \{2, 3, 4\} \times$	(c) $x \geq -6 \times$	(d) $x \in \langle -3, 0 \rangle \times$	(e) $x < -7/2 \times$	(f) $x \in (-\infty, 1) \cup (2, \infty) \times$
	$iv : K$	(a) $\mathbb{R} \setminus \{-4/5\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1\} \times$	(c) $x \geq 7/2 \checkmark$	(d) $x \in \langle -2, 0 \rangle \times$	(e) $x < -1/8 \times$	(f) $x \in (-\infty, -2) \cup (-1, \infty) \times$
$\boxed{v}$	$i : G$	(a) $\mathbb{R} \setminus \{3/4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, -7\} \checkmark$	(c) $x \geq -2 \times$	(d) $x \in \langle -5, 0 \rangle \times$	(e) $x > -5/4 \checkmark$	(f) $x \in (-\infty, 1) \cup (5, \infty) \checkmark$
	$ii : O$	(a) $\mathbb{R} \setminus \{-2/7\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3, -4\} \times$	(c) $x \geq 3/2 \checkmark$	(d) $x \in \langle 0, 9 \rangle \times$	(e) $x < -4 \checkmark$	(f) $x \in (-\infty, 1) \cup (2, \infty) \times$
	$iii : L$	(a) $\mathbb{R} \setminus \{1/6\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 3, -4\} \checkmark$	(c) $x \leq -2/3 \checkmark$	(d) $x \in \langle -2, 0 \rangle \times$	(e) $x < -1/4 \times$	(f) $x \in (-\infty, -5) \cup (1, \infty) \times$
	$iv : F$	(a) $\mathbb{R} \setminus \{-1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{-6, 4, -2\} \checkmark$	(c) $x \leq 2/3 \times$	(d) $x \in \langle -7, 0 \rangle \times$	(e) $x < -8/7 \times$	(f) $x \in (-\infty, 6) \cup (7, \infty) \checkmark$
$\boxed{\phi}$	$i : T$	(a) $\mathbb{R} \setminus \{-4\} \times$	(b) $\mathbb{R} \setminus \{1, 5, 7\} \checkmark$	(c) $x \leq 2 \checkmark$	(d) $x \in \langle -3, 0 \rangle \times$	(e) $x > -3/4 \checkmark$	(f) $x \in (-\infty, 3) \cup (4, \infty) \checkmark$
	$ii : A$	(a) $\mathbb{R} \setminus \{-1/3\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -3, -1\} \times$	(c) $x \leq -2 \times$	(d) $x \in \langle -1, 0 \rangle \times$	(e) $x < 2/3 \times$	(f) $x \in (-\infty, -7) \cup (2, \infty) \times$
	$iii : X$	(a) $\mathbb{R} \setminus \{-1/8\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -1, -2\} \times$	(c) $x \geq -4 \checkmark$	(d) $x \in \langle 0, 8 \rangle \checkmark$	(e) $x > 1 \times$	(f) $x \in (-\infty, 3) \cup (7, \infty) \checkmark$
	$iv : I$	(a) $\mathbb{R} \setminus \{2/5\} \times$	(b) $\mathbb{R} \setminus \{5, -2, -1\} \checkmark$	(c) $x \leq -4/3 \times$	(d) $x \in \langle 0, 1 \rangle \times$	(e) $x < -8/7 \times$	(f) $x \in (-\infty, -1) \cup (4, \infty) \checkmark$
$\boxed{\chi}$	$i : D$	(a) $\mathbb{R} \setminus \{-7/3\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -3, -1\} \times$	(c) $x \leq -3/2 \times$	(d) $x \in \langle 0, 3 \rangle \times$	(e) $x > 1/6 \checkmark$	(f) $x \in (-\infty, 3) \cup (8, \infty) \checkmark$
	$ii : O$	(a) $\mathbb{R} \setminus \{2/5\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, 3\} \times$	(c) $x \geq 5/6 \checkmark$	(d) $x \in \langle -1, 0 \rangle \times$	(e) $x > -5/3 \checkmark$	(f) $x \in (-\infty, -1) \cup (2, \infty) \times$
	$iii : M$	(a) $\mathbb{R} \setminus \{-1/2\} \checkmark$	(b) $\mathbb{R} \setminus \{-2, -1\} \times$	(c) $x \leq -7/3 \checkmark$	(d) $x \in \langle 0, 3 \rangle \times$	(e) $x > 2/9 \times$	(f) $x \in (-\infty, -2) \cup (4, \infty) \checkmark$
	$iv : A$	(a) $\mathbb{R} \setminus \{-5/4\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2, -1\} \times$	(c) $x \geq 6 \times$	(d) $x \in \langle 0, 3 \rangle \times$	(e) $x < 9/8 \times$	(f) $x \in (-\infty, -8) \cup (1, \infty) \times$
$\boxed{\psi}$	$i : V$	(a) $\mathbb{R} \setminus \{3/2\} \checkmark$	(b) $\mathbb{R} \setminus \{5, -2\} \checkmark$	(c) $x \geq 1 \checkmark$	(d) $x \in \langle 0, 1 \rangle \checkmark$	(e) $x > 2 \times$	(f) $x \in (-\infty, -2) \cup (1, \infty) \times$
	$ii : \acute{A}$	(a) $\mathbb{R} \setminus \{-3\} \checkmark$	(b) $\mathbb{R} \setminus \{2, -5, -3\} \times$	(c) $x \leq 6 \times$	(d) $x \in \langle 0, 1 \rangle \checkmark$	(e) $x < -9/5 \times$	(f) $x \in (-\infty, -8) \cup (-2, \infty) \times$
	$iii : H$	(a) $\mathbb{R} \setminus \{2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 2\} \checkmark$	(c) $x \geq -1 \times$	(d) $x \in \langle -3, 0 \rangle \times$	(e) $x < 1/5 \checkmark$	(f) $x \in (-\infty, -5) \cup (-5, \infty) \times$
	$iv : A$	(a) $\mathbb{R} \setminus \{2\} \checkmark$	(b) $\mathbb{R} \setminus \{5, -3\} \times$	(c) $x \geq -3/4 \times$	(d) $x \in \langle 0, 6 \rangle \times$	(e) $x < 1 \times$	(f) $x \in (-\infty, 6) \cup (6, \infty) \times$
$\boxed{\omega}$	$i : U$	(a) $\mathbb{R} \setminus \{-7/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, -3, -1\} \times$	(c) $x \geq -3/2 \checkmark$	(d) $x \in \langle -3, 0 \rangle \checkmark$	(e) $x > 1/5 \times$	(f) $x \in (-\infty, -7) \cup (2, \infty) \times$
	$ii : C$	(a) $\mathbb{R} \setminus \{-8/7\} \checkmark$	(b) $\mathbb{R} \setminus \{-5, -2, -1\} \times$	(c) $x \geq -1/2 \times$	(d) $x \in \langle -5, 0 \rangle \times$	(e) $x < 1/5 \times$	(f) $x \in (-\infty, -5) \cup (5, \infty) \checkmark$
	$iii : H$	(a) $\mathbb{R} \setminus \{-5/2\} \checkmark$	(b) $\mathbb{R} \setminus \{1, 4, -2\} \checkmark$	(c) $x \leq 4/3 \times$	(d) $x \in \langle 0, 5 \rangle \times$	(e) $x < -5 \times$	(f) $x \in (-\infty, -3) \cup (9, \infty) \times$
	$iv : O$	(a) $\mathbb{R} \setminus \{1\} \checkmark$	(b) $\mathbb{R} \setminus \{3, -1, -5\} \times$	(c) $x \geq -1 \checkmark$	(d) $x \in \langle 0, 3 \rangle \times$	(e) $x > -1/2 \checkmark$	(f) $x \in (-\infty, -7) \cup (1, \infty) \times$