









sj91k_acymailing_subscriber

 **subid:** int UNSIGNED
 **email:** varchar(200)
 **userid:** int UNSIGNED
name: varchar(250)
created: int UNSIGNED
confirmed: tinyint(4)
enabled: tinyint(4)
accept: tinyint(4)
ip: varchar(100)
html: tinyint(4)
key: varchar(250)
confirmed_date: int UNSIGNED
confirmed_ip: varchar(100)
lastopen_date: int UNSIGNED
lastopen_ip: varchar(100)
lastclick_date: int UNSIGNED
lastsent_date: int UNSIGNED
street: varchar(250)
suite: varchar(250)
city: varchar(250)
statefield: varchar(250)
state: varchar(250)
province: varchar(250)
phone: varchar(250)
mobile: varchar(250)
lead_source: varchar(250)
first_name: varchar(250)
last_name: varchar(250)
behavior_type: varchar(250)
ga_temp: varchar(250)
webpage: varchar(250)
website: varchar(250)
newsletter: varchar(250)
guide_request: varchar(250)
country: varchar(250)
zip: varchar(250)
how_heard: varchar(250)
how_heard_other: varchar(250)
arrival_date: varchar(250)
contact_us: varchar(250)
source: varchar(250)


sj91k_acymailing_mail

 **mailid:** mediumint UNSIGNED
subject: text
body: longtext
altbody: longtext
published: tinyint(4)
 **senddate:** int UNSIGNED
created: int UNSIGNED
fromname: varchar(250)
fromemail: varchar(250)
replyname: varchar(250)
replyemail: varchar(250)
 **type:** enum
visible: tinyint(4)
userid: int UNSIGNED
alias: varchar(250)
attach: text
html: tinyint(4)
tempid: smallint(6)
key: varchar(200)
frequency: varchar(50)
params: text
sentby: int UNSIGNED
metakey: text
metadesc: text
filter: text
language: varchar(50)
abtesting: varchar(250)
thumb: varchar(250)
summary: text
favicon: text
bccaddresses: varchar(250)





sj91k_acymailing_fields

 **fieldid:** smallint UNSIGNED
fieldname: varchar(250)
 **namekey:** varchar(50)
type: varchar(50)
value: text
published: tinyint UNSIGNED
ordering: smallint UNSIGNED
options: text
core: tinyint UNSIGNED
required: tinyint UNSIGNED
backend: tinyint UNSIGNED
frontcomp: tinyint UNSIGNED
default: varchar(250)
listing: tinyint UNSIGNED
frontlisting: tinyint UNSIGNED
frontjoomlaprofile: tinyint UNSIGNED
frontjoomlaeregistration: tinyint UNSIGNED
joomlaprofile: tinyint UNSIGNED
access: varchar(250)
fieldcat: int(11)
listingfilter: tinyint(4)
frontlistingfilter: tinyint(4)
frontform: tinyint(4)




sj91k_acymailing_action

 **action_id:** int UNSIGNED
name: varchar(255)
description: text
frequency: int UNSIGNED
nextdate: int UNSIGNED
server: varchar(255)
port: varchar(50)
connection_method: varchar(10)
secure_method: varchar(10)
self_signed: tinyint(4)
username: varchar(255)
password: varchar(50)
userid: int UNSIGNED
conditions: text
actions: text
report: text
published: tinyint(4)
ordering: smallint UNSIGNED
delete_wrong_emails: tinyint(4)
senderfrom: tinyint(4)
senderto: tinyint(4)



sj91k_acymailing_list

name: varchar(250)
description: text
 **ordering:** smallint UNSIGNED
 **listid:** smallint UNSIGNED
published: tinyint(4)
 **userid:** int UNSIGNED
alias: varchar(250)
color: varchar(30)
visible: tinyint(4)
welmailid: mediumint(9)
unsubmailid: mediumint(9)
 **type:** enum
access_sub: varchar(250)
access_manage: varchar(250)
languages: varchar(250)
startrule: varchar(50)
category: varchar(250)


sj91k_acymailing_userstats

 **mailid:** mediumint UNSIGNED
 **subid:** int UNSIGNED
html: tinyint UNSIGNED
sent: tinyint UNSIGNED
 **senddate:** int UNSIGNED
open: tinyint UNSIGNED
opendate: int(11)
bounce: tinyint(4)
fail: tinyint(4)
ip: varchar(100)
browser: varchar(255)
browser_version: tinyint UNSIGNED
is_mobile: tinyint UNSIGNED
mobile_os: varchar(255)
user_agent: varchar(255)
bouncerule: varchar(255)



sj91k_acymailing_geolocation

 **geolocation_id:** int UNSIGNED
 **geolocation_subid:** int UNSIGNED
 **geolocation_type:** varchar(255)
geolocation_ip: varchar(255)
geolocation_created: int UNSIGNED
geolocation_latitude: decimal(9, 6)
geolocation_longitude: decimal(9, 6)
geolocation_postal_code: varchar(255)
geolocation_country: varchar(255)
geolocation_country_code: varchar(255)
geolocation_state: varchar(255)
geolocation_state_code: varchar(255)
geolocation_city: varchar(255)
geolocation_continent: varchar(255)
geolocation_timezone: varchar(255)




sj91k_acymailing_stats

 **mailid:** mediumint UNSIGNED
senthtml: int UNSIGNED
senttext: int UNSIGNED
senddate: int UNSIGNED
openunique: mediumint UNSIGNED
opentotal: int UNSIGNED
bounceunique: mediumint UNSIGNED
fail: mediumint UNSIGNED
clicktotal: int UNSIGNED
clickunique: mediumint UNSIGNED
unsub: mediumint UNSIGNED
forward: mediumint UNSIGNED
bouncedetails: text





sj91k_acymailing_history

 **subid:** int UNSIGNED
 **date:** int UNSIGNED
ip: varchar(50)
action: varchar(50)
data: text
source: text
mailid: mediumint UNSIGNED



sj91k_acymailing_queue

 **senddate:** int UNSIGNED
 **subid:** int UNSIGNED
 **mailid:** mediumint UNSIGNED
priority: tinyint UNSIGNED
try: tinyint UNSIGNED
paramqueue: varchar(250)



sj91k_acymailing_urlick

 **urlid:** int UNSIGNED
 **mailid:** mediumint UNSIGNED
click: smallint UNSIGNED
 **subid:** int UNSIGNED
 **date:** int UNSIGNED
ip: varchar(100)

sj91k_acymailing_forward

 **subid:** int UNSIGNED
 **mailid:** mediumint UNSIGNED
date: int UNSIGNED
ip: varchar(50)
nbforwarded: int UNSIGNED

sj91k

 **listid:** int UNSIGNED
 **subid:** int UNSIGNED
subid: int UNSIGNED
unsub: int UNSIGNED
stat: int UNSIGNED

sj91k_acymailing_template

🔑 **tempid**: smallint UNSIGNED
name: varchar(250)
description: text
body: longtext
altbody: longtext
created: int UNSIGNED
published: tinyint(4)
premium: tinyint(4)
ordering: smallint UNSIGNED
 ◆ **namekey**: varchar(50)
styles: text
subject: varchar(250)
stylesheet: text
fromname: varchar(250)
fromemail: varchar(250)
replyname: varchar(250)
replyemail: varchar(250)
thumb: varchar(250)
readmore: varchar(250)
access: varchar(250)
category: varchar(250)

sj91k_acymailing_rules

🔑 **ruleid**: smallint UNSIGNED
name: varchar(250)
ordering: smallint(6)
regex: text
executed_on: text
action_message: text
action_user: text
published: tinyint UNSIGNED

sj91k_acymailing_filter

🔑 **filid**: mediumint UNSIGNED
name: varchar(250)
description: text
published: tinyint UNSIGNED
lasttime: int UNSIGNED
trigger: text
report: text
action: text
filter: text

sj91k_acymailing_url

🔑 **urlid**: int UNSIGNED
name: varchar(250)
url: text

_acymailing_listsub

d: smallint UNSIGNED
id: int UNSIGNED
date: int UNSIGNED
update: int UNSIGNED
us: tinyint(4)



sj91k_acymailing_tag

🔑 **tagid**: smallint UNSIGNED
name: varchar(250)
userid: int UNSIGNED



sj91k_acymailing_config

🔑 **namekey**: varchar(200)
value: text

sj91k_acymailing_listcampaign

 **campaignid:** smallint UNSIGNED
 **listid:** smallint UNSIGNED

sj91k_acymailing_listmail

 **listid:** smallint UNSIGNED
 **mailid:** mediumint UNSIGNED

sj91k_acymailing_tagmail

 **tagid:** smallint UNSIGNED
 **mailid:** mediumint UNSIGNED

