

Configurar camada de persistência

1. Altere a versão do SDK para 37.
2. No arquivo **libs.versions.toml**, adicione as seguintes características:

Versions:

```
ksp = "2.3.9"  
room = "2.6.1"
```

Libraries:

```
androidx-lifecycle-viewmodel-compose = { group = "androidx.lifecycle", name =  
"lifecycle-viewmodel-compose", version.ref = "lifecycleRuntimeKtx" }  
androidx-room-runtime = { group = "androidx.room", name = "room-runtime",  
version.ref = "room" }  
androidx-room-ktx = { group = "androidx.room", name = "room-ktx", version.ref =  
"room" }  
androidx-room-compiler = { group = "androidx.room", name = "room-compiler",  
version.ref = "room" }
```

Plugins:

```
kotlin-android = { id = "org.jetbrains.kotlin.android", version.ref = "kotlin" }  
ksp = { id = "com.google.devtools.ksp", version.ref = "ksp" }
```

3. Agora vamos adicionar o seguinte plugin no **build.gradle.kts (projeto)**:

```
alias(libs.plugins.ksp) apply false
```

4. E no arquivo **build.gradle.kts (app)**:

Plugins:

```
alias(libs.plugins.ksp)
```

Dependencies:

```
implementation("androidx.lifecycle:lifecycle-viewmodel-compose:2.11.0")
```

```
implementation("androidx.compose.material:material-icons-extended:1.7.8")
```

```
val roomVersion = "2.7.1"
```

```
implementation("androidx.room:room-runtime:$roomVersion")
```

```
implementation("androidx.room:room-ktx:$roomVersion")
```

```
ksp("androidx.room:room-compiler:$roomVersion")
```

5. Execute a aplicação para garantir o funcionamento.