

Evaluation report

Submission 1 · DCE

SUMMARY

This report covers 1 submission comprising 16 parameter maps across DCE. No blocking errors or warnings were recorded. Reference maps were not available, so this report shows QC metrics only.

METHODS

Each submission was checked for readable NIfTI volumes and summarised by voxel-level statistics: the proportion of finite voxels, counts of NaN and infinite values, and the proportion of negative voxels.

No matching reference maps were available, so no agreement metrics were computed and only quality-control statistics are reported below.

All metrics carry the units of the parameter they describe and are never pooled across parameters or challenges.

Team and contact details were withheld from this report.

SUBMISSION CONTENTS

DATASET	TYPE	COUNT	DIMENSIONS	UNITS	STATUS
Not available for this submission.					

Table 1. What the submission contains, grouped by dataset and type. Parameter maps, fitted signals and documents are counted separately; organiser reference data is not counted as submitted content.

RESULTS

Submissions	1
Maps	16
Map types	Ktrans
Finite voxels	100%
NaN / Inf	0 / 0
Negative voxels	Not available
Map means	Not available
Reference status	● Not available
RMSE	Not available
MAE	Not available
Bias	Not available
Spatial CoV	Not available

Table 2. Aggregate quality-control statistics and reference agreement. Values are weighted across included maps; parameter types with different units are reported separately and never averaged together.

RESULTS BY SUBMISSION

SUBMISSION	CHALLENGE	MAP TYPES	MAPS	FINITE VOXELS	NAN / INF	NEGATIVE VOXELS	MAP MEANS	REFERENCE STATUS	RMSE	MAE	BIAS
Submission 1	DCE	Ktrans	16	100%	0 / 0	Not available	Not available	● Not available	Not available	Not available	Not available

Table 3. Per-submission quality control and reference agreement. Measures that could not be computed are reported as Not available and are never converted to zero.

ROI KTRANS STATISTICS

DATASET	PARTICIPANT	REPEAT	SITE	ROI	MEDIAN	SD	COV	VOXELS	UNITS	STATUS
clinical	1	1	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	1	1	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	1	2	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	1	2	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	2	1	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	2	1	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	2	2	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	2	2	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	3	1	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	3	1	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	3	2	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	3	2	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	4	1	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	4	1	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	4	2	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	4	2	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	5	1	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	5	1	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
clinical	5	2	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
clinical	5	2	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
synthetic	1	1	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
synthetic	1	1	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available

DATASET	PARTICIPANT	REPEAT	SITE	ROI	MEDIAN	SD	COV	VOXELS	UNITS	STATUS
synthetic	1	1	2	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
synthetic	1	1	2	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
synthetic	1	1	3	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
synthetic	1	1	3	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
synthetic	1	2	1	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
synthetic	1	2	1	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
synthetic	1	2	2	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
synthetic	1	2	2	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available
synthetic	1	2	3	tumour	0.25	0.1118	44.72%	4	min ⁻¹	available
synthetic	1	2	3	brain mask	0.45	0.2291	50.92%	8	min ⁻¹	available

Table 4. Within-ROI Ktrans statistics: 32 of 32 scan-ROI combinations available. ROI statistics were calculated from finite Ktrans voxels within each configured ROI. Standard deviation uses the population definition (ddof=0). CoV is standard deviation divided by the absolute arithmetic mean and is unavailable when the mean is near zero. These conventions remain subject to final confirmation by OSIPI.

ERRORS AND WARNINGS

SEVERITY	SUBMISSION	MESSAGE	AFFECTED FILE	RECOMMENDED ACTION
● None recorded	—	—	—	—

Table 5. Errors and warnings raised during validation, with the action required before the submission can be shared.

LIMITATIONS

- No additional limitations were reported for this export.
- Basic NIfTI QC checks readability and generic voxel statistics; it is not full BIDS validation.
- No official overall DCE score has been defined; no pass/fail scientific threshold is applied.
- Missing values are reported as Not available and are never converted to zero.