

ASSIGNMENT 3


PROGRAM 1

PART A

```
#include<stdio.h>
int main() {
int a;
printf("please enter your year sir :");
scanf("%d",&a);
if (a%4==0)
{if (a%100==0 && a%400==0)
printf("It is a leap year sir");
else
printf("It is not a leap year sir");

}
else
printf("It is not a leap year sir");

return 0;}
```



A terminal window screenshot showing the execution of the program. The prompt is (base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/praves. The user runs ./a.out three times. For 1900, it says 'It is not a leap year sir'. For 2000, it says 'It is a leap year sir'. For 2025, it says 'It is not a leap year sir'.

```
(base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/praves$ ./a.out
please enter your year sir :1900
It is not a leap year sir(base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/p
raves$ ./a.out
please enter your year sir :2000
It is a leap year sir(base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/prave
sh$ ./a.out
please enter your year sir :2025
It is not a leap year sir(base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/p
raves$
```

PART B

```
#include<stdio.h>
int main() {
int a;
printf("please enter your year sir :");
```

```


scanf("%d",&a);
if (a%4==0)
{if (a%100==0 )
{if( a%400==0)
printf("It is a leap year sir");
else
printf("It is not a leap year sir");
}
}
else
printf("It is not a leap year sir");

```

```

return 0;}

```



```

prave$ gcc 1.c
(base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/prave$ gcc 1.c
(base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/prave$ ./a.out
please enter your year sir :2000
It is a leap year sir
(base) User@ccsf-HP-Pro-Tower-400-G9-PCI-Desktop-PC:~/prave$

```

```

#include<stdio.h>
int main() {
int a;
printf("please enter your grade sir :");
scanf("%d",&a);
if(a>85)
printf("you got A+ grade ");
else if(85>a>75)
printf("you got A grade ");
else if(75>a>65)
printf("you got B+ grade ");
else if(65>a>50)
printf("you got B grade ");
else if(50>a>30)
printf("you got C grade ");
else
printf("you fail ");
return 0;}

```