# Identity Policy Report

## IdentityPolicy_VFTD_STANDALONE_ROUTED

**Created by automation**

**Modified By pjb**

**Last Modified 2023-10-11 11:24:44 (UTC)**

# Table of Contents

# Policy Information

| | |
|---|---|
| Name | IdentityPolicy_VFTD_STANDALONE_ROUTED |
| Description | Created by automation |
| Modified By | pjb |
| Last Modified | 2023-10-11 11:24:44 (UTC) |
| Mapping Filter | |

# Active Authentication

| | |
|---|---|
| Server Certificate | internal_keystore_sit_gold_com_cert_kp |
| Redirect Port | 885 |
| Redirect Host | |

# Rules

## Administrator Rules

This category is empty

## Standard Rules

This category is empty

## Root Rules

**1 : PassiveAuth_1**

| | |
|---|---|
| Action | Passive Authentication |
| Source Zones | any |
| Destination Zones | any |
| Source Networks | net_obj_1_VFTD_STANDALONE_ROUTED |
| Destination Networks | any |
| VLAN Tags | any |
| Source Ports | any |
| Destination Ports | any |
| Realm | St-gold.com |
| Use active authentication if passive authentication cannot identify user | Disabled |

**2 : PassiveAuthActiveFallback**

| | |
|---|---|
| Action | Passive Authentication |
| Source Zones | any |
| Destination Zones | any |
| Source Networks | net_obj_7_VFTD_STANDALONE_ROUTED |
| Destination Networks | any |
| VLAN Tags | any |
| Source Ports | any |
| Destination Ports | any |
| Realm | Realm_sequence_1 |
| Use active authentication if passive authentication cannot identify user | Enabled |
| Identify as Special Identities/Guest if authentication cannot identify user | Disabled |
| Skip active authentication if VPN identity is available | Disabled |
| Authentication Type | Basic |
| Exclude HTTP User-Agents | 0 |
| Active Authentication Realm | A3ea3966-6838-11ee-a14e-fd32afaf1c66 |

**3 : ActiveAuth_3**

| | |
|---|---|
| Action | Active Authentication |
| Source Zones | any |
| Destination Zones | any |
| Source Networks | net_obj_6_VFTD_STANDALONE_ROUTED |

| | |
|---|---|
| Destination Networks | any |
| VLAN Tags | any |
| Source Ports | any |
| Destination Ports | any |
| Realm | India.st-gold.com |
| Identify as Special Identities/Guest if authentication cannot identify user | Disabled |
| Skip active authentication if VPN identity is available | Enabled |
| Authentication Type | Basic |
| Exclude HTTP User-Agents | 0 |

**4 : ActiveAuth_2**

| | |
|---|---|
| Action | Active Authentication |
| Source Zones | any |
| Destination Zones | any |
| Source Networks | net_obj_5_VFTD_STANDALONE_ROUTED |
| Destination Networks | any |
| VLAN Tags | any |
| Source Ports | any |
| Destination Ports | any |
| Realm | Us.st-gold.com |
| Identify as Special Identities/Guest if authentication cannot identify user | Disabled |
| Skip active authentication if VPN identity is available | Enabled |
| Authentication Type | Basic |
| Exclude HTTP User-Agents | 0 |

**5 : ActiveAuth_1**

| | |
|---|---|
| Action | Active Authentication |
| Source Zones | any |
| Destination Zones | any |
| Source Networks | net_obj_4_VFTD_STANDALONE_ROUTED |
| Destination Networks | any |
| VLAN Tags | any |
| Source Ports | any |
| Destination Ports | any |
| Realm | St-gold.com |
| Identify as Special Identities/Guest if authentication cannot identify user | Disabled |
| Skip active authentication if VPN identity is available | Enabled |
| Authentication Type | Basic |
| Exclude HTTP User-Agents | 0 |

**6 : PassiveAuth_3**

| | |
|---|---|
| Action | Passive Authentication |
| Source Zones | any |
| Destination Zones | any |
| Source Networks | net_obj_3_VFTD_STANDALONE_ROUTED |

| | |
|---|---|
| Destination Networks | any |
| VLAN Tags | any |
| Source Ports | any |
| Destination Ports | any |
| Realm | Us.st-gold.com |
| Use active authentication if passive authentication cannot identify user | Disabled |

**7 : PassiveAuth_2**

| | |
|---|---|
| Action | Passive Authentication |
| Source Zones | any |
| Destination Zones | any |
| Source Networks | net_obj_2_VFTD_STANDALONE_ROUTED |
| Destination Networks | any |
| VLAN Tags | any |
| Source Ports | any |
| Destination Ports | any |
| Realm | India.st-gold.com |
| Use active authentication if passive authentication cannot identify user | Disabled |

# Referenced Objects

## Networks

| | |
|---|---|
| net_obj_1_VFTD_STANDALONE_ROUTED | 172.20.1.0/24 |
| net_obj_2_VFTD_STANDALONE_ROUTED | 172.20.1.0/24 |
| net_obj_3_VFTD_STANDALONE_ROUTED | 172.20.1.0/24 |
| net_obj_4_VFTD_STANDALONE_ROUTED | 172.20.1.0/24 |
| net_obj_5_VFTD_STANDALONE_ROUTED | 172.20.1.0/24 |
| net_obj_6_VFTD_STANDALONE_ROUTED | 172.20.1.0/24 |
| net_obj_7_VFTD_STANDALONE_ROUTED | 172.20.1.0/24 |

## Internal Certificate

internal_keystore_sit_gold_com_cert_kp