

Identity Policy Report

IdentityPolicy_VFTD_STANDALONE_ROUTED

Created by automation

Modified By webuser

Last Modified 2023-10-10 16:01:02 (UTC)

Table of Contents

<u>Policy Information</u>	1
<u>Active Authentication</u>	2
<u>Rules</u>	3
<u>Administrator Rules</u>	3
<u>Standard Rules</u>	3
<u>Root Rules</u>	4
<u>Referenced Objects</u>	5
<u>Networks</u>	5
<u>Internal Certificate</u>	5

Policy Information

Name	IdentityPolicy_VFTD_STANDALONE_ROUTED
Description	Created by automation
Modified By	webuser
Last Modified	2023-10-10 16:01:02 (UTC)
Mapping Filter	

Active Authentication

Server Certificate	<u>internal keystore_sit_gold.com_cert.kp</u>
Redirect Port	885
Redirect Host	

Rules

Administrator Rules

1 : d

Action	Passive Authentication
Source Zones	any
Destination Zones	any
Source Networks	<u>NetworkOb 1 VFTD STANDALONE ROUTED</u>
Destination Networks	any
VLAN Tags	any
Source Ports	any
Destination Ports	any
Realm	St-gold.com
Use active authentication if passive authentication cannot identify user	Disabled

Standard Rules

2 : rule_1

Action	Passive Authentication
Source Zones	any
Destination Zones	any
Source Networks	<u>NetworkObjectt 1 VFTD STANDALONE ROUTED</u>
Destination Networks	any
VLAN Tags	any
Source Ports	any
Destination Ports	any
Realm	St-gold.com
Use active authentication if passive authentication cannot identify user	Disabled

3 : rule_2

Action	Active Authentication
Source Zones	any
Destination Zones	any
Source Networks	<u>net obj 4 VFTD STANDALONE ROUTED</u>
Destination Networks	any
VLAN Tags	any
Source Ports	any
Destination Ports	any
Realm	St-gold.com
Identify as Special Identities/Guest if authentication cannot identify user	Disabled
Skip active authentication if VPN identity is available	Enabled
Authentication Type	Basic
Exclude HTTP User-Agents	

Root Rules

4 : x	
Action	Passive Authentication
Source Zones	any
Destination Zones	any
Source Networks	<u>NetworkOb 3 VFTD STANDALONE ROUTED</u>
Destination Networks	any
VLAN Tags	any
Source Ports	any
Destination Ports	any
Realm	Us.st-gold.com
Use active authentication if passive authentication cannot identify user	Disabled

Referenced Objects

Networks

NetworkOb_1_VFTD_STANDALONE_ROUTED	172.20.1.0/24
NetworkOb_3_VFTD_STANDALONE_ROUTED	172.20.1.0/24
NetworkObjectt_1_VFTD_STANDALONE_ROUTED	172.20.1.0/24
net_obj_4_VFTD_STANDALONE_ROUTED	172.20.1.0/24

Internal Certificate

internal_keystore_sit_gold_com_cert_kp