

India Agriculture Crop Production Analysis

Comprehensive Specification Document: Data Flow Diagrams, User Stories & Solution Requirements


1. Data Flow Diagrams (DFD)

A Data Flow Diagram (DFD) visually maps out the information lifecycle within the system. It describes how raw multi-state agricultural metrics enter the pipeline, the automated transformations they undergo, where data elements persist, and the format in which insights reach researchers and stakeholders.

1.1 Simplified Functional Process Flow

- Credential & API Setup:** The Administrator authenticates system pipelines with national agricultural hubs (e.g., Open Government Data (OGD) India platform).
- Data Upload & Import:** Historical state-level parameters, precipitation records, and seasonal soil metrics are introduced via batch file ingestion.
- Parsing & Normalization (ETL):** Structural parsers normalize discrepancies, cleanse empty coordinates, and synchronize historical yields into metrics of metric tons per hectare.
- Analytical Core Enrichment:** Statistical compute models compute aggregate multi-year trends, geographical cluster benchmarks, and predictive metrics.
- Interface Rendering:** Interactive geospatial mapping packages translate data layers into dashboard representations for users.

DFD Level 0(System Architecture View)



2. User Stories Matrix

The product features have been organized into concise user stories spanning core user personas: Researchers, Regional End Users (Farmers/Agribusiness), and System Administrators.

User Type	Epic Block	ID	User Story / Core Task	Acceptance Criteria	Priority
Agri-Researcher (Web Interface)	Production Analytics	USN-1	As an agricultural researcher, I can filter production volumes by State, District, and Year to track historical performance.	Dynamic dropdown lists populate values instantly; tabular arrays reload in <2 seconds.	High
	Geospatial Views	USN-2	As an agricultural researcher, I can view color-coded national heatmaps of yield density to immediately spot regional variance.	GIS overlay renders interactive mapping with color legends tied to output volumes.	High
	Export Systems	USN-3	As an agricultural researcher, I can extract active charts and clean statistical matrices to format research presentations.	A single export action generates downloadable CSV sheets and structured PDF files.	Medium
Agribusiness (Mobile Interface)	Seasonal Planning	USN-4	As an agribusiness planner, I can supply localized soil categories and seasonal horizons to find recommended crop choices.	The layout highlights top-3 matched crops ranking highest based on historical district yields.	High
	Trend Forecasts	USN-5	As an agribusiness planner, I can view predictive volume curves against past baselines to project local inventory availability.	A clear Year-over-Year comparison timeline line chart renders dynamically.	Medium

User Type	Epic Block	ID	User Story / Core Task	Acceptance Criteria	Priority
System Admin (Control Panel)	Data Lifecycle	USN-6	As an admin, I can upload updated seasonal CSV data packages securely to extend the analytic database's range.	Structural validations verify structural alignment and alert on missing matrix rows.	High

3. Solution Requirements

3.1 Functional Requirements Matrix (FR)

FR No.	Functional Epic Block	Detailed Implementation Sub-Requirements
FR-1	Authentication Ecosystem	- Secure standard registration forms requiring corporate validation and localized profile focus selectors. - Single Sign-On (SSO) links covering professional profiles (Google Workspace and LinkedIn logins).
FR-2	Account Validation	- Automated account verification tokens delivered securely over email links. - Multi-factor session confirmation utilizing standard phone-based OTP protocols.
FR-3	Data Pipeline (ETL)	- Multi-format ingestion client handling native file types (.csv, .xlsx, .json). - Scheduled cron instances communicating with public data platforms (OGD India APIs).
FR-4	Analytical Compute	- Calculated fields processing standard yield values (Production Volume / Field Area Hectares). - Trend projection components plotting historical variations across Kharif, Rabi, and Zaid periods.

FR No.	Functional Epic Block	Detailed Implementation Sub-Requirements
FR-5	Visualization & Reports	• Geospatial India state/district choropleth layer configurations. • Comparative analytical timelines presenting split cross-crop yield vectors.

3.2 Non-functional Requirements Matrix (NFR)

NFR No.	Target Domain	System Parameter & Technical Thresholds
NFR-1	Usability (UX)	Fully adaptive layouts functional across desktop browsers and tablets. Complete parameter updates execute in fewer than 2 distinct steps.
NFR-2	Security Baseline	All static data points remain encrypted at rest via AES-256 standard. Outbound connections mandate encrypted HTTPS pipelines.
NFR-3	Reliability Metrics	Ingestion parsers isolate and report single row failures without causing termination to larger ongoing batch operations.
NFR-4	Performance Target	Complex analytical calculations drawing from multi-year tables must render interactive visual charts within a 2.5-second runtime cap.
NFR-5	Availability Focus	Platform operations target a cloud-hosted 99.9% application uptime tier across peak active harvesting publication windows.
NFR-6	Scalability Profile	Architectural node components sustain seamless expansion when tracking higher resolution datasets down to sub-district blocks.