
http://www.tutorialspoint.com

Copyright © tutorialspoint.com

This section presents you various set of Mock Tests related to **AngularJS Framework**. You can download these sample mock tests at your local machine and solve offline at your convenience. Every mock test is supplied with a mock test key to let you verify the final score and grade yourself.



Q 1 - AngularJS expressions are written using.

- A double braces like {{ expression}}
- B single braces like {expression}
- C small bracket like expression
- D capital bracket like [expression]

Q 2 - AngularJS expressions behave in same way as ng-bind directives.

A - false

B - true

Q 3 - AngularJS application expressions are pure JavaScript expressions.

A - true

B - false

Q 4 - Which of the following is true about uppercase filter?

- A Uppercase filter is a function which takes text as input.
- B Uppercase filter converts a text to upper case text.
- C Both of the above.
- D None of the above.

Q 5 - Which of the following is true about lowercase filter?

A - Lowercase filter converts a text to lower case text.

- B Lowercase filter is a function which takes text as input.
- C Both of the above.
- D None of the above.

Q 6 - Which of the following is true about currency filter?

- A Currency filter formats text in a currency format.
- B Currency filter is a function which takes text as input.
- C Both of the above.
- D None of the above.

Q 7 - Which of the following is true about filter filter?

- A filter filter is a function which takes text as input.
- B filter filter is used to filter the array to a subset of it based on provided criteria.
- C Both of the above.
- D None of the above.

Q 8 - Which of the following is true about orderby filter?

- A orderby filter orders the array based on provided criteria.
- B orderby filter is used to filter the array to a subset of it based on provided criteria.
- C Both of the above.
- D None of the above.

Q 9 - Which of the following is true about ng-disabled directive?

- A ng-disabled directive can enable a given control.
- B ng-disabled directive can disable a given control.
- C Both of the above.
- D None of the above.

Q 10 - Which of the following is true about ng-show directive?

- A ng-show directive can show a given control.
- B ng-show directive can hide a given control.
- C Both of the above.
- D None of the above.

Q 11 - Which of the following is true about ng-hide directive?

- A ng-hide directive can show a given control.
- B ng-hide directive can hide a given control.
- C Both of the above.
- D None of the above.

Q 12 - ng-click directive represents a AngularJS click event.

<mark>A - true</mark>

B - false

Q 13 - How angular.module works?

- A angular.module is used to create AngularJS modules along with its dependent modules.
- B angular.module is primarily used to create application module.
- C Both of the above.
- D None of the above.

Q 14 - angular.module is primarily used to create application module.

A - true

B - false

Q 15 - Which of the following is true about \$dirty flag?

- A \$dirty flag states that value has been changed.
- B \$dirty flag states that form has invalid data.
- C Both of the above.
- D None of the above.

Q 16 - Which of the following is true about \$invalid flag?

- A \$invalid flag states that value has been changed.
- B \$invalid flag states that form has invalid data.
- C Both of the above.
- D None of the above.

Q 17 - Which of the following is true about \$error?

A - \$error states that form has invalid data.

B - \$error states the exact error.
C - Both of the above.
D - None of the above.
Q 18 - Use novalidate with a form declaration to disable any browser specific validation.
<mark>A - true</mark>
B - false
Q 19 - Which of the following is true about ng-include directive?
A - Embed HTML pages within a HTML page using ng-include directive
B - Embed JS files within a HTML page using ng-include directive
C - Both of the above.
D - None of the above.
Q 20 - \$http service is used to make an Ajax call to server.
A - false
<mark>B - true</mark>
Q 21 - AngularJS needs data in JSON format to populate its model.
Q 21 - AngularJS needs data in JSON format to populate its model. A - true
<mark>A - true</mark>
A - true B - false Q 22 - Which of the following is true about \$routeProvider?
A - true B - false Q 22 - Which of the following is true about \$routeProvider?
A - true B - false Q 22 - Which of the following is true about \$routeProvider? A - \$routeProvider is the key service which set the configuration of urls.
A - true B - false Q 22 - Which of the following is true about \$routeProvider? A - \$routeProvider is the key service which set the configuration of urls. B - \$routeProvider maps Urls with the corresponding html page or ng-template.
A - true B - false Q 22 - Which of the following is true about \$routeProvider? A - \$routeProvider is the key service which set the configuration of urls. B - \$routeProvider maps Urls with the corresponding html page or ng-template. C - \$routeProvider attaches a controller with the view. D - All of the above.
A - true B - false Q 22 - Which of the following is true about \$routeProvider? A - \$routeProvider is the key service which set the configuration of urls. B - \$routeProvider maps Urls with the corresponding html page or ng-template. C - \$routeProvider attaches a controller with the view.
A - true B - false Q 22 - Which of the following is true about \$routeProvider? A - \$routeProvider is the key service which set the configuration of urls. B - \$routeProvider maps Urls with the corresponding html page or ng-template. C - \$routeProvider attaches a controller with the view. D - All of the above. Q 23 - \$rootScope is the parent of all of the scope variables.
A - true B - false Q 22 - Which of the following is true about \$routeProvider? A - \$routeProvider is the key service which set the configuration of urls. B - \$routeProvider maps Urls with the corresponding html page or ng-template. C - \$routeProvider attaches a controller with the view. D - All of the above. Q 23 - \$rootScope is the parent of all of the scope variables. A - true

B - 1	fal	se
-------	-----	----

Q 25 - Model available in \$rootScope can be overridden by its all child scopes.

<mark>A - true</mark>

B - false

ANSWER SHEET

Question Number	Answer Kev
1	Α
2	В
3	Α
4	В
5	Α
6	В
7	В
8	Α
9	С
10	С
11	С
12	Α
13	С
14	Α
15	Α
16	В
17	В
18	Α
19	Α
20	В
21	Α
22	D
23	Α
24	Α
25	Α

Loading [MathJax]/jax/output/HTML-CSS/jax.js