

[HTML](#)[CSS](#)[MORE ▼](#)

## jQuery Quiz Results

Score: 25 of 25

100% Correct:

### Question 1:

Which of the following is correct?

✓ jQuery is a JavaScript Library

Your answer

jQuery is a JSON Library

### Question 2:

jQuery uses CSS selectors to select elements?

✓ True

Your answer

False

### Question 3:

Which sign does jQuery use as a shortcut for jQuery?

✓ the \$ sign

Your answer

the ? Sign

the % sign

---

### Question 4:

Look at the following selector: \$("div"). What does it select?

✓ All div elements

Your answer

The first div element

---

### Question 5:

Is jQuery a library for client scripting or server scripting?

✓ Client scripting

Your answer

Server scripting

---

### Question 6:

Is it possible to use jQuery together with AJAX?

✓ Yes

Your answer

No

---

### Question 7:

The jQuery html() method works for both HTML and XML documents

✓ False

Your answer

True

---

## Question 8:

What is the correct jQuery code to set the background color of all p elements to red?

✓ `$("p").css("background-color","red");`

Your answer

`$("p").layout("background-color","red");`

`$("p").manipulate("background-color","red");`

`$("p").style("background-color","red");`

---

## Question 9:

With jQuery, look at the following selector: `$("div.intro")`. What does it select?

✓ All div elements with class="intro"

Your answer

The first div element with id="intro"

The first div element with class="intro"

All div elements with id="intro"

---

## Question 10:

Which jQuery method is used to hide selected elements?

✓ `hide()`

Your answer

`visible(false)`

`display(none)`

`hidden()`

---

## Question 11:

Which jQuery method is used to set one or more style properties for selected elements?

✓ `css()`

Your answer

`style()`

`html()`

---

## Question 12:

Which jQuery method is used to perform an asynchronous HTTP request?

✓ `jQuery.ajax()`

Your answer

`jQuery.ajaxAsync()`

`jQuery.ajaxSetup()`

---

## Question 13:

What is the correct jQuery code for making all div elements 100 pixels high?

✓ `$("div").height(100)`

Your answer

`$("div").yPos(100)`

`$("div").height="100"`

---

## Question 14:

Which statement is true?

✓ To use jQuery, you can refer to a hosted jQuery library at Google

Your answer

To use jQuery, you must buy the jQuery library at [www.jquery.com](http://www.jquery.com)

To use jQuery, you do not have to do anything. Most browsers (Internet Explorer, Chrome, Firefox and Opera) have the jQuery library built in the browser

---

### Question 15:

What scripting language is jQuery written in?

✓ JavaScript

Your answer

C#

C++

VBScript

---

### Question 16:

Which jQuery function is used to prevent code from running, before the document is finished loading?

✓ `$(document).ready()`

Your answer

`$(document).load()`

`$(body).onload()`

---

### Question 17:

Which jQuery method should be used to deal with name conflicts?

✓ `noConflict()`

Your answer

`conflict()`

noNameConflict()

nameConflict()

---

## Question 18:

Which jQuery method is used to switch between adding/removing one or more classes (for CSS) from selected elements?

✓ toggleClass()

Your answer

altClass()

switch()

switchClass()

---

## Question 19:

Look at the following selector: \$("div p"). What does it select?

✓ All p elements inside a div element

Your answer

The first p element inside a div element

All div elements with a p element

---

## Question 20:

Is jQuery a W3C standard?

✓ No

Your answer

Yes

---

## Question 21:

Look at the following selector: \$("p#intro"). What does it select?

✓ The p element with id="intro"

Your answer

All p elements with class="intro"

---

## Question 22:

Which jQuery method is used to remove selected elements?

✓ Both methods can be used

Your answer

detach()

remove()

---

## Question 23:

Look at the following selector: \$(":disabled"). What does it select?

✓ All disabled input elements

Your answer

All elements that does not contain the text "disabled"

All elements containing the text "disabled"

All hidden elements

---

## Question 24:

Which jQuery method returns the direct parent element of the selected element?

✓ parent()

Your answer

ancestors()

ancestor()

parents()

---

## Question 25:

The jQuery animate() method can be used to animate ANY CSS property?

✓ Only properties containing numeric values

Your answer

Yes

All properties except the shorthand properties

---

Close Quiz Results



## W3Schools' Online Certification

The perfect solution for professionals who need to balance work, family, and career building.

More than 25 000 certificates already issued!

[Get Your Certificate »](#)

The [HTML Certificate](#) documents your knowledge of HTML.

The [CSS Certificate](#) documents your knowledge of advanced CSS.

The [JavaScript Certificate](#) documents your knowledge of JavaScript and HTML DOM.

The [Python Certificate](#) documents your knowledge of Python.