

Like 1.1K

Follow @only2dhir

spring Objective Questions and Answers (SET - 0)

Please attempt at least 12 objective questions to see test result.

1) What is Spring ?

- ☐ a free framework
- ☒ an open source framework
- ☐ a licensed framework
- ☐ a proprietary framework

2) What is IOC ?

- ☒ Design Pattern
- ☐ Framework
- ☐ Java Module
- ☐ ORM Framework

3) Which of the following is not a Spring Module ?

- ☐ AOP
- ☐ O/R Integration
- ☐ Spring MVC
- ☒ HTML/JSP

4) Beans defined in spring framework are by default .. .?

- ☐ Abstract
- ☒ Singleton
- ☐ Final
- ☐ initialized

5) What are different types of Bean Injections ?

- ☒ constructor and setter
- ☐ constructor and getter
- ☐ getter and setter
- ☐ setter,getter and constructor

6) Which are different points where weaving can be applied ?

- ☐ Compile Time and Classload Time
- ☐ Compile Time , Classload Time , load time
- ☐ Compile Time and Runtime
- ☒ Compile Time , Classload Time , Runtime

7) What is a controller in Spring ?

- ☐ abstract class

Recommended

[Spring interview question](#)

[Hibernate interview question](#)

[spring hibernate integration
javaconfig](#)

[spring angularjs integration](#)

[Spring Junit Integration](#)



- ☒ Interface
 - ☐ concrete class
 - ☐ None of these
-

8) Which of the following is actual representation of the Spring IoC container ?

- ☐ ApplicationContext
 - ☐ XmlBeanFactory
 - ☒ BeanFactory
 - ☐ WebApplicationContext
-

9) How container load configuration metadata from a variety of external resources such as the local file system from the Java CLASSPATH ?

- ☒ ApplicationContext constructor
 - ☐ Init()
 - ☐ Context Contructor
 - ☐ XmlClassPath Contructor
-

10) Which of following is correct way to load bean definitions from another file ?

- ☐ <bean id="bean1" class="..." import="something.xml"/>
 - ☐ <resources name="something.xml" import ="true"/>
 - ☒ <import resource="something.xml"/>
 - ☐ all the above
-

11) What do you mean by inner bean?

- ☐ A element inside the elements is used to define a so-called inner bean.
 - ☐ A element inside the elements is used to define a so-called inner bean.
 - ☐ A element inside the elements is used to define a so-called inner bean.
 - ☒ A element inside the or elements is used to define a so-called inner bean.
-

12) What are responsibilities included for bean factory do ?

- A.Instantiating or sourcing application objects
- B.configuring such objects
- C.Assembling the dependencies between these objects
- D.Manage lifecycle of spring

- ☐ A,B
 - ☐ B,C
 - ☒ A,B,C
 - ☐ A,C,D
-

13) What are the responsibilities of XmlBeanFactory included ?

- A.This implementation allows you to express the objects that compose your application
- B.Resolve inter-dependencies between such objects, in terms of XML



C.The XmlBeanFactory takes this XML configuration metadata and uses it to create a fully configured system or application

D.Non of these

- ☐ A,B
- ☒ A,B,C
- ☐ B,C
- ☐ D

14) What are the correct ways to instantiate bean?

- A.Using default (empty) constructor
- B.Instantiation using a static factory method
- C.Instantiation using an instance factory method
- D.Using the container
- E.All these above are true

- ☐ A,B,C
- ☐ B,C,D
- ☐ A,C,D
- ☒ E

15) Which statements are true about IOC(Inversion of Control) ?

- A.Decoupling of the execution of a certain task from implementation.
- B.Each module can focus on what it is designed for.
- C.Replacing modules should not affect to other modules.
- D.Modules should observe about what other systems do .
- E.All the above

- ☒ A,B,C
- ☐ A,C,D
- ☐ B,C,D
- ☐ E

Get Score 

©2019, DevGlan. All Rights Reserved. [Privacy Policy](#).

Contact us: dhiraj@devglan.com