In [1]:
```
# Import libraries
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

In [2]:
```
# Load the dataset
titanic_df = pd.read_csv("C:\\Users\\tarak\\Desktop\\jupyter\\train.csv")
```

In [3]:
```
titanic_df
```

Out[3]:

	PassengerId	Survived	Pclass	Name	Sex	Age	SibSp	Parch	Ticket	F
0	1	0	3	Braund, Mr. Owen Harris	male	22.0	1	0	A/5 21171	7.25
1	2	1	1	Cumings, Mrs. John Bradley (Florence Briggs Th...	female	38.0	1	0	PC 17599	71.28
2	3	1	3	Heikkinen, Miss. Laina	female	26.0	0	0	STON/O2. 3101282	7.92
3	4	1	1	Futrelle, Mrs. Jacques Heath (Lily May Peel)	female	35.0	1	0	113803	53.10
4	5	0	3	Allen, Mr. William Henry	male	35.0	0	0	373450	8.05
...	...	...	...	...	...	...	...	...	...	
886	887	0	2	Montvila, Rev. Juozas	male	27.0	0	0	211536	13.00
887	888	1	1	Graham, Miss. Margaret Edith	female	19.0	0	0	112053	30.00
888	889	0	3	Johnston, Miss. Catherine Helen "Carrie"	female	NaN	1	2	W./C. 6607	23.45
889	890	1	1	Behr, Mr. Karl Howell	male	26.0	0	0	111369	30.00
890	891	0	3	Dooley, Mr. Patrick	male	32.0	0	0	370376	7.75

891 rows × 12 columns

In [4]:
```
titanic_df.shape
```

Out[4]: (891, 12)

In [5]:
```
# Check for missing values
print(titanic_df.isnull().sum())
```

```
PassengerId      0
Survived         0
Pclass           0
Name             0
Sex              0
Age            177
SibSp            0
Parch            0
Ticket           0
Fare             0
Cabin          687
Embarked         2
dtype: int64
```

In [6]:
```
titanic_df.describe()
```

Out[6]:

	PassengerId	Survived	Pclass	Age	SibSp	Parch	Fare
count	891.000000	891.000000	891.000000	714.000000	891.000000	891.000000	891.000000
mean	446.000000	0.383838	2.308642	29.699118	0.523008	0.381594	32.204208
std	257.353842	0.486592	0.836071	14.526497	1.102743	0.806057	49.693429
min	1.000000	0.000000	1.000000	0.420000	0.000000	0.000000	0.000000
25%	223.500000	0.000000	2.000000	20.125000	0.000000	0.000000	7.910400
50%	446.000000	0.000000	3.000000	28.000000	0.000000	0.000000	14.454200
75%	668.500000	1.000000	3.000000	38.000000	1.000000	0.000000	31.000000
max	891.000000	1.000000	3.000000	80.000000	8.000000	6.000000	512.329200

In [7]:
```
titanic_df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
RangeIndex: 891 entries, 0 to 890
Data columns (total 12 columns):
 #   Column       Non-Null Count  Dtype  
---  ------       --------------  -----  
 0   PassengerId  891 non-null    int64  
 1   Survived     891 non-null    int64  
 2   Pclass       891 non-null    int64  
 3   Name         891 non-null    object 
 4   Sex          891 non-null    object 
 5   Age          714 non-null    float64
 6   SibSp        891 non-null    int64  
 7   Parch        891 non-null    int64  
 8   Ticket       891 non-null    object 
 9   Fare         891 non-null    float64
 10  Cabin        204 non-null    object 
 11  Embarked     889 non-null    object 
dtypes: float64(2), int64(5), object(5)
memory usage: 83.7+ KB
```

In [8]:
```
titanic_df.dtypes
```

Out[8]:
```
PassengerId      int64
Survived         int64
Pclass           int64
Name            object
Sex             object
Age            float64
SibSp            int64
Parch            int64
Ticket          object
Fare           float64
Cabin           object
Embarked        object
dtype: object
```

In [9]:
```
# Preview the dataset
print(titanic_df.head())
```

```
   PassengerId  Survived  Pclass  \
0            1         0       3
1            2         1       1
2            3         1       3
3            4         1       1
4            5         0       3

                                                Name     Sex   Age  SibSp
\
0                            Braund, Mr. Owen Harris    male  22.0      1
1  Cumings, Mrs. John Bradley (Florence Briggs Th...  female  38.0      1
2                             Heikkinen, Miss. Laina  female  26.0      0
3       Futrelle, Mrs. Jacques Heath (Lily May Peel)  female  35.0      1
4                           Allen, Mr. William Henry    male  35.0      0

   Parch            Ticket     Fare Cabin Embarked
0      0         A/5 21171   7.2500   NaN        S
1      0          PC 17599  71.2833   C85        C
2      0  STON/O2. 3101282   7.9250   NaN        S
3      0            113803  53.1000  C123        S
4      0            373450   8.0500   NaN        S
```

In [10]:
```
# Explore the distribution of the target variable
sns.countplot(x='Survived', data=titanic_df)
plt.show()
```



In [11]:
```
# Explore the relationship between survival and gender
sns.countplot(x='Survived', hue='Sex', data=titanic_df)
plt.show()
```



In [12]:
```
# Explore the relationship between survival and passenger class
sns.countplot(x='Survived', hue='Pclass', data=titanic_df)
plt.show()
```



In [13]:
```
# Explore the distribution of age
sns.histplot(x='Age', data=titanic_df)
plt.show()
```



In [14]:
```
# Explore the distribution of fares
sns.histplot(x='Fare', data=titanic_df)
plt.show()
```



In [ ]:

In [ ]: