



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 1 of 87

Branch: CHEMICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | MT | MO | PI | CETD- | MT LA | MO LA |
|-----------------------------|----------------------|--------------------------|----------------------------|-------------------------|----------------------|--------------------------|
| ENGINEERING MATHEMATICS- | MOMENTUM TRANSFER | MECHANICAL OPERATIONS | PROCESS INSTRUMENTATION | CHEMICAL ENGINEERING | MOMENTUM TRANSFER | MECHANICAL OPERATIONS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|
| 317126502001 | 8.78 | 8.73 | A | A+ | A+ | O | A | A | A+ |
| 317126502002 | 9.35 | 8.90 | A+ | O | O | A | A+ | O | O |
| 317126502003 | 7.43 | 7.40 | B+ | A | B+ | A | B | A+ | A |
| 317126502004 | 5.17 | | C | C | C | C | P | B+ | B+ |
| 317126502006 | 5.83 | 5.70 | B | C | B+ | C | C | B+ | B+ |
| 317126502007 | 9.87 | 9.31 | A+ | O | O | O | O | O | O |
| 317126502008 | 9.74 | 9.13 | A | O | O | O | O | O | O |
| 317126502009 | 8.61 | 8.36 | A | A+ | A+ | A | A | O | A+ |
| 317126502010 | 9.17 | 8.78 | A+ | A+ | A+ | O | A+ | A+ | A+ |
| 317126502011 | | | P | P | C | F | P | C | F |
| 317126502012 | 9.26 | 8.90 | A+ | O | A+ | A+ | A+ | O | A+ |
| 317126502013 | 8.00 | 7.82 | A | A | A | A | B+ | A+ | A+ |
| 317126502014 | 8.48 | 8.35 | B+ | A+ | A+ | A+ | B+ | O | A+ |
| 317126502015 | | | C | P | P | C | F | C | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 2 of 87

Branch: CHEMICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | |
|--------------|------|------|-------------------------------------|------------------------------|----------------------------------|---------------------------------|---------------------------------|------------------------------|----------------------------------|
| | | | EM-IV | MT | MO | PI | CETD- | MT LA | MO LA |
| | | | ENGINE ERING MATHE MATICS- | MOMEN TUM TRANSF ER | MECHA NICAL OPERAT IONS | PROCES S INSTRU MENTAT | CHEMIC AL ENGINE ERING | MOMEN TUM TRANSF ER | MECHA NICAL OPERAT IONS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126502016 | 8.04 | 7.94 | B+ | A | A | A+ | A | B+ | A+ |
| 317126502017 | 9.13 | 8.90 | A | A+ | A+ | O | A+ | O | A+ |
| 317126502018 | 6.04 | | C | B+ | B+ | C | P | A | A |
| 317126502019 | 7.35 | 7.04 | B+ | B+ | B+ | A | B+ | A | A |
| 317126502020 | | | F | F | F | F(Ab) | F | F | B+ |
| 317126502021 | 6.83 | 6.67 | B+ | B+ | B+ | B+ | B | B+ | B+ |
| 317126502022 | 7.83 | 8.11 | A | A | B+ | A | A | A | A |
| 317126502023 | 8.61 | 8.73 | A | A+ | A | A+ | A | A+ | O |
| 317126502024 | | | F | F | F | F(Ab) | F | F | F |
| 317126502025 | 9.35 | 9.04 | A+ | O | A+ | A+ | A+ | O | O |
| 317126502027 | 5.61 | | C | C | C | B+ | P | B+ | A |
| 317126502029 | | | C | F | P | F | F | B | A |
| 317126502030 | 5.52 | 5.76 | C | C | B | P | C | A | A |
| 317126502031 | 8.87 | 8.69 | A | A+ | A+ | A | A+ | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 3 of 87

Branch: CHEMICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | |
|--------------|------|------|-------------------------------------|------------------------------|----------------------------------|---------------------------------|---------------------------------|------------------------------|----------------------------------|
| | | | EM-IV | MT | MO | PI | CETD- | MT LA | MO LA |
| | | | ENGINE ERING MATHE MATICS- | MOMEN TUM TRANSF ER | MECHA NICAL OPERAT IONS | PROCES S INSTRU MENTAT | CHEMIC AL ENGINE ERING | MOMEN TUM TRANSF ER | MECHA NICAL OPERAT IONS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126502L01 | 7.78 | 7.56 | B+ | A | A | A | B+ | A | A+ |
| 318126502L02 | 8.87 | 8.72 | A | A+ | A+ | A+ | A+ | A+ | A+ |
| 318126502L03 | 8.74 | 8.30 | B+ | A+ | A+ | A | A+ | O | O |
| 318126502L04 | 7.09 | 6.72 | B+ | B | A | B | B+ | A | A+ |
| 318126502L05 | | | F | P | P | F | F | B+ | B+ |
| 318126502L06 | 7.30 | 6.77 | B | A | A | B+ | B+ | A | B+ |
| 318126502L07 | 7.70 | 7.60 | B+ | A | A | B+ | B+ | A+ | A+ |
| 318126502L08 | 7.04 | 6.56 | B | B+ | A | A | C | A | A |
| 318126502L09 | 6.91 | 6.42 | B+ | B+ | A | B+ | P | A | A+ |
| 318126502L10 | | | F | C | B+ | B+ | C | A | A+ |
| 318126502L11 | 7.48 | 6.72 | B | A | A | A | B | A | A+ |
| 318126502L12 | 5.43 | | C | P | B | B+ | P | B | B+ |
| 318126502L13 | | | P | P | P | P | F(Ab | B+ | B+ |
| 318126502L14 | 6.30 | | C | C | B+ | A | P | A+ | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 4 of 87

Branch: CHEMICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | MT | MO | PI | CETD- | MT LA | MO LA |
|--------------------------|-------------------|-----------------------|-------------------------|----------------------|-------------------|-----------------------|
| ENGINEERING MATHEMATICS- | MOMENTUM TRANSFER | MECHANICAL OPERATIONS | PROCESS INSTRUMENTATION | CHEMICAL ENGINEERING | MOMENTUM TRANSFER | MECHANICAL OPERATIONS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | |
|--------------|------|------|----|----|----|----|---|----|----|
| 318126502L15 | 7.43 | 7.09 | B+ | A | A | A | C | A | A+ |
| 318126502L16 | 7.87 | 7.65 | B+ | A | A+ | A | B | A+ | A+ |
| 318126502L17 | 7.00 | 6.33 | B+ | B+ | B+ | B+ | B | A | A |
| 318126502L18 | 6.65 | | B+ | B | B | B+ | B | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 5 of 87

Branch: CIVIL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | CT | EE-I | FM-I | SURV- | SA-I | BP&D | CTLAB | FMLAB | SFW-II |
|--------------|------|------|---------------------|----------------------|-------------------|--------------|-----------------------|---------------------|---------------------|-----------------------|-------------------------|
| | | | CONCRETE TECHNOLOGY | ENVIRONMENTAL ENGINE | FLUID MECHANICS-I | SURVEYING-II | STRUCTURAL ANALYSIS-I | BUILDING PLANNING & | CONCRETE TECHNOLOGY | FLUID MECHANICS LAB-I | SURVEYING FIELD WORK-II |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 316126508072 | 7.46 | 7.44 | C | B+ | B+ | A | B+ | A | O | A | A+ |
| 317126508001 | | | B | B+ | P | B+ | F | B+ | A+ | B+ | A+ |
| 317126508002 | 7.62 | 7.78 | B+ | B+ | B+ | A | B | A | A+ | A+ | O |
| 317126508003 | 9.23 | 8.97 | A | A+ | O | A+ | O | A | O | A+ | O |
| 317126508004 | 9.12 | 9.25 | A+ | A+ | A+ | A+ | A+ | A | O | O | O |
| 317126508005 | 8.38 | 8.91 | B+ | A | A | A+ | A | A | O | A+ | O |
| 317126508006 | 7.38 | 7.85 | B+ | B+ | A | B+ | B+ | B+ | A | B+ | A+ |
| 317126508007 | 8.88 | 8.68 | A | A | A+ | A+ | A+ | A | O | O | O |
| 317126508008 | 8.46 | 8.72 | B+ | A | A+ | A+ | A | A | O | A | O |
| 317126508009 | | | P | F | F | P | F | P | B+ | B | A |
| 317126508010 | 9.15 | 9.13 | A | A+ | O | O | A | A+ | O | A+ | O |
| 317126508011 | 7.96 | 8.05 | B+ | A | A | B | A | A | O | A | O |
| 317126508012 | | | F | P | F | F | P | F | C | F(Ab) | F(Ab) |
| 317126508013 | | | P | P | F | C | P | B | A+ | C | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 6 of 87

Branch: CIVIL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CT | EE-I | FM-I | SURV- | SA-I | BP&D | CTLAB | FMLAB | SFW-II |
|---------------------|----------------------|-------------------|--------------|-----------------------|---------------------|---------------------|-----------------------|-------------------------|
| CONCRETE TECHNOLOGY | ENVIRONMENTAL ENGINE | FLUID MECHANICS-I | SURVEYING-II | STRUCTURAL ANALYSIS-I | BUILDING PLANNING & | CONCRETE TECHNOLOGY | FLUID MECHANICS LAB-I | SURVEYING FIELD WORK-II |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | | |
|--------------|------|------|----|----|----|-------|----|----|-------|-------|-------|
| 317126508014 | | | P | F | F | B | F | P | B+ | F | O |
| 317126508015 | | | F | F | F | F(Ab) | F | F | F(Ab) | F(Ab) | F(Ab) |
| 317126508016 | | | F | F | F | F | F | F | C | F | F(Ab) |
| 317126508017 | | | B+ | C | F | B | P | B+ | A | B | A |
| 317126508018 | 6.27 | 6.56 | B | C | B | C | P | B+ | A+ | A+ | A+ |
| 317126508019 | 8.58 | 7.90 | A | A | A+ | A+ | A | A | O | A | O |
| 317126508020 | | | P | P | F | P | F | C | B+ | C | A+ |
| 317126508021 | 7.92 | 7.61 | A | A | B+ | A+ | B+ | B+ | A+ | A | O |
| 317126508022 | 5.96 | 6.47 | B+ | B+ | P | B+ | P | P | A+ | C | O |
| 317126508023 | | | C | B | F | C | P | B | A | A+ | A+ |
| 317126508025 | 5.19 | 7.30 | P | C | P | P | P | P | A+ | A | A+ |
| 317126508028 | 8.46 | 8.70 | B+ | A | A+ | A | A | A+ | O | A | O |
| 317126508029 | 8.27 | 8.18 | B | A | A | A+ | A | A | O | A+ | O |
| 317126508030 | | | P | P | F | F | F | P | B+ | C | C |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 7 of 87

Branch: CIVIL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CT | EE-I | FM-I | SURV- | SA-I | BP&D | CTLAB | FMLAB | SFW-II |
|---------------------|----------------------|-------------------|--------------|-----------------------|---------------------|---------------------|-----------------------|-------------------------|
| CONCRETE TECHNOLOGY | ENVIRONMENTAL ENGINE | FLUID MECHANICS-I | SURVEYING-II | STRUCTURAL ANALYSIS-I | BUILDING PLANNING & | CONCRETE TECHNOLOGY | FLUID MECHANICS LAB-I | SURVEYING FIELD WORK-II |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | | |
|--------------|------|------|----|----|----|----|---|----|----|-------|----|
| 317126508031 | 8.27 | 8.65 | B+ | A | A | A | A | A | O | A+ | O |
| 317126508032 | 5.23 | 6.65 | C | P | P | C | P | P | A+ | B | O |
| 317126508033 | | | F | F | F | P | F | P | C | C | C |
| 317126508034 | 7.12 | 7.55 | B+ | B+ | B | A | P | B+ | O | A+ | O |
| 317126508035 | 7.23 | 7.17 | B | B+ | B+ | B+ | C | A | A+ | A+ | O |
| 317126508036 | | | F | F | F | F | F | P | C | F | F |
| 317126508037 | | | F | F | F | F | F | P | F | C | C |
| 317126508038 | 5.04 | 5.64 | P | B | P | P | P | C | A | C | A |
| 317126508039 | | | P | P | P | P | F | B | A | B+ | B+ |
| 317126508040 | | | P | F | F | F | F | F | A | A | F |
| 317126508041 | | | F | P | F | C | F | F | B+ | F(Ab) | F |
| 317126508042 | 6.31 | 7.01 | B | B | B | B+ | C | C | O | C | A+ |
| 317126508043 | | | F | P | F | P | F | P | C | F | B+ |
| 317126508044 | | | P | P | P | P | F | P | A+ | C | B+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 8 of 87

Branch: CIVIL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | CT | EE-I | FM-I | SURV- | SA-I | BP&D | CTLAB | FMLAB | SFW-II |
|--------------|------|------|---------------------|----------------------|-------------------|--------------|-----------------------|---------------------|---------------------|-----------------------|-------------------------|
| | | | CONCRETE TECHNOLOGY | ENVIRONMENTAL ENGINE | FLUID MECHANICS-I | SURVEYING-II | STRUCTURAL ANALYSIS-I | BUILDING PLANNING & | CONCRETE TECHNOLOGY | FLUID MECHANICS LAB-I | SURVEYING FIELD WORK-II |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126508045 | 7.08 | | B+ | B | B | B+ | C | A | A+ | A+ | O |
| 317126508046 | 5.73 | 6.34 | P | B | P | C | B+ | B | B+ | B | A |
| 317126508047 | 6.69 | 6.89 | B | B+ | B+ | B+ | P | B | A+ | A | A+ |
| 317126508048 | | | P | C | F | B | F | B+ | A | C | A |
| 317126508049 | 7.73 | 7.92 | B+ | A | B+ | A+ | B+ | B+ | A+ | B+ | O |
| 317126508051 | 8.35 | 9.09 | A+ | A | A | A | B+ | A | O | A+ | O |
| 317126508052 | 8.19 | 8.27 | B+ | A | A | A | A | A | O | A | O |
| 317126508053 | | | F | F | F | F | F | F(Ab) | F(Ab) | C | F(Ab) |
| 317126508054 | | | F | F | F | F | F | F | A | C | A |
| 317126508055 | 8.23 | 8.74 | A | A | A | A | B+ | A | O | A+ | O |
| 317126508056 | | | P | F | F | P | P | C | A+ | B+ | A+ |
| 318126508L01 | 8.69 | 8.92 | A | A | A | A+ | A | A+ | O | O | O |
| 318126508L02 | 7.88 | 7.90 | A | B+ | B+ | A | B+ | A | O | A | O |
| 318126508L03 | 8.96 | 8.92 | A | A+ | A | A+ | A+ | A+ | O | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 9 of 87

Branch: CIVIL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | CT | EE-I | FM-I | SURV- | SA-I | BP&D | CTLAB | FMLAB | SFW-II |
|--------------|------|------|---------------------|----------------------|-------------------|--------------|-----------------------|---------------------|---------------------|-----------------------|-------------------------|
| | | | CONCRETE TECHNOLOGY | ENVIRONMENTAL ENGINE | FLUID MECHANICS-I | SURVEYING-II | STRUCTURAL ANALYSIS-I | BUILDING PLANNING & | CONCRETE TECHNOLOGY | FLUID MECHANICS LAB-I | SURVEYING FIELD WORK-II |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126508L04 | 8.46 | 8.52 | B+ | A | B+ | O | A | A+ | O | A+ | O |
| 318126508L05 | 5.54 | 6.19 | P | B | P | C | C | C | A | B+ | A+ |
| 318126508L06 | 6.81 | 6.58 | B+ | B+ | P | B | B+ | B+ | O | B+ | A+ |
| 318126508L07 | 8.35 | 8.27 | B+ | A | A+ | A | A | A | O | A | O |
| 318126508L08 | 8.69 | 8.46 | A | A | A | O | B+ | O | O | A+ | O |
| 318126508L09 | 8.19 | 8.25 | B+ | A | B+ | B+ | A+ | A+ | O | A | O |
| 318126508L10 | 8.62 | 8.31 | B+ | A | A+ | A+ | A+ | A | O | A | O |
| 318126508L11 | 7.54 | 6.85 | B+ | B+ | B | A | B+ | A | A+ | A | O |
| 318126508L12 | 7.62 | 6.96 | B+ | A | C | A+ | B+ | A | A+ | A | O |
| 318126508L13 | | | P | B | P | B+ | F | B | A | A | O |
| 318126508L14 | 7.88 | 7.79 | B+ | B+ | B+ | A | B+ | A+ | O | A | O |
| 318126508L15 | 8.96 | 9.00 | A+ | A+ | A+ | A | A+ | A+ | O | A | O |
| 318126508L16 | 8.12 | 7.96 | A | A | B+ | A | B+ | A+ | A+ | A+ | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 10 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | | | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510001 | 6.12 | 7.43 | P | B+ | C | B | B | A | A+ | B+ |
| 317126510002 | 6.84 | 7.48 | B | B+ | B | B | B+ | A | A+ | A |
| 317126510003 | 6.24 | 6.28 | P | B | B | C | A | B+ | A+ | B+ |
| 317126510004 | | | F | P | P | P | F | B+ | A+ | B+ |
| 317126510005 | 7.08 | 7.42 | B+ | B+ | B+ | B | B+ | A | A+ | B+ |
| 317126510006 | 5.36 | 6.43 | P | B | C | P | C | B+ | A | B+ |
| 317126510007 | 5.32 | | P | C | C | P | B+ | B | B+ | B |
| 317126510008 | 7.68 | 7.98 | A | A | B+ | A | A | B | A+ | B+ |
| 317126510009 | 5.76 | 7.00 | C | B | C | P | C | A+ | A+ | B+ |
| 317126510010 | 8.40 | 8.64 | A | A | A | B+ | A+ | O | O | A+ |
| 317126510011 | 7.60 | 7.43 | B+ | A | B+ | B+ | A | A+ | A+ | B+ |
| 317126510012 | 7.88 | 8.57 | B+ | B+ | A | A | A | A+ | A+ | A |
| 317126510013 | 7.92 | 8.62 | B+ | A | A | A | A | A | A+ | A |
| 317126510014 | 8.32 | 8.39 | A+ | A | B+ | B+ | A+ | A+ | O | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 11 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | | | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510015 | 8.32 | 9.00 | A | A | A | A | A | O | A+ | A+ |
| 317126510016 | 7.96 | 8.45 | A | B+ | B+ | A | A | A | O | A+ |
| 317126510017 | | | P | P | F | F | P | B+ | A+ | B+ |
| 317126510018 | 5.28 | 6.20 | C | P | P | P | C | A | A+ | B+ |
| 317126510019 | 7.16 | 7.23 | B+ | B+ | B+ | B+ | B+ | A | A | B+ |
| 317126510020 | 8.40 | 8.97 | A | A | A | A | A+ | A+ | O | A |
| 317126510021 | 7.72 | 7.74 | B+ | B+ | B+ | A | A | A | O | A |
| 317126510022 | 8.00 | 8.54 | B+ | A | B+ | A | A+ | A+ | A+ | A |
| 317126510023 | 8.40 | 8.61 | A | A | A | A | A+ | A+ | O | A |
| 317126510024 | 7.32 | 8.22 | B+ | B+ | B | B+ | A | A+ | A+ | B+ |
| 317126510025 | 6.04 | 7.22 | C | C | C | B+ | B | B+ | B+ | A |
| 317126510026 | | | P | F | P | P | P | A | A+ | B+ |
| 317126510027 | 7.00 | 7.53 | B+ | C | B | B | A | A+ | O | B+ |
| 317126510028 | | | C | P | P | C | C | F | A | B |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 12 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | | | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|----------------------------|--------------------------------|------------------------------|----------------------------------|-----------------------------|------------------------------------|----------------------------------|---------------------|
| | | | DATA COMMUNICATI ONS | MICROP ROCESS ORS AND | OPERAT ING SYSTEM S | COMPU TER ORGANI ZATION | FORMA L LANGU AGES | MICROP ROCESS OR & INTERF | OPERAT ING SYSTEM S LAB | HARDW ARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510029 | 7.20 | 7.16 | B+ | B | B+ | B+ | B+ | A+ | A+ | B+ |
| 317126510030 | 8.76 | 8.97 | A | B+ | A+ | A+ | O | O | O | B+ |
| 317126510031 | | | F | P | P | F | B | B+ | A+ | B |
| 317126510032 | 5.52 | 6.02 | P | B | B | P | C | B+ | A | B+ |
| 317126510033 | 6.20 | 6.32 | C | B+ | B | B | C | B+ | A+ | B+ |
| 317126510034 | 7.24 | 7.71 | B+ | B+ | B+ | B+ | B+ | A | A+ | B+ |
| 317126510035 | 7.96 | 7.96 | A | A+ | A | B | A | A+ | A+ | A |
| 317126510036 | 9.28 | 9.43 | A | O | A+ | A+ | O | O | O | A+ |
| 317126510037 | 8.56 | 9.02 | A | A | A+ | A | A+ | A+ | O | A |
| 317126510038 | 8.56 | 8.98 | A | O | A | A | A+ | A+ | A+ | A |
| 317126510039 | 7.68 | 8.71 | B+ | A | B+ | B+ | A | A | O | A |
| 317126510040 | 5.56 | 6.16 | P | C | P | C | C | A | A+ | A+ |
| 317126510041 | 9.00 | 9.32 | A+ | A+ | A+ | A | A+ | O | O | A+ |
| 317126510042 | 5.84 | | B | P | B | P | B+ | B | A | B+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 13 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | | | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|----------------------------|--------------------------------|------------------------------|----------------------------------|-----------------------------|------------------------------------|----------------------------------|---------------------|
| | | | DATA COMMUNICATI ONS | MICROP ROCESS ORS AND | OPERAT ING SYSTEM S | COMPU TER ORGANI ZATION | FORMA L LANGU AGES | MICROP ROCESS OR & INTERF | OPERAT ING SYSTEM S LAB | HARDW ARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510043 | 7.60 | 7.93 | C | A | A+ | B+ | A | A | A+ | A |
| 317126510044 | 7.40 | | B | B+ | A | B+ | A | B+ | A+ | A |
| 317126510045 | 8.24 | 8.88 | A | A | A | B+ | A | O | O | A+ |
| 317126510046 | 6.08 | | C | B | B | C | B | A | A+ | B |
| 317126510047 | 7.28 | | A | A | A | P | B+ | A | A+ | A |
| 317126510048 | 5.88 | 7.28 | C | C | C | P | B | A+ | A+ | A |
| 317126510049 | 5.76 | | P | B | C | P | B+ | B+ | A | A |
| 317126510050 | 8.68 | 8.77 | A | A+ | A+ | A+ | A | O | O | B+ |
| 317126510051 | 8.04 | 8.50 | A | A+ | B+ | A | A | A+ | A+ | B+ |
| 317126510052 | 5.88 | 7.73 | P | C | C | P | B+ | A+ | A+ | A |
| 317126510053 | 8.32 | 8.32 | A | A | A+ | B+ | A | A+ | O | A+ |
| 317126510054 | | | P | B | B | P | F | B+ | A | A |
| 317126510055 | 8.12 | 8.70 | A | A+ | A | B+ | A | A+ | A+ | A |
| 317126510057 | 7.56 | 8.09 | A | B+ | A | B+ | B | A+ | A+ | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 14 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510058 | 5.04 | 5.91 | P | P | C | P | B | C | A | B |
| 317126510059 | 8.32 | 7.96 | A | A | A | A | A | O | O | A |
| 317126510061 | 8.04 | 8.50 | A | B+ | A | A | B+ | A+ | A+ | O |
| 317126510062 | | | F | F | F | F | F | C | B | A |
| 317126510063 | 6.52 | 7.51 | B | C | C | B+ | B+ | A | A | A |
| 317126510064 | 7.04 | 7.21 | B+ | B | B+ | B+ | B+ | B+ | A | A |
| 317126510065 | 9.00 | 9.25 | A+ | A+ | A | A | O | A+ | O | O |
| 317126510066 | 8.12 | 8.33 | A | B+ | A | A+ | A | A | A+ | A |
| 317126510067 | 8.48 | 8.57 | A+ | A | A | A+ | A | A+ | A | A+ |
| 317126510068 | 7.00 | 7.54 | B | B+ | B+ | B+ | B+ | A | A | B+ |
| 317126510069 | 7.56 | 8.52 | B+ | B+ | B+ | B+ | A | A+ | A+ | A |
| 317126510070 | 8.68 | 8.54 | A | A+ | A+ | A | A+ | A | O | A+ |
| 317126510071 | 7.92 | 8.39 | B+ | A | A | A | A | A | A+ | A |
| 317126510072 | 7.92 | 8.65 | B+ | A | B+ | A | A | A+ | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 15 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | | | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|----------------------------|--------------------------------|------------------------------|----------------------------------|-----------------------------|------------------------------------|----------------------------------|---------------------|
| | | | DATA COMMUNICATI ONS | MICROP ROCESS ORS AND | OPERAT ING SYSTEM S | COMPU TER ORGANI ZATION | FORMA L LANGU AGES | MICROP ROCESS OR & INTERF | OPERAT ING SYSTEM S LAB | HARDW ARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510073 | 8.08 | 8.47 | A | A | A | A | A | A | A+ | A |
| 317126510074 | 7.12 | 7.61 | B | B | B+ | B+ | A | A | A | A |
| 317126510075 | 7.32 | 8.07 | B+ | B+ | A | B+ | B+ | B+ | A | A |
| 317126510076 | 8.72 | 8.61 | A | A | A | A+ | O | A+ | A+ | A+ |
| 317126510077 | 7.16 | 7.87 | B+ | C | B+ | B+ | B+ | A | A+ | A+ |
| 317126510078 | 8.76 | 8.86 | A | A+ | A+ | A | A+ | A+ | A+ | O |
| 317126510079 | 5.36 | 6.67 | P | P | C | C | C | B+ | A | A |
| 317126510080 | 8.24 | 8.59 | A | A | A | A | A | A+ | A+ | A+ |
| 317126510082 | | | F | P | F | C | F | B+ | A | B+ |
| 317126510083 | | | C | F(Ab | B | C | B+ | B+ | A | A |
| 317126510084 | 7.52 | 8.48 | B | B | B+ | A | A | A | A+ | O |
| 317126510085 | | | P | F | F | B | F | B | C | A |
| 317126510086 | 7.64 | 8.22 | B | B+ | A | A+ | A | B+ | B+ | A+ |
| 317126510088 | | | C | P | B | B+ | F | B+ | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 16 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510089 | 5.96 | 6.50 | C | C | B | B | C | B+ | A | A |
| 317126510090 | | | P | F | F | F | F | B+ | B+ | B+ |
| 317126510091 | 8.08 | 8.51 | B+ | A | A | A+ | A | A | A+ | A |
| 317126510092 | 8.04 | 7.97 | B+ | B+ | A+ | A | A | A | A+ | A+ |
| 317126510093 | 8.32 | 8.64 | A | A | A | A+ | A | A | A+ | A+ |
| 317126510094 | 7.16 | 7.14 | B+ | B+ | B+ | A | B+ | B+ | B+ | B+ |
| 317126510095 | | | C | P | F | C | P | B+ | A | A |
| 317126510096 | 8.68 | 9.26 | A+ | A+ | A | A+ | A | A+ | A+ | A+ |
| 317126510097 | 7.76 | 8.46 | B+ | A | A | A | B | A+ | A+ | A+ |
| 317126510098 | 7.80 | 8.29 | B+ | B+ | B+ | A | A | A+ | A+ | A+ |
| 317126510099 | 7.80 | 8.30 | B+ | B+ | B+ | A | A+ | A | A+ | A |
| 317126510100 | 7.20 | 7.79 | B+ | B | B | B+ | A | A | A+ | A |
| 317126510101 | 7.00 | 7.76 | B | C | B | B+ | A+ | B+ | A+ | A |
| 317126510102 | 7.08 | 6.84 | B | B+ | B+ | A | B | A | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 17 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|----------------------------|--------------------------------|------------------------------|----------------------------------|-----------------------------|------------------------------------|----------------------------------|---------------------|
| | | | DATA COMMUNICATI ONS | MICROP ROCESS ORS AND | OPERAT ING SYSTEM S | COMPU TER ORGANI ZATION | FORMA L LANGU AGES | MICROP ROCESS OR & INTERF | OPERAT ING SYSTEM S LAB | HARDW ARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510103 | 5.12 | 6.04 | P | P | P | B | P | B+ | A | B+ |
| 317126510104 | 7.84 | 8.03 | B+ | A | A | B+ | B+ | A+ | A+ | O |
| 317126510105 | 7.24 | 7.96 | B+ | C | A | A | B | A | A | A+ |
| 317126510107 | 7.44 | 8.08 | B+ | B | B+ | B+ | A | A | A+ | A+ |
| 317126510108 | 5.28 | | P | P | C | B+ | P | B+ | B | B+ |
| 317126510110 | 7.44 | 7.89 | A | A | B+ | B+ | B+ | A | A | B+ |
| 317126510111 | 6.04 | | B+ | C | C | B+ | P | B+ | B+ | A |
| 317126510112 | 7.20 | 7.75 | B+ | B | B+ | B+ | A+ | B | A | B+ |
| 317126510113 | 6.36 | 7.68 | C | C | B+ | B+ | B | B+ | B+ | A |
| 317126510114 | | | P | P | P | C | P | F | B | B+ |
| 317126510115 | 4.80 | | P | P | C | C | P | C | B | B+ |
| 317126510116 | 8.04 | 8.36 | A | B+ | A | A | A+ | A | A+ | B+ |
| 317126510117 | 8.84 | 8.43 | A | A+ | A+ | A+ | O | A | A+ | A |
| 317126510118 | 8.40 | 8.91 | A | A | A | A+ | A | A+ | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 18 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510119 | 6.28 | 7.00 | B | C | B | B | B | B+ | A | A |
| 317126510120 | 5.72 | | P | C | C | B+ | C | B | A | A |
| 317126510121 | 8.04 | 8.48 | A | B+ | A | A | B+ | O | A+ | A+ |
| 317126510122 | | | F | C | B | C | C | F | B+ | A |
| 317126510123 | 8.12 | 8.73 | A | B+ | B+ | A | A | O | O | A+ |
| 317126510124 | 7.24 | 7.68 | B+ | B+ | B+ | B | B+ | A | A+ | A+ |
| 317126510125 | 8.60 | 8.92 | A | A+ | A | A | A+ | O | A+ | A+ |
| 317126510126 | 5.20 | 6.29 | C | P | P | P | C | B+ | B+ | A+ |
| 317126510127 | 8.16 | 9.07 | A | A | B+ | B+ | A+ | O | A+ | A+ |
| 317126510128 | | | P | P | P | P | F | F | F(Ab) | A |
| 317126510129 | 8.28 | 8.71 | A | B+ | A | A | A | O | O | A+ |
| 317126510130 | 7.72 | 8.00 | B+ | B+ | A+ | B+ | B+ | A | A+ | A+ |
| 317126510131 | 8.28 | 8.71 | A | A+ | B+ | A | A | A+ | A+ | O |
| 317126510132 | 7.68 | 8.54 | A | A | B+ | C | A | A+ | A+ | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 19 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510133 | 8.04 | 8.18 | A | B+ | A | B+ | A+ | A+ | A | A+ |
| 317126510134 | 7.56 | 7.80 | B+ | B+ | A | C | A+ | A+ | A | A+ |
| 317126510135 | 8.32 | 8.80 | A | A | B+ | A | A+ | A+ | A+ | O |
| 317126510136 | | | F(Ab | P | P | P | C | B+ | A | B+ |
| 317126510137 | 8.16 | 8.03 | A | A | B+ | B+ | O | A | A+ | A+ |
| 317126510138 | | | P | F | F(Ab | P | F | A | A | A |
| 317126510139 | 8.56 | 8.90 | A | A | A | A | A+ | O | O | A+ |
| 317126510140 | 8.32 | 9.05 | B+ | A | A | A | A | O | O | O |
| 317126510141 | | | F | F | F | F(Ab | F | B+ | B+ | B+ |
| 317126510142 | 5.96 | | B | C | C | C | B+ | B+ | B | A |
| 317126510143 | 6.80 | 7.80 | C | A | B | B | B+ | A | A+ | A |
| 317126510144 | 8.08 | 8.36 | B+ | A | A+ | B+ | A | A+ | A+ | A+ |
| 317126510145 | 7.80 | 7.89 | B+ | B+ | B+ | B+ | A+ | A+ | A+ | A+ |
| 317126510146 | 5.80 | 7.17 | C | C | C | C | C | A | A | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 20 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510147 | | | P | F(Ab) | F | F | F(Ab) | B+ | B+ | B+ |
| 317126510148 | 7.56 | 7.91 | B | B+ | A | B+ | A | A+ | A+ | A |
| 317126510149 | 7.16 | 7.49 | B+ | B+ | B+ | C | B+ | A+ | A+ | A+ |
| 317126510150 | 8.20 | 8.63 | A | B+ | A | A | A | O | A+ | A+ |
| 317126510151 | 7.68 | 7.61 | A | A | B | B+ | A | A | A+ | A+ |
| 317126510152 | 8.44 | 8.26 | A | A+ | A | A | A | O | A+ | A+ |
| 317126510153 | 5.72 | 6.46 | B | C | P | C | B | B+ | B+ | A |
| 317126510154 | 4.88 | | P | P | P | P | C | B+ | B+ | B+ |
| 317126510156 | 8.16 | 8.97 | A | A | A | B+ | A | O | A+ | A+ |
| 317126510157 | 7.56 | 7.92 | A | B+ | B+ | C | A | O | A+ | A+ |
| 317126510158 | 7.40 | 8.22 | B | B+ | B+ | B+ | A | A+ | A+ | A |
| 317126510159 | 5.72 | | C | C | P | C | C | A | A+ | A+ |
| 317126510160 | 7.28 | 7.84 | A | A | B+ | B | B | A | A | A+ |
| 317126510161 | | | C | P | C | C | C | B+ | F | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 21 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510162 | | | C | F | C | P | C | A | A+ | A+ |
| 317126510163 | | | F | F | F | F | F | B+ | A+ | A |
| 317126510164 | | | F | F | F | F | F | F(Ab) | F(Ab) | F(Ab) |
| 317126510165 | 8.04 | 8.66 | A | B+ | B+ | A | A | O | A+ | A+ |
| 317126510166 | 7.48 | 7.71 | A | B+ | B | B+ | B+ | A+ | A+ | A+ |
| 317126510167 | | | B+ | B+ | C | C | B+ | A+ | F | A |
| 317126510168 | 8.52 | 8.58 | A+ | A+ | A | B+ | A+ | A+ | A+ | A+ |
| 317126510169 | 8.08 | 8.26 | B+ | A | A | A | A | A+ | A+ | A+ |
| 317126510170 | 8.56 | 8.97 | A | A | A | A | A+ | O | O | A+ |
| 317126510171 | 7.84 | 7.51 | B+ | A | B+ | B+ | A | O | A+ | A+ |
| 317126510172 | 7.68 | 7.49 | A | A | B+ | B | A | A+ | A | A+ |
| 317126510174 | 7.96 | 8.42 | A | A+ | B+ | B+ | A | A | A+ | A+ |
| 317126510175 | 8.16 | 8.08 | A | A | A | B+ | A | O | A+ | A+ |
| 317126510176 | 8.96 | 9.38 | A+ | A | A+ | A+ | A+ | A+ | A+ | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 22 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|---------------------|---------------------|-------------------|-----------------------|------------------|-------------------------|-----------------------|--------------|
| | | | DATA COMMUNICATIONS | MICROPROCESSORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESSOR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126510177 | 7.56 | 8.12 | B+ | B+ | B+ | B+ | A | A+ | A | A+ |
| 317126510178 | 8.00 | 8.50 | A | A | B+ | A | A | A+ | A+ | A |
| 317126510179 | 8.44 | 8.98 | A | A+ | A+ | B+ | A | O | A+ | A+ |
| 317126510180 | 8.40 | 8.80 | A+ | A | A | A | A | A+ | A+ | A+ |
| 318126510L01 | | | P | B | P | C | P | F | A | B+ |
| 318126510L02 | 8.20 | 8.06 | B+ | A+ | A | A | A | A | O | A+ |
| 318126510L03 | 6.84 | 6.61 | B | B+ | B+ | B+ | B | B+ | A | A |
| 318126510L04 | | | P | B | B | C | B+ | A | F | B+ |
| 318126510L05 | 7.64 | 7.67 | B+ | B+ | B+ | B+ | A | A+ | A+ | A+ |
| 318126510L06 | 5.48 | | C | C | C | P | P | B+ | A+ | A+ |
| 318126510L07 | 5.16 | 5.22 | C | C | P | P | C | B | B+ | A |
| 318126510L09 | 6.84 | 6.86 | B+ | B+ | B | C | B+ | A | A | A+ |
| 318126510L10 | 6.24 | 6.55 | B | B | B+ | C | P | A | A+ | A |
| 318126510L11 | | | P | F | C | F(Ab) | F | C | A | B+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 23 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | | | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--------------|------|------|----------------------------|--------------------------------|------------------------------|----------------------------------|-----------------------------|------------------------------------|----------------------------------|---------------------|
| | | | DATA COMMUNICATI ONS | MICROP ROCESS ORS AND | OPERAT ING SYSTEM S | COMPU TER ORGANI ZATION | FORMA L LANGU AGES | MICROP ROCESS OR & INTERF | OPERAT ING SYSTEM S LAB | HARDW ARE LAB |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126510L12 | 7.92 | 7.84 | B+ | A | A | B+ | A | A+ | A+ | A+ |
| 318126510L13 | 7.76 | 7.57 | B+ | A | A+ | B+ | B+ | B+ | A+ | A+ |
| 318126510L14 | 6.44 | 5.94 | B | B+ | B | B+ | C | B | A | A |
| 318126510L16 | 6.72 | 6.80 | B | P | B+ | B+ | B+ | B+ | A+ | A |
| 318126510L17 | 6.68 | 6.59 | B | C | B | B+ | B+ | B+ | A+ | A |
| 318126510L18 | 7.60 | 7.22 | B+ | B | A | A | B+ | B+ | A+ | O |
| 318126510L19 | | | F | F | F | F | F | B+ | B+ | B+ |
| 318126510L20 | 5.40 | 6.29 | P | C | C | C | P | A | A | A |
| 318126510L21 | | | P | P | B | C | P | F | A | A |
| 318126510L22 | | | B+ | B+ | A | A | B | F | A+ | B+ |
| 318126510L23 | 6.68 | 6.47 | B | B+ | B+ | B+ | C | B+ | A | A |
| 318126510L24 | 6.84 | 6.69 | C | B+ | B | A | B+ | B+ | A | A |
| 318126510L25 | 8.28 | 8.39 | A | A+ | A | B+ | A | O | A+ | A+ |
| 318126510L26 | 8.00 | 8.22 | A | A | B+ | B+ | A+ | A+ | A+ | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 24 of 87

Branch: COMPUTER SCIENCE & ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | DC | MP&I | OS | CO | FLAT | MP&I L | OS LA | HW LA |
|--|----------------------------|----------------------------|----------------------|--------------------------|---------------------|--------------------------------|--------------------------|-----------------|
| | DATA COMMUNICATI ONS | MICROPROCESS ORS AND | OPERATING SYSTEMS | COMPUTER ORGANIZATION | FORMAL LANGUAGES | MICROPROCESS OR & INTERF | OPERATING SYSTEMS LAB | HARDWARE LAB |
| | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| | C | P | P | P | F | B+ | F(Ab | A |
| | B | C | C | C | F | A | B+ | A+ |
| | A | A | A | B+ | A | O | A+ | A+ |
| | C | B | P | P | F | A | B+ | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 25 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|-------|-------|-------|-------|-------|-------|
| 315126514173 | | | F | F | F | F(Ab) | F | F(Ab) | F(Ab) | F(Ab) |
| 316126514119 | | | F | F | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) |
| 317126514001 | 5.82 | | B+ | P | P | B | P | B+ | B+ | A+ |
| 317126514002 | 7.50 | 7.71 | A+ | B | B | A | B+ | B+ | A+ | A+ |
| 317126514003 | | | P | P | P | C | P | C | F | B |
| 317126514004 | | | F | F | F | F | F | F | F | B+ |
| 317126514005 | 7.64 | 8.08 | A | B+ | B | A | B+ | A | A+ | A+ |
| 317126514006 | 7.27 | 7.63 | B+ | B | B+ | A | B+ | B+ | A | A+ |
| 317126514007 | 6.14 | 6.67 | B | C | B | B | B | B | A | B+ |
| 317126514008 | 7.32 | 7.85 | A | B+ | B+ | B+ | B | A | A | A |
| 317126514009 | 6.68 | 6.93 | A | B | C | A | C | B+ | B+ | A |
| 317126514010 | | | B | P | P | P | F | P | B | B+ |
| 317126514011 | | | C | P | C | P | F | B | A | B+ |
| 317126514012 | | | C | F | P | P | F | F | A | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 26 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| | | | | | | | | | | |
| 317126514013 | | | B+ | C | B | B | F | C | B+ | A |
| 317126514014 | 6.27 | 7.20 | B+ | C | B | B+ | C | B | B+ | A |
| 317126514015 | 6.41 | 6.84 | B+ | C | P | A | P | B+ | A+ | A+ |
| 317126514016 | | | C | P | F | F | F | F | A | A |
| 317126514017 | 7.00 | 7.11 | B | B+ | B | B+ | B+ | B+ | A | A+ |
| 317126514018 | 5.23 | 5.71 | B | P | P | C | P | B | B+ | B+ |
| 317126514019 | 7.23 | 7.47 | A | B+ | B | A | B+ | B+ | B+ | A |
| 317126514020 | 9.18 | 8.84 | O | A+ | A+ | A+ | A+ | A | O | O |
| 317126514021 | | | A | C | F | B+ | B+ | F | A+ | A |
| 317126514022 | | | F | F | F | F | F | F | B | B+ |
| 317126514023 | 6.23 | 7.40 | B | C | P | B+ | B+ | B | A | A |
| 317126514024 | 7.27 | 7.60 | A | B+ | B | B+ | B+ | B+ | A | A+ |
| 317126514025 | | | B+ | C | P | C | F | C | B+ | A+ |
| 317126514026 | 7.86 | 7.60 | A+ | B+ | B | A | B+ | A | A+ | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 27 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126514027 | 6.68 | 7.22 | B | B | C | B+ | B | B+ | A+ | A+ |
| 317126514028 | 6.91 | 7.62 | A | B | B+ | B+ | B | B | A+ | B+ |
| 317126514029 | | | P | F | F | F | F | F | C | B+ |
| 317126514030 | 7.00 | 7.43 | A | C | C | A | B+ | B+ | A | A+ |
| 317126514031 | 7.77 | 8.10 | B+ | A | B+ | A | A | B+ | A+ | A+ |
| 317126514032 | 5.95 | 6.51 | B+ | C | C | B | C | C | B+ | A+ |
| 317126514033 | 6.18 | 6.74 | C | C | C | B | B | B+ | A | A+ |
| 317126514034 | | | F | F | F | F | F | F | F | B+ |
| 317126514035 | | | P | F | P | C | P | C | B | A+ |
| 317126514036 | 8.82 | 8.91 | A+ | A+ | A | A+ | A+ | A | A+ | O |
| 317126514037 | 7.77 | 8.11 | A | B | B+ | A | A+ | B+ | A+ | A+ |
| 317126514038 | | | F | F | F | F | F | C | C | B+ |
| 317126514039 | | | F | F | F | P | F | P | C | B+ |
| 317126514040 | 6.82 | 7.22 | B+ | B | C | A | B | B | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 28 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126514041 | 5.45 | 6.11 | B | P | C | C | P | B | B+ | A |
| 317126514042 | 7.45 | 8.33 | B+ | B+ | A | B+ | B | B+ | A+ | O |
| 317126514043 | | | C | F | P | P | P | B | A+ | A |
| 317126514044 | | | F(Ab | F | F | F(Ab | F | F | F | B+ |
| 317126514045 | | | C | F | P | B | P | B | A | A |
| 317126514046 | 8.00 | 8.02 | A | B+ | B+ | A+ | B+ | A | O | A+ |
| 317126514047 | 5.59 | | B+ | P | P | P | B | B | B+ | A |
| 317126514048 | 7.50 | 8.06 | B+ | B+ | B+ | A | A | B | A+ | A+ |
| 317126514049 | 6.95 | 6.99 | B+ | B+ | P | B+ | B+ | B+ | A+ | A+ |
| 317126514050 | | | B+ | C | P | B+ | F(Ab | B+ | A | A+ |
| 317126514051 | 6.77 | 7.18 | B | B+ | B | B+ | B+ | B | B+ | A+ |
| 317126514052 | 7.91 | 8.08 | A | A | B+ | B+ | A | A | A+ | A+ |
| 317126514053 | 7.64 | 7.94 | B+ | A | B | A | A | B+ | A+ | A+ |
| 317126514055 | | | P | F | F | C | F | F | C | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 29 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126514056 | 6.36 | 6.70 | B | B+ | C | B | C | B+ | A | A |
| 317126514057 | 7.23 | 7.78 | B+ | B+ | B | B+ | B+ | B+ | A+ | A+ |
| 317126514058 | 8.32 | 8.71 | A | A+ | A | A+ | A | B+ | A+ | A+ |
| 317126514059 | 7.77 | 8.41 | A | A | C | B+ | A+ | A | A+ | A+ |
| 317126514060 | | | P | P | F | P | F | F | B+ | A |
| 317126514061 | | | C | P | P | F | C | F | F | C |
| 317126514062 | | | B | P | P | P | P | P | F | B+ |
| 317126514063 | | | A | P | F | F | C | F | A | A |
| 317126514064 | 7.05 | 7.37 | B+ | B+ | C | B+ | A+ | B | A+ | B+ |
| 317126514065 | | | A | P | P | F | B | P | B | B+ |
| 317126514066 | 5.95 | 6.98 | B+ | B | C | P | B | C | A | A |
| 317126514067 | | | B+ | C | C | F | B | C | A | A |
| 317126514068 | | | P | F | F | F | F | F | F(Ab) | F(Ab) |
| 317126514069 | 6.27 | 7.54 | B+ | P | B | C | A | P | A | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 30 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| | | | | | | | | | | |
| 317126514070 | | | B | F | F(Ab) | F | F | F | B | F(Ab) |
| 317126514071 | | | C | P | P | F | P | P | F | A |
| 317126514072 | 7.00 | 6.97 | B+ | C | B+ | B+ | B+ | C | O | O |
| 317126514073 | 5.64 | 6.99 | B+ | C | C | C | B | P | B | A |
| 317126514074 | 8.36 | 8.21 | A+ | A | A+ | A | A+ | B+ | A | A+ |
| 317126514075 | | | A | B+ | F(Ab) | B+ | F(Ab) | F(Ab) | A | A |
| 317126514076 | 6.95 | 7.87 | A+ | C | B+ | B | B+ | C | A | O |
| 317126514077 | | | C | F | F | F | F(Ab) | F | F | B+ |
| 317126514078 | | | F(Ab) | F(Ab) | F | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F |
| 317126514079 | 8.00 | 8.44 | A+ | B+ | A+ | A | A+ | B | A | A |
| 317126514080 | 8.59 | 8.68 | A+ | B+ | A+ | A | A+ | A+ | A | O |
| 317126514081 | 6.23 | 6.61 | B+ | C | B+ | B | C | C | A | A |
| 317126514082 | 7.73 | 8.22 | B+ | B+ | A+ | B | A | B+ | A+ | O |
| 317126514084 | | | B+ | F | B+ | P | B+ | P | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 31 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126514085 | 8.23 | 7.91 | A+ | B+ | O | A | A | B+ | B+ | O |
| 317126514086 | | | F | F | F(Ab) | F | F | F(Ab) | F(Ab) | F(Ab) |
| 317126514087 | 6.09 | 7.02 | B+ | B | B | C | B | P | B+ | A+ |
| 317126514088 | 5.41 | 6.69 | B+ | P | B | P | P | P | A | A |
| 317126514089 | | | C | B+ | B | P | P | B | F | A |
| 317126514090 | | | F | F | F | F | F | F | F | F |
| 317126514091 | | | B | C | P | C | P | P | F | A |
| 317126514092 | | | F | F | F | F | F | F | F(Ab) | F(Ab) |
| 317126514093 | | | C | F | P | P | C | P | F | A |
| 317126514094 | | | F | F(Ab) | F | F | F | F | F | F(Ab) |
| 317126514095 | 7.41 | 7.26 | A | B+ | B+ | B+ | A | B | A | A+ |
| 317126514096 | 5.91 | 6.60 | B+ | P | B | P | B+ | P | A | A+ |
| 317126514097 | | | B | F | C | F | P | P | B+ | A |
| 317126514098 | 7.73 | 8.21 | A | B+ | B+ | B+ | A | B+ | A+ | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 32 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|---|-------|----|----|-------|-------|----|
| 317126514099 | | | P | P | F | F | P | P | B+ | A |
| 317126514100 | | | C | C | F(Ab) | P | B | F(Ab) | B+ | A+ |
| 317126514101 | 6.50 | 6.48 | A | B | B | C | A | P | A | A |
| 317126514102 | 7.09 | 7.48 | A+ | B | B+ | B+ | B+ | B | B | A+ |
| 317126514103 | 9.50 | 9.75 | O | O | O | O | A+ | A | A+ | O |
| 317126514104 | 6.14 | 7.08 | B+ | C | B+ | P | C | B+ | B | A+ |
| 317126514105 | | | B+ | F | B | P | P | P | A | A |
| 317126514106 | 6.05 | 6.64 | B+ | P | B+ | P | B | C | A | A+ |
| 317126514107 | | | B | F | F | F | C | P | F(Ab) | A |
| 317126514108 | | | C | C | B | F | B | C | F | A |
| 317126514109 | 8.73 | 8.68 | A+ | A | O | A+ | A+ | B+ | A+ | A+ |
| 317126514110 | 5.18 | 5.80 | B | P | C | C | P | P | B+ | A |
| 317126514111 | 6.32 | 6.85 | A | C | B | P | B | B | A | A+ |
| 317126514112 | | | C | P | P | P | F | F | B | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 33 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126514114 | 6.14 | | B | C | A | C | B+ | P | B+ | A |
| 317126514115 | 7.18 | 7.47 | A | B | A | B | A | B | A | A |
| 317126514116 | | | C | P | F | P | F | F | B | A+ |
| 317126514117 | | | P | F | P | F | F | F | F(Ab) | F |
| 317126514118 | 7.59 | 7.66 | A | B+ | A | B+ | A+ | B | B+ | A+ |
| 317126514119 | | | P | P | C | F | F | F | C | A |
| 317126514120 | 6.00 | | B+ | B | B+ | C | P | C | B | A+ |
| 317126514121 | 7.32 | 6.86 | A | A | A | A | C | B | B+ | A+ |
| 317126514122 | 6.95 | 7.55 | A | C | B+ | B+ | B+ | C | A+ | A+ |
| 317126514123 | 7.23 | 7.94 | A+ | C | B | A | A+ | B | B+ | A |
| 317126514124 | 5.95 | 7.30 | C | C | B+ | C | B+ | P | B+ | A+ |
| 317126514125 | | | B+ | C | B | P | F | P | B+ | B |
| 317126514126 | 7.00 | 7.41 | A | B | B+ | B | A | C | A | A+ |
| 317126514127 | 7.27 | 7.18 | A | B+ | A | A | B+ | B | B | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 34 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|-------|-------|----|----|----|
| 317126514128 | 5.23 | 6.08 | B | P | C | P | B | P | B+ | B+ |
| 317126514129 | 8.64 | 8.94 | A+ | B+ | A+ | A+ | A+ | B+ | O | O |
| 317126514130 | 7.55 | 7.23 | A | B+ | B+ | A | B+ | B+ | A | A+ |
| 317126514131 | 7.55 | 7.53 | A | B+ | B+ | B+ | A | B+ | A | A+ |
| 317126514132 | 8.73 | 8.22 | O | A | A | A+ | A+ | A | A+ | A+ |
| 317126514133 | | | F | F | F | F(Ab) | F(Ab) | F | C | C |
| 317126514134 | 6.64 | 6.72 | A | P | B+ | B | B | C | A+ | O |
| 317126514135 | 8.82 | 9.05 | A+ | A+ | A+ | A+ | A+ | B+ | A+ | O |
| 317126514136 | | | P | F | F | F | F | F | B+ | A |
| 317126514137 | 8.64 | 8.78 | A | A | A+ | A+ | A+ | B+ | O | O |
| 317126514138 | 8.09 | 8.68 | A+ | A | A | A | A+ | B | A | A+ |
| 317126514139 | 7.23 | 7.57 | B+ | B+ | B+ | A | B | B | A+ | A+ |
| 317126514140 | | | B+ | C | C | P | C | F | B+ | B |
| 317126514141 | 7.00 | 7.47 | B+ | C | A | B+ | B+ | B | A | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 35 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126514142 | 9.32 | 9.18 | O | A+ | A | O | O | A | O | O |
| 317126514144 | 5.27 | | B | P | C | P | C | P | A | A |
| 317126514145 | 8.32 | 8.36 | A+ | B+ | A | A+ | A+ | B+ | A+ | A+ |
| 317126514146 | 5.91 | 5.87 | A | C | P | B | B+ | P | B | A |
| 317126514147 | 5.45 | 6.23 | C | P | B | B | B+ | P | B | B |
| 317126514148 | 8.23 | 8.51 | A | A | A | B+ | A+ | B+ | O | O |
| 317126514149 | 9.09 | 9.28 | A+ | A+ | A+ | A+ | O | A | O | A+ |
| 317126514151 | 7.27 | 8.11 | A+ | B | B+ | B+ | B+ | B | A | A+ |
| 317126514152 | 8.50 | 8.82 | A+ | B+ | A+ | A | A+ | B+ | O | O |
| 317126514153 | 6.77 | 7.06 | B | B+ | B+ | B+ | B | B | B+ | A+ |
| 317126514154 | 8.09 | 8.63 | A | B+ | A | A | A | B+ | O | O |
| 317126514155 | 6.23 | 6.07 | B+ | B | B | B+ | C | P | A | A |
| 317126514156 | 7.95 | 8.15 | A | B+ | A | A | A | B | O | O |
| 317126514157 | | | P | F | C | P | F | P | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 36 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|-------|----|----|
| 317126514158 | 6.23 | 7.36 | C | P | A | B | B+ | C | A | A |
| 317126514159 | 8.09 | 8.07 | A+ | A | A | A+ | A | B | A | A+ |
| 317126514160 | | | F | F | F | F | F | F(Ab) | F | B+ |
| 317126514161 | 6.77 | 7.00 | B+ | A | B+ | B | C | B | B+ | A+ |
| 317126514162 | 5.18 | 6.44 | B | P | B | P | P | P | B+ | A |
| 317126514163 | 7.41 | 7.54 | A+ | B+ | B+ | B+ | B+ | B | A | A+ |
| 317126514164 | 6.73 | 7.82 | B+ | P | A | B+ | B+ | C | A+ | A |
| 317126514165 | 8.55 | 8.16 | A | A+ | A | A+ | A+ | B+ | O | A+ |
| 317126514166 | 5.32 | | C | P | C | C | C | C | B+ | A |
| 317126514167 | 8.00 | 7.79 | A | A | A | B+ | A+ | B | A+ | O |
| 317126514168 | 7.59 | 7.86 | A+ | B | A | A | A | P | A+ | O |
| 317126514169 | 8.64 | 8.37 | A+ | A | A | A+ | A+ | B+ | O | O |
| 317126514170 | 6.18 | 7.09 | C | B | B+ | B+ | C | P | A+ | A |
| 317126514171 | | | P | P | P | P | F | P | B+ | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 37 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| | | | | | | | | | | |
| 317126514172 | 8.41 | 8.72 | A+ | A | A | A | A+ | B+ | A+ | O |
| 318126514L01 | 5.45 | 5.73 | P | C | C | B | P | B | A | B+ |
| 318126514L02 | 8.14 | 8.07 | B+ | B+ | A | A | A+ | A | A+ | O |
| 318126514L03 | 6.68 | | P | C | B+ | B+ | B+ | B+ | A | O |
| 318126514L04 | 7.73 | 7.64 | B+ | A | B+ | A | B | A | A+ | O |
| 318126514L05 | 8.09 | 8.07 | A | B+ | A | A | A | B+ | O | O |
| 318126514L06 | 8.91 | 8.45 | A+ | A | A+ | A | A+ | A+ | O | O |
| 318126514L07 | | | F | F | P | P | F | P | B+ | A |
| 318126514L08 | 5.50 | | P | P | C | B | P | B | A | A+ |
| 318126514L09 | | | P | F | B | B | F | B+ | A+ | A |
| 318126514L10 | 8.55 | 8.55 | A | A | A+ | A | A | A+ | A+ | O |
| 318126514L11 | | | F | F | P | F | F | F | A | A+ |
| 318126514L12 | 7.77 | 7.52 | B+ | A | B+ | A | B+ | A | A | O |
| 318126514L13 | 8.14 | 7.77 | B+ | A | A+ | A | A | B+ | A+ | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 38 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 318126514L14 | 9.32 | 9.07 | A+ | O | O | A+ | A+ | A | O | O |
| 318126514L15 | 8.55 | 8.30 | A | A+ | O | A | B+ | A | A+ | O |
| 318126514L16 | 8.82 | 8.14 | A | A+ | O | A | A+ | A | A+ | O |
| 318126514L17 | 8.82 | 8.18 | A+ | A | A+ | A+ | A+ | A | A+ | O |
| 318126514L18 | 8.41 | 8.07 | A | A | A+ | A | A | A | A+ | O |
| 318126514L19 | 7.95 | 7.45 | A | A | A+ | A | B | A | A | A+ |
| 318126514L20 | 8.05 | 7.18 | B+ | A | A+ | A | B+ | A | A+ | A+ |
| 318126514L21 | 6.45 | | B | B+ | A | P | P | B+ | A | A+ |
| 318126514L22 | 7.45 | 6.91 | B | B | A+ | A | B | B+ | A+ | O |
| 318126514L23 | 7.36 | 7.09 | B+ | A | A | B+ | P | A | A+ | A+ |
| 318126514L24 | 8.68 | 8.43 | A+ | A | A+ | A+ | A | A | A+ | O |
| 318126514L26 | 9.18 | 9.07 | A+ | A+ | O | A+ | A+ | A | O | O |
| 318126514L29 | 6.45 | 6.52 | B+ | P | A+ | C | B | C | A | A+ |
| 318126514L30 | 7.64 | 7.70 | A | A | A+ | C | B+ | B+ | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 39 of 87

Branch: ELECTRICAL & ELECTRONICS ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | EM | PEM-I | AEC | S&S | MP&M | EM LA | AEC L |
|--------------|------|------|--------------------------|------------------------|-----------------------|-------------------|-------------------|---------------------|------------------------|-------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRICAL MEASUREMENT | PERFORMANCE OF ELECTR | ANALOG ELECTRONIC | SIGNALS & SYSTEMS | MICROPROCESSORS AND | ELECTRICAL MEASUREMENT | ANALOG ELECTRONIC |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126514L31 | 7.09 | 6.55 | A | B+ | A+ | B | C | C | O | A |
| 318126514L32 | 7.14 | 6.95 | A | B | A | B+ | B+ | C | A | A+ |
| 318126514L33 | 5.77 | | B | P | B+ | B | C | C | B | A |
| 318126514L34 | 8.27 | 7.98 | A | A | A | B+ | A+ | A | O | A+ |
| 318126514L35 | 8.91 | 8.39 | A+ | B+ | O | A+ | A+ | A | O | O |
| 318126514L37 | 6.68 | 6.11 | P | B+ | A | B+ | B+ | B | A+ | B |
| 318126514L38 | 8.05 | 7.91 | A | B+ | A+ | B+ | A+ | B+ | A+ | A+ |
| 318126514L39 | 8.18 | 7.84 | A | A | A+ | A | A | B+ | A+ | A+ |
| 318126514L40 | 8.64 | 8.20 | B+ | A+ | A+ | A | A+ | A | O | O |
| 318126514L41 | 8.00 | 7.80 | A | A | A+ | A | A | B+ | B+ | A+ |
| 318126514L42 | 6.14 | 5.73 | C | P | A+ | C | B | P | A+ | A+ |
| 318126514L43 | 5.91 | 6.02 | P | P | A | C | B | C | A | A+ |
| 318126514L44 | 5.36 | | C | P | B+ | P | P | P | A | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 40 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 316126512101 | | | P | F | F | F | F | F | C | C |
| 316126512160 | | | P | F | F | F | F | F | F | C |
| 317126512001 | 8.95 | 8.91 | A+ | A+ | O | A+ | A | A | A+ | O |
| 317126512002 | 8.55 | 8.99 | A+ | A | A | A+ | B+ | A+ | A+ | O |
| 317126512003 | | | B+ | B+ | C | F | C | B | A | B |
| 317126512004 | 7.95 | 7.86 | A | A | A | A | A | B+ | A+ | A |
| 317126512005 | 9.23 | 9.25 | O | O | A+ | A | A+ | A+ | O | A+ |
| 317126512006 | 7.86 | 8.07 | A+ | A+ | B | B+ | A | A | A+ | B+ |
| 317126512007 | 8.77 | 9.11 | O | A+ | A+ | A+ | B+ | A+ | A+ | A |
| 317126512008 | 7.09 | 7.88 | A | B+ | B+ | B+ | B+ | B | A | B+ |
| 317126512009 | 7.41 | 7.66 | A+ | B+ | B+ | B+ | B+ | A | A | B |
| 317126512010 | 6.73 | 7.34 | A+ | B | B+ | C | B | B+ | A | B |
| 317126512011 | | | C | P | P | C | P | F | F | F |
| 317126512012 | 7.14 | 6.89 | A+ | A | B+ | B | B+ | B | A | B |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 41 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|--------------|------|------|--------------------------|-------------------------|---------------------|----------------------|-----------------------|-----------------|-------------------------|-----------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| | | | | | | | | | | |
| 317126512013 | | | F | P | F | F | F | F | B+ | F |
| 317126512014 | 7.09 | 6.90 | A+ | B | B+ | B+ | B+ | B | A | B+ |
| 317126512015 | 6.64 | 6.83 | B+ | A | B | B | C | B | A+ | B+ |
| 317126512016 | 8.50 | 8.92 | O | A+ | A | A | B+ | A+ | A+ | A |
| 317126512017 | 7.68 | 8.11 | A+ | A | B+ | B+ | B | A | A+ | A |
| 317126512018 | 8.50 | 8.36 | A+ | A | A | A+ | A+ | A | A+ | A |
| 317126512019 | 8.86 | 9.32 | O | A+ | O | A | B+ | A+ | O | A |
| 317126512020 | 5.36 | | B | C | C | C | C | P | B+ | B+ |
| 317126512021 | 7.95 | 8.09 | A+ | A+ | A | A | B | B+ | A+ | A |
| 317126512022 | | | B+ | B | C | P | C | C | A | F |
| 317126512023 | 6.82 | 7.84 | B+ | B+ | C | B+ | B | A | A+ | B |
| 317126512024 | | | B+ | C | P | P | C | B+ | B+ | F |
| 317126512025 | | | B+ | P | P | C | F | P | A | F |
| 317126512026 | 6.86 | 7.13 | A+ | B | B | B | P | A | A+ | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 42 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126512027 | | | A+ | B+ | A | B | B | B | A+ | F |
| 317126512028 | | | P | F | F | F | F | F | B+ | F |
| 317126512029 | | | A+ | B+ | B+ | C | F | B | A+ | B+ |
| 317126512030 | 7.55 | 8.25 | A+ | A | B+ | B+ | C | A | A+ | A |
| 317126512032 | 8.82 | 9.15 | O | A+ | A+ | A+ | A | A+ | A+ | B+ |
| 317126512033 | 8.45 | 8.44 | A+ | A+ | A | A+ | B+ | A | A+ | A+ |
| 317126512034 | 8.45 | 8.76 | O | A+ | A | B | A | A+ | A+ | A+ |
| 317126512035 | | | A+ | C | B+ | B | B+ | A | A | F |
| 317126512036 | 8.05 | 8.56 | O | A | B+ | B | A | A | A+ | A+ |
| 317126512037 | 6.73 | 7.49 | A | B+ | B+ | C | B | C | A+ | A |
| 317126512038 | 4.68 | 5.89 | C | P | P | P | P | P | B+ | B+ |
| 317126512039 | 8.05 | 8.15 | A+ | A+ | A | B+ | A | A | A+ | B |
| 317126512040 | 9.09 | 8.97 | A+ | O | A+ | A+ | A+ | O | A | A |
| 317126512041 | 7.59 | 8.18 | O | B+ | B+ | B+ | B+ | B+ | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 43 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|--------------|------|------|--------------------------|-------------------------|---------------------|----------------------|-----------------------|-----------------|-------------------------|-----------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512042 | | | A | C | P | F | C | B | A | F |
| 317126512043 | 6.09 | 6.34 | A | C | B+ | C | P | C | A | A |
| 317126512044 | | | B+ | C | P | F | C | C | A | A+ |
| 317126512045 | 6.73 | 6.90 | A+ | B+ | B+ | B | B+ | P | B+ | B+ |
| 317126512046 | 8.59 | 8.67 | A+ | O | A | A+ | A | B+ | A+ | A+ |
| 317126512047 | 8.73 | 8.48 | A+ | A+ | A | A+ | A | A+ | A+ | A+ |
| 317126512048 | 7.91 | 7.51 | A+ | A | A | A | A | C | A+ | A+ |
| 317126512049 | 6.50 | 7.22 | A | C | A | P | C | B+ | A | A |
| 317126512050 | 6.09 | 6.90 | B+ | B+ | P | B | C | C | A+ | B+ |
| 317126512051 | | | C | F | F | F | F | F | B+ | F(Ab) |
| 317126512052 | 8.64 | 8.91 | A+ | O | A+ | A | A | A | A+ | A |
| 317126512053 | 9.23 | 9.23 | O | O | A+ | A+ | A | A+ | O | A+ |
| 317126512054 | | | B | P | F | P | P | P | A | C |
| 317126512055 | 6.77 | 7.27 | A | B+ | B | B | C | B+ | A+ | B+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 44 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512056 | 7.00 | 7.85 | A | B+ | B+ | C | B | B+ | A+ | A |
| 317126512057 | | | B+ | F | C | P | P | P | A | B+ |
| 317126512058 | 6.82 | 6.94 | A | A | B+ | B | B+ | P | A | B+ |
| 317126512060 | 7.82 | 8.20 | A+ | B+ | A | A | B+ | B+ | A+ | A |
| 317126512061 | 8.68 | 8.51 | A+ | A+ | A+ | A | A | A | O | A+ |
| 317126512062 | 7.27 | 6.74 | A+ | C | A | B+ | B | B+ | A+ | A |
| 317126512063 | 8.59 | 8.44 | O | A | A+ | A+ | A | B+ | O | A |
| 317126512064 | | | F | F | F | P | F | F | A | A |
| 317126512066 | 8.09 | 8.05 | O | B+ | A | B+ | A | A | A+ | A |
| 317126512067 | 7.36 | 7.51 | A+ | B | B+ | B+ | B | B+ | A+ | A+ |
| 317126512068 | | | B+ | C | B+ | A | F | P | A+ | A |
| 317126512069 | | | C | B | F | F | C | C | A | A |
| 317126512070 | 9.55 | 9.26 | O | A+ | O | O | O | A+ | O | A |
| 317126512071 | 9.18 | 8.93 | A+ | A+ | O | A+ | A | A+ | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 45 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512072 | 7.23 | 7.25 | A | B | B+ | B+ | B+ | B | A+ | A+ |
| 317126512073 | 9.45 | 9.33 | A+ | A+ | O | O | A+ | A+ | O | O |
| 317126512074 | 9.59 | 9.20 | O | A+ | A+ | A+ | O | O | O | O |
| 317126512075 | 8.68 | 8.72 | A+ | A | A+ | A+ | A | A | A+ | O |
| 317126512076 | 8.32 | 8.30 | O | B+ | A | A | A | A | A+ | A+ |
| 317126512077 | 8.23 | 8.50 | O | A+ | B+ | A | B+ | A | A+ | A |
| 317126512078 | 8.45 | 8.81 | A+ | A | A+ | A+ | A | B+ | A+ | A+ |
| 317126512079 | 8.73 | 8.78 | O | A | A+ | A+ | A | A | A+ | A+ |
| 317126512080 | | | C | F | C | F | B | P | A | B |
| 317126512081 | 8.68 | 8.91 | A+ | A | A | A+ | A | A+ | A+ | O |
| 317126512082 | 8.00 | 7.55 | A+ | A | A | B | A | B+ | O | A+ |
| 317126512083 | 8.32 | 8.88 | A+ | A+ | A+ | A | B+ | B+ | A+ | A+ |
| 317126512085 | 7.27 | 7.45 | A | B+ | B+ | A | B+ | C | A+ | A |
| 317126512086 | 8.59 | 8.69 | A+ | A | A+ | A+ | A | A | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 46 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|--------------|------|------|--------------------------|-------------------------|---------------------|----------------------|-----------------------|-----------------|-------------------------|-----------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512087 | 8.86 | 8.64 | O | A | A+ | A+ | A | A+ | A+ | A+ |
| 317126512088 | 7.09 | 7.16 | A | B+ | B | B | B | B+ | A+ | A+ |
| 317126512089 | 6.95 | | A | C | B+ | B | B+ | B | A+ | A+ |
| 317126512090 | 8.82 | 8.39 | O | A+ | A | A+ | A | A | O | A+ |
| 317126512091 | 7.23 | 7.55 | A+ | A | B | A | B+ | C | A | B+ |
| 317126512092 | 7.55 | 7.65 | A | B+ | B+ | B+ | B+ | A | A+ | A |
| 317126512093 | | | F | F | F | F | F | F | C | C |
| 317126512094 | 7.95 | 8.00 | A+ | B+ | B+ | A+ | B+ | A | A | A+ |
| 317126512095 | 6.91 | 7.15 | A | B+ | B+ | B+ | C | B | A | A |
| 317126512096 | 5.82 | | B+ | P | C | B | C | C | A | A |
| 317126512097 | | | C | F | B | F | C | F | A | A |
| 317126512098 | 7.68 | 8.22 | A | A | A | A | B+ | B | A+ | A |
| 317126512099 | 5.50 | | B+ | P | P | B+ | C | P | B+ | B+ |
| 317126512100 | 8.73 | 8.72 | A+ | A+ | A | O | B+ | A+ | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 47 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512101 | 9.45 | 9.16 | O | A+ | O | O | A+ | A | O | O |
| 317126512102 | 8.18 | 8.36 | A+ | B+ | A | A+ | B+ | A | A+ | A+ |
| 317126512103 | 8.77 | 8.60 | O | A | A+ | A+ | A | A+ | A+ | A |
| 317126512104 | 7.05 | 7.22 | A | B | B | A | B | B+ | A | A |
| 317126512106 | 8.82 | 8.72 | A+ | A+ | A | A+ | A | A+ | O | A+ |
| 317126512107 | 5.68 | 6.47 | B | P | C | C | C | B | B+ | A+ |
| 317126512108 | 8.73 | 8.40 | O | A | A | O | A | A | A+ | A+ |
| 317126512109 | 9.27 | 8.95 | O | A+ | A+ | O | A+ | A+ | A+ | A+ |
| 317126512110 | 9.86 | 9.67 | O | O | O | O | O | A+ | O | O |
| 317126512112 | 8.59 | 8.43 | A+ | A+ | A+ | A+ | B+ | A | A+ | A+ |
| 317126512113 | 7.91 | 7.95 | A+ | A | B+ | B+ | A | B+ | A+ | A+ |
| 317126512114 | 9.41 | 9.08 | O | A | O | O | O | A+ | A+ | A+ |
| 317126512115 | 8.55 | 8.49 | O | B+ | A+ | A | B+ | A+ | A+ | O |
| 317126512116 | 8.32 | 8.53 | A+ | B | A | O | A | A | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 48 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512117 | 8.73 | 8.47 | O | A | A | A+ | A | A+ | A+ | A+ |
| 317126512118 | 6.45 | 6.52 | B+ | C | C | B | B+ | B | A+ | A |
| 317126512119 | | | F | F | B | C | F | F | A+ | B+ |
| 317126512120 | 8.86 | 8.74 | O | A | A+ | O | B+ | A+ | A+ | A+ |
| 317126512121 | 8.45 | 8.64 | O | B+ | A | A+ | B+ | A+ | A+ | A+ |
| 317126512122 | | | A | P | B+ | A | F | A | A | B+ |
| 317126512123 | 9.77 | 9.28 | O | O | O | A+ | O | O | A+ | O |
| 317126512124 | | | B+ | C | B+ | F | P | F | B+ | B+ |
| 317126512125 | | | B+ | C | B+ | F | B | B+ | A | A+ |
| 317126512126 | | | B+ | C | B+ | B | F | B+ | A | A+ |
| 317126512127 | 7.50 | 7.48 | A | B+ | B+ | B | B+ | A | A+ | A+ |
| 317126512128 | 7.91 | 8.19 | A+ | B+ | A | B+ | B+ | A | A+ | A+ |
| 317126512129 | 6.82 | 6.80 | A | B+ | C | B+ | C | A | A | B+ |
| 317126512130 | 9.23 | 8.83 | O | A | A+ | A+ | A+ | O | O | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 49 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|--------------------------|-------------------------|---------------------|----------------------|-----------------------|-----------------|-------------------------|-----------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512131 | 9.45 | 9.49 | O | A+ | A+ | A+ | A+ | O | O | O |
| 317126512132 | 9.23 | 8.82 | O | A+ | A+ | A+ | A | O | O | A+ |
| 317126512133 | 9.86 | 9.73 | O | A+ | O | O | O | O | O | O |
| 317126512134 | 8.36 | 8.15 | O | B+ | A | A+ | B+ | A+ | A+ | A |
| 317126512135 | 8.50 | 8.56 | O | A | A+ | A | A | A | A+ | A |
| 317126512136 | 9.41 | 9.45 | O | A+ | O | O | A | O | A+ | A+ |
| 317126512137 | 6.86 | 7.20 | A | C | A | P | B+ | B+ | A+ | A |
| 317126512138 | 8.95 | 8.94 | O | A | A+ | A+ | A | A+ | O | A+ |
| 317126512139 | 7.23 | 7.10 | A | B | A | B | B+ | A | B+ | A |
| 317126512140 | 6.14 | 6.31 | B+ | P | B+ | C | C | B+ | B+ | A |
| 317126512141 | 7.41 | 7.14 | A | B+ | A | C | A | B+ | A+ | A |
| 317126512142 | 9.27 | 9.11 | A+ | A+ | O | A+ | A+ | O | A+ | A+ |
| 317126512143 | 7.68 | 7.67 | A+ | B+ | A | C | A | A | A | A+ |
| 317126512144 | 8.27 | 7.66 | A+ | A | A | B+ | A+ | A+ | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 50 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|--------------|------|------|--------------------------|-------------------------|---------------------|----------------------|-----------------------|-----------------|-------------------------|-----------------------|
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512145 | 8.86 | 8.85 | O | A+ | A+ | A+ | A | A | A+ | A+ |
| 317126512146 | 8.09 | 8.17 | A | A | A+ | B+ | B+ | A+ | A+ | A |
| 317126512147 | 9.14 | 9.00 | O | A+ | A+ | A+ | A | O | A+ | A+ |
| 317126512148 | 8.59 | 8.73 | A | A | A+ | A | A | O | A+ | A+ |
| 317126512149 | 9.64 | 9.10 | O | O | O | O | A+ | A+ | A+ | O |
| 317126512150 | 7.55 | 7.59 | A | B+ | A+ | B | B+ | B+ | A+ | A |
| 317126512151 | | | F | P | P | P | P | F | B | B+ |
| 317126512152 | 8.45 | 8.49 | O | B+ | A+ | A | B+ | A+ | A+ | A+ |
| 317126512153 | | | F | F | F | F | F | F | F | B |
| 317126512154 | 6.27 | 5.95 | A | B | C | C | C | B+ | B+ | A |
| 317126512155 | 9.05 | 9.22 | A+ | A | A+ | O | A | A+ | O | O |
| 317126512156 | | | B | F | P | F | F | F | A | B+ |
| 317126512157 | 8.36 | 8.59 | A+ | A+ | A+ | A | B | A+ | A+ | A |
| 317126512158 | 7.45 | 7.25 | A | A | A | B | B+ | B+ | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 51 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512159 | | | A | C | A | B+ | F | B+ | A | A |
| 317126512160 | 8.73 | 8.86 | O | A | A+ | A | A | A+ | A+ | A+ |
| 317126512161 | 6.23 | 6.65 | B+ | B+ | C | C | C | B | A | A |
| 317126512162 | 8.45 | 8.38 | A+ | B+ | A+ | A | A+ | A | A+ | A+ |
| 317126512163 | | | P | F | P | P | F | F | B+ | B+ |
| 317126512164 | | | A | P | B | F | B+ | B+ | B+ | A |
| 317126512165 | 7.82 | 7.40 | A | B+ | A | B+ | A | A | A+ | A |
| 317126512166 | 8.73 | 9.11 | A+ | A | O | A | A | A+ | A+ | A+ |
| 317126512167 | 8.95 | 8.75 | O | A+ | A+ | B+ | A+ | A+ | A+ | O |
| 317126512168 | 8.50 | 8.11 | O | A | A | B+ | A+ | A+ | A+ | A |
| 317126512169 | | | P | F | P | F | F | F | B+ | B+ |
| 317126512170 | 8.68 | 8.08 | A+ | A+ | A+ | A | A | A | A+ | O |
| 317126512171 | | | A | C | B+ | F | C | B | A | A+ |
| 317126512172 | 9.05 | 9.30 | A+ | A+ | A+ | B+ | A+ | O | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 52 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126512173 | 9.00 | 8.82 | O | A+ | A+ | A | A+ | A+ | A+ | A+ |
| 317126512174 | 7.95 | 7.41 | A+ | A | A | A | B | A | A+ | A |
| 317126512175 | 7.27 | 7.66 | A | A | B | B | B+ | B+ | A+ | A |
| 317126512176 | 7.82 | 8.36 | A+ | B+ | A | A | B | A | A | A+ |
| 317126512177 | 5.95 | 6.58 | B | C | C | C | B+ | C | A | A |
| 317126512178 | 8.64 | 8.94 | O | A | A+ | A | A | A+ | A+ | A |
| 317126512179 | 7.41 | 7.60 | A+ | C | A | B | B+ | A | A+ | A |
| 317126512180 | 8.45 | 8.61 | A+ | B+ | A+ | A | A | A+ | A+ | A+ |
| 318126512L01 | 8.23 | 8.13 | A+ | A+ | A | B | B+ | A | O | O |
| 318126512L02 | 6.86 | 6.76 | A | B+ | B+ | B | B | C | A+ | A |
| 318126512L03 | 7.73 | 7.62 | A+ | A | A | A | B | B+ | A+ | B+ |
| 318126512L04 | 8.45 | 8.11 | A+ | A+ | A | A | B+ | A+ | O | A |
| 318126512L05 | 6.64 | 6.60 | A | B+ | A | C | C | C | A+ | B+ |
| 318126512L06 | 7.36 | 6.80 | A+ | B+ | A+ | C | B | B | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 53 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|--------------------------|-------------------------|---------------------|----------------------|-----------------------|-----------------|-------------------------|-----------------------|
| ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 318126512L07 | 7.50 | 7.00 | A+ | A | A | P | B+ | B+ | A+ | A+ |
| 318126512L08 | 6.32 | 6.51 | B | A | B+ | P | P | B | A+ | A |
| 318126512L09 | 5.77 | | B+ | C | B | P | C | P | A+ | A |
| 318126512L10 | 8.23 | 8.00 | O | A+ | A+ | C | A | A | A+ | A |
| 318126512L11 | 6.91 | | A+ | B+ | A | P | B+ | C | A | A |
| 318126512L12 | 6.91 | 6.82 | B+ | A+ | A | C | C | B | A+ | B+ |
| 318126512L13 | 8.55 | 7.31 | O | A | A+ | B+ | A | A | O | A+ |
| 318126512L14 | 8.09 | 7.64 | A+ | A | A+ | B+ | A | B+ | A+ | A |
| 318126512L15 | 7.50 | 7.20 | A | B+ | A | C | A | B+ | A+ | A+ |
| 318126512L16 | 6.18 | 6.09 | B+ | C | B | C | B | C | A+ | A |
| 318126512L17 | 7.00 | 7.04 | A | C | A | B+ | C | B+ | A | A+ |
| 318126512L18 | 8.32 | 8.22 | O | A | A+ | B+ | B+ | A | A+ | A+ |
| 318126512L19 | 8.95 | 8.71 | O | A | O | B+ | A+ | A+ | O | A+ |
| 318126512L20 | 6.09 | 5.80 | B+ | C | C | C | B+ | C | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 54 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| | | | EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
| | | | ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126512L21 | 7.64 | 7.11 | A+ | B+ | A | B | B+ | B+ | A+ | A+ |
| 318126512L22 | 5.32 | | B+ | C | C | P | P | P | A | B+ |
| 318126512L23 | | | B+ | B+ | A+ | F | F | B+ | A+ | A |
| 318126512L24 | 8.91 | 8.64 | A+ | A | O | A+ | B+ | A+ | O | O |
| 318126512L25 | 6.41 | 6.67 | B+ | C | B+ | C | P | B+ | A+ | A+ |
| 318126512L26 | 7.05 | 7.00 | B | A | A | B | B | B+ | A | A |
| 318126512L27 | 8.50 | 8.18 | A+ | A | A+ | A | A | A+ | A+ | A |
| 318126512L28 | 6.73 | | B+ | B+ | B+ | C | B+ | C | A+ | A |
| 318126512L29 | | | B | B+ | A+ | F | F | B+ | A+ | A+ |
| 318126512L30 | 7.50 | 6.93 | A+ | B+ | A+ | C | B | B+ | A+ | A+ |
| 318126512L31 | 5.68 | | C | C | C | C | C | B | A+ | B+ |
| 318126512L32 | 8.50 | 7.93 | A+ | A | O | A | B+ | A+ | A+ | A |
| 318126512L33 | 8.27 | 8.31 | A+ | A | A+ | B | A | O | A | A |
| 318126512L34 | | | F | C | B+ | B | F | C | A+ | B+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 55 of 87

Branch: ELECTRONICS & COMMUNICATION ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | ECA-II | DE | PT&RP | EMFT& | CS | ECA-II | SIM LA |
|-----------------------------|----------------------------|------------------------|-------------------------|--------------------------|--------------------|----------------------------|--------------------------|
| ENGINEERING MATHEMATICS- | ELECTRONIC CIRCUITS AND | DIGITAL ELECTRONICS | PROBABILITY THEORY & | ELECTROMAGNETIC FIELD | CONTROL SYSTEMS | ELECTRONIC CIRCUITS AND | SIMULATION LABORATORY |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|---|----|----|----|----|
| 318126512L35 | 8.50 | 8.56 | A+ | A+ | A+ | A | B+ | A+ | A+ | A |
| 318126512L36 | 7.18 | 6.93 | B+ | B+ | B+ | B | B | B+ | O | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 56 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| | | | CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|--------------|------|------|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| | | | COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126511001 | | | C | A | F | F | P | B+ | A | A |
| 317126511002 | 7.83 | 7.13 | A | A | A | B | A | A | A+ | A+ |
| 317126511003 | 6.96 | 6.90 | B+ | A | C | C | B+ | A+ | O | A |
| 317126511004 | 6.52 | | B+ | A | P | P | B+ | A | O | A |
| 317126511005 | 5.48 | | B+ | C | P | P | P | B+ | A | A |
| 317126511006 | 7.22 | 6.86 | B | B+ | C | A | B+ | A+ | A+ | A+ |
| 317126511007 | 8.22 | 8.53 | A | A+ | B+ | B+ | A | O | O | A+ |
| 317126511008 | 8.91 | 8.96 | A | A+ | A | O | A | O | A+ | O |
| 317126511009 | 6.00 | 6.90 | B | B | P | B | P | A | A | A+ |
| 317126511010 | 7.35 | 6.92 | B+ | A | C | B+ | A | B+ | O | A+ |
| 317126511011 | 6.96 | 7.78 | C | A | C | B | B+ | A+ | A+ | O |
| 317126511012 | | | P | P | P | F | P | B | B | A+ |
| 317126511013 | 8.04 | 7.96 | B+ | A | B+ | A+ | B | A+ | O | O |
| 317126511014 | 9.00 | 9.03 | A | O | A | A+ | A+ | A+ | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 57 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|--------------|------|------|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| | | | COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126511015 | 9.13 | 8.80 | A+ | A+ | A+ | A+ | A | O | O | O |
| 317126511017 | 7.39 | | B | A | A | C | A | A | A+ | A+ |
| 317126511018 | 6.78 | | C | A | C | B | B+ | A | O | A |
| 317126511019 | 6.78 | | B | B+ | C | B | B+ | B+ | O | A+ |
| 317126511020 | 7.83 | 7.49 | B+ | A | B+ | B+ | B+ | A+ | O | O |
| 317126511021 | 6.96 | | C | A | C | B+ | B+ | A | O | A |
| 317126511022 | 9.00 | 9.29 | A+ | A | A+ | A+ | A | O | O | O |
| 317126511023 | 8.39 | 7.54 | A | A+ | A | B+ | A | A+ | O | O |
| 317126511024 | 8.96 | 8.82 | A | A+ | A | A+ | A+ | O | O | O |
| 317126511025 | 8.17 | 7.85 | B+ | A | A | A | B+ | A+ | O | O |
| 317126511026 | 6.26 | | P | A | C | C | B | B+ | A+ | A+ |
| 317126511027 | 6.78 | 7.04 | B+ | B | P | A | C | A | A+ | O |
| 317126511028 | 8.96 | 8.63 | A | A+ | A+ | A | A+ | O | O | O |
| 317126511029 | 9.09 | 8.60 | A+ | A+ | A | A+ | A+ | O | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 58 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-------------------|---------------------------|-------------------|--------------------------|---------------------|----------------|---------------------|-------------------|
| | | | CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
| | | | COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & | COMPUTER GRAPHICS & | NETWORKING LAB | COMPUTER GRAPHICS & | OPERATING SYSTEMS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126511030 | 9.57 | 9.62 | A+ | O | A+ | O | A+ | O | O | O |
| 317126511031 | | | C | B+ | P | F | P | A | A+ | A |
| 317126511032 | 8.22 | 8.18 | B+ | A | B+ | A+ | A | A+ | O | A+ |
| 317126511033 | 8.13 | 7.44 | A | A | A | A | B+ | A+ | O | A |
| 317126511034 | | | P | P | F | F | P | B | A | A |
| 317126511035 | | | P | P | P | F | P | B | A | A |
| 317126511036 | 6.83 | 7.47 | B+ | B+ | B+ | C | C | A | O | A |
| 317126511037 | 8.30 | 8.48 | A | A | B+ | A+ | B+ | A+ | O | O |
| 317126511038 | 8.96 | 8.77 | A | A+ | A | A+ | A+ | O | O | O |
| 317126511039 | 8.13 | 7.53 | A+ | A | B+ | B+ | A | A+ | O | A+ |
| 317126511040 | 7.74 | 8.11 | B+ | A | B+ | A | B+ | A | O | A |
| 317126511041 | | | P | P | P | F | P | B | A | A |
| 317126511042 | 7.48 | 7.18 | B+ | B+ | B+ | A | B | A+ | A+ | A |
| 317126511043 | 6.83 | 7.15 | B+ | B+ | B+ | B | C | A | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 59 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|-------------------|---------------------------|-------------------|--------------------------|---------------------|----------------|---------------------|-------------------|
| COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & | COMPUTER GRAPHICS & | NETWORKING LAB | COMPUTER GRAPHICS & | OPERATING SYSTEMS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126511044 | 9.30 | 9.16 | A+ | A+ | A+ | O | A | O | O | O |
| 317126511045 | 9.26 | 9.01 | A+ | A+ | A+ | A+ | A+ | O | O | O |
| 317126511046 | 6.35 | 6.18 | B | B+ | C | C | B+ | B+ | A | A |
| 317126511047 | 6.13 | 5.97 | C | B | C | P | B | B+ | O | O |
| 317126511048 | 5.61 | | C | C | P | C | C | B+ | A+ | A |
| 317126511049 | 7.52 | 7.65 | B+ | B+ | B | A | B+ | A | O | A+ |
| 317126511050 | 7.00 | | A | B+ | C | B | B | A+ | O | A |
| 317126511051 | 8.74 | 8.84 | A | A+ | A | A+ | A | A+ | O | O |
| 317126511052 | 8.26 | 7.71 | A | A | A | B+ | A | A+ | O | O |
| 317126511053 | 6.87 | | B | A | B+ | C | B | B+ | A+ | A+ |
| 317126511054 | 8.26 | 8.20 | B+ | A | B+ | A | A+ | A+ | O | O |
| 317126511055 | 5.39 | | C | C | P | C | P | B+ | A | A |
| 317126511056 | 7.91 | 7.79 | A | A+ | B+ | B | B+ | A+ | O | O |
| 317126511057 | 7.70 | 7.65 | A | A | B+ | B+ | C | A+ | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 60 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-------------------|---------------------------|-------------------|--------------------------|---------------------|----------------|---------------------|-------------------|
| | | | CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
| | | | COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & | COMPUTER GRAPHICS & | NETWORKING LAB | COMPUTER GRAPHICS & | OPERATING SYSTEMS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126511058 | 9.04 | 8.86 | A | A+ | A+ | A+ | A+ | A+ | O | O |
| 317126511059 | 6.04 | | C | B+ | C | B | C | A | B+ | B+ |
| 317126511060 | 8.96 | 8.80 | A+ | A+ | A+ | A+ | A | O | A+ | A+ |
| 317126511061 | 7.04 | 6.81 | B | B+ | B | B+ | B+ | A | A+ | A |
| 317126511062 | 9.26 | 9.30 | A+ | A+ | A+ | A+ | A+ | O | O | O |
| 317126511063 | 9.26 | 8.81 | O | A+ | A+ | O | A | O | A+ | A+ |
| 317126511064 | 8.61 | 8.29 | B+ | A+ | A+ | A+ | A | A+ | A+ | A+ |
| 317126511065 | 8.61 | 8.89 | A+ | A+ | A | A+ | A | A+ | A | A+ |
| 317126511066 | 6.39 | 6.93 | B+ | B+ | B+ | C | C | A | C | A |
| 317126511067 | | | F | F | F | F | F | B+ | C | C |
| 317126511068 | 8.87 | 8.80 | A | A | A+ | A+ | A | O | O | O |
| 317126511069 | 8.57 | 8.43 | A | A | A | A+ | A+ | A+ | A+ | A+ |
| 317126511070 | | | F | F | F | F | F | F(Ab) | F(Ab) | F(Ab) |
| 317126511071 | 8.35 | 8.62 | A | A | A | A+ | A | O | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 61 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126511072 | 7.70 | 7.43 | B+ | A | A | B+ | A | A | A | A |
| 317126511073 | 6.74 | 6.48 | A | B+ | B | B+ | B | A | C | B+ |
| 317126511074 | 8.87 | 8.71 | A+ | A+ | A+ | A+ | A | A+ | A+ | A+ |
| 317126511075 | 9.13 | 8.79 | A+ | A+ | A+ | O | A | O | A+ | A+ |
| 317126511076 | | | F | F | F | F | F | B+ | C | C |
| 317126511077 | 8.26 | 7.31 | A | A+ | A | A | B+ | A+ | A+ | A+ |
| 317126511078 | 8.78 | 8.71 | A+ | A+ | A | A+ | A | O | A+ | A+ |
| 317126511079 | 8.61 | 7.86 | A | A+ | A | A | A+ | O | A+ | A+ |
| 317126511080 | 5.91 | | P | B+ | C | B+ | C | B+ | B+ | B |
| 317126511081 | 7.87 | 7.96 | B | A | A | B+ | B+ | O | A+ | O |
| 317126511082 | 8.00 | 8.29 | B+ | B+ | A | A | A | A+ | A+ | A+ |
| 317126511083 | 7.74 | 7.92 | B+ | A | B+ | A | B+ | A+ | A | A+ |
| 317126511084 | 8.52 | 8.69 | A+ | A+ | B+ | A+ | A | A+ | A+ | A+ |
| 317126511085 | 6.87 | | C | A | P | B+ | B+ | A+ | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 62 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| | | | CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
| | | | COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126511086 | 7.83 | 8.26 | B+ | A | A | B+ | B+ | A | A+ | O |
| 317126511087 | 7.30 | 6.68 | B+ | B+ | B+ | B | A | A+ | A | A |
| 317126511088 | 9.39 | 9.19 | A+ | O | A+ | A+ | A+ | O | O | O |
| 317126511089 | | | F | P | F | F | F | B+ | C | C |
| 317126511090 | 7.78 | 7.54 | A | A | A | A | B+ | A | A | B+ |
| 317126511091 | 8.74 | 8.38 | A+ | A+ | A | A+ | A+ | A+ | O | B+ |
| 317126511092 | 8.17 | 8.36 | B+ | B+ | A | A+ | A | A+ | A+ | A+ |
| 317126511093 | 6.87 | 7.51 | C | B+ | B+ | B+ | B | A | A | A |
| 317126511094 | 8.78 | 8.42 | A+ | A+ | A | A+ | A | O | A+ | A+ |
| 317126511095 | 7.65 | 8.10 | B+ | A | B+ | B+ | B+ | O | A | A+ |
| 317126511096 | 8.35 | 8.00 | A | A+ | A | A | A+ | A+ | A | A |
| 317126511097 | 7.65 | 7.21 | B+ | A+ | B | B+ | A | A+ | A+ | A |
| 317126511098 | 8.43 | 7.88 | A+ | A+ | A | A | A | A+ | A | A+ |
| 317126511099 | 6.57 | | A | B+ | P | B+ | B | A | B+ | B+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 63 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126511100 | 7.09 | | B | B+ | B+ | B+ | B | A | A | A+ |
| 317126511101 | 7.39 | 7.85 | B+ | A | B | B+ | B+ | A | A+ | A+ |
| 317126511102 | 5.52 | 5.68 | P | C | B | C | P | A | C | A+ |
| 317126511103 | 5.52 | 5.91 | C | B | C | P | P | A | B+ | A |
| 317126511104 | 8.61 | 8.14 | A | A+ | A | A | A+ | O | A+ | A+ |
| 317126511105 | | | P | P | F | C | P | B+ | B | B |
| 317126511106 | 7.91 | 7.81 | A | A | B+ | B+ | A | O | A+ | A |
| 317126511107 | | | P | P | F | F | P | B+ | C | C |
| 317126511108 | 9.22 | 9.14 | O | A+ | A | O | A+ | O | A+ | A+ |
| 317126511109 | 7.26 | | B+ | A | B+ | B | A | A | A+ | B |
| 317126511110 | 8.17 | 7.75 | A | A | A | A | A | A+ | A+ | A |
| 317126511111 | 9.43 | 9.43 | A | O | A+ | O | A+ | O | O | O |
| 317126511112 | 7.78 | 8.11 | B+ | A+ | B+ | B+ | B+ | A+ | A+ | A+ |
| 317126511113 | 6.35 | 6.56 | P | B+ | B+ | B | C | B+ | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 64 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126511114 | 8.35 | 7.84 | A | A | A | A | A | A+ | O | A+ |
| 317126511115 | 8.22 | 7.41 | A+ | A | A | B+ | A | A+ | A+ | A+ |
| 317126511116 | 8.74 | 8.62 | A+ | A+ | A | A | A+ | A+ | A+ | O |
| 317126511117 | 8.96 | 7.36 | A+ | A+ | A+ | A | A | O | O | O |
| 317126511118 | 9.00 | 8.47 | A+ | A | A+ | A+ | A | O | O | O |
| 317126511119 | | | F | P | C | F | P | C | B+ | B+ |
| 317126511120 | 8.78 | 8.09 | A+ | A | A+ | A+ | B+ | A+ | O | O |
| 317126511121 | 9.26 | 8.62 | A+ | A+ | A+ | A+ | A+ | O | O | O |
| 317126511122 | 6.22 | | C | C | B+ | C | C | A | A+ | A |
| 317126511123 | 8.48 | 8.11 | A | A+ | A | A | A | A+ | A+ | O |
| 317126511124 | 9.26 | 8.74 | A+ | A+ | A+ | A+ | A+ | O | O | O |
| 317126511125 | 9.13 | 8.51 | A+ | A+ | A+ | A+ | A | O | O | O |
| 317126511126 | 8.65 | 8.26 | B+ | A+ | A+ | A+ | B+ | A+ | O | O |
| 317126511127 | 9.17 | 9.03 | A+ | A | A+ | O | A | O | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 65 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126511128 | 8.39 | 7.77 | A | A+ | A | B+ | A | A+ | O | O |
| 317126511129 | 7.83 | 7.01 | B+ | A | A | B+ | B+ | A+ | A+ | A+ |
| 317126511130 | 6.78 | 7.19 | B+ | B+ | B+ | C | B | A | A | A |
| 317126511131 | 5.87 | | B+ | B+ | P | P | C | B+ | A+ | B+ |
| 317126511132 | 8.22 | 7.51 | A | A | A | B+ | B+ | O | O | O |
| 317126511133 | 8.30 | 8.07 | A | A | A | A | B+ | A+ | O | O |
| 317126511134 | 8.74 | 8.53 | A+ | A+ | A+ | A | B+ | A+ | O | O |
| 317126511135 | 9.57 | 9.45 | A+ | O | O | A+ | A+ | O | O | O |
| 317126511136 | | | F | F | F | F | F | C | B+ | B |
| 317126511137 | 8.87 | 8.63 | A | A | A+ | A+ | A | O | O | O |
| 317126511138 | 8.04 | 8.03 | B+ | A+ | A | B+ | B+ | A+ | A+ | O |
| 317126511140 | 6.65 | 7.12 | C | B | A | C | P | A+ | A+ | O |
| 317126511141 | 9.39 | 9.20 | A+ | O | A+ | A+ | A+ | O | O | O |
| 317126511142 | | | F | F | F | F | F | C | B | B+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 66 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|-------|----|-------|-------|----|----|----|
| 317126511143 | 9.13 | 8.70 | O | A+ | A | A+ | A+ | A+ | O | O |
| 317126511145 | | | F | F | F | F | F(Ab) | B | B+ | B+ |
| 317126511146 | 8.43 | 8.00 | A | A+ | A | A | B+ | A+ | O | O |
| 317126511147 | 9.26 | 8.74 | A+ | A+ | A+ | A+ | A+ | O | O | O |
| 317126511148 | | | F | F(Ab) | F | F(Ab) | F | B | B+ | B+ |
| 317126511149 | | | F | F | F | F | F | B | B | C |
| 317126511150 | 9.17 | 8.80 | A+ | A+ | A+ | A+ | A+ | A+ | O | O |
| 317126511151 | 8.13 | 7.48 | B+ | A | A | A | A | A+ | A+ | A+ |
| 317126511152 | 8.65 | 8.26 | A | A+ | A | A | A | O | O | O |
| 317126511153 | 8.91 | 8.53 | A+ | O | A+ | B+ | A | O | O | O |
| 317126511154 | 9.43 | 8.90 | A+ | A+ | O | A+ | A+ | O | O | O |
| 317126511155 | 6.30 | | B | B+ | B | C | P | A | A+ | A |
| 317126511156 | 7.96 | 7.95 | A | A+ | A | C | A | A+ | O | A+ |
| 317126511157 | 8.61 | 8.22 | A | A+ | A | A+ | B+ | A+ | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 67 of 87

Branch: INFORMATION TECHNOLOGY

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-------------------|---------------------------|-------------------|------------------------------|------------------------|----------------|------------------------|-------------------|
| | | | CN | ISD | OS | PS&QT | CG&M | NWLA | CG&M | OS LA |
| | | | COMPUTER NETWORKS | INFORMATION SYSTEM DESIGN | OPERATING SYSTEMS | PROBABILITY STATISTICS & ICS | COMPUTER GRAPHICS & CS | NETWORKING LAB | COMPUTER GRAPHICS & CS | OPERATING SYSTEMS |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126511158 | | | C | C | C | F | P | A | A+ | A |
| 317126511159 | | | F | P | P | F | F | A | A | B+ |
| 317126511160 | 9.13 | 8.78 | A+ | A+ | A+ | A+ | A | O | O | O |
| 317126511161 | 8.83 | 8.60 | A+ | A+ | A+ | B+ | A+ | A+ | O | O |
| 317126511162 | 8.22 | 7.80 | B+ | A | A | A | A | A+ | A+ | O |
| 317126511163 | | | P | P | F | F | F | B+ | B+ | B+ |
| 317126511164 | 9.17 | 8.78 | A+ | O | A+ | A+ | A | A+ | O | O |
| 317126511165 | 9.43 | 9.09 | A+ | A+ | A+ | O | A+ | O | O | O |
| 317126511166 | | | P | P | P | F | F | C | B+ | B+ |
| 317126511167 | | | P | P | F | F | F | B+ | B+ | B+ |
| 317126511168 | 8.57 | 8.19 | A | A+ | A+ | A | A | A+ | A+ | A+ |
| 317126511169 | 9.26 | 8.92 | A+ | A+ | A+ | A+ | A+ | O | O | O |
| 317126511170 | 8.78 | 7.90 | A+ | A+ | A+ | B+ | A | O | O | O |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 68 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|------------------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| ENGINEERING MATHEMATICS- AND | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|-------|-------|-------|-------|-------|-------|-------|-------|
| 316126520167 | | | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) |
| 316126520199 | | | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | C |
| 317126520001 | | | F | F | F | F | F | P | F | A+ |
| 317126520002 | 8.96 | 9.11 | A+ | A | A+ | A+ | A+ | A+ | A+ | O |
| 317126520003 | 5.92 | 6.71 | B+ | P | B | C | P | B+ | B+ | A+ |
| 317126520004 | | | P | F | P | F | F | B | B | O |
| 317126520005 | 6.67 | 7.45 | B+ | C | B | B | B+ | B+ | A | A+ |
| 317126520006 | 7.88 | 7.93 | A | A | B+ | A | B+ | A | A | O |
| 317126520007 | 8.33 | 8.39 | A+ | B+ | A+ | A | A | A | A | O |
| 317126520008 | 5.54 | | C | P | C | C | B | B | B | A+ |
| 317126520009 | | | B | F | P | C | F | B+ | C | A+ |
| 317126520010 | 6.33 | 6.93 | B+ | B | C | C | C | A | A | A+ |
| 317126520011 | 7.21 | 7.78 | A | B+ | B | B+ | B | A | A | A+ |
| 317126520012 | 7.46 | 8.30 | A | B+ | C | A | B+ | A+ | A | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 69 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520013 | 8.83 | 9.10 | A+ | A | A+ | A+ | A+ | A | A+ | O |
| 317126520014 | 7.25 | 7.80 | O | B | B+ | C | B+ | B+ | A | O |
| 317126520015 | 6.04 | | A | P | C | C | B | B+ | B+ | A |
| 317126520016 | 7.25 | 8.13 | A | A | B+ | B | B+ | B+ | B+ | A+ |
| 317126520017 | | | B | C | P | B | F | B+ | B+ | A+ |
| 317126520018 | | | C | P | P | F | C | C | B | O |
| 317126520019 | 5.33 | 6.51 | B | P | C | P | C | C | B+ | A+ |
| 317126520020 | | | P | F | F | F | C | C | C | A+ |
| 317126520021 | | | B | B+ | B+ | C | C | F | A | A+ |
| 317126520022 | 8.75 | 9.00 | A+ | A+ | A+ | A+ | A | A | A | O |
| 317126520023 | 9.38 | 9.37 | O | A+ | O | A+ | A+ | A+ | O | A+ |
| 317126520024 | 8.63 | 9.01 | A | A+ | A | A | A+ | A+ | A+ | O |
| 317126520025 | | | P | F | F | C | F | A | B+ | A |
| 317126520026 | 6.92 | 7.61 | B+ | B+ | B+ | C | B+ | B+ | A | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 70 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-------------------------------------|--------------------------------|------------------------|--------------------------------|--------------------------------|----------------------------|--------------------------------|--------------------------------|
| | | | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
| | | | ENGINE ERING MATHE MATICS- | BASIC ELECTR ICAL AND | FLUID MECHA NICS | THEORY OF MACHIN ES-I | MANUF ACTURI NG TECHN | MACHIN E DRAWI NG | BASIC ELECTR ICAL AND | MANUF ACTURI NG TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520027 | 6.71 | 7.29 | C | B | B | B | B | A | A+ | O |
| 317126520028 | 7.58 | 7.68 | B+ | A | A | B+ | B | B+ | A+ | O |
| 317126520029 | | | P | F | P | F | P | F | F | A+ |
| 317126520031 | 9.46 | 9.26 | A+ | A+ | O | A+ | O | A+ | O | O |
| 317126520032 | 5.79 | | B | C | C | P | B | B | A | A+ |
| 317126520033 | 5.83 | 7.10 | C | P | C | B | C | A | B | A+ |
| 317126520034 | 8.46 | 8.08 | A | A | A | A+ | A | A+ | A+ | A+ |
| 317126520035 | | | P | F | P | F | F | P | C | A+ |
| 317126520036 | | | B | P | B+ | B | B | C | F | A+ |
| 317126520037 | | | F | F | F | F | F | F | F | O |
| 317126520038 | 8.42 | 8.53 | A | A+ | A | A | A | A+ | A | O |
| 317126520039 | 7.17 | 7.25 | B+ | P | A | B+ | B | A+ | A | A+ |
| 317126520040 | 7.33 | 8.05 | B+ | B+ | B+ | C | B+ | A+ | A+ | O |
| 317126520041 | 6.58 | 6.57 | B+ | C | B | B+ | B+ | B+ | C | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 71 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|-------------------------------------|--------------------------------|------------------------|--------------------------------|--------------------------------|----------------------------|--------------------------------|--------------------------------|
| | | | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
| | | | ENGINE ERING MATHE MATICS- | BASIC ELECTR ICAL AND | FLUID MECHA NICS | THEORY OF MACHIN ES-I | MANUF ACTURI NG TECHN | MACHIN E DRAWI NG | BASIC ELECTR ICAL AND | MANUF ACTURI NG TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520042 | 6.75 | 7.37 | B+ | B+ | B | B | B+ | B+ | B | A+ |
| 317126520043 | | | B | C | C | C | B+ | P | F | A+ |
| 317126520044 | 7.08 | 8.09 | A | B+ | B | B+ | B | B+ | B+ | O |
| 317126520045 | 4.63 | | P | P | P | P | C | P | C | A+ |
| 317126520047 | 7.04 | 7.43 | B+ | B | B+ | B+ | B+ | B+ | B+ | A+ |
| 317126520048 | | | B | C | P | B | F | P | B+ | A+ |
| 317126520049 | | | B | P | C | B | B | B+ | F | A+ |
| 317126520050 | 5.92 | 6.63 | B | P | C | C | B+ | B+ | B | A+ |
| 317126520051 | 9.04 | 9.07 | A+ | A+ | A+ | A | A+ | O | A+ | O |
| 317126520052 | 6.21 | 7.08 | B+ | C | B+ | C | B+ | P | B+ | A+ |
| 317126520053 | 6.13 | 6.53 | B+ | B | B | C | P | B | A | A+ |
| 317126520054 | 7.13 | 7.54 | A | B | B+ | B+ | B+ | B | A | A+ |
| 317126520055 | 8.46 | 8.83 | A | A | A+ | O | A | B+ | A | A+ |
| 317126520056 | 4.50 | | P | P | P | P | P | P | C | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 72 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-------------------------------------|--------------------------------|------------------------|--------------------------------|--------------------------------|----------------------------|--------------------------------|--------------------------------|
| | | | ENGINE ERING MATHE MATICS- | BASIC ELECTR ICAL AND | FLUID MECHA NICS | THEORY OF MACHIN ES-I | MANUF ACTURI NG TECHN | MACHIN E DRAWI NG | BASIC ELECTR ICAL AND | MANUF ACTURI NG TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520057 | 8.21 | 8.66 | O | A | A | B+ | A | B+ | A+ | O |
| 317126520058 | 6.46 | 7.02 | B+ | C | C | C | B+ | A | A | A+ |
| 317126520059 | 8.42 | 8.66 | A+ | A | A | B+ | A | A+ | O | O |
| 317126520060 | | | P | F | F | F | F | F | F | A+ |
| 317126520061 | | | P | P | F | F | C | C | A | A |
| 317126520062 | | | B+ | F | B | F | C | P | A | A |
| 317126520063 | | | C | F | F | F | F | A | F | B+ |
| 317126520064 | | | P | P | C | F | F | B | B | B+ |
| 317126520066 | 5.63 | | C | P | B | P | C | B+ | A | A |
| 317126520067 | | | B | F | C | P | P | B+ | B+ | A |
| 317126520068 | 8.08 | 7.76 | A | A | A | A | B+ | A+ | A | A+ |
| 317126520069 | 6.08 | | C | B+ | B | B | P | A | C | A |
| 317126520070 | 7.00 | 6.43 | B+ | B+ | B+ | B | B+ | B+ | A | A |
| 317126520071 | | | B | P | C | F | P | F | B | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 73 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520072 | | | F | F | F | P | P | C | C | A |
| 317126520073 | 8.33 | 8.35 | A | A | A+ | A | B+ | A+ | A+ | A+ |
| 317126520074 | 8.58 | 8.60 | A | A | A | A+ | A+ | A+ | A+ | A+ |
| 317126520075 | 8.13 | 8.46 | A | A | A | A | A | A+ | B+ | A+ |
| 317126520076 | 6.71 | 7.01 | B+ | B+ | B+ | B | B | B+ | B | A |
| 317126520077 | 7.38 | 6.60 | B+ | B+ | A | B+ | B | A+ | B+ | A |
| 317126520078 | 5.88 | 6.43 | B+ | P | B+ | P | P | B | A | A+ |
| 317126520079 | 8.17 | 7.76 | A | B+ | A | A | A | A+ | A+ | A+ |
| 317126520080 | 5.29 | | B | P | C | P | P | B+ | B | A |
| 317126520081 | 6.42 | 6.59 | A | B | B+ | B | P | B | B+ | A |
| 317126520082 | 9.17 | 9.04 | A+ | A+ | O | A+ | A | O | A+ | A+ |
| 317126520083 | 5.25 | | C | P | B | P | P | B+ | C | A |
| 317126520084 | | | F | F | F | F | F | B+ | C | A |
| 317126520085 | 5.83 | 6.48 | B+ | C | C | P | P | A | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 74 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-------------------------------------|--------------------------------|------------------------|--------------------------------|--------------------------------|----------------------------|--------------------------------|--------------------------------|
| | | | ENGINE ERING MATHE MATICS- | BASIC ELECTR ICAL AND | FLUID MECHA NICS | THEORY OF MACHIN ES-I | MANUF ACTURI NG TECHN | MACHIN E DRAWI NG | BASIC ELECTR ICAL AND | MANUF ACTURI NG TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520086 | 7.83 | 8.18 | A+ | A | A+ | B+ | B | B+ | A | A+ |
| 317126520087 | 7.96 | 8.32 | A | A | A | A | A | B+ | A | A+ |
| 317126520088 | 5.54 | 5.96 | B | C | C | P | C | B+ | B | A |
| 317126520089 | 7.21 | 7.50 | A+ | B | B+ | B+ | B | A | B+ | A |
| 317126520090 | 5.25 | | B | C | P | P | C | B | B | A |
| 317126520091 | 5.08 | | C | P | C | P | P | B+ | C | A |
| 317126520092 | | | C | F | C | C | P | B | F | A |
| 317126520093 | | | P | F | P | F | P | F | C | A |
| 317126520094 | 6.96 | 7.66 | B | B | B+ | B | B+ | A | A+ | A |
| 317126520095 | 7.71 | 8.24 | A | A | A+ | B | B+ | A | A | A |
| 317126520096 | | | P | P | F | F | P | B | B | B+ |
| 317126520097 | | | P | C | B | P | F | B+ | C | B+ |
| 317126520098 | 5.42 | 5.98 | B+ | C | B | P | P | B | C | B+ |
| 317126520099 | | | F | F | F | P | F | B | F | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 75 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 317126520100 | 8.21 | 8.22 | A | B+ | A+ | A | B+ | A+ | A+ | A+ |
| 317126520101 | 7.46 | 7.13 | A+ | B+ | B+ | B | B+ | A | A | A+ |
| 317126520102 | 5.46 | | B | C | P | P | P | A | B | A+ |
| 317126520103 | | | A+ | B | B+ | A | B | A | F | A+ |
| 317126520104 | 8.79 | 8.82 | A+ | A+ | O | A | A | A+ | A | A+ |
| 317126520105 | 8.63 | 8.86 | O | A | A+ | A | A | A+ | A | A+ |
| 317126520106 | 7.63 | 7.68 | A | B+ | B+ | B+ | B+ | A+ | A | A+ |
| 317126520107 | 9.13 | 9.10 | O | A | A+ | A+ | A+ | O | A+ | A+ |
| 317126520108 | 5.25 | | B | C | P | P | C | B | B | A |
| 317126520109 | 5.96 | 6.08 | B | C | B+ | C | C | B+ | C | A |
| 317126520110 | 6.71 | 6.72 | B+ | C | B+ | B | C | A | A | A+ |
| 317126520111 | 7.13 | 7.78 | A+ | B+ | A | B | B | C | A | A+ |
| 317126520112 | 8.83 | 8.28 | A+ | A+ | A+ | A+ | A | O | B+ | A+ |
| 317126520113 | 7.38 | 6.79 | A | B+ | B+ | B+ | B | A | A | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 76 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | CGPA | | | | | | | |
|--------------|------|------|-------------------------------------|--------------------------------|------------------------|--------------------------------|--------------------------------|----------------------------|--------------------------------|--------------------------------|
| | | | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
| | | | ENGINE ERING MATHE MATICS- | BASIC ELECTR ICAL AND | FLUID MECHA NICS | THEORY OF MACHIN ES-I | MANUF ACTURI NG TECHN | MACHIN E DRAWI NG | BASIC ELECTR ICAL AND | MANUF ACTURI NG TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520114 | 7.38 | 7.51 | A+ | B | A | B | B+ | B+ | A+ | A |
| 317126520115 | 7.54 | 7.66 | A | B+ | A | B+ | B | A | A | A+ |
| 317126520117 | 6.25 | 6.89 | B+ | B | B | C | C | A | B | A |
| 317126520118 | | | B+ | F | F | F | F | B+ | B | A |
| 317126520119 | 8.04 | 8.26 | A+ | B+ | B+ | A | A | A+ | A | A+ |
| 317126520120 | 8.75 | 8.99 | A+ | A+ | A+ | A | B+ | A+ | O | O |
| 317126520121 | | | P | P | P | F | C | C | C | A |
| 317126520122 | 8.42 | 8.40 | A+ | A | A | B+ | A | A+ | O | O |
| 317126520124 | | | C | F | F | P | F | B+ | C | A+ |
| 317126520125 | 8.00 | 8.17 | A+ | B+ | A | B+ | B+ | A+ | A+ | A+ |
| 317126520126 | 5.71 | | B+ | P | B+ | P | C | C | B | A+ |
| 317126520127 | 7.67 | 7.76 | A+ | B | A+ | B+ | B+ | A | B+ | A |
| 317126520128 | 6.63 | 6.61 | B+ | C | B+ | P | B+ | A | B+ | O |
| 317126520129 | 8.04 | 8.16 | A | A | B+ | B+ | A | A+ | O | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 77 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520130 | 6.46 | 7.14 | B+ | P | B+ | C | B+ | B+ | B+ | A+ |
| 317126520131 | | | B+ | P | B | P | F | B | B+ | A+ |
| 317126520132 | | | P | F | P | F | P | P | F | A |
| 317126520135 | 9.04 | 8.87 | O | A+ | A+ | A | A+ | A+ | A+ | O |
| 317126520136 | 7.04 | 7.16 | A | B | B+ | B | A | C | A | O |
| 317126520138 | 8.04 | 8.10 | A | B+ | A+ | B+ | B+ | A+ | A+ | A+ |
| 317126520139 | 7.04 | 7.38 | B | B | B+ | B+ | B | B+ | A+ | O |
| 317126520140 | 7.08 | 7.24 | A | B | B | B+ | P | A | O | O |
| 317126520141 | 8.50 | 8.11 | A | B+ | A+ | A | A | A+ | O | O |
| 317126520142 | 5.25 | | B | P | C | P | P | B | B | A+ |
| 317126520143 | 5.79 | | B+ | P | C | P | C | B+ | A | A+ |
| 317126520144 | | | P | F | F | F | F | C | F | A |
| 317126520145 | | | P | F | P | F | P | P | B+ | A+ |
| 317126520146 | 6.96 | 7.00 | B | P | B+ | B+ | B+ | A | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 78 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520147 | 6.58 | 7.15 | B+ | B+ | C | C | B | A | A | A+ |
| 317126520148 | 8.79 | 8.51 | A | A+ | A+ | A+ | A | A | O | O |
| 317126520149 | | | C | F | P | F | F | P | B+ | A |
| 317126520150 | | | C | P | P | P | F | B | B+ | A+ |
| 317126520151 | 7.13 | 7.09 | A | B+ | A | P | A+ | C | A+ | A+ |
| 317126520152 | | | F | F | F | F | P | F | F | A+ |
| 317126520153 | | | C | P | A | F | C | F | F | O |
| 317126520154 | | | P | F | F | F | P | P | C | A |
| 317126520155 | 6.96 | 7.86 | A | B+ | A | P | C | B+ | A+ | O |
| 317126520156 | 5.88 | | B+ | C | B | P | C | B | B+ | A+ |
| 317126520157 | 6.54 | 6.73 | B+ | B+ | B+ | P | B | B+ | B+ | A+ |
| 317126520158 | 8.79 | 8.80 | A+ | A | O | A | A | A | O | O |
| 317126520159 | | | F | F | F | P | P | C | C | A+ |
| 317126520160 | | | A | B | B+ | B+ | B+ | B+ | F | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 79 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|--------------------------|----------------------|-----------------|----------------------|--------------------------|-----------------|----------------------|--------------------------|
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHNOLOGY | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHNOLOGY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520161 | | | P | F | F | F(Ab) | F | P | F | A |
| 317126520162 | | | C | P | P | F | P | C | A | A |
| 317126520163 | | | F | F | F | F | C | C | F | A+ |
| 317126520164 | | | F | F | F | F | F | F | F | A |
| 317126520165 | 8.46 | 8.25 | A | B+ | A+ | A | A+ | A+ | A+ | A+ |
| 317126520166 | 7.92 | 7.70 | B+ | B | A | A | A | A+ | A | O |
| 317126520167 | 8.17 | 7.95 | A | A | A | A | B+ | A+ | A+ | A+ |
| 317126520168 | | | C | P | P | F | C | C | B+ | A |
| 317126520169 | | | C | P | F | F | P | P | F | A |
| 317126520170 | | | C | P | F | C | C | F | F | A |
| 317126520171 | 5.13 | 6.29 | B | C | C | P | P | P | C | O |
| 317126520172 | | | B | P | B | B | B+ | B+ | F | A+ |
| 317126520173 | 8.75 | 8.67 | A+ | A | A+ | A | A | A+ | O | O |
| 317126520174 | 6.29 | 7.01 | B+ | C | B | P | B+ | B | A+ | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 80 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 317126520176 | 7.25 | 7.48 | A | B+ | A | P | A | B+ | A+ | A+ |
| 317126520177 | 8.42 | 7.83 | A+ | A | A | B+ | A | A+ | O | O |
| 317126520178 | | | F | F | F | F | F | C | C | A+ |
| 317126520179 | | | B+ | P | C | P | F | B | B | A+ |
| 317126520180 | 9.17 | 9.03 | A+ | O | O | A+ | A | A+ | O | A |
| 317126520181 | | | B | F | C | P | P | F | C | C |
| 317126520182 | 5.92 | 6.28 | B+ | P | B | C | B | B+ | B | B+ |
| 317126520183 | 7.13 | 7.78 | A+ | A | A | A | B | P | B | B+ |
| 317126520184 | 7.42 | 8.07 | A | B+ | A | A | B | B+ | A | B+ |
| 317126520185 | 4.42 | | P | P | P | P | P | P | C | A |
| 317126520186 | | | C | P | P | F | P | P | B+ | B+ |
| 317126520187 | 8.50 | 8.60 | A | A | A | A | A | O | O | A+ |
| 317126520188 | 7.33 | 7.40 | A | B+ | B | B+ | B+ | A | A+ | A |
| 317126520189 | | | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F | C | B |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 81 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|-------|------|----|----|----|-------|----|----|----|----|
| 317126520190 | 6.25 | | C | B | B | B+ | C | B | B+ | A+ |
| 317126520191 | 8.38 | 8.88 | A+ | A | A+ | A | B+ | A+ | A | A+ |
| 317126520192 | 6.29 | 7.05 | B+ | P | B | B+ | C | B+ | A | B+ |
| 317126520193 | 9.04 | 9.03 | O | A+ | A | O | A+ | A+ | A | A+ |
| 317126520194 | 9.08 | 8.48 | A+ | A+ | A+ | A+ | A+ | A+ | O | A+ |
| 317126520195 | 10.00 | 9.68 | O | O | O | O | O | O | O | O |
| 317126520196 | 5.96 | 6.80 | C | B | B+ | C | P | B | B+ | A+ |
| 317126520197 | 8.38 | 8.64 | A | A | A | A+ | A | A+ | A | A+ |
| 317126520198 | 5.38 | 6.51 | B+ | B | P | C | C | C | C | B+ |
| 317126520199 | 7.13 | 7.63 | A | B+ | A | B+ | B+ | C | A | B+ |
| 317126520200 | | | C | P | F | F | F | P | B+ | C |
| 317126520201 | | | P | F | F | F(Ab) | P | P | B | B |
| 317126520202 | 8.71 | 8.77 | A+ | A+ | A+ | A+ | A | A+ | O | B |
| 317126520203 | 6.25 | 7.09 | B+ | B+ | B | B+ | P | P | A | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 82 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|---|----|----|----|-------|----|
| 317126520204 | 7.71 | 8.12 | A | B+ | A | A+ | B | A | A | B+ |
| 317126520205 | 6.21 | 7.15 | B+ | C | C | B | B | B+ | A | B+ |
| 317126520206 | | | P | F | F | F | F | F | F | B+ |
| 317126520207 | 7.79 | 7.72 | A | A | A | B+ | B+ | A | A | A+ |
| 317126520208 | 5.88 | | B+ | B | C | C | C | B+ | C | A |
| 317126520209 | 6.38 | 6.72 | B+ | C | C | B+ | C | A | B+ | A |
| 317126520210 | | | F | C | P | C | C | B+ | C | A |
| 317126520211 | 6.21 | 6.79 | C | B+ | C | B | B | B+ | A | B+ |
| 317126520212 | | | P | F | F | F | F | P | C | B |
| 317126520213 | 6.92 | 7.33 | B+ | B+ | C | A | B | A | B | A+ |
| 317126520214 | 7.83 | 7.82 | B+ | A | B | A+ | B+ | O | B+ | A+ |
| 317126520215 | | | P | P | F | F | C | P | F | A |
| 317126520216 | | | F | P | P | C | C | B+ | B+ | B+ |
| 317126520217 | | | P | P | P | F | P | P | F(Ab) | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 83 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|-------------------------|----------------------------|------------------------|
| ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE E DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|-------|----|-------|-------|-------|-------|-------|----|
| 317126520218 | | | P | P | F | F | P | C | C | B |
| 317126520219 | 5.17 | 6.11 | B | P | C | B | P | P | C | A |
| 317126520220 | 7.58 | 8.32 | A | A | B | B+ | B+ | A+ | A | A+ |
| 317126520221 | | | C | C | P | C | F | P | F | B |
| 317126520222 | 8.04 | 7.84 | A+ | A+ | A | A | B | B+ | A+ | A+ |
| 317126520223 | 7.00 | 7.33 | B+ | B | B | B+ | B | A+ | B+ | A+ |
| 317126520224 | 8.33 | 8.61 | A+ | A | A | A+ | B | A+ | O | A |
| 317126520225 | | | P | F | F | P | P | P | C | B+ |
| 317126520226 | | | B | B+ | B+ | B | P | B | F | A |
| 317126520227 | 7.50 | 7.61 | B+ | A | B+ | B+ | B+ | A | A+ | A |
| 317126520228 | | | F(Ab) | F | F(Ab) | F(Ab) | F(Ab) | F(Ab) | F(Ab) | B |
| 317126520229 | 7.92 | 8.21 | B+ | A | A | A | B+ | A | A+ | A+ |
| 317126520230 | 8.38 | 8.45 | A | A+ | A+ | A | A | A | A+ | A |
| 317126520231 | | | B | C | F | B | C | P | B | B |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 84 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

Roll No SGPA CGPA

| EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|-----------------------------|----------------------------|--------------------|----------------------------|------------------------|--------------------|----------------------------|------------------------|
| ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHN | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHN |
| Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |

| | | | | | | | | | | |
|--------------|------|------|----|----|----|----|----|----|----|----|
| 318126520L01 | 8.92 | 8.92 | A+ | A+ | A+ | A | A+ | A+ | A+ | O |
| 318126520L02 | 8.25 | 8.04 | B+ | B+ | A | A | A+ | A+ | A+ | O |
| 318126520L03 | 8.67 | 8.73 | A+ | A+ | A+ | B+ | A+ | A+ | A | O |
| 318126520L04 | 8.88 | 8.84 | A+ | A | A+ | A+ | A | O | A | O |
| 318126520L05 | 8.08 | 7.80 | A | B+ | B+ | A+ | B+ | O | B+ | O |
| 318126520L06 | 8.50 | 8.55 | A+ | A | B+ | A+ | A | A+ | A+ | O |
| 318126520L07 | 8.29 | 7.80 | A | B+ | A | A | A | O | A | O |
| 318126520L08 | 7.71 | 7.51 | B+ | B+ | B+ | B+ | A+ | A | A | O |
| 318126520L09 | 9.50 | 9.31 | A+ | A+ | O | A+ | O | O | A+ | O |
| 318126520L10 | 8.75 | 8.80 | A+ | A | A | A | A+ | O | A+ | O |
| 318126520L11 | 8.83 | 9.08 | A+ | A | A+ | A+ | A | A+ | A+ | O |
| 318126520L12 | 8.58 | 8.31 | B+ | A | A+ | A+ | A | A+ | A+ | O |
| 318126520L13 | 7.46 | 6.96 | B | B+ | B+ | B+ | B+ | A+ | A+ | A+ |
| 318126520L14 | 6.17 | | P | B+ | C | C | B+ | A | B | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 85 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | | | | | | | | |
|--------------|------|------|--------------------------|----------------------|-----------------|----------------------|--------------------------|-----------------|----------------------|--------------------------|
| | | | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHNOLOGY | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHNOLOGY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126520L15 | 7.54 | 7.41 | B | A | A | B+ | B+ | A | A | A+ |
| 318126520L16 | 7.83 | 7.86 | B+ | B+ | A | A | B+ | A+ | A | A+ |
| 318126520L17 | | | F | F | F | F | F | B+ | C | B+ |
| 318126520L18 | | | C | C | P | F | P | B | C | A |
| 318126520L19 | 9.50 | 9.35 | A+ | A+ | O | O | O | O | A | A+ |
| 318126520L20 | 7.21 | 6.80 | B+ | B+ | B | B+ | A | B+ | A | A+ |
| 318126520L21 | | | F | C | F | P | F | B | A | B+ |
| 318126520L22 | 6.08 | | C | C | B | B+ | P | A | B+ | B+ |
| 318126520L23 | | | C | P | F | F | P | A+ | B | B+ |
| 318126520L24 | 8.75 | 8.41 | A+ | A | A | A | A+ | O | A+ | O |
| 318126520L25 | 8.63 | 8.49 | A | A | A+ | A | A | A+ | O | O |
| 318126520L26 | 5.79 | | C | P | B | P | C | B+ | A+ | A+ |
| 318126520L27 | 7.46 | 7.10 | B+ | B | B+ | B | B+ | A+ | O | O |
| 318126520L28 | 8.67 | 8.27 | A | A+ | A+ | A | A | A+ | O | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 86 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|-------------------------------------|--------------------------------|------------------------|--------------------------------|--------------------------------|----------------------------|--------------------------------|--------------------------------|
| | | | ENGINE ERING MATHE MATICS- | BASIC ELECTR ICAL AND | FLUID MECHA NICS | THEORY OF MACHIN ES-I | MANUF ACTURI NG TECHN | MACHIN E DRAWI NG | BASIC ELECTR ICAL AND | MANUF ACTURI NG TECHN |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126520L29 | 9.25 | 9.04 | O | A+ | O | B+ | A+ | O | O | O |
| 318126520L30 | 6.58 | 6.73 | C | B | B | C | B+ | A | A+ | A+ |
| 318126520L31 | | | B+ | B+ | B+ | F | B+ | A | A+ | O |
| 318126520L32 | 8.96 | 8.78 | A | A | A+ | A+ | A+ | O | A+ | O |
| 318126520L33 | 7.46 | 7.00 | B+ | B | A | C | B+ | A+ | O | O |
| 318126520L34 | 8.96 | 8.45 | A+ | A | A+ | B+ | O | O | O | O |
| 318126520L35 | 7.33 | 6.65 | B+ | B | B+ | C | A | A+ | A+ | O |
| 318126520L36 | 9.46 | 8.82 | A+ | A | A+ | O | O | O | O | O |
| 318126520L37 | 8.42 | 8.39 | B+ | A | A | O | A | A+ | A | A+ |
| 318126520L38 | 5.63 | 5.73 | C | C | P | B | B | B+ | C | A |
| 318126520L39 | 8.96 | 8.71 | A+ | A | A+ | O | A | O | A | A+ |
| 318126520L40 | 5.71 | 5.55 | C | C | P | B+ | C | A | C | B+ |
| 318126520L41 | 8.08 | 7.92 | B+ | B+ | B+ | A+ | A | O | A | A+ |
| 318126520L42 | 4.92 | | C | P | P | P | P | B+ | C | A |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal



ANIL NEERUKONDA INSTITUTE OF TECHNOLOGY & SCIENCES

UGC AUTONOMOUS

(Affiliated to AU, Approved by AICTE & Accredited by NBA & NAAC with 'A' Grade)

SANGIVALASA-531 162, Bheemunipatnam Mandal, Visakhapatnam District

Phone: 08933-225083/84/87 Fax: 226395

website: www.anits.edu.in

email: principal@anits.edu.in

RESULTS

Page 87 of 87

Branch: MECHANICAL ENGINEERING

Course/Sem: II/IV B.Tech SEM-II Regular Examinations (R15)

Held in: April 2019

| Roll No | SGPA | CGPA | EM-IV | BEEE | FM | TOM-I | MFT-II | MD | BEEEL | MFTLA |
|--------------|------|------|--------------------------|----------------------|-----------------|----------------------|--------------------------|-----------------|----------------------|--------------------------|
| | | | ENGINEERING MATHEMATICS- | BASIC ELECTRICAL AND | FLUID MECHANICS | THEORY OF MACHINES-I | MANUFACTURING TECHNOLOGY | MACHINE DRAWING | BASIC ELECTRICAL AND | MANUFACTURING TECHNOLOGY |
| | | | Grad | Grad | Grad | Grad | Grad | Grad | Grad | Grad |
| 318126520L43 | 6.25 | 6.47 | B | P | B+ | B+ | B+ | C | B+ | B+ |
| 318126520L44 | 4.71 | | C | P | P | P | P | P | B+ | A |
| 318126520L45 | 5.46 | 6.14 | C | C | C | C | P | C | A | A+ |
| 318126520L46 | 8.46 | 8.06 | A | B+ | A | A+ | A | O | A | O |
| 318126520L47 | 7.13 | 7.29 | B | B+ | B+ | B+ | B | A | A | A+ |
| 318126520L48 | 7.96 | 7.53 | B+ | B+ | B+ | A | A+ | A | A+ | O |
| 318126520L49 | 8.04 | 7.78 | A | A+ | B | A | A | A | O | A+ |
| 318126520L50 | 5.67 | 5.80 | C | P | C | B | C | B | B+ | A+ |
| 318126520L51 | 5.50 | | P | C | P | C | C | A | B+ | A |
| 318126520L52 | | | F(Ab | B+ | A | A | B+ | A | B+ | A+ |
| 318126520L53 | 7.88 | 7.96 | A | B+ | A | A | B+ | A+ | A | A |
| 318126520L54 | 8.33 | 8.22 | B+ | A | A | A+ | A | A+ | A+ | A+ |
| 318126520L55 | 7.42 | 6.92 | C | B+ | B+ | B+ | B+ | A+ | O | A+ |

Note: In case of any deviation, the concern students may contact the COE immediately

Letter Grade Indicates Grade Points (O - 10.00, A+ - 9.00, A - 8.00, B+ - 7.00, B - 6.00, C - 5.00, P - 4.00, F - 0.)

Controller of Examination

Principal