Change Summary — Databricks Job Deployment Script Fixes

Root Cause

Shell glob expansion and word splitting on unquoted variables. When `$json` contains a Quartz cron like `0 0 8 * * ?`, the unquoted `echo $json | jq` causes the shell to expand `*` against filenames in the current directory and interpret `?` as a single-character glob. This corrupts the JSON before jq ever sees it.

The secondary issue is string interpolation inside jq filters (`\"$var\"`), which breaks if any value contains quotes or backslashes.

What Changed

1. Double-quote all variable expansions

Every `echo $json`, `echo $policyList`, `echo $clusterList`, `cat $filename`, and `<<< $json` is now properly quoted.

2. Use jq `--arg` instead of string interpolation

All patterns like `select(.name == \"$PolicyName\")` replaced with `--arg name "$PolicyName"` and `select(.name == $name)`.

3. Remove unnecessary `-r` from mutation operations

`jq -r` on JSON-building operations (policy_id injection, cluster_id assignment, pause_status) stripped the outer quotes and could produce invalid JSON downstream. `-r` is kept only for value extraction.

Quick Find-and-Replace Checklist

Apply across your ENTIRE script (not just the sections in screenshots):

#	Find	Replace
1	`echo $json | jq`	`echo "$json" | jq`
2	`cat $filename`	`cat "$filename"`
3	`echo $policyList | jq`	`echo "$policyList" | jq`
4	`echo $clusterList | jq`	`echo "$clusterList" | jq`
5	`<<< $json`	`<<< "$json"`
6	`jq -r` with `\"$var\"` inside	`jq --arg v "$var"` with `$v` in filter
7	`jq -r` on JSON mutations	`jq` (drop `-r`)