```sql
-- SELECT * FROM customer LIMIT 20;

-- THE FOLLOWING QUESTIONS ARE FREQUENTLY ASKED BASED ON THE DATASET  :
```

-- Q1. What is the total revenue generated by male vs. female customers?

```sql
SELECT "Gender",
    SUM("Purchase Amount (USD)") AS revenue
FROM customer
GROUP BY "Gender";
```

-- -- Q2. Which customers used a discount but still spent more than the average purchase

```sql
-- amount?
SELECT "Customer ID",
    "Purchase Amount (USD)"
FROM customer
WHERE "Discount Applied" = 'Yes'
  AND "Purchase Amount (USD)" >= (
    SELECT AVG("Purchase Amount (USD)")
    FROM customer
  );
```

-- -- Q3. Which are the top 5 products with the highest average review rating?

```sql
SELECT "Item Purchased",
    ROUND(CAST(AVG("Review Rating") AS NUMERIC), 2) AS avg_rating
FROM customer
```

GROUP BY "Item Purchased"

ORDER BY avg_rating DESC

LIMIT 5;

-- -- Q4. Compare the average Purchase Amounts between Standard and Express Shipping.

SELECT "Shipping Type",

    ROUND(AVG("Purchase Amount (USD)")::NUMERIC, 2) AS avg_purchase_amount

FROM customer

WHERE "Shipping Type" IN ('Standard', 'Express')

GROUP BY "Shipping Type";

-- -- Q5. Do subscribed customers spend more? Compare average spend and total revenue between

-- subscribers and non-subscribers.

SELECT "Subscription Status",

    ROUND(AVG("Purchase Amount (USD)")::NUMERIC, 2) AS avg_spend,

    SUM("Purchase Amount (USD)") AS total_revenue

FROM customer

GROUP BY "Subscription Status";

-- -- Q6. Which 5 products have the highest percentage of purchases with discounts applied?

SELECT "Item Purchased",

    ROUND(

      (

        SUM(

          CASE

            WHEN "Discount Applied" = 'Yes' THEN 1

            ELSE 0

```
            END
          ) * 100.0 / COUNT(*)
        )::NUMERIC,
        2
      ) AS discount_percentage
FROM customer
GROUP BY "Item Purchased"
ORDER BY discount_percentage DESC
LIMIT 5;
```

-- -- Q7. Segment customers into New, Returning, and Loyal based on their total number of

-- previous purchases, and show the count of each segment.

```
SELECT
  CASE
    WHEN "Previous Purchases" <= 2 THEN 'New'
    WHEN "Previous Purchases" <= 5 THEN 'Returning'
    ELSE 'Loyal'
  END AS customer_segment,
  COUNT(*) AS customer_count
FROM customer
GROUP BY customer_segment
ORDER BY customer_count DESC;
```

-- -- Q8. What are the top 3 most purchased products within each category?

```
SELECT *
FROM (
  SELECT
```

```
    "Category",
    "Item Purchased",
    COUNT(*) AS purchase_count,
    ROW_NUMBER() OVER (
      PARTITION BY "Category"
      ORDER BY COUNT(*) DESC
    ) AS rank_no
  FROM customer
  GROUP BY "Category", "Item Purchased"
) ranked_products
WHERE rank_no <= 3;
```

-- -- Q9. Are customers who are repeat buyers (more than 5 previous purchases) also likely to

-- subscribe?

```
SELECT
  CASE
    WHEN "Previous Purchases" > 5
    THEN 'Repeat Buyer'
    ELSE 'Non Repeat Buyer'
  END AS customer_type,

  "Subscription Status",

  COUNT(*) AS customer_count
FROM customer
GROUP BY customer_type,
     "Subscription Status"
```

```sql
ORDER BY customer_type;
```

(OR)

--Percentage Version (Better Analysis)

```sql
SELECT
  "Subscription Status",
  ROUND(
    (
      COUNT(
        CASE
          WHEN "Previous Purchases" > 5 THEN 1
        END
      ) * 100.0 / COUNT(*)
    )::NUMERIC,
    2
  ) AS repeat_buyer_percentage
FROM customer
GROUP BY "Subscription Status";
```

-- -- Q10. What is the revenue contribution of each age group?

--Revenue Percentage Contribution (Better Version)

```sql
SELECT
  CASE
    WHEN "Age" BETWEEN 18 AND 25 THEN '18-25'
    WHEN "Age" BETWEEN 26 AND 35 THEN '26-35'
    WHEN "Age" BETWEEN 36 AND 45 THEN '36-45'
    WHEN "Age" BETWEEN 46 AND 55 THEN '46-55'
    ELSE '56+'
  END AS age_group,
```

```
  SUM("Purchase Amount (USD)") AS revenue,


  ROUND(
    (
      SUM("Purchase Amount (USD)") * 100.0 /
      SUM(SUM("Purchase Amount (USD)")) OVER ()
    )::NUMERIC,
    2
  ) AS revenue_percentage
FROM customer
GROUP BY age_group
ORDER BY revenue DESC;
```

```
-- SELECT *
-- FROM customer
-- LIMIT 1;
-- TO SEE THE ALL THE COLUMNS WITHIN THE DATA SHEET
```