

1.What are the two values of the Boolean data type? How do you write them?

- A) It has two possible values: **true and false** . Bool is not interchangeable with Int and must be converted explicitly if needed.

2. What are the three different types of Boolean operators?

- A) And ,Or and Not

3. Make a list of each Boolean operator's truth tables (i.e. every possible combination of Boolean values for the operator and what it evaluate).

4. What are the values of the following expressions?

(5 > 4) and (3 == 5) : False

not (5 > 4): False

(5 > 4) or (3 == 5): True

not ((5 > 4) or (3 == 5)):True

(True and True) and (True == False):False

(not False) or (not True): True

5. What are the six comparison operators?

a)==

b)>

c)<

d)>=

e)<=

f)!=

6. How do you tell the difference between the equal to and assignment operators?Describe a condition and when you would use one.

- A) The “=” is an **assignment operator** is used to **assign the value on the right to the variable on the left**. The ‘==’ operator checks whether the two given operands are equal or not.

7. Identify the three blocks in this code:

```
spam = 0

if spam == 10:

    print('eggs')

if spam > 5:

    print('bacon')

else:

    print('ham')

    print('spam')

    print('spam')
```

8. Write code that prints Hello if 1 is stored in spam, prints Howdy if 2 is stored in spam, and prints Greetings! if anything else is stored in spam.

A)

```
spam=input()

if spam==1:

    print("Hello")

elif spam==2:

    print("Howdy")

else:

    print("Greetings!")
```

9.If your programme is stuck in an endless loop, what keys you’ll press?

A) ESC

10. How can you tell the difference between break and continue?

- A) The Break statement is used to exit from the loop constructs.
- B) The continue statement is not used to exit from the loop constructs.

11. In a for loop, what is the difference between range(10), range(0, 10), and range(0, 10, 1)?

- A) All are same

12. Write a short program that prints the numbers 1 to 10 using a for loop. Then write an equivalent program that prints the numbers 1 to 10 using a while loop.

- A) for i in range(11):

```
    print(i,end="")
```

```
    i=0
```

```
while(i<=10):
```

```
    print(i)
```

```
    i+=1
```

13. If you had a function named bacon() inside a module named spam, how would you call it after importing spam?

- A) from spam import bacon