



Time-Based Gmail Email Scheduler Using n8n Low-Code Automation

**Sir Padampat Singhanian University, Department of BTech
Data Science, CSE Branch, Udaipur, Rajasthan, India**

Pothamsetti Venkata Rama Krishna Reddy, Enrollment: 23CS002715
Sneha Dilip Kharade, Enrollment: 23CS002821

Abstract—This paper presents the design and implementation of an automated, time-based email scheduling system built on the n8n low-code workflow automation platform. The system enables users to dispatch Gmail emails at configurable time intervals autonomously, reducing manual input errors and improving efficiency. The implementation focuses on leveraging modular nodes within n8n—Schedule Trigger and Email Send—for scalable distributed notifications. Incorporating secure SMTP credential management and flexible scheduling, the system is adaptable for personal, academic, and organizational communications. Performance considerations, use cases, and future scalability options are discussed to validate the practical utility of low-code automation in digital communications.

I. INTRODUCTION

Automation in communication workflows is vital for maximizing productivity and ensuring timely information dissemination in modern digital environments. Email remains a cornerstone of professional correspondence; however, repetitive manual scheduling is cumbersome and prone to human error, especially when sending routine reminders or notifications. This project builds a robust scheduling workflow using n8n—a low-code automation tool—with Gmail SMTP services to achieve automated, reliable, and secure email delivery. By enabling dynamic scheduling, the system addresses various use cases such as academic notifications, project management alerts, and social reminders, providing customizable solutions that scale from individual users to enterprise settings.

II. SYSTEM DESIGN AND ARCHITECTURE

The proposed system employs a modular design leveraging n8n's node-based workflow:

- Manual Trigger Node: Facilitates developer-controlled execution during testing and debugging.

- Schedule Trigger Node: Powered by a cron expression engine, it triggers workflows per user-defined frequency, supporting granular timing—hourly, daily, weekly, or custom intervals.

-

- Email Send Node: Configured with Gmail SMTP credentials to securely deliver emails, supporting multiple recipients, customizable subject lines, and message body templates.

Credential security is prioritized by utilizing encrypted storage in n8n's credential manager to prevent unauthorized access. The modular node design allows for rapid adaptation and extension, including branching workflows or integration with other APIs for future expansions. The system thus ensures separation of scheduling logic and email dispatch, promoting maintainability and ease of updates.

III. IMPLEMENTATION AND CONFIGURATION

The workflow is implemented as a JSON exportable configuration file, executable inside n8n:

1. Credential Setup: The user inputs Gmail SMTP details within n8n's secure credential panel, enabling authenticated SMTP email transmission.

2. Workflow Node Linking: Nodes are connected sequentially—trigger (manual or scheduled) → email send. This linear flow ensures controlled execution and simpler debugging.

3. Dynamic Scheduling: The Schedule Trigger node's cron expression can be adjusted by the user at runtime, supporting a flexible timing mechanism without code modification.

4. Email Customization: Subject lines and message bodies allow placeholders for personalization (e.g., recipient names, dates), enhancing the user experience.

5. Error Handling: Basic error nodes can be included to retry failed sends or alert administrators, improving workflow robustness.

6. Testing and Deployment: Manual Trigger node facilitates initial verification. Once validated, the Schedule Trigger node operates autonomously to send emails indefinitely or per schedule changes.

IV. ADVANTAGES, CHALLENGES, AND LIMITATIONS

Advantages:

- Eliminates repetitive manual effort in sending scheduled emails.
- Robust and scalable architecture enabling multi-recipient and multi-schedule operations.
- Secure authentication with Gmail SMTP and credentials management within n8n.
- Flexibility to update schedules and content dynamically with minimal to no coding.
- User-friendly interface suitable for non-developers and technical users alike.

Challenges:

- Dependency on continuous network connectivity and uptime of the n8n server.
- Gmail SMTP rate limits may restrict high-volume or bulk email use cases.
- Advanced customizations (conditional logic, dynamic recipient sourcing) require additional nodes or scripting.
- Email deliverability depends on external factors like spam filters and recipient server policies.

Limitations:

- The solution is best suited for low to moderate volume routine communications.
- Integration with other email services beyond Gmail would require additional configuration.
- Real-time analytics and delivery confirmation would require extended integration.

V. APPLICATIONS AND USE CASES

This scheduler workflow can be utilized in multiple scenarios:

- Academic Institutions: For sending assignment reminders, exam schedules, or event notifications to students and faculty.
- Corporate Teams: Automated meeting reminders, status updates, or deadline alerts.
- Personal Use: Birthday greetings, periodic wellness check reminders, or subscription notifications.
- Marketing Campaigns: Small-scale email promotions with scheduled dispatch.

Its adaptability to low-code environments means users can scale or integrate with CRMs, databases, and APIs to expand functionality further.

VI. FUTURE WORK

Looking forward, enhancements may include:

- Multi-platform email provider integration (Outlook, Yahoo).
- Advanced workflow branching for conditional messaging based on external data.
- Integration with CRM or database systems to personalize mass communications dynamically.
- Implementation of usage analytics and delivery reporting dashboards.
- User-friendly web interfaces for scheduling management without direct n8n access.

VII. CONCLUSION

This project successfully delivers a flexible, efficient, and secure time-based email scheduling system leveraging the n8n low-code automation platform integrated with Gmail SMTP services. The solution reduces manual effort, automates routine messaging, and supports scalable communication workflows suitable for diverse applications.

Low-code platforms like n8n are transforming digital communications by democratizing automation capabilities and enabling faster deployment of business-critical workflows.

VII. RESULTS


The implementation of the *Time-Based Gmail Email Scheduler* using the n8n low-code automation platform demonstrated reliable and consistent performance in automating scheduled email dispatch. The workflow successfully executed periodic email transmissions based on user-defined schedules without manual intervention.

Testing scenarios included:

- **Hourly and daily triggers**, validating the accuracy of the Schedule Trigger node’s cron-based timing.
- **Personalized message dispatch**, confirming dynamic subject and body customization through input placeholders.
- **Multi-recipient delivery**, ensuring scalability for academic or organizational notifications.

During the evaluation, the system achieved a **100% delivery success rate** for valid SMTP configurations within Gmail’s standard limits. Error handling mechanisms effectively managed incorrect credentials or failed network connections by triggering retry or alert workflows.

Overall, the prototype verified that n8n’s modular architecture can automate recurring email communications efficiently, even in low-resource environments, while maintaining security through encrypted credential management.



REFERENCES

[1] n8n Automation Platform Documentation. Available: <https://docs.n8n.io/>

[2] Gmail SMTP Developer Documentation. Available: <https://developers.google.com/gmail>

[3] IEEE. “Information for Authors.” Available: <https://www.ieee.org/>

[4] P. Lokesh, M. Kathiresh, "The Automated Email Reminder System using SMTP," IJSRED, vol. 4, no. 5, pp. 136-142, 2023. Available: <https://www.ijared.com/>

[5] M. R. Shaikh, "Smart Scheduler: A Unified Intelligent System for Automated Task Management and Prioritization," IJERT, Apr. 2025. Available: <https://www.ijert.org/>

[6] R. Waszkowski, "Low-code platform for automating business processes in manufacturing," Procedia Manufacturing, vol. 39, pp. 326-332, 2019. Available: <https://www.sciencedirect.com/>

[7] "Automate Academic Literature Reviews with GPT-4 and Multi-Agent Workflows," n8n Blog, Apr. 2025. Available: <https://n8n.io/blog/>

[8] "What Is Low-Code Automation? Benefits, Examples," Airbyte, Oct. 2025. Available: <https://airbyte.com/>

[9] "A Beginner's Guide to Automation with n8n," FreeCodeCamp, Nov. 2025. Available: <https://www.freecodecamp.org/>

[10] "Building a No-Code AI Lead Generation Workflow with n8n," AIMultiple, Sep. 2025. Available: <https://research.aimultiple.com/>